R3850-1.2u 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, North Central Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data

Source of the Data v
Data Quality v
Geographic Coverage vi
Organization of Length of Stay Tables viii
Patient Data Assignment
Definition of Multiple Diagnoses Patients
Definition of Operated Patients
Explanation of Statistics viii
Application of Length of Stay Tables ix

Length of Stay Tables

Length of Stay Tables Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Tables Operation Groups 205
Summary of All Patients in Operation Groups 206
Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
Diagnosis Index 278
Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.



** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

505 Hospitals, North Central Region, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191125	3.0	12	1	1	2	3	5	6	14
20-34	105993	3.5	24	<1	1	2	3	6	10	28
35-49	37023	5.1	40	1	1	3	6	11	17	32
50-64	23122	5.2	35	1	1	4	6	10	15	31
65+	18708	5.6	33	1	1	4	7	11	15	30
B. *Operated*										
0-19 YRS	49909	2.8	8	1	1	2	3	5	7	15
20-34	110200	3.2	6	1	1	3	4	5	7	12
35-49	49020	4.0	12	1	1	3	5	8	10	16
50-64	41390	4.6	17	1	1	3	6	10	12	18
65+	32311	5.8	25	1	1	4	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204947	4.7	45	1	1	3	5	7	12	40
20-34	115798	6.0	57	1	1	3	6	14	23	35
35-49	107154	6.4	47	1	1	4	7	14	21	33
50-64	154293	6.3	36	1	2	5	8	12	17	30
65+	334017	7.3	34	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	54079	5.7	85	1	1	3	6	12	21	60
20-34	151586	5.0	30	1	2	4	5	8	12	30
35-49	105083	6.6	50	1	1	5	8	13	18	38
50-64	136061	8.2	71	1	2	6	10	17	23	45
65+	214603	10.4	84	1	2	8	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375971	3.6	21	1	1	3	4	6	9	26
B. *Operated*	282830	3.7	12	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	916209	6.3	42	1	2	4	7	12	18	33
B. *Operated*	661412	7.7	68	1	2	5	10	16	22	44
1. SINGLE DX	658801	3.7	17	1	1	3	4	7	10	22
2. MULTIPLE DX	1577621	6.9	54	1	2	5	8	14	20	38
A. NOT OPERATED	1292180	5.5	37	1	1	4	6	11	16	31
B. OPERATED	944242	6.5	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	500060	4.0	34	1	1	3	4	6	10	34
20-34	483577	4.5	31	1	1	3	5	8	13	29
35-49	298280	5.9	42	1	1	4	7	12	18	33
50-64	354866	6.8	49	1	1	5	8	14	19	36
65+	599639	8.3	54	1	2	6	10	16	21	38
GRAND TOTAL	**2236422**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**18**	**34**

505 Hospitals, North Central Region, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68967	3.6	30	1	1	2	4	6	8	32
20-34	105993	3.5	24	<1	1	2	3	6	10	28
35-49	37023	5.1	40	1	1	3	6	11	17	32
50-64	23122	5.2	35	1	1	4	6	10	15	31
65+	18708	5.6	33	1	1	4	7	11	15	30
B. *Operated*										
0-19 YRS	49863	2.8	8	1	1	2	3	5	7	15
20-34	110200	3.2	6	1	1	3	4	5	7	12
35-49	49020	4.0	12	1	1	3	5	8	10	16
50-64	41390	4.6	17	1	1	3	6	10	12	18
65+	32311	5.8	25	1	1	4	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114074	5.1	66	1	1	3	5	9	17	47
20-34	115798	6.0	57	1	1	3	6	14	23	35
35-49	107154	6.4	47	1	1	4	7	14	21	33
50-64	154293	6.3	36	1	2	5	8	12	17	30
65+	334017	7.3	34	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	51237	4.9	52	1	1	3	5	10	16	41
20-34	151586	5.0	30	1	2	4	5	8	12	30
35-49	105083	6.6	50	1	1	5	8	13	18	38
50-64	136061	8.2	71	1	2	6	10	17	23	45
65+	214603	10.4	84	1	2	8	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253813	4.1	30	1	1	3	4	8	12	30
B. *Operated*	282784	3.7	12	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	825336	6.5	44	1	2	5	8	13	19	34
B. *Operated*	658570	7.6	66	1	2	5	10	16	22	43
1. SINGLE DX	536597	3.9	21	1	1	3	4	8	11	24
2. MULTIPLE DX	1483906	7.0	54	1	2	5	9	14	20	38
A. NOT OPERATED	1079149	5.9	42	1	1	4	7	12	17	33
B. OPERATED	941354	6.5	53	1	1	4	8	14	19	37
TOTAL 0-19 YRS	284141	4.3	45	1	1	3	4	8	13	40
20-34	483577	4.5	31	1	1	3	5	8	13	29
35-49	298280	5.9	42	1	1	4	7	12	18	33
50-64	354866	6.8	49	1	1	5	8	14	19	36
65+	599639	8.3	54	1	2	6	10	16	21	38
GRAND TOTAL	**2020503**	**6.2**	**47**	**1**	**1**	**4**	**7**	**13**	**18**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1229	2.7	3	1	1	2	3	5	6	8
20-34	476	2.6	3	1	1	2	3	5	6	10
35-49	222	3.1	5	1	1	3	4	6	7	14
50-64	126	3.4	5	1	1	3	4	6	7	12
65+	90	3.5	7	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	33	5.2	53	1	2	4	4	7	14	43
20-34	47	4.6	7	2	2	4	6	7	11	15
35-49	21	5.4	8	2	2	4	7	10	11	11
50-64	9	4.1	4	2	2	4	5	8	8	8
65+	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3565	3.3	7	1	1	3	4	5	7	12
20-34	1099	3.3	5	1	1	3	4	6	8	11
35-49	680	3.9	7	1	2	3	5	7	9	15
50-64	713	4.3	7	1	2	4	5	8	9	15
65+	1196	5.2	15	1	2	4	6	10	13	18
B. *Operated*										
0-19 YRS	73	9.3	142	1	2	6	9	29	40	92
20-34	75	6.8	55	1	2	5	7	12	15	48
35-49	61	8.1	38	2	3	7	10	16	18	33
50-64	81	8.4	37	2	3	6	10	17	20	31
65+	138	11.7	87	3	5	8	15	22	31	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2143	2.8	3	1	1	2	4	5	6	10
B. *Operated*	113	4.9	20	2	2	4	5	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	7253	3.8	8	1	1	3	4	7	9	14
B. *Operated*	428	9.3	77	2	3	6	11	19	30	56
1. SINGLE DX	2256	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	7681	4.1	14	1	1	3	5	7	10	18
A. NOT OPERATED	9396	3.5	7	1	1	3	4	6	8	14
B. OPERATED	541	8.4	68	2	3	6	10	17	24	50
TOTAL 0-19 YRS	4900	3.2	9	1	1	3	4	5	7	12
20-34	1697	3.3	7	1	1	3	4	6	8	12
35-49	984	4.0	10	1	1	3	5	7	10	17
50-64	929	4.5	11	1	2	4	5	8	11	18
65+	1427	5.8	25	1	2	4	7	11	15	25
GRAND TOTAL	**9937**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	16	1	1	3	5	11	13	13
20-34	15	10.9	72	1	3	8	16	23	28	30
35-49	9	7.2	16	3	3	6	11	13	13	13
50-64	9	5.4	11	<1	1	4	8	10	11	11
65+	8	9.3	50	1	1	9	14	19	21	21
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	8.3	20	<1	1	8	12	13	14	14
35-49	6	5.8	18	1	1	5	8	12	13	13
50-64	10	6.9	19	1	2	6	8	13	16	16
65+	5	7.0	13	3	3	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.0	25	1	1	6	9	16	16	16
20-34	31	13.2	124	2	3	10	16	23	41	54
35-49	36	11.5	46	1	3	11	15	21	23	31
50-64	34	11.4	80	1	3	11	15	17	19	52
65+	86	12.8	70	3	4	11	18	25	27	36
B. *Operated*										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	15	9.8	52	1	2	8	12	20	26	28
35-49	27	17.6	158	4	6	13	25	36	44	51
50-64	48	15.0	87	3	6	14	21	29	32	42
65+	84	14.9	112	3	5	13	17	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.0	42	1	2	5	12	16	21	30
B. *Operated*	30	7.0	16	1	2	7	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	199	12.0	74	2	3	10	16	23	26	47
B. *Operated*	177	14.8	107	3	5	13	19	30	34	51
1. SINGLE DX	78	7.6	32	1	2	6	11	14	19	28
2. MULTIPLE DX	376	13.3	91	2	3	11	17	25	31	51
A. NOT OPERATED	247	11.2	70	2	3	10	15	22	26	42
B. OPERATED	207	13.7	102	2	4	11	17	28	33	51
TOTAL 0-19 YRS	23	6.3	19	1	1	5	9	14	16	16
20-34	69	11.4	85	1	3	9	15	20	29	52
35-49	78	12.7	94	2	3	11	15	25	33	49
50-64	101	12.1	81	2	3	10	16	22	30	47
65+	183	13.5	89	3	4	12	17	26	31	50
GRAND TOTAL	**454**	**12.4**	**86**	**2**	**3**	**10**	**16**	**24**	**30**	**51**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	3	18.3	514	1	1	10	35	44	44	44
50-64	2	9.0	72	3	3	9	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	4	7.0	41	<1	<1	5	11	16	16	16
20-34	6	11.2	35	2	3	11	17	18	18	18
35-49										
50-64	2	8.5	113	1	1	8	16	16	16	16
65+	3	17.0	93	10	10	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	7.7	44	2	2	6	13	15	15	15
50-64	6	12.7	148	5	5	8	12	34	37	37
65+	12	13.1	114	2	2	10	17	32	35	35
B. *Operated*										
0-19 YRS	4	32.3	1081	3	3	27	59	71	71	71
20-34	5	12.8	60	5	5	10	20	22	22	22
35-49	8	16.4	124	3	4	14	21	34	38	38
50-64	17	13.3	143	4	5	10	16	21	43	55
65+	26	24.7	543	4	5	17	29	62	75	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.8	173	1	2	7	11	32	44	44
B. *Operated*	15	10.9	56	<1	1	10	16	18	25	28
2. MULTIPLE DX										
A. *Not Operated*	24	11.3	101	2	2	9	12	31	36	37
B. *Operated*	60	19.9	382	4	5	14	22	51	66	93
1. SINGLE DX	24	10.8	94	1	1	9	15	19	33	44
2. MULTIPLE DX	84	17.4	314	3	4	11	21	39	59	87
A. NOT OPERATED	33	11.2	116	2	2	8	12	32	37	44
B. OPERATED	75	18.1	328	3	4	12	21	47	61	89
TOTAL 0-19 YRS	10	16.3	565	<1	1	5	16	59	71	71
20-34	16	10.3	36	2	3	9	14	20	21	22
35-49	14	14.9	169	1	2	12	17	39	43	44
50-64	27	12.5	126	2	4	9	15	21	40	55
65+	41	20.8	404	3	5	13	28	51	66	95
GRAND TOTAL	**108**	**16.0**	**272**	**2**	**3**	**10**	**18**	**36**	**55**	**81**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	2.4	1	1	1	2	3	4	4	7
20-34	74	2.9	1	1	2	3	3	4	5	7
35-49	17	2.9	2	1	1	3	4	5	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	48	1.3		1	1	1	2	2	3	3
20-34	8	1.4		1	1	1	2	2	2	2
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	625	2.8	2	1	1	2	3	5	6	8
20-34	192	3.3	2	1	2	3	4	5	6	9
35-49	79	3.7	2	1	2	4	5	6	6	8
50-64	37	3.9	2	2	2	4	5	6	7	7
65+	22	5.4	12	2	3	4	6	9	13	18
B. *Operated*										
0-19 YRS	35	2.8	7	1	1	2	3	7	10	10
20-34	9	2.6	3	1	1	2	4	5	5	5
35-49	4	8.8	57	4	4	5	13	20	20	20
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.6	1	1	1	2	3	4	5	7
B. *Operated*	58	1.5	2	1	1	1	2	2	3	11
2. MULTIPLE DX										
A. *Not Operated*	955	3.1	3	1	1	3	4	5	6	9
B. *Operated*	50	3.6	14	1	1	2	5	9	10	20
1. SINGLE DX	323	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1005	3.1	3	1	1	3	4	5	6	10
A. NOT OPERATED	1220	3.0	3	1	1	3	4	5	6	8
B. OPERATED	108	2.5	9	1	1	1	2	6	9	16
TOTAL 0-19 YRS	877	2.6	2	1	1	2	3	4	5	9
20-34	283	3.1	2	1	2	3	4	5	6	8
35-49	102	3.8	6	1	2	4	5	6	7	16
50-64	42	3.9	3	2	2	4	5	7	7	9
65+	24	5.6	13	2	3	4	6	10	14	18
GRAND TOTAL	**1328**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	4.6	8	1	2	4	6	9	10	13
20-34	35	4.9	9	1	2	4	6	9	11	15
35-49	22	6.5	16	2	2	6	7	13	16	17
50-64	25	6.7	32	2	2	5	7	14	23	25
65+	61	7.5	26	1	2	7	10	13	17	26
B. *Operated*										
0-19 YRS	6	7.2	16	4	4	5	10	14	14	14
20-34	3	12.0	79	2	2	15	18	19	19	19
35-49	4	10.3	26	4	4	10	14	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	17.8	126	6	6	15	27	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	855	5.5	14	1	2	5	7	10	12	20
20-34	291	8.0	28	2	3	7	11	15	17	26
35-49	339	9.9	50	3	4	8	12	18	24	35
50-64	917	9.8	41	3	4	8	12	17	21	36
65+	4179	10.8	41	4	5	9	13	18	23	36
B. *Operated*										
0-19 YRS	69	11.7	77	3	3	10	14	21	30	45
20-34	122	17.9	189	4	4	15	25	40	54	99+
35-49	170	17.6	175	4	6	14	22	34	42	86
50-64	349	18.1	186	5	7	14	22	34	48	71
65+	1222	18.7	139	6	8	15	23	34	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	5.2	13	1	2	4	7	10	12	18
B. *Operated*	20	11.9	69	3	4	10	15	23	31	35
2. MULTIPLE DX										
A. *Not Operated*	6581	9.8	41	3	4	8	12	17	21	34
B. *Operated*	1932	18.2	153	5	7	15	23	34	45	71
1. SINGLE DX	468	5.5	17	1	2	4	7	10	13	22
2. MULTIPLE DX	8513	11.7	79	3	4	9	14	22	29	49
A. NOT OPERATED	7029	9.5	40	2	3	8	12	17	21	33
B. OPERATED	1952	18.1	152	5	7	15	23	34	45	71
TOTAL 0-19 YRS	1235	5.6	19	1	2	4	7	10	13	20
20-34	451	10.5	91	2	3	8	13	23	29	67
35-49	535	12.2	102	3	4	9	15	24	31	62
50-64	1292	12.0	94	3	4	9	14	22	30	55
65+	5468	12.5	74	4	5	10	15	23	29	48
GRAND TOTAL	**8981**	**11.4**	**77**	**3**	**4**	**9**	**14**	**21**	**28**	**48**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	6.2	15	1	2	5	9	11	13	21
20-34	37	4.9	7	2	2	4	6	9	11	13
35-49	25	6.0	17	2	2	4	8	13	15	17
50-64	23	5.0	6	2	3	5	6	8	10	13
65+	13	6.0	11	2	3	6	8	11	12	12
B. *Operated*										
0-19 YRS	8	8.9	22	<1	1	9	11	15	17	17
20-34	4	8.8	99	1	1	5	15	23	23	23
35-49	5	8.2	43	1	1	7	10	19	19	19
50-64	2	11.0	98	4	4	11	18	18	18	18
65+	3	6.3	12	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	6.8	33	2	2	5	9	13	15	30
20-34	68	5.3	18	2	2	4	6	9	12	28
35-49	75	6.2	19	2	3	5	7	10	13	27
50-64	77	7.1	38	2	2	6	9	11	21	37
65+	194	9.1	43	3	3	7	11	18	23	34
B. *Operated*										
0-19 YRS	18	7.4	15	2	3	8	9	13	15	16
20-34	20	11.5	64	3	4	10	13	25	29	32
35-49	21	27.6	625	4	4	22	39	71	84	84
50-64	44	21.1	222	4	5	17	28	45	50	67
65+	63	17.4	148	4	6	14	21	36	46	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.8	13	2	2	5	8	11	13	17
B. *Operated*	22	8.5	37	<1	1	8	10	18	21	23
2. MULTIPLE DX										
A. *Not Operated*	654	7.3	35	2	2	6	9	13	18	31
B. *Operated*	166	17.9	230	4	4	14	24	38	49	81
1. SINGLE DX	277	6.1	15	2	2	5	8	11	13	20
2. MULTIPLE DX	820	9.4	92	2	2	7	11	20	27	50
A. NOT OPERATED	909	6.9	29	2	2	6	9	13	17	28
B. OPERATED	188	16.8	216	3	4	12	22	36	47	77
TOTAL 0-19 YRS	423	6.6	25	2	2	5	9	12	14	25
20-34	129	6.3	29	2	2	5	7	11	17	31
35-49	126	9.8	180	2	3	6	9	21	32	84
50-64	146	11.1	132	2	3	7	14	26	37	56
65+	273	10.8	78	3	3	8	14	21	27	48
GRAND TOTAL	**1097**	**8.6**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**47**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	634	3.3	3	1	2	3	4	5	7	10
20-34	340	3.5	4	1	2	3	4	6	7	9
35-49	68	4.5	13	2	2	3	5	8	13	20
50-64	10	6.0	12	3	3	5	6	12	14	14
65+	7	12.4	329	3	3	5	10	45	53	53
B. *Operated*										
0-19 YRS	4	4.8	6	3	3	4	6	8	8	8
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	4.1	6	2	2	3	5	7	9	14
20-34	232	4.3	7	1	2	4	5	8	9	12
35-49	88	5.3	11	1	2	5	7	9	11	18
50-64	30	8.3	30	3	3	7	11	15	16	29
65+	23	7.0	10	3	3	7	8	12	14	14
B. *Operated*										
0-19 YRS	15	7.0	21	2	2	6	9	10	18	20
20-34	14	7.8	14	3	4	7	9	12	17	18
35-49	6	16.0	192	4	4	11	26	38	39	39
50-64	3	14.0	229	2	2	9	25	31	31	31
65+	5	17.8	90	10	10	13	27	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1059	3.5	6	1	2	3	4	6	7	12
B. *Operated*	8	4.3	3	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	845	4.5	9	2	2	4	5	9	10	15
B. *Operated*	43	10.3	72	2	3	8	10	26	30	39
1. SINGLE DX	1067	3.5	6	1	2	3	4	6	7	12
2. MULTIPLE DX	888	4.8	13	2	2	4	6	9	11	19
A. NOT OPERATED	1904	3.9	8	1	2	3	5	7	9	14
B. OPERATED	51	9.3	66	2	3	7	10	22	30	39
TOTAL 0-19 YRS	1125	3.7	5	1	2	3	4	6	8	12
20-34	589	3.9	6	1	2	3	5	7	8	12
35-49	162	5.3	22	1	2	4	6	9	14	25
50-64	44	8.1	37	2	3	6	10	15	20	31
65+	35	9.6	91	3	3	7	10	14	29	53
GRAND TOTAL	**1955**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.0	3	1	1	3	4	5	6	10
20-34	56	4.6	6	2	2	4	6	8	10	13
35-49	26	4.0	6	1	2	3	5	7	8	12
50-64	34	4.4	7	1	1	4	6	7	9	13
65+	66	5.3	8	2	2	5	7	8	9	18
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	4	3.8	8	1	1	3	6	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	5	10.6	28	8	8	8	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661	3.8	7	1	1	3	5	7	9	14
20-34	141	4.9	7	1	2	4	7	8	10	13
35-49	92	5.7	13	1	2	5	7	9	11	22
50-64	209	6.8	18	2	3	6	8	12	15	25
65+	717	7.5	28	2	3	7	9	13	17	29
B. *Operated*										
0-19 YRS	17	15.7	385	2	2	7	18	56	65	65
20-34	17	12.6	236	2	3	9	14	22	53	68
35-49	17	12.9	136	3	3	8	19	31	38	42
50-64	29	10.6	45	3	5	9	13	16	23	38
65+	104	14.3	207	1	3	10	18	27	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.8	6	1	1	3	5	7	8	12
B. *Operated*	18	5.8	21	1	1	6	8	9	16	20
2. MULTIPLE DX										
A. *Not Operated*	1820	5.8	20	1	2	5	7	11	14	25
B. *Operated*	184	13.6	192	2	3	9	16	26	41	73
1. SINGLE DX	423	3.9	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2004	6.5	40	1	2	5	8	12	16	30
A. NOT OPERATED	2225	5.4	18	1	2	4	7	10	13	23
B. OPERATED	202	12.9	181	2	3	9	16	25	39	73
TOTAL 0-19 YRS	904	3.9	16	1	1	3	4	7	9	17
20-34	218	5.4	28	1	2	4	7	9	12	18
35-49	139	6.2	32	1	2	5	7	11	16	32
50-64	274	6.9	21	2	3	6	8	13	16	26
65+	892	8.2	53	2	3	7	9	15	21	33
GRAND TOTAL	**2427**	**6.1**	**35**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.8	12	1	1	4	6	8	9	19
20-34	172	5.5	11	1	2	5	7	10	12	16
35-49	69	7.1	30	2	2	5	8	15	21	26
50-64	22	6.1	18	1	2	5	10	12	14	16
65+	9	4.9	5	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	4	4.8	5	2	2	5	6	7	7	7
35-49	4	3.0	11	1	1	2	5	8	8	8
50-64	3	6.0	3	5	5	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.2	34	1	2	5	7	10	13	34
20-34	227	5.9	21	2	2	5	7	10	14	30
35-49	106	7.8	29	3	3	6	10	16	19	28
50-64	72	7.8	39	2	3	6	9	15	20	35
65+	63	7.2	13	2	3	6	10	12	14	16
B. *Operated*										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	11	8.1	34	1	1	8	12	17	18	18
35-49	15	10.5	34	1	2	10	14	18	22	23
50-64	14	9.1	16	2	2	10	11	14	15	15
65+	20	11.4	48	1	2	11	15	21	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	5.7	16	1	2	5	7	10	13	21
B. *Operated*	11	4.5	7	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	519	6.8	26	2	3	5	8	12	16	29
B. *Operated*	62	10.2	36	1	2	10	13	18	23	27
1. SINGLE DX	343	5.7	15	1	2	5	7	10	13	21
2. MULTIPLE DX	581	7.1	28	2	3	6	9	14	17	29
A. NOT OPERATED	851	6.4	22	2	2	5	8	11	15	28
B. OPERATED	73	9.3	36	1	2	9	13	17	22	26
TOTAL 0-19 YRS	113	5.6	25	1	2	5	6	9	13	31
20-34	414	5.8	17	2	2	5	7	10	13	20
35-49	194	7.7	30	2	3	6	9	16	21	27
50-64	111	7.6	31	2	2	6	10	14	17	33
65+	92	7.8	23	2	3	7	11	14	16	26
GRAND TOTAL	**924**	**6.6**	**24**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	3.5	4	1	2	3	4	5	7	11
20-34	102	4.1	6	1	2	4	5	7	9	13
35-49	21	5.1	5	2	2	4	7	8	9	10
50-64	5	4.6	5	1	1	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	5.7	30	2	2	3	10	12	12	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	899	4.0	5	1	2	4	5	7	8	11
20-34	189	4.2	4	2	2	4	5	7	8	11
35-49	43	6.2	25	2	3	5	8	11	12	33
50-64	21	6.3	11	3	3	6	8	10	13	17
65+	11	5.4	4	3	3	5	7	8	9	9
B. *Operated*										
0-19 YRS	22	7.0	14	2	3	6	9	14	14	14
20-34	11	7.0	16	1	3	6	8	14	16	16
35-49	4	5.5		5	5	5	6	6	6	6
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	4	7.0	18	4	4	6	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	3.7	5	1	2	3	5	6	7	12
B. *Operated*	6	6.0	12	2	2	6	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1163	4.2	6	1	2	4	5	7	8	11
B. *Operated*	43	7.0	13	2	4	6	9	13	14	16
1. SINGLE DX	455	3.8	5	1	2	3	5	6	7	12
2. MULTIPLE DX	1206	4.3	6	2	2	4	5	7	9	13
A. NOT OPERATED	1612	4.1	6	1	2	4	5	7	8	12
B. OPERATED	49	6.9	13	2	3	6	8	13	14	16
TOTAL 0-19 YRS	1245	3.9	5	1	2	4	5	6	8	12
20-34	303	4.3	6	1	2	4	5	7	9	13
35-49	70	5.9	17	2	3	5	7	9	11	29
50-64	28	6.2	11	2	3	5	8	10	13	17
65+	15	5.8	7	3	3	5	7	9	12	13
GRAND TOTAL	**1661**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	4	4
20-34	108	1.6	2	<1	<1	1	2	3	4	8
35-49	27	1.3		<1	1	1	1	2	2	3
50-64	5	1.2		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	9	2	2	2	5	8	8	8
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	17	1.6	1	1	1	1	2	3	4	4
20-34	69	2.8	21	1	1	2	3	4	5	32
35-49	40	4.1	77	1	1	2	4	7	11	56
50-64	14	3.4	4	1	1	3	5	6	6	6
65+	5	3.2	2	1	1	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	40	<1	<1	1	9	12	12	12
B. *Operated*	170	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	6	1	1	2	4	7	8	8
B. *Operated*	145	3.1	32	1	1	2	3	5	7	39
1. SINGLE DX	173	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	152	3.1	31	1	1	2	3	5	8	37
A. NOT OPERATED	10	3.4	14	<1	<1	2	4	10	12	12
B. OPERATED	315	2.3	16	<1	1	1	2	4	5	11
TOTAL 0-19 YRS	51	1.8	1	<1	1	2	2	3	4	8
20-34	179	2.1	9	<1	<1	1	2	4	5	10
35-49	70	3.0	47	1	1	1	3	5	11	47
50-64	20	2.9	4	1	1	2	4	6	6	6
65+	5	3.2	2	1	1	4	4	4	4	4
GRAND TOTAL	**325**	**2.3**	**16**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1076	2.8	3	1	1	3	4	5	6	8
20-34	221	3.1	3	1	1	3	4	6	6	9
35-49	118	3.1	3	1	1	3	4	5	7	8
50-64	47	3.9	8	1	1	3	5	8	10	12
65+	23	3.4	6	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	20	2.9	3	<1	<1	3	4	5	6	7
20-34	16	4.3	16	<1	1	3	6	12	12	12
35-49	5	5.8	14	2	2	5	9	11	11	11
50-64	5	3.0	9	1	1	2	4	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2037	3.0	4	1	1	3	4	5	7	11
20-34	596	3.5	7	1	1	3	4	6	8	15
35-49	422	4.1	14	1	2	3	5	7	9	15
50-64	409	4.5	12	1	2	4	5	9	10	18
65+	536	5.0	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	51	8.4	175	1	2	5	6	15	44	67
20-34	67	11.1	117	1	2	7	14	28	34	58
35-49	52	11.3	104	4	4	9	12	23	27	63
50-64	43	12.1	99	2	3	10	15	20	33	53
65+	47	13.2	110	3	3	9	18	30	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	2.9	3	1	1	3	4	5	6	9
B. *Operated*	47	3.7	9	<1	1	3	5	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	4000	3.6	8	1	1	3	4	7	9	14
B. *Operated*	260	11.1	122	2	3	8	13	23	35	61
1. SINGLE DX	1532	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	4260	4.1	18	1	1	3	5	7	10	22
A. NOT OPERATED	5485	3.5	7	1	1	3	4	6	8	13
B. OPERATED	307	10.0	112	1	2	7	12	22	34	57
TOTAL 0-19 YRS	3184	3.0	7	1	1	3	4	5	6	11
20-34	900	4.0	18	1	1	3	4	7	9	26
35-49	597	4.6	24	1	2	3	5	8	11	25
50-64	504	5.1	23	1	2	4	6	9	13	22
65+	607	5.6	24	1	2	4	6	10	13	26
GRAND TOTAL	**5792**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	10	1	1	4	6	9	11	13
20-34	24	4.9	5	2	2	5	6	8	10	10
35-49	6	3.5	7	1	1	3	6	7	7	7
50-64	8	4.1	6	1	1	4	6	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.7	11	1	2	4	6	8	11	17
20-34	8	4.6	6	2	2	4	5	9	10	10
35-49	12	5.3	15	2	2	5	6	10	15	16
50-64	12	5.8	8	3	3	4	8	10	11	11
65+	13	5.9	16	3	3	4	8	12	15	16
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	8.3	37	3	3	7	13	15	15	15
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	7	1	1	4	6	8	10	13
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	72	5.2	11	2	2	4	6	10	11	17
B. *Operated*	5	7.8	24	3	3	7	11	15	15	15
1. SINGLE DX	61	4.6	7	1	1	4	6	8	10	13
2. MULTIPLE DX	77	5.4	12	2	2	4	7	10	14	17
A. NOT OPERATED	132	4.9	9	1	2	4	6	9	10	16
B. OPERATED	6	8.0	19	3	3	8	10	14	15	15
TOTAL 0-19 YRS	48	4.6	10	1	1	4	6	8	11	17
20-34	35	5.1	8	2	2	4	6	10	10	15
35-49	19	4.9	13	1	1	5	6	9	13	16
50-64	20	5.2	8	1	2	4	7	9	10	11
65+	16	5.8	16	2	3	4	8	11	14	16
GRAND TOTAL	**138**	**5.0**	**10**	**1**	**2**	**4**	**6**	**10**	**11**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.2	4	2	2	4	5	7	8	13
20-34	83	4.2	6	1	2	3	5	8	9	12
35-49	11	5.2	15	1	2	4	7	11	15	15
50-64	6	6.3	23	1	1	5	8	14	15	15
65+	4	5.3	24	1	1	5	9	10	10	10
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	19	3.7	7	1	1	3	6	8	9	9
35-49	5	2.8	6	<1	<1	2	4	7	7	7
50-64	1	14.0		14	14	14	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	8	2	2	4	6	8	11	15
20-34	130	4.8	10	2	2	4	5	7	9	22
35-49	25	5.5	9	2	2	5	7	10	11	15
50-64	19	8.0	23	<1	1	10	11	14	16	16
65+	24	8.0	37	<1	1	7	12	15	18	23
B. *Operated*										
0-19 YRS	11	5.6	4	3	3	6	7	9	9	9
20-34	22	6.0	15	1	1	5	10	11	13	14
35-49	13	6.9	49	1	1	3	13	19	19	19
50-64	14	11.7	186	1	1	7	13	34	44	47
65+	15	10.4	92	2	2	7	13	23	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	4.3	7	1	2	4	5	8	9	15
B. *Operated*	29	3.9	10	1	1	3	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	268	5.3	14	2	2	4	6	10	13	20
B. *Operated*	75	8.1	69	1	1	6	11	19	24	44
1. SINGLE DX	209	4.3	7	1	1	4	5	8	9	15
2. MULTIPLE DX	343	5.9	27	1	2	5	7	11	15	28
A. NOT OPERATED	448	4.9	11	1	2	4	6	9	11	16
B. OPERATED	104	6.9	56	1	1	5	8	14	20	41
TOTAL 0-19 YRS	161	4.5	6	2	2	4	5	7	8	15
20-34	254	4.6	9	1	2	4	6	8	10	14
35-49	54	5.5	20	1	1	4	7	13	15	19
50-64	40	9.2	81	1	1	8	11	16	28	47
65+	43	8.6	55	1	1	7	12	17	23	36
GRAND TOTAL	**552**	**5.3**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	3	1	1	3	5	6	7	7
20-34	7	4.1	6	2	2	3	5	8	9	9
35-49	7	5.3	3	3	3	6	6	8	8	8
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	7	9.4	184	2	2	5	7	33	40	40
35-49	9	14.0	317	1	2	9	14	43	59	59
50-64	10	8.7	29	1	2	8	12	16	20	20
65+	5	9.2	38	2	2	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.6	14	1	2	3	6	8	14	20
20-34	47	6.6	22	2	2	6	9	14	15	20
35-49	38	8.2	85	1	2	6	9	17	27	51
50-64	56	8.5	35	3	3	7	10	14	21	36
65+	112	9.0	27	3	4	8	12	15	17	29
B. *Operated*										
0-19 YRS	10	21.9	370	6	6	17	22	55	66	66
20-34	26	22.5	379	6	7	15	30	58	72	78
35-49	54	16.9	251	2	3	12	26	44	70	99+
50-64	54	15.1	113	2	3	12	22	31	37	40
65+	66	15.2	116	5	5	12	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.2	4	1	2	4	6	7	8	9
B. *Operated*	31	10.5	140	1	2	8	12	20	39	59
2. MULTIPLE DX										
A. *Not Operated*	304	7.7	35	2	2	6	10	14	18	33
B. *Operated*	210	16.8	196	3	5	13	22	36	48	86
1. SINGLE DX	62	7.3	81	1	2	5	8	13	20	57
2. MULTIPLE DX	514	11.4	121	2	3	8	14	23	35	69
A. NOT OPERATED	335	7.4	33	2	2	6	9	14	17	32
B. OPERATED	241	16.0	193	2	4	12	21	35	46	80
TOTAL 0-19 YRS	76	6.7	90	1	2	4	7	14	20	61
20-34	87	11.4	190	2	2	7	13	22	38	75
35-49	108	12.9	197	2	3	8	19	34	51	99+
50-64	122	11.4	79	3	3	9	14	23	31	39
65+	183	11.2	68	3	4	9	13	21	26	44
GRAND TOTAL	**576**	**11.0**	**118**	**2**	**3**	**8**	**13**	**22**	**34**	**68**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	4	12.0	49	3	3	13	17	18	18	18
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	12	1	1	5	8	11	11	11
20-34	8	4.5	3	2	2	4	6	7	7	7
35-49	8	8.1	17	4	4	7	9	15	17	17
50-64	3	9.0	4	7	7	9	10	11	11	11
65+	5	9.2	52	3	3	6	15	20	20	20
B. *Operated*										
0-19 YRS	6	5.2	9	3	3	4	5	10	11	11
20-34	4	8.8	24	5	5	7	12	16	16	16
35-49	7	9.9	191	2	2	5	7	34	41	41
50-64	2	31.5	545	15	15	31	48	48	48	48
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	9	1	1	3	6	9	9	9
B. *Operated*	8	8.5	39	2	2	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	31	6.8	18	2	3	5	9	12	17	20
B. *Operated*	20	10.3	152	2	3	5	9	28	44	48
1. SINGLE DX	15	6.5	28	1	2	5	9	17	18	18
2. MULTIPLE DX	51	8.2	71	2	3	5	9	15	20	48
A. NOT OPERATED	38	6.3	17	1	2	5	9	11	15	20
B. OPERATED	28	9.8	117	2	3	5	10	18	42	48
TOTAL 0-19 YRS	19	4.8	8	1	2	4	5	10	11	11
20-34	17	7.5	25	2	3	6	9	17	18	18
35-49	16	8.4	89	1	2	5	8	16	34	41
50-64	7	14.4	235	2	3	9	14	41	48	48
65+	7	8.3	37	3	3	6	11	19	20	20
GRAND TOTAL	**66**	**7.8**	**61**	**2**	**2**	**5**	**9**	**16**	**18**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	9	2	2	3	6	9	10	10
20-34	17	3.4	3	1	2	3	4	6	7	8
35-49	14	4.6	7	1	2	4	5	9	10	11
50-64	5	3.2	8	1	1	2	4	8	8	8
65+										
B. *Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	63	4.4	19	<1	1	3	6	10	12	23
35-49	57	3.1	6	1	1	2	4	7	9	9
50-64	21	5.0	28	1	1	3	6	13	16	20
65+	6	5.5	26	1	1	4	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	13	1	2	3	6	9	12	17
20-34	77	6.9	26	2	2	6	8	13	17	28
35-49	80	7.3	29	2	3	6	9	13	18	32
50-64	55	7.9	17	2	3	8	11	13	15	17
65+	58	7.5	21	2	3	7	10	14	15	22
B. *Operated*										
0-19 YRS	12	13.8	67	3	4	14	17	27	29	29
20-34	134	9.9	51	1	2	8	15	22	24	40
35-49	111	10.2	127	1	1	7	13	25	30	64
50-64	67	11.6	192	1	1	7	16	25	37	85
65+	25	11.5	84	1	1	12	18	24	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	6	1	2	3	4	8	9	11
B. *Operated*	149	4.1	17	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	322	6.9	23	2	2	6	9	13	16	26
B. *Operated*	349	10.6	105	1	2	8	15	24	27	62
1. SINGLE DX	199	4.1	14	1	1	3	5	9	11	20
2. MULTIPLE DX	671	8.8	69	1	2	7	12	18	24	37
A. NOT OPERATED	372	6.5	22	2	2	5	8	13	15	25
B. OPERATED	498	8.6	87	1	1	6	12	20	25	39
TOTAL 0-19 YRS	80	6.0	32	1	2	4	8	14	18	28
20-34	291	7.5	40	1	2	6	10	18	23	28
35-49	262	7.5	72	1	1	5	9	16	25	39
50-64	148	9.0	103	1	1	7	12	17	23	40
65+	89	8.5	42	1	2	7	12	17	22	31
GRAND TOTAL	**870**	**7.7**	**60**	**1**	**1**	**6**	**10**	**17**	**23**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	8.0	94	2	2	3	11	25	25	25
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	5	11.4	114	3	3	4	22	25	25	25
35-49	7	31.7	911	2	3	23	61	75	76	76
50-64	2	10.0	32	6	6	10	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	7	7.6	67	2	2	3	9	22	25	25
B. *Operated*	14	21.4	574	2	3	13	25	71	75	76
1. SINGLE DX	4	3.5	6	1	1	3	5	6	6	6
2. MULTIPLE DX	21	16.8	437	2	2	7	23	47	73	76
A. NOT OPERATED	8	7.3	59	2	2	4	8	20	25	25
B. OPERATED	17	18.1	519	1	2	7	23	63	74	76
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	9.7	109	1	1	4	21	25	25	25
35-49	10	23.2	796	2	2	9	31	73	76	76
50-64	7	8.6	69	2	2	6	12	23	25	25
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**25**	**14.6**	**390**	**1**	**2**	**6**	**21**	**31**	**72**	**76**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	17	4.2	13	<1	1	4	5	7	13	16
65+	11	4.7	42	1	1	2	5	15	22	23
B. *Operated*										
0-19 YRS	9	5.1	20	1	1	3	9	12	12	12
20-34	15	4.8	22	1	1	3	4	15	15	15
35-49	58	4.9	57	1	1	3	4	11	19	47
50-64	151	4.7	22	1	1	3	6	13	15	20
65+	113	4.5	19	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	10	4.6	8	<1	<1	5	6	8	10	10
35-49	25	6.4	44	1	1	5	7	12	22	33
50-64	85	8.2	92	1	2	6	9	18	21	60
65+	69	7.9	40	1	2	6	11	16	19	31
B. *Operated*										
0-19 YRS	6	9.0	157	1	1	4	8	31	34	34
20-34	13	9.5	54	2	3	7	12	19	27	29
35-49	132	11.4	148	1	1	8	15	26	37	60
50-64	404	12.8	164	1	2	9	18	29	38	77
65+	451	11.5	176	1	2	7	15	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.2	20	1	1	3	5	7	15	23
B. *Operated*	346	4.7	27	1	1	3	6	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	191	7.6	62	1	2	6	10	16	20	39
B. *Operated*	1006	12.0	166	1	2	8	16	27	37	74
1. SINGLE DX	380	4.6	26	1	1	3	6	11	15	24
2. MULTIPLE DX	1197	11.3	152	1	2	7	15	25	35	69
A. NOT OPERATED	225	7.1	57	1	1	5	9	15	19	35
B. OPERATED	1352	10.1	140	1	1	6	14	23	32	65
TOTAL 0-19 YRS	17	6.6	62	1	1	4	8	12	26	34
20-34	41	6.0	32	1	1	4	8	14	16	29
35-49	218	9.0	118	1	1	5	11	22	32	52
50-64	657	10.1	130	1	1	6	14	23	33	68
65+	644	9.8	140	1	1	6	13	22	31	65
GRAND TOTAL	**1577**	**9.7**	**130**	**1**	**1**	**6**	**13**	**22**	**31**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	5.7	3	4	4	5	6	9	9	9
65+	8	4.6	18	1	1	3	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	4.4	4	1	1	5	5	6	6	6
50-64	34	9.1	53	1	1	9	12	14	27	33
65+	22	9.5	79	1	1	7	11	21	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	20	7.2	42	1	1	5	10	18	22	24
50-64	50	9.6	63	2	3	6	13	23	25	38
65+	83	8.5	39	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS										
20-34	2	24.0	50	19	19	24	29	29	29	29
35-49	32	21.9	489	3	7	14	30	58	96	99+
50-64	172	15.3	177	1	2	12	19	36	50	94
65+	278	15.5	167	2	4	12	20	34	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.9	11	1	1	5	6	11	11	11
B. *Operated*	62	8.9	58	1	1	7	12	18	25	37
2. MULTIPLE DX										
A. *Not Operated*	154	8.6	47	2	2	6	11	18	24	36
B. *Operated*	484	15.9	193	2	3	12	20	36	47	99
1. SINGLE DX	77	8.1	51	1	1	6	11	15	22	36
2. MULTIPLE DX	638	14.1	167	2	3	11	18	31	42	88
A. NOT OPERATED	169	8.3	45	2	2	6	10	17	23	34
B. OPERATED	546	15.1	182	2	3	12	19	34	47	98
TOTAL 0-19 YRS										
20-34	4	15.3	123	4	4	14	24	29	29	29
35-49	58	15.0	341	1	2	10	17	36	71	99+
50-64	262	13.2	144	1	2	10	17	29	41	73
65+	391	13.4	142	2	3	11	17	27	40	72
GRAND TOTAL	**715**	**13.5**	**158**	**2**	**3**	**10**	**17**	**29**	**41**	**85**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	4	5.8	31	2	2	3	9	14	14	14
65+	7	3.7	16	1	1	2	5	11	12	12
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	8	9.9	21	3	4	10	13	15	16	16
50-64	28	11.1	29	3	3	12	14	16	20	26
65+	35	12.9	83	2	4	11	15	22	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	8	3	3	7	9	9	9	9
35-49	12	5.5	17	<1	1	5	10	11	12	12
50-64	44	8.5	56	1	2	6	10	21	24	35
65+	104	8.1	65	2	2	6	9	15	19	48
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	12	22.7	212	4	5	21	28	47	50	51
35-49	71	14.3	130	3	6	11	17	27	30	76
50-64	209	16.1	133	4	7	13	20	27	36	67
65+	642	16.9	134	4	6	14	21	31	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.0	47	1	1	3	8	17	22	23
B. *Operated*	73	11.7	54	2	4	11	14	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	164	8.0	58	1	2	6	9	16	21	45
B. *Operated*	935	16.6	135	4	6	14	20	30	38	64
1. SINGLE DX	85	10.9	56	2	2	10	14	17	24	43
2. MULTIPLE DX	1099	15.3	133	3	5	12	19	29	37	55
A. NOT OPERATED	176	7.9	57	1	2	6	9	16	21	44
B. OPERATED	1008	16.2	131	4	6	13	20	30	37	59
TOTAL 0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	17	18.1	201	3	4	14	25	43	49	51
35-49	92	12.8	114	2	3	11	15	24	29	66
50-64	285	14.3	119	2	4	12	17	26	33	65
65+	788	15.4	132	3	4	13	20	30	38	52
GRAND TOTAL	**1184**	**15.0**	**128**	**3**	**4**	**12**	**19**	**28**	**36**	**54**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	4	10.3	2	9	9	10	11	12	12	12
65+	6	17.5	90	5	6	15	26	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	6	4.8	10	1	1	6	7	8	8	8
65+	10	6.7	20	1	1	7	8	13	16	16
B. *Operated*										
0-19 YRS										
20-34	3	20.0	471	6	6	9	36	45	45	45
35-49	21	23.1	447	6	8	12	31	60	69	78
50-64	45	21.0	338	7	8	16	24	34	62	92
65+	92	17.1	105	7	8	14	20	32	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	12.9	54	5	6	11	15	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	20	5.8	13	1	1	6	7	10	13	16
B. *Operated*	161	19.0	220	7	8	14	22	37	51	92
1. SINGLE DX	14	12.9	54	5	6	11	15	26	30	31
2. MULTIPLE DX	181	17.5	214	4	7	13	21	34	48	91
A. NOT OPERATED	20	5.8	13	1	1	6	7	10	13	16
B. OPERATED	175	18.5	209	7	8	14	22	34	48	91
TOTAL 0-19 YRS										
20-34	6	13.2	245	5	5	7	9	41	45	45
35-49	26	20.0	403	4	4	11	25	58	64	78
50-64	55	18.4	307	3	7	13	22	33	53	92
65+	108	16.1	104	5	7	13	20	32	40	79
GRAND TOTAL	**195**	**17.2**	**204**	**4**	**7**	**13**	**20**	**33**	**46**	**90**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	6.4	71	1	1	4	6	21	25	25
65+	11	6.1	47	<1	1	4	6	15	25	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	10.6	8	7	7	10	13	14	15	15
35-49	52	10.1	16	6	7	9	12	15	19	25
50-64	222	9.6	10	6	7	9	11	14	15	23
65+	321	10.6	16	6	7	10	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.1	18	2	3	6	9	13	16	17
35-49	27	6.8	55	1	1	5	8	14	18	38
50-64	114	7.6	36	2	2	6	10	14	21	32
65+	356	8.2	49	2	2	6	10	17	20	41
B. *Operated*										
0-19 YRS	8	12.5	49	3	3	13	17	21	23	23
20-34	40	11.2	31	5	6	9	13	18	24	30
35-49	224	12.2	41	6	7	10	14	21	26	60
50-64	1266	13.0	56	6	7	11	15	21	27	43
65+	3964	15.0	72	7	8	13	18	25	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	50	<1	1	4	6	18	26	26
B. *Operated*	606	10.2	14	6	7	9	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	509	7.9	46	2	2	6	10	15	20	36
B. *Operated*	5502	14.4	68	7	8	12	17	24	29	46
1. SINGLE DX	625	10.0	15	5	7	9	12	15	17	25
2. MULTIPLE DX	6011	13.8	69	5	7	12	16	23	29	46
A. NOT OPERATED	528	7.9	46	1	2	6	10	15	20	36
B. OPERATED	6108	14.0	64	7	8	12	16	23	29	45
TOTAL 0-19 YRS	9	11.4	53	3	3	11	16	21	23	23
20-34	62	10.3	27	4	5	9	13	17	20	30
35-49	304	11.4	41	4	6	10	14	20	24	45
50-64	1609	12.1	51	5	7	10	14	20	25	40
65+	4652	14.1	71	5	7	12	17	23	29	46
GRAND TOTAL	**6636**	**13.5**	**65**	**5**	**7**	**11**	**16**	**22**	**28**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	14	4.5	18	<1	1	4	6	8	15	17
65+	8	3.6	8	<1	<1	3	6	7	8	8
B. *Operated*										
0-19 YRS										
20-34	4	6.0	38	2	2	4	10	15	15	15
35-49	44	8.1	22	1	2	9	11	15	16	17
50-64	148	10.0	29	1	3	10	12	16	19	32
65+	220	10.2	37	1	2	10	14	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.5	15	2	2	4	8	11	11	11
35-49	20	5.8	16	1	2	5	8	12	14	15
50-64	71	8.9	114	1	2	6	11	17	23	65
65+	173	7.4	43	1	2	5	10	15	19	36
B. *Operated*										
0-19 YRS										
20-34	16	15.3	242	2	3	13	17	19	55	70
35-49	138	12.0	36	3	4	11	15	19	24	32
50-64	650	14.2	88	4	7	12	16	23	29	57
65+	1577	14.5	78	3	5	13	18	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.0	12	<1	<1	4	6	7	10	17
B. *Operated*	416	9.9	33	1	2	10	12	17	19	31
2. MULTIPLE DX										
A. *Not Operated*	268	7.6	60	1	2	5	10	15	19	43
B. *Operated*	2381	14.3	80	3	6	13	17	24	30	52
1. SINGLE DX	441	9.5	33	1	2	10	12	17	19	31
2. MULTIPLE DX	2649	13.6	82	3	4	12	16	23	29	52
A. NOT OPERATED	293	7.3	57	1	2	5	9	14	18	43
B. OPERATED	2797	13.6	75	2	5	12	16	23	29	50
TOTAL 0-19 YRS										
20-34	24	12.1	186	2	2	11	16	18	34	70
35-49	205	10.4	36	2	3	10	13	17	21	30
50-64	883	12.9	84	3	4	11	15	22	28	53
65+	1978	13.3	76	2	4	12	17	23	29	47
GRAND TOTAL	**3090**	**13.0**	**77**	**2**	**4**	**12**	**16**	**22**	**28**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	47	1	1	2	7	17	17	17
50-64	6	5.3	26	1	1	4	6	14	15	15
65+	8	4.6	9	1	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	7	8.4	23	3	3	7	12	15	16	16
20-34	8	5.0	14	1	1	4	6	11	13	13
35-49	15	9.9	47	1	3	8	15	21	23	24
50-64	32	10.4	57	1	1	8	17	21	25	26
65+	17	10.9	62	1	2	10	15	19	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	20	1	2	6	11	13	14	14
20-34	7	3.9	5	1	1	4	6	7	7	7
35-49	23	7.0	22	2	3	6	9	16	46	99+
50-64	58	8.8	114	1	1	6	10	18	24	67
65+	110	7.8	31	2	2	6	10	16	19	27
B. *Operated*										
0-19 YRS	13	14.5	112	2	2	12	25	30	31	31
20-34	27	13.2	68	5	6	10	16	28	32	38
35-49	52	14.1	100	3	4	12	17	27	33	52
50-64	192	15.3	99	4	6	12	19	30	34	50
65+	441	15.5	112	4	6	14	19	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.9	21	1	1	4	6	13	16	17
B. *Operated*	79	9.7	50	1	2	8	15	19	24	30
2. MULTIPLE DX										
A. *Not Operated*	211	7.8	52	1	2	6	10	16	19	51
B. *Operated*	725	15.2	106	4	6	13	19	27	33	54
1. SINGLE DX	98	8.8	47	1	1	7	14	18	22	29
2. MULTIPLE DX	936	13.5	103	2	4	11	18	25	32	54
A. NOT OPERATED	230	7.6	50	1	2	6	9	16	19	45
B. OPERATED	804	14.7	103	3	5	13	18	26	32	53
TOTAL 0-19 YRS	33	10.1	67	2	2	9	13	25	30	31
20-34	42	10.1	65	1	3	8	13	19	30	38
35-49	95	11.2	79	2	3	9	15	22	32	78
50-64	288	13.2	104	2	3	11	18	27	33	51
65+	576	13.7	104	2	4	12	18	24	30	54
GRAND TOTAL	**1034**	**13.1**	**100**	**2**	**3**	**11**	**17**	**25**	**31**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	13	3.5	6	1	1	4	5	7	8	8
65+	15	7.2	44	2	3	5	8	12	25	29
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	14	10.9	83	2	4	9	12	18	35	40
50-64	25	9.4	65	1	1	9	14	20	25	30
65+	26	9.6	49	1	1	9	16	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.0	43	2	2	10	14	15	15	15
35-49	20	9.2	58	2	2	6	13	22	26	28
50-64	122	8.5	48	2	2	7	11	15	21	37
65+	233	8.4	59	2	3	6	10	17	21	40
B. *Operated*										
0-19 YRS										
20-34	4	13.8	85	4	4	13	21	25	25	25
35-49	57	21.5	436	4	5	16	25	41	73	97
50-64	309	16.5	144	3	5	14	21	31	40	58
65+	684	17.4	122	5	7	15	21	31	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.4	28	1	1	4	7	9	13	29
B. *Operated*	66	9.8	60	1	1	9	13	20	22	38
2. MULTIPLE DX										
A. *Not Operated*	378	8.5	55	2	2	7	11	17	21	38
B. *Operated*	1054	17.4	146	4	6	15	21	31	41	67
1. SINGLE DX	95	8.5	54	1	1	7	12	18	22	35
2. MULTIPLE DX	1432	15.0	137	3	4	12	19	28	37	60
A. NOT OPERATED	407	8.3	53	2	2	6	10	17	21	36
B. OPERATED	1120	16.9	144	3	6	15	21	31	40	66
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	11.6	54	2	3	10	16	23	25	25
35-49	91	17.2	328	3	4	12	20	32	65	96
50-64	469	13.7	127	2	2	11	18	27	37	53
65+	958	14.8	119	3	4	13	19	28	36	56
GRAND TOTAL	**1527**	**14.6**	**134**	**2**	**3**	**12**	**19**	**28**	**37**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	3.7	4	1	1	4	5	7	8	8
50-64	68	5.6	33	1	1	4	7	10	17	31
65+	71	5.9	37	1	1	4	6	14	23	30
B. *Operated*										
0-19 YRS										
20-34	4	13.3	189	2	2	11	24	30	30	30
35-49	75	8.0	52	1	2	7	9	17	21	42
50-64	323	8.0	28	1	2	8	10	15	18	24
65+	297	7.8	24	1	2	8	10	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.1	40	<1	1	6	11	17	22	23
35-49	191	6.9	61	1	2	5	8	14	20	28
50-64	1019	7.7	47	1	2	6	10	16	21	32
65+	1307	8.3	45	2	2	7	10	16	21	34
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	12.3	155	1	2	8	16	28	46	50
35-49	407	11.7	92	2	3	10	14	23	30	48
50-64	2401	11.6	78	2	3	9	15	21	28	45
65+	3227	12.7	89	2	4	10	16	24	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.5	32	1	1	4	6	10	16	30
B. *Operated*	699	7.9	30	1	2	8	10	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	2529	7.9	47	2	2	6	10	16	21	33
B. *Operated*	6063	12.2	86	2	3	10	15	23	29	48
1. SINGLE DX	855	7.5	31	1	2	7	10	14	18	27
2. MULTIPLE DX	8592	10.9	78	2	3	9	14	21	27	45
A. NOT OPERATED	2685	7.8	46	2	2	6	10	16	21	32
B. OPERATED	6762	11.7	81	2	3	10	15	22	28	47
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	43	11.2	124	1	2	7	14	25	35	50
35-49	690	9.8	83	1	2	7	12	20	26	47
50-64	3811	10.1	68	2	2	8	13	19	26	41
65+	4902	11.1	78	2	3	9	14	21	28	45
GRAND TOTAL	**9447**	**10.6**	**75**	**2**	**3**	**9**	**14**	**21**	**26**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	2.5	4	1	1	2	3	6	6	6
65+	5	6.2	7	2	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	4.0	19	<1	<1	2	7	9	9	9
35-49	23	7.7	39	1	1	8	11	16	21	22
50-64	108	7.4	45	1	1	7	11	15	20	33
65+	77	6.0	34	1	1	3	9	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49	12	7.2	41	1	1	5	11	18	20	20
50-64	41	5.7	19	1	1	4	7	14	16	16
65+	57	8.5	66	1	1	6	11	18	31	35
B. *Operated*										
0-19 YRS	7	9.9	82	2	2	5	13	25	28	28
20-34	12	14.6	141	2	2	12	25	31	35	36
35-49	67	13.2	102	1	2	10	19	27	34	49
50-64	309	12.9	124	1	1	11	17	26	33	57
65+	343	13.6	137	1	2	12	18	27	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	7	1	1	4	6	8	9	9
B. *Operated*	212	6.9	40	1	1	5	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	117	7.1	45	1	1	5	9	16	20	35
B. *Operated*	738	13.3	127	1	2	11	18	27	35	57
1. SINGLE DX	224	6.7	39	1	1	5	10	15	18	25
2. MULTIPLE DX	855	12.4	121	1	2	10	16	26	33	55
A. NOT OPERATED	129	6.9	42	1	1	5	8	15	19	35
B. OPERATED	950	11.9	115	1	1	10	16	25	32	54
TOTAL 0-19 YRS	11	8.3	54	2	3	5	10	20	27	28
20-34	19	10.6	118	<1	1	7	16	29	33	36
35-49	103	11.2	86	1	1	9	16	22	29	44
50-64	464	10.9	103	1	1	9	15	22	30	46
65+	482	11.7	120	1	1	10	15	25	33	56
GRAND TOTAL	**1079**	**11.3**	**109**	**1**	**1**	**9**	**15**	**24**	**30**	**50**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	15	<1	<1	3	8	11	11	11
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	7	5.1	24	1	1	3	7	14	15	15
65+	5	9.0	28	2	2	11	13	14	14	14
B. *Operated*										
0-19 YRS	47	5.7	16	1	2	6	8	10	12	22
20-34	44	8.3	70	1	2	6	9	14	23	51
35-49	34	5.0	19	1	1	4	8	9	13	22
50-64	66	6.3	22	1	1	5	10	14	15	86
65+	51	5.4	16	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	18	<1	1	4	6	9	12	22
20-34	18	5.5	19	1	1	4	9	12	14	15
35-49	14	7.6	57	1	1	6	10	15	27	31
50-64	33	6.6	31	1	2	5	7	14	18	29
65+	33	8.9	101	2	2	4	9	23	33	45
B. *Operated*										
0-19 YRS	30	14.9	260	1	2	10	17	43	50	66
20-34	44	12.5	199	1	2	8	17	24	46	70
35-49	36	11.5	127	1	2	8	15	32	38	44
50-64	92	13.1	131	2	3	10	17	25	34	62
65+	164	11.6	100	1	2	9	14	25	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.2	20	<1	1	3	8	13	14	15
B. *Operated*	242	6.2	28	1	2	5	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	132	6.6	48	1	1	5	8	13	22	36
B. *Operated*	366	12.3	134	1	2	9	16	26	38	61
1. SINGLE DX	267	6.1	28	1	1	5	8	12	14	26
2. MULTIPLE DX	498	10.8	118	1	2	8	13	24	35	52
A. NOT OPERATED	157	6.4	44	1	1	4	8	13	20	34
B. OPERATED	608	9.9	101	1	2	7	12	21	31	52
TOTAL 0-19 YRS	119	7.6	94	1	1	5	9	15	22	55
20-34	109	9.4	119	1	2	6	12	19	24	61
35-49	86	8.1	78	1	1	5	9	19	31	42
50-64	198	9.5	85	1	2	7	12	20	27	62
65+	253	9.9	87	1	2	7	12	22	33	45
GRAND TOTAL	**765**	**9.2**	**91**	**1**	**2**	**6**	**11**	**20**	**28**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	53	3.4	5	1	1	3	5	7	8	12
35-49	108	4.0	10	1	1	3	5	9	10	15
50-64	94	4.4	8	1	1	4	6	8	11	13
65+	65	4.1	18	1	1	3	6	8	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.4	16	<1	<1	4	5	11	14	14
35-49	11	3.6	5	1	1	4	5	7	8	8
50-64	17	4.9	14	<1	1	4	6	11	14	15
65+	20	5.8	14	1	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	8	6.9	68	1	1	4	8	21	26	26
20-34	28	4.8	15	1	1	4	6	10	14	16
35-49	57	4.9	13	1	1	4	7	11	12	14
50-64	80	6.6	69	1	1	5	8	11	18	54
65+	142	6.9	36	1	2	5	8	15	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	8	1	1	4	6	9	9	9
B. *Operated*	323	4.0	10	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	57	4.9	13	<1	1	4	6	10	14	15
B. *Operated*	315	6.3	39	1	1	5	8	12	18	27
1. SINGLE DX	331	4.0	10	1	1	3	5	8	10	13
2. MULTIPLE DX	372	6.1	35	1	1	5	7	12	16	26
A. NOT OPERATED	65	4.8	12	<1	1	4	6	9	14	15
B. OPERATED	638	5.1	26	1	1	4	7	11	13	25
TOTAL 0-19 YRS	11	5.7	53	1	1	3	6	16	25	26
20-34	90	4.0	10	1	1	3	5	8	11	15
35-49	178	4.3	11	1	1	3	6	9	11	14
50-64	194	5.4	35	1	1	4	7	10	12	23
65+	230	5.9	30	1	1	4	7	13	18	27
GRAND TOTAL	**703**	**5.1**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	8	4.0	17	1	1	3	4	11	14	14
35-49	24	2.8	11	<1	1	2	3	6	10	16
50-64	70	3.3	14	1	1	2	4	7	11	21
65+	127	3.0	15	1	1	2	3	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	4	1	1	3	4	5	5	5
35-49	5	11.0	321	2	2	4	14	43	43	43
50-64	5	3.2	8	1	1	2	4	8	8	8
65+	17	4.7	11	1	1	4	7	8	11	13
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	26	5.1	29	1	1	3	6	13	17	23
50-64	111	7.4	86	1	1	4	9	18	25	48
65+	344	6.7	81	1	1	4	7	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	231	3.1	14	1	1	2	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	31	5.2	57	1	1	4	6	8	13	43
B. *Operated*	487	6.7	78	1	1	4	8	16	22	49
1. SINGLE DX	232	3.1	14	1	1	2	3	6	10	19
2. MULTIPLE DX	518	6.6	77	1	1	4	7	16	22	48
A. NOT OPERATED	32	5.1	56	1	1	3	6	8	13	43
B. OPERATED	718	5.6	60	1	1	3	6	12	19	45
TOTAL 0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	16	3.4	10	1	1	3	4	5	11	14
35-49	55	4.6	47	1	1	2	5	12	16	42
50-64	186	5.8	61	1	1	3	7	12	19	39
65+	489	5.6	64	1	1	3	7	12	19	46
GRAND TOTAL	**750**	**5.5**	**60**	**1**	**1**	**3**	**6**	**12**	**19**	**45**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	13	5.3	10	2	2	4	8	10	11	11
65+	9	3.7	3	<1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	125	4.1	3	2	2	4	5	7	7	10
35-49	705	4.3	4	1	2	4	5	7	8	10
50-64	1043	4.7	5	1	2	4	6	7	8	11
65+	1009	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	79	1	1	3	8	22	22	22
35-49	69	9.7	144	2	3	6	10	21	27	75
50-64	126	7.1	50	1	1	5	8	15	20	35
65+	151	7.2	47	1	1	6	10	14	18	49
B. *Operated*										
0-19 YRS										
20-34	131	5.3	14	2	3	5	6	8	11	25
35-49	958	5.7	14	2	3	5	7	9	11	19
50-64	1926	6.2	17	2	3	5	7	10	12	23
65+	3070	6.8	18	2	3	6	8	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	7	1	2	4	5	9	10	11
B. *Operated*	2884	4.7	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	351	7.6	68	1	1	5	9	16	22	46
B. *Operated*	6085	6.4	17	2	3	6	8	10	13	23
1. SINGLE DX	2910	4.7	5	1	2	4	6	7	8	11
2. MULTIPLE DX	6436	6.5	20	2	3	6	8	10	14	25
A. NOT OPERATED	377	7.4	64	1	1	5	9	15	22	45
B. OPERATED	8969	5.8	14	2	3	5	7	9	12	21
TOTAL 0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	261	4.8	10	2	2	4	5	7	9	22
35-49	1736	5.2	17	2	2	5	6	8	10	19
50-64	3108	5.7	15	2	2	5	7	9	11	21
65+	4239	6.4	17	2	3	6	8	10	13	23
GRAND TOTAL	**9346**	**5.9**	**16**	**2**	**3**	**5**	**7**	**9**	**12**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.8	3	1	1	2	4	5	6	6
35-49	36	3.0	2	1	1	3	4	4	6	9
50-64	17	2.5	2	1	1	2	3	4	5	6
65+	20	3.3	1	1	2	3	4	5	5	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	63	5.9	11	1	2	6	7	10	13	16
35-49	101	5.9	13	1	2	5	8	11	12	16
50-64	56	5.2	12	1	1	4	7	10	12	15
65+	37	5.1	24	1	1	4	7	9	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.6	9	1	1	4	5	9	10	13
35-49	55	8.9	119	1	2	4	10	19	41	44
50-64	65	5.4	41	1	2	4	7	12	15	43
65+	59	6.5	34	1	2	4	7	13	20	30
B. *Operated*										
0-19 YRS										
20-34	81	8.1	29	2	4	7	9	16	17	29
35-49	203	8.7	40	2	3	7	11	16	19	35
50-64	148	9.3	66	2	2	7	12	18	23	44
65+	159	9.0	61	1	2	7	11	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.9	2	1	1	3	4	5	6	8
B. *Operated*	258	5.6	14	1	2	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	207	6.5	57	1	2	4	7	14	19	43
B. *Operated*	591	8.8	51	2	3	7	11	17	22	40
1. SINGLE DX	341	5.0	12	1	1	4	7	10	11	16
2. MULTIPLE DX	798	8.2	53	1	2	6	10	17	21	42
A. NOT OPERATED	290	5.5	44	1	2	4	6	11	17	43
B. OPERATED	849	7.9	42	1	2	6	10	15	19	34
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	182	6.5	20	1	2	6	8	11	16	27
35-49	395	7.5	44	1	2	6	10	15	19	41
50-64	286	7.2	51	1	2	5	9	15	18	43
65+	275	7.5	50	1	2	5	9	17	22	35
GRAND TOTAL	**1139**	**7.3**	**43**	**1**	**2**	**6**	**9**	**15**	**19**	**38**

34: Malignant neoplasm of corpus uteri (179; 182)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	24	3.1	1	1	2	3	4	5	5	6
65+	25	2.7	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	53	6.3	6	3	4	6	8	9	10	15
50-64	193	5.7	6	1	3	6	7	8	10	13
65+	183	6.3	7	2	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	3.8	4	1	1	4	5	6	6	6
50-64	57	3.8	9	1	1	3	5	8	10	14
65+	91	5.8	30	1	1	4	6	11	18	31
B. *Operated*										
0-19 YRS	2	15.0	2	14	14	15	16	16	16	16
20-34	26	6.3	15	1	2	6	8	10	12	20
35-49	151	6.3	10	2	3	6	7	10	12	20
50-64	574	7.0	21	2	4	6	8	11	13	23
65+	910	8.5	30	3	4	7	10	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.2	7	1	1	3	4	4	5	20
B. *Operated*	431	6.1	7	2	3	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	156	5.0	22	1	1	4	6	10	12	26
B. *Operated*	1663	7.8	26	2	4	7	9	13	17	26
1. SINGLE DX	486	5.7	7	2	2	6	7	9	10	15
2. MULTIPLE DX	1819	7.5	26	2	3	7	9	13	17	26
A. NOT OPERATED	211	4.5	19	1	1	3	5	8	12	24
B. OPERATED	2094	7.4	22	2	4	7	8	12	15	24
TOTAL 0-19 YRS	3	17.0	13	14	14	16	20	21	21	21
20-34	29	6.2	15	1	1	6	8	10	11	20
35-49	216	6.2	9	2	3	6	7	10	12	17
50-64	848	6.4	17	2	3	6	7	10	12	21
65+	1209	7.8	28	2	3	7	9	14	18	30
GRAND TOTAL	**2305**	**7.1**	**23**	**2**	**3**	**6**	**8**	**12**	**15**	**24**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	12	2.9	4	1	1	2	4	6	7	7
65+	9	5.4	29	2	2	3	6	14	19	19
B. *Operated*										
0-19 YRS	6	6.0	6	3	3	5	9	9	9	9
20-34	21	5.8	3	3	4	6	7	8	9	9
35-49	33	6.3	7	2	3	6	8	9	10	15
50-64	57	7.7	12	3	5	7	9	11	14	21
65+	38	8.2	23	2	4	8	9	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.5	142	3	3	6	18	28	28	28
35-49	24	7.5	279	1	1	3	6	10	38	84
50-64	92	6.1	42	1	1	4	7	12	25	31
65+	122	6.8	32	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	8	6.9	4	4	4	7	8	9	10	10
20-34	52	7.9	15	4	4	6	10	14	16	20
35-49	169	10.3	59	4	5	8	12	18	23	50
50-64	396	12.0	77	5	5	10	14	20	25	43
65+	465	14.9	83	6	7	12	18	26	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.9	14	1	1	3	5	7	11	19
B. *Operated*	155	7.2	13	2	4	7	9	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	243	6.7	61	1	1	4	8	13	21	33
B. *Operated*	1090	12.7	77	5	6	11	16	22	29	47
1. SINGLE DX	179	6.8	14	2	2	6	8	10	14	21
2. MULTIPLE DX	1333	11.6	80	2	4	9	15	21	28	46
A. NOT OPERATED	267	6.4	57	1	1	4	8	13	19	32
B. OPERATED	1245	12.0	73	5	5	10	15	21	28	46
TOTAL 0-19 YRS	17	5.7	7	1	2	6	8	9	10	10
20-34	78	7.4	18	3	4	6	9	13	16	26
35-49	226	9.5	76	2	4	7	10	18	21	56
50-64	557	10.4	69	2	3	9	13	18	24	37
65+	634	12.8	81	2	4	11	17	23	30	47
GRAND TOTAL	**1512**	**11.0**	**75**	**2**	**4**	**9**	**14**	**20**	**26**	**43**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	3.3	7	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34										
35-49	13	6.9	37	1	2	6	9	14	22	24
50-64	17	7.3	28	1	1	7	9	16	18	19
65+	40	5.6	13	1	1	5	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	8.0	127	1	1	2	16	21	21	21
50-64	8	5.9	16	2	2	5	10	11	11	11
65+	40	7.3	26	1	2	6	10	15	17	21
B. *Operated*										
0-19 YRS	8	9.4	47	1	2	7	14	20	22	22
20-34	5	8.0	6	6	6	7	10	11	11	11
35-49	28	8.1	27	1	2	8	11	15	16	21
50-64	54	13.1	150	2	3	10	16	24	39	68
65+	151	12.4	75	2	4	11	16	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	3	4	7	7	7
B. *Operated*	73	6.1	21	1	1	6	8	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	53	7.2	27	1	2	6	10	15	19	21
B. *Operated*	246	11.9	85	2	3	10	15	22	29	48
1. SINGLE DX	78	5.9	20	1	1	5	8	11	15	23
2. MULTIPLE DX	299	11.0	78	2	2	9	14	21	26	47
A. NOT OPERATED	58	6.8	26	1	1	6	10	15	18	21
B. OPERATED	319	10.5	76	1	2	9	13	21	24	46
TOTAL 0-19 YRS	12	7.9	42	1	1	6	12	17	21	22
20-34	6	7.5	6	5	5	7	10	11	11	11
35-49	44	7.8	33	1	2	7	11	15	21	24
50-64	80	11.0	117	1	2	9	13	21	33	63
65+	235	10.2	64	1	2	8	14	19	22	40
GRAND TOTAL	**377**	**10.0**	**70**	**1**	**2**	**8**	**13**	**19**	**22**	**44**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	15	5.9	14	1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	14	4.8	11	1	1	4	7	10	11	11
50-64	296	5.8	19	1	1	5	8	11	15	21
65+	836	5.2	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	108	6.9	54	1	2	4	9	17	21	40
65+	405	7.8	50	2	2	6	10	15	21	29
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34										
35-49	17	10.9	129	<1	1	8	12	20	40	50
50-64	853	7.8	34	1	2	6	10	15	19	29
65+	4353	7.5	31	2	3	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.9	13	1	1	5	8	12	13	13
B. *Operated*	1150	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	516	7.6	51	1	2	6	10	15	21	30
B. *Operated*	5225	7.6	32	2	2	6	9	14	18	29
1. SINGLE DX	1166	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX	5741	7.6	33	2	2	6	9	14	18	29
A. NOT OPERATED	532	7.6	50	1	2	6	10	15	21	30
B. OPERATED	6375	7.2	29	1	2	6	9	14	17	28
TOTAL 0-19 YRS	5	6.2	8	2	2	7	8	9	9	9
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	33	7.8	80	1	1	7	10	13	20	50
50-64	1258	7.3	33	1	2	6	10	14	18	29
65+	5609	7.2	30	1	2	6	9	13	17	28
GRAND TOTAL	**6907**	**7.2**	**31**	**1**	**2**	**6**	**9**	**14**	**17**	**29**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	19	1	1	3	7	11	11	11
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	20	3.8	7	1	1	3	5	8	9	10
20-34	118	2.8	8	1	1	2	3	5	9	16
35-49	50	4.1	30	1	1	3	4	7	12	37
50-64	21	6.0	170	1	1	4	4	7	33	62
65+	10	2.4	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	6.9	15	3	3	5	11	13	14	14
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	4	4.0	3	2	2	4	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	11	7.5	17	1	2	9	11	12	12	12
20-34	73	7.6	45	1	2	7	10	16	20	39
35-49	39	11.5	271	1	1	6	14	24	37	95
50-64	18	8.1	70	3	4	6	7	13	30	40
65+	34	7.5	36	1	2	5	11	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	15	1	1	4	9	11	11	11
B. *Operated*	219	3.5	28	1	1	2	4	6	10	25
2. MULTIPLE DX										
A. *Not Operated*	28	5.9	13	2	2	5	8	12	14	14
B. *Operated*	175	8.5	95	1	1	6	10	17	20	42
1. SINGLE DX	226	3.5	28	1	1	2	4	6	10	23
2. MULTIPLE DX	203	8.1	85	1	2	6	10	16	19	42
A. NOT OPERATED	35	5.8	13	2	2	4	8	11	13	14
B. OPERATED	394	5.7	64	1	1	3	7	12	17	41
TOTAL 0-19 YRS	33	5.1	13	1	1	4	9	10	12	12
20-34	214	4.9	26	1	1	3	7	11	14	22
35-49	94	7.1	141	1	1	3	7	15	26	71
50-64	43	6.7	111	1	1	4	6	9	23	62
65+	45	6.4	33	1	1	4	9	17	18	20
GRAND TOTAL	**429**	**5.7**	**60**	**1**	**1**	**3**	**7**	**12**	**16**	**40**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	2.7	6	1	1	2	3	7	8	8
65+	9	3.3	9	1	1	3	4	8	10	10
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	8	2.8	4	<1	<1	2	4	6	7	7
35-49	74	3.2	11	1	1	2	3	8	12	15
50-64	356	3.8	18	1	1	2	4	9	12	18
65+	699	4.1	15	1	1	3	5	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	5.2	9	1	1	6	7	9	9	9
50-64	34	6.6	53	1	1	4	8	14	24	35
65+	146	6.7	62	1	2	5	8	12	19	35
B. *Operated*										
0-19 YRS	4	4.8	12	1	1	4	7	9	9	9
20-34	4	6.3	25	2	2	5	10	13	13	13
35-49	80	6.7	66	1	1	3	8	19	25	35
50-64	660	6.9	56	1	1	4	9	15	21	37
65+	2598	7.3	58	1	2	5	9	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.2	7	1	1	2	4	8	9	10
B. *Operated*	1141	3.9	16	1	1	3	5	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	186	6.6	58	1	1	5	8	12	19	34
B. *Operated*	3346	7.2	58	1	2	5	9	16	21	40
1. SINGLE DX	1158	3.9	16	1	1	3	5	9	13	18
2. MULTIPLE DX	3532	7.2	58	1	2	5	9	16	21	39
A. NOT OPERATED	203	6.3	55	1	1	5	8	12	18	34
B. OPERATED	4487	6.4	49	1	1	4	8	14	19	36
TOTAL 0-19 YRS	9	4.0	10	1	1	3	6	9	9	9
20-34	12	3.9	12	<1	1	3	5	9	12	13
35-49	160	5.0	41	1	1	3	5	12	19	34
50-64	1057	5.8	45	1	1	4	7	13	18	35
65+	3452	6.6	51	1	1	4	8	14	19	37
GRAND TOTAL	**4690**	**6.4**	**50**	**1**	**1**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	4.8	11	1	1	5	7	8	8	8
50-64	3	8.3	104	1	1	4	16	20	20	20
65+	7	4.0	3	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	20	9.6	33	3	4	9	11	18	24	26
20-34	17	6.2	19	1	1	6	8	9	16	19
35-49	46	7.7	12	1	4	7	10	13	15	16
50-64	82	8.6	21	2	4	8	10	15	17	25
65+	62	8.8	17	1	4	8	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	33	1	1	3	8	15	19	20
20-34	5	7.4	7	4	4	9	9	10	10	10
35-49	22	6.9	48	1	1	5	9	13	23	33
50-64	88	6.9	24	2	3	6	8	14	16	28
65+	120	8.4	42	2	2	6	12	18	22	31
B. *Operated*										
0-19 YRS	18	16.4	210	3	4	12	24	37	52	59
20-34	20	12.3	31	3	4	12	17	20	20	20
35-49	93	11.2	30	3	6	10	14	19	22	29
50-64	391	11.6	69	2	4	10	14	20	28	39
65+	638	13.1	86	3	5	10	16	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.5	19	1	1	3	5	8	15	20
B. *Operated*	227	8.4	19	1	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	251	7.6	36	1	2	6	9	15	20	31
B. *Operated*	1160	12.5	77	3	4	10	15	23	30	49
1. SINGLE DX	245	8.1	20	1	3	8	10	14	16	24
2. MULTIPLE DX	1411	11.6	73	2	3	9	14	22	28	46
A. NOT OPERATED	269	7.3	35	1	2	6	9	15	20	31
B. OPERATED	1387	11.8	70	2	4	10	14	22	27	47
TOTAL 0-19 YRS	56	10.3	108	1	1	8	13	24	27	58
20-34	44	9.0	32	1	3	8	12	19	20	20
35-49	165	9.5	30	2	3	8	11	16	20	31
50-64	564	10.4	58	2	3	9	13	18	24	37
65+	827	12.0	78	2	4	10	15	23	30	49
GRAND TOTAL	**1656**	**11.1**	**67**	**2**	**3**	**9**	**14**	**21**	**26**	**45**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	12	3.5	4	1	1	3	4	7	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.3	4	<1	<1	1	3	6	6	6
50-64	10	3.6	9	1	1	2	4	8	11	11
65+	20	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.5	27	4	4	7	12	16	16	16
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
B. Operated										
0-19 YRS	10	11.5	71	1	1	9	21	23	24	24
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	16	5.0	17	1	1	3	6	11	15	17
65+	24	6.1	47	1	1	4	8	11	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	8	<1	<1	2	5	7	7	7
B. Operated	50	3.2	5	1	1	3	4	7	7	11
2. MULTIPLE DX										
A. Not Operated	8	7.0	24	1	1	7	9	14	16	16
B. Operated	55	6.6	43	1	1	5	8	14	22	33
1. SINGLE DX	54	3.2	5	<1	1	3	4	7	7	11
2. MULTIPLE DX	63	6.6	40	1	1	5	8	15	21	33
A. NOT OPERATED	12	5.7	21	<1	<1	5	8	12	15	16
B. OPERATED	105	5.0	28	1	1	3	7	10	15	28
TOTAL 0-19 YRS	29	6.8	43	<1	1	4	8	19	22	24
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	13	3.5	9	<1	1	2	5	8	10	11
50-64	28	4.5	14	1	1	3	6	10	12	17
65+	44	4.8	29	1	1	3	7	8	12	34
GRAND TOTAL	**117**	**5.1**	**27**	**1**	**1**	**3**	**7**	**10**	**15**	**27**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.2	3	1	1	2	3	5	6	6
20-34	10	4.6	6	<1	1	4	7	8	8	8
35-49	19	7.9	60	1	2	6	8	23	24	25
50-64	27	7.4	44	1	2	6	9	17	22	32
65+	27	7.8	52	1	2	6	9	16	28	30
B. Operated										
0-19 YRS	45	8.4	25	1	2	8	12	16	17	19
20-34	50	9.3	36	1	2	9	12	16	19	35
35-49	74	9.4	62	2	3	8	12	16	21	51
50-64	83	11.7	143	2	3	9	14	17	24	79
65+	51	14.2	130	2	3	12	17	24	34	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	4.4	25	1	1	3	5	9	16	28
20-34	42	6.1	54	1	2	4	6	12	16	45
35-49	91	9.3	57	2	2	7	12	20	25	36
50-64	131	9.1	79	2	2	7	10	20	27	48
65+	146	9.7	42	2	3	8	13	19	22	28
B. Operated										
0-19 YRS	85	16.1	290	1	2	12	22	39	57	99+
20-34	66	12.7	117	2	5	10	14	24	30	60
35-49	99	13.5	90	4	4	12	16	27	41	99+
50-64	154	15.8	114	4	5	13	21	27	34	65
65+	175	19.4	178	5	6	16	25	38	49	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	6.7	43	1	1	5	7	16	23	31
B. Operated	303	10.7	88	1	2	9	14	17	22	56
2. MULTIPLE DX										
A. Not Operated	466	8.5	57	1	2	6	11	18	23	38
B. Operated	579	16.2	160	3	5	13	21	32	45	85
1. SINGLE DX	397	9.7	80	1	2	8	12	17	22	53
2. MULTIPLE DX	1045	12.8	129	2	3	10	17	26	36	60
A. NOT OPERATED	560	8.2	55	1	2	6	10	18	23	37
B. OPERATED	882	14.3	142	2	4	11	17	27	38	68
TOTAL 0-19 YRS	197	10.2	166	1	1	7	14	23	36	99
20-34	168	9.6	78	1	2	8	12	17	24	56
35-49	283	10.7	74	2	3	9	14	22	27	57
50-64	395	12.1	113	2	3	9	16	23	29	52
65+	399	14.4	135	2	4	11	18	28	38	58
GRAND TOTAL	**1442**	**11.9**	**117**	**2**	**2**	**9**	**15**	**24**	**33**	**59**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	7	15.6	140	1	2	16	20	34	37	37
35-49	3	10.7	112	1	1	9	19	22	22	22
50-64	4	9.3	30	2	2	10	13	14	14	14
65+	5	22.4	299	11	11	16	27	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	87	1	1	2	5	23	25	25
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	6.5	10	4	4	5	8	12	12	12
65+	6	11.0	26	7	7	9	11	20	21	21
B. *Operated*										
0-19 YRS	12	18.3	237	3	4	13	20	43	56	58
20-34	7	23.7	494	2	3	20	34	61	66	66
35-49	8	17.1	58	6	7	15	24	27	28	28
50-64	19	19.4	450	2	4	12	26	41	71	92
65+	19	25.9	296	4	6	22	38	52	62	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	21	14.3	151	1	1	14	17	28	44	53
2. MULTIPLE DX										
A. *Not Operated*	21	7.2	38	1	1	5	9	16	23	25
B. *Operated*	65	21.3	315	3	5	16	29	42	60	88
1. SINGLE DX	22	13.7	152	1	1	13	16	26	43	53
2. MULTIPLE DX	86	17.8	283	2	3	13	23	39	58	83
A. NOT OPERATED	22	6.9	38	1	1	5	9	15	23	25
B. OPERATED	86	19.6	282	2	4	15	24	40	58	83
TOTAL 0-19 YRS	21	12.8	198	1	1	10	19	30	46	58
20-34	16	17.4	305	1	2	15	21	39	58	66
35-49	12	14.5	74	1	4	14	22	26	28	28
50-64	29	15.3	327	2	3	10	16	34	47	92
65+	30	22.3	265	5	7	16	32	47	58	65
GRAND TOTAL	**108**	**17.0**	**258**	**1**	**2**	**13**	**21**	**38**	**53**	**77**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	2	<1	1	2	3	4	6	6
20-34	13	2.2	1	1	1	2	3	4	5	5
35-49	13	2.4	2	1	1	2	3	4	5	5
50-64	5	2.4	3	1	1	2	3	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	18	4.6	14	1	2	3	5	10	13	15
20-34	100	2.9	2	1	1	3	3	4	6	9
35-49	80	3.5	3	1	2	3	4	6	7	10
50-64	52	3.7	3	1	2	4	5	5	7	10
65+	28	4.7	5	2	3	4	5	9	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.9	90	<1	1	4	8	24	32	34
20-34	10	2.6	2	<1	<1	2	3	5	6	6
35-49	20	5.9	74	<1	1	3	7	12	27	39
50-64	28	5.3	23	1	2	3	7	14	15	19
65+	33	6.5	39	2	2	4	8	14	18	31
B. *Operated*										
0-19 YRS	37	8.4	61	1	2	6	11	14	23	43
20-34	99	5.0	11	2	2	4	5	10	12	17
35-49	99	5.2	40	1	2	4	5	10	14	39
50-64	103	6.4	62	1	2	4	7	12	17	49
65+	115	8.3	53	2	3	6	9	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.3	2	1	1	2	3	4	5	6
B. *Operated*	278	3.5	4	1	2	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	104	5.8	44	1	1	3	7	14	19	36
B. *Operated*	453	6.5	45	2	2	4	7	13	18	43
1. SINGLE DX	323	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	557	6.3	45	1	2	4	7	13	18	41
A. NOT OPERATED	149	4.8	34	1	1	3	5	11	15	34
B. OPERATED	731	5.3	32	1	2	4	6	10	14	31
TOTAL 0-19 YRS	79	6.6	50	1	1	4	8	13	18	40
20-34	222	3.8	7	1	1	3	4	7	10	14
35-49	212	4.4	27	1	2	3	5	8	11	28
50-64	188	5.4	40	1	2	4	5	10	14	43
65+	179	7.3	44	2	2	5	8	15	22	36
GRAND TOTAL	**880**	**5.2**	**32**	**1**	**2**	**4**	**5**	**10**	**14**	**33**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	7	3	3	5	8	10	10	10
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	9.0	187	<1	<1	2	13	33	38	38
50-64	29	5.3	20	1	1	4	5	10	13	24
65+	36	5.7	17	<1	1	5	9	12	13	15
B. *Operated*										
0-19 YRS	10	7.6	14	2	3	7	11	12	13	13
20-34	14	10.2	363	2	2	5	7	16	63	76
35-49	54	5.9	21	1	2	5	7	12	14	26
50-64	80	6.0	23	1	1	5	9	12	16	22
65+	93	5.5	31	<1	1	4	7	11	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	86	<1	1	4	7	17	25	50
20-34	155	7.7	58	1	2	5	10	17	27	42
35-49	651	7.7	48	1	2	5	9	17	23	32
50-64	1999	8.3	55	1	2	6	10	17	23	36
65+	3398	8.9	50	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	77	11.2	87	2	3	9	14	20	31	52
20-34	263	11.2	113	2	3	8	14	22	35	53
35-49	931	11.6	130	1	2	8	15	23	32	60
50-64	2656	11.8	110	1	2	9	15	25	33	55
65+	3823	12.5	97	2	3	10	16	25	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.8	32	<1	1	4	8	11	14	33
B. *Operated*	251	6.1	44	1	1	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	6245	8.6	52	2	2	7	11	18	23	36
B. *Operated*	7750	12.1	106	2	3	9	16	24	32	53
1. SINGLE DX	334	6.0	41	1	1	5	8	12	16	28
2. MULTIPLE DX	13995	10.5	85	2	2	8	14	22	28	47
A. NOT OPERATED	6328	8.5	52	2	2	6	11	18	23	36
B. OPERATED	8001	11.9	105	2	2	9	15	24	32	52
TOTAL 0-19 YRS	137	9.2	81	1	2	6	12	18	26	51
20-34	434	9.9	103	1	2	7	12	21	32	57
35-49	1644	9.9	98	1	2	7	13	21	28	51
50-64	4764	10.2	88	1	2	8	13	21	28	49
65+	7350	10.7	78	2	3	8	14	22	28	43
GRAND TOTAL	**14329**	**10.4**	**84**	**2**	**2**	**8**	**13**	**21**	**28**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	20	2.5	4	<1	1	2	4	6	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	3	7.7	44	2	2	6	13	15	15	15
65+	2	6.5	13	4	4	6	9	9	9	9
B. *Operated*										
0-19 YRS	44	5.2	9	1	1	5	8	9	10	11
20-34	137	5.1	12	1	1	5	7	9	12	17
35-49	52	5.9	18	1	1	5	8	11	15	20
50-64	21	4.3	11	1	1	3	5	10	11	12
65+	11	7.3	35	<1	<1	6	9	17	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.7	32	1	1	4	8	11	19	23
20-34	54	4.7	18	1	1	3	7	12	14	17
35-49	19	6.1	30	<1	1	4	8	15	18	20
50-64	25	4.6	8	1	1	4	6	9	10	11
65+	30	7.0	53	1	1	4	8	16	21	34
B. *Operated*										
0-19 YRS	33	15.4	201	2	2	8	26	40	43	46
20-34	122	11.9	153	1	2	7	15	31	40	54
35-49	60	10.4	74	1	2	8	13	24	31	36
50-64	56	12.0	73	1	2	10	16	26	31	35
65+	54	12.4	90	2	2	10	19	22	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.5	8	1	1	3	5	7	9	15
B. *Operated*	265	5.3	14	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	144	5.5	27	1	1	4	7	12	15	24
B. *Operated*	325	12.1	119	1	2	8	16	30	35	51
1. SINGLE DX	300	5.1	14	1	1	5	7	9	12	18
2. MULTIPLE DX	469	10.0	100	1	1	7	14	23	33	47
A. NOT OPERATED	179	5.1	24	1	1	4	7	12	15	22
B. OPERATED	590	9.0	83	1	1	6	11	20	31	45
TOTAL 0-19 YRS	101	8.4	97	1	1	6	8	22	34	44
20-34	333	7.4	76	1	1	5	8	15	23	51
35-49	133	7.9	49	1	1	6	10	16	23	32
50-64	105	8.6	57	1	2	6	11	18	26	34
65+	97	10.0	76	1	1	7	15	21	25	42
GRAND TOTAL	**769**	**8.1**	**72**	**1**	**1**	**6**	**10**	**18**	**26**	**42**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.0	14	<1	<1	3	5	8	11	20
20-34	5	7.2	19	5	5	5	8	15	15	15
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	5.0	25	1	1	3	8	12	12	12
65+	9	5.8	18	<1	<1	6	10	11	11	11
B. *Operated*										
0-19 YRS	51	8.9	52	1	2	7	11	21	26	30
20-34	9	6.6	31	1	1	6	7	15	20	20
35-49	10	9.6	113	1	1	5	15	27	33	33
50-64	12	5.8	35	1	2	4	6	14	22	23
65+	10	6.6	18	1	2	5	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.9	48	1	1	5	8	14	20	38
20-34	12	6.5	16	1	1	7	9	12	14	14
35-49	11	5.6	12	2	2	5	6	10	15	15
50-64	59	8.4	67	1	2	6	10	18	25	42
65+	104	7.9	51	1	2	6	9	16	22	38
B. *Operated*										
0-19 YRS	91	15.4	145	2	3	12	22	31	36	58
20-34	37	26.7	373	4	6	21	36	56	67	80
35-49	15	21.1	285	5	5	12	38	42	50	53
50-64	69	14.7	264	2	3	10	18	37	49	78
65+	119	12.8	148	2	3	9	16	25	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	16	<1	<1	3	6	10	12	19
B. *Operated*	92	8.1	50	1	2	6	10	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	276	7.5	50	1	2	6	9	16	22	39
B. *Operated*	331	15.8	218	2	3	11	20	36	47	74
1. SINGLE DX	152	6.7	39	<1	1	5	8	15	22	30
2. MULTIPLE DX	607	12.1	159	2	2	8	15	28	39	63
A. NOT OPERATED	336	7.0	45	1	1	5	8	14	21	37
B. OPERATED	423	14.2	191	2	3	10	18	30	43	71
TOTAL 0-19 YRS	271	9.7	94	1	1	7	12	24	30	43
20-34	63	18.4	324	1	3	12	25	47	59	79
35-49	39	12.3	189	1	2	6	15	38	41	53
50-64	144	11.1	169	1	2	7	13	23	39	73
65+	242	10.2	103	2	2	7	12	22	27	55
GRAND TOTAL	**759**	**1[illegible].0**	**139**	**1**	**2**	**7**	**14**	**25**	**35**	**60**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	15	1	1	5	7	12	14	15
20-34	10	8.5	238	1	1	3	6	30	52	52
35-49	9	11.7	171	2	2	5	16	35	39	39
50-64	9	8.1	200	1	1	4	7	31	45	45
65+	16	3.2	5	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	12	14.3	109	1	5	11	17	32	37	38
20-34	9	5.9	12	1	1	7	8	10	11	11
35-49	14	6.6	36	1	2	6	8	11	22	25
50-64	20	9.6	80	2	2	6	11	26	28	29
65+	16	15.7	336	2	2	7	23	50	54	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	8.1	58	<1	1	5	11	19	21	38
20-34	40	6.7	24	<1	1	6	9	13	18	22
35-49	39	10.1	97	2	2	6	13	22	34	44
50-64	64	9.4	97	1	2	7	11	19	26	60
65+	195	8.0	61	1	2	5	10	17	27	38
B. *Operated*										
0-19 YRS	48	26.1	334	4	6	26	36	46	57	92
20-34	64	26.2	274	3	5	26	36	47	54	76
35-49	87	23.3	277	3	4	24	32	48	60	89
50-64	144	24.8	378	2	3	23	36	51	61	90
65+	207	17.9	240	2	4	11	29	39	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.8	97	1	1	4	7	12	32	51
B. *Operated*	71	10.7	133	2	2	7	11	28	38	55
2. MULTIPLE DX										
A. *Not Operated*	390	8.3	67	1	2	6	11	18	26	39
B. *Operated*	550	22.2	304	2	4	19	33	46	57	89
1. SINGLE DX	133	8.9	119	1	1	6	9	25	37	53
2. MULTIPLE DX	940	16.5	252	2	2	10	26	38	48	70
A. NOT OPERATED	452	8.1	71	1	2	5	10	17	27	44
B. OPERATED	621	20.9	298	2	3	15	32	45	55	84
TOTAL 0-19 YRS	130	15.0	232	1	2	9	21	37	45	66
20-34	123	17.0	262	1	2	9	28	39	49	66
35-49	149	17.5	245	2	3	12	26	39	51	71
50-64	237	18.7	325	1	2	12	28	43	56	89
65+	434	12.8	180	2	2	8	16	34	42	61
GRAND TOTAL	**1073**	**15.5**	**242**	**1**	**2**	**9**	**25**	**37**	**47**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	7	1	1	4	6	8	8	8
20-34	14	4.2	8	<1	1	3	5	10	10	10
35-49	26	4.7	10	1	1	4	6	9	10	12
50-64	49	4.9	17	1	1	4	6	10	14	21
65+	38	5.5	23	1	2	4	7	12	17	24
B. *Operated*										
0-19 YRS	21	7.1	17	1	1	8	10	13	13	14
20-34	45	7.0	51	1	1	4	9	16	21	36
35-49	96	5.7	30	1	1	4	8	11	14	34
50-64	166	5.9	32	1	1	4	8	13	16	30
65+	156	5.7	27	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.1	12	1	1	5	8	9	11	14
20-34	45	6.0	33	1	1	5	7	11	15	31
35-49	80	7.6	41	1	2	6	11	15	21	30
50-64	288	8.1	45	1	2	6	11	17	22	35
65+	554	9.5	83	2	2	7	11	20	27	46
B. *Operated*										
0-19 YRS	37	12.9	124	2	4	10	14	31	42	44
20-34	101	12.2	129	2	3	9	14	30	37	50
35-49	177	12.7	159	2	3	9	15	29	37	62
50-64	488	12.7	129	2	3	10	16	26	37	56
65+	989	13.6	140	2	3	11	17	27	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	4.9	16	1	2	4	6	10	13	22
B. *Operated*	484	6.0	31	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	989	8.7	66	1	2	6	11	18	24	43
B. *Operated*	1792	13.2	138	2	3	10	16	27	37	64
1. SINGLE DX	617	5.7	28	1	1	4	8	12	16	27
2. MULTIPLE DX	2781	11.6	117	2	3	9	14	24	33	58
A. NOT OPERATED	1122	8.2	61	1	2	6	10	17	23	41
B. OPERATED	2276	11.7	124	1	2	9	15	25	34	59
TOTAL 0-19 YRS	86	8.9	73	1	2	7	11	16	28	44
20-34	205	9.2	91	1	2	6	11	24	31	47
35-49	379	9.3	101	1	2	7	11	21	29	50
50-64	991	9.9	92	1	2	7	13	21	28	49
65+	1737	11.4	116	2	2	8	14	24	33	60
GRAND TOTAL	**3398**	**10.5**	**106**	**1**	**2**	**8**	**13**	**22**	**31**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	17	2.7	4	1	1	2	3	7	8	8
20-34	122	2.2	1	1	1	2	3	4	4	7
35-49	150	2.2	2	1	1	2	3	4	5	7
50-64	155	2.3	1	1	1	2	3	4	4	6
65+	113	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	11	5.7	49	1	1	2	8	16	23	24
20-34	26	3.2	4	1	1	2	4	7	8	9
35-49	55	2.8	3	1	1	2	4	5	6	10
50-64	120	3.3	6	1	1	3	4	6	7	13
65+	141	3.5	8	1	1	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	557	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	12	1	1	4	7	9	9	9
B. *Operated*	353	3.4	7	1	1	3	4	6	8	18
1. SINGLE DX	558	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	357	3.4	7	1	1	3	4	6	8	18
A. NOT OPERATED	5	3.8	11	<1	<1	3	6	9	9	9
B. OPERATED	910	2.7	4	1	1	2	3	5	6	10
TOTAL 0-19 YRS	28	3.9	23	1	1	2	4	8	12	24
20-34	148	2.4	2	1	1	2	3	4	5	8
35-49	206	2.4	2	1	1	2	3	4	5	9
50-64	277	2.7	4	1	1	2	3	4	6	9
65+	256	3.1	5	1	1	3	4	5	6	15
GRAND TOTAL	**915**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	2.4	3	<1	<1	2	3	5	5	5
50-64	10	1.6	1	<1	<1	1	2	3	4	4
65+	7	2.1	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	3.9	10	1	1	2	6	9	9	9
20-34	24	5.9	20	<1	1	5	9	13	14	15
35-49	51	5.2	11	<1	1	6	8	9	10	13
50-64	87	5.7	16	1	1	6	9	11	12	15
65+	134	5.4	17	<1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	10	7.3	114	1	1	3	6	23	37	37
35-49	12	4.2	7	<1	1	4	6	8	8	8
50-64	24	4.5	13	1	1	3	5	11	13	14
65+	58	5.7	27	<1	1	4	7	14	17	25
B. *Operated*										
0-19 YRS	17	8.0	23	1	1	8	11	14	17	18
20-34	56	7.6	18	1	2	7	10	13	16	17
35-49	118	7.2	41	1	1	6	9	13	21	36
50-64	368	7.5	38	1	1	7	10	15	18	25
65+	790	8.0	60	1	1	7	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.2	3	<1	<1	1	3	4	5	7
B. *Operated*	311	5.4	16	1	1	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	109	5.3	28	1	1	4	6	12	16	30
B. *Operated*	1349	7.8	50	1	1	7	10	15	18	32
1. SINGLE DX	336	5.2	15	<1	1	4	8	10	12	15
2. MULTIPLE DX	1458	7.6	49	1	1	6	10	15	18	32
A. NOT OPERATED	134	4.7	25	<1	1	3	5	11	14	27
B. OPERATED	1660	7.3	45	1	1	6	10	14	17	30
TOTAL 0-19 YRS	39	5.5	19	1	1	4	9	12	14	18
20-34	91	7.1	28	1	1	6	10	13	15	29
35-49	186	6.3	31	1	1	5	8	11	15	29
50-64	489	6.9	34	1	1	6	9	14	16	24
65+	989	7.5	53	1	1	6	10	14	18	34
GRAND TOTAL	**1794**	**7.1**	**44**	**1**	**1**	**6**	**10**	**14**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	34	2.2	7	1	1	1	1	5	9	12
20-34	32	4.3	14	<1	1	3	7	9	13	14
35-49	48	4.0	7	1	1	3	6	8	8	10
50-64	48	4.2	9	1	1	3	6	9	9	11
65+	23	5.2	23	1	1	3	7	9	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	2	5.0	32	<1	<1	4	9	9	9	9
65+	4	8.5	82	3	3	4	13	22	22	22
B. *Operated*										
0-19 YRS	34	3.7	27	<1	1	1	4	12	15	24
20-34	25	5.8	28	1	1	5	9	11	19	21
35-49	25	6.7	32	<1	1	7	9	12	18	26
50-64	73	6.5	27	1	1	5	9	14	18	21
65+	65	10.3	161	1	2	7	11	17	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	185	3.9	11	1	1	3	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	7	6.9	50	<1	1	4	8	19	22	22
B. *Operated*	222	7.1	71	1	1	5	9	14	20	56
1. SINGLE DX	186	3.9	11	1	1	3	6	9	10	14
2. MULTIPLE DX	229	7.1	70	1	1	5	9	14	20	56
A. NOT OPERATED	8	7.3	45	<1	1	5	9	18	22	22
B. OPERATED	407	5.7	46	1	1	4	8	11	15	30
TOTAL 0-19 YRS	69	3.0	17	1	1	1	4	7	12	22
20-34	57	5.0	20	1	1	4	7	10	14	21
35-49	73	4.9	17	1	1	4	8	9	11	23
50-64	124	5.6	21	1	1	5	8	10	15	20
65+	92	9.0	126	1	2	6	10	17	24	64
GRAND TOTAL	**415**	**5.7**	**46**	**1**	**1**	**4**	**8**	**11**	**15**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	285	2.2	3	1	1	2	3	4	6	10
20-34	185	2.9	8	<1	1	2	4	6	7	15
35-49	237	2.3	4	<1	1	2	3	4	5	10
50-64	170	2.4	6	1	1	2	3	5	8	16
65+	79	3.1	8	<1	<1	2	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
20-34	5	2.8	6	<1	<1	2	4	7	7	7
35-49	2	8.0		8	8	8	8	8	8	8
50-64	7	3.7	16	<1	<1	3	5	11	12	12
65+	8	4.0	3	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	70	4.1	44	1	1	2	4	8	10	45
20-34	100	3.7	11	1	1	3	5	8	11	17
35-49	176	4.2	20	1	1	2	6	8	12	22
50-64	202	4.8	70	1	1	3	5	9	13	42
65+	169	7.0	69	1	1	4	9	18	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*	956	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	7	<1	<1	3	5	7	8	12
B. *Operated*	717	5.0	48	1	1	3	6	10	16	31
1. SINGLE DX	963	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX	748	4.9	46	1	1	3	6	10	15	31
A. NOT OPERATED	38	3.2	6	<1	<1	3	4	7	8	12
B. OPERATED	1673	3.5	25	1	1	2	4	8	10	22
TOTAL 0-19 YRS	365	2.5	11	1	1	2	3	5	7	10
20-34	290	3.2	9	1	1	2	4	7	8	16
35-49	419	3.1	12	<1	1	2	4	7	9	20
50-64	381	3.7	42	1	1	2	4	8	11	18
65+	256	5.7	51	1	1	3	7	12	22	32
GRAND TOTAL	**1711**	**3.5**	**25**	**1**	**1**	**2**	**4**	**8**	**10**	**22**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	3	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	260	2.4	6	<1	1	2	3	5	7	12
20-34	74	3.3	8	<1	1	2	5	7	8	13
35-49	56	3.1	8	<1	1	2	5	7	9	12
50-64	43	3.6	10	<1	1	2	5	8	10	14
65+	31	2.7	10	<1	<1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.0	22	<1	<1	2	7	14	55	99+
20-34	6	3.7	9	1	1	2	7	8	8	8
35-49	9	4.2	11	1	1	3	6	10	11	11
50-64	10	5.2	7	2	2	5	8	9	10	10
65+	16	6.6	19	1	1	6	9	11	16	18
B. *Operated*										
0-19 YRS	104	4.2	26	1	1	2	5	10	13	28
20-34	43	6.1	28	1	1	5	8	13	17	25
35-49	65	7.4	140	1	1	4	8	12	37	64
50-64	65	7.6	172	1	1	4	10	18	20	88
65+	84	8.2	64	1	1	6	12	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	464	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	61	4.9	16	<1	1	4	8	10	14	90
B. *Operated*	361	6.5	84	1	1	3	8	14	21	43
1. SINGLE DX	476	2.8	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	422	6.3	74	1	1	3	8	14	20	46
A. NOT OPERATED	73	4.5	15	<1	1	3	7	10	11	80
B. OPERATED	825	4.4	44	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	393	3.0	13	<1	1	2	3	7	9	22
20-34	124	4.3	16	<1	1	3	6	8	12	24
35-49	132	5.3	77	<1	1	3	6	10	12	55
50-64	118	5.9	102	1	1	3	7	14	18	51
65+	131	6.7	51	<1	1	4	10	16	19	36
GRAND TOTAL	**898**	**4.4**	**42**	**<1**	**1**	**2**	**5**	**10**	**14**	**31**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	10	2.4	5	<1	<1	1	4	6	7	7
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	32	1.8	1	<1	<1	1	2	3	4	5
50-64	21	1.8	1	<1	<1	1	2	4	4	5
65+	15	1.7	3	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.2	4	1	1	1	3	6	6	6
20-34	23	2.9	4	<1	1	2	4	6	7	7
35-49	64	2.9	6	<1	1	2	4	6	6	14
50-64	52	2.8	4	1	1	2	3	6	8	10
65+	47	2.9	6	1	1	2	3	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	95	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	192	2.9	5	<1	1	2	3	6	7	13
1. SINGLE DX	96	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	193	2.8	5	<1	1	2	3	6	7	13
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	287	2.5	4	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	16	2.3	4	<1	<1	1	3	6	7	7
20-34	40	2.3	3	<1	<1	2	3	5	6	7
35-49	96	2.6	4	<1	<1	2	3	5	6	13
50-64	74	2.5	4	<1	1	2	3	5	7	10
65+	63	2.6	6	<1	<1	2	3	6	7	13
GRAND TOTAL	**289**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	17	2.5	2	1	1	2	4	4	5	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	5	5	5	5
20-34	244	4.8	3	2	3	5	6	7	7	11
35-49	816	5.1	2	3	4	5	6	7	7	9
50-64	114	5.2	3	1	4	5	6	7	8	10
65+	17	5.8	5	1	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	2.5	4	<1	<1	1	4	5	7	9
35-49	91	2.7	6	<1	<1	1	4	6	8	12
50-64	18	2.4	4	<1	<1	2	3	6	7	8
65+	11	4.9	10	<1	<1	6	7	9	10	10
B. *Operated*										
0-19 YRS	6	5.0	4	2	2	5	6	8	8	8
20-34	1121	5.5	4	2	3	5	6	8	9	13
35-49	6683	5.7	5	3	4	5	6	8	9	13
50-64	1286	6.0	6	4	4	6	7	8	10	16
65+	160	7.7	30	3	4	7	8	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	6
B. *Operated*	1196	5.1	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	6	<1	<1	1	4	7	8	11
B. *Operated*	9256	5.7	5	3	4	5	6	8	9	14
1. SINGLE DX	1219	5.0	3	2	3	5	6	7	7	9
2. MULTIPLE DX	9411	5.7	6	3	4	5	6	8	9	14
A. NOT OPERATED	178	2.7	6	<1	<1	2	4	7	8	11
B. OPERATED	10452	5.7	5	3	4	5	6	8	9	14
TOTAL 0-19 YRS	11	4.3	4	1	2	5	5	7	8	8
20-34	1404	5.3	4	2	3	5	6	7	9	13
35-49	7607	5.6	5	3	4	5	6	8	9	13
50-64	1420	5.9	6	3	4	6	7	8	10	15
65+	188	7.4	27	2	4	7	8	12	15	24
GRAND TOTAL	**10630**	**5.6**	**5**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	9	4.6	4	1	2	4	6	7	7	7
50-64	5	3.2	3	1	1	3	5	5	5	5
65+	3	4.0	7	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	5.0	14	1	1	4	5	12	14	14
35-49	68	5.6	3	3	4	5	7	8	9	11
50-64	26	6.3	14	1	2	6	7	12	15	18
65+	10	6.8	12	2	3	7	8	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	4.0	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	118	5.8	7	2	3	5	7	8	11	16
1. SINGLE DX	21	4.0	3	1	1	4	5	6	7	7
2. MULTIPLE DX	119	5.8	7	2	3	5	7	8	11	16
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	139	5.5	7	1	2	5	7	8	11	15
TOTAL 0-19 YRS										
20-34	18	4.8	11	1	1	4	5	10	13	14
35-49	78	5.5	3	2	4	5	6	8	9	11
50-64	31	5.8	13	1	2	5	7	10	14	18
65+	13	6.2	12	1	2	6	7	10	14	15
GRAND TOTAL	**140**	**5.5**	**7**	**1**	**2**	**5**	**7**	**8**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	105	4.5	2	3	3	4	5	6	7	10
20-34	350	4.2	1	2	3	4	5	5	6	7
35-49	122	5.0	3	3	3	5	6	7	8	11
50-64	86	5.5	5	3	4	5	6	8	10	14
65+	49	6.0	4	3	4	6	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	3.1	5	<1	<1	3	5	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	78	5.1	4	3	3	5	6	7	9	13
20-34	483	4.8	4	3	3	5	5	7	8	11
35-49	452	5.8	6	3	4	5	7	9	10	15
50-64	304	7.0	11	4	4	6	8	11	13	21
65+	287	9.1	48	5	5	7	10	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	8	1	1	5	7	8	8	8
B. *Operated*	712	4.6	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	14	2.9	5	<1	<1	2	5	6	7	7
B. *Operated*	1604	6.3	16	3	4	5	7	10	12	20
1. SINGLE DX	717	4.6	3	3	3	4	5	6	7	11
2. MULTIPLE DX	1618	6.2	16	3	4	5	7	10	12	20
A. NOT OPERATED	19	3.4	6	<1	<1	3	6	7	8	8
B. OPERATED	2316	5.8	12	3	3	5	6	9	11	18
TOTAL 0-19 YRS	188	4.7	3	3	3	4	5	6	8	11
20-34	843	4.5	3	3	3	4	5	6	7	10
35-49	576	5.6	5	3	3	5	6	8	9	14
50-64	391	6.6	10	4	4	6	8	10	13	20
65+	337	8.7	43	4	5	7	10	14	17	28
GRAND TOTAL	**2335**	**5.7**	**12**	**3**	**3**	**5**	**6**	**9**	**11**	**18**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	12	2.5	2	<1	<1	3	4	4	5	5
35-49	8	3.4	3	1	1	4	5	5	5	5
50-64	4	2.8	5	1	1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	5.9	10	2	2	5	7	11	12	12
35-49	18	4.9	6	1	1	5	6	7	10	11
50-64	8	4.3	5	2	2	4	6	7	7	7
65+	4	2.8	1	2	2	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	25	2.9	3	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	37	4.7	6	1	2	5	6	7	10	12
1. SINGLE DX	26	2.8	3	<1	<1	3	4	5	5	6
2. MULTIPLE DX	37	4.7	6	1	2	5	6	7	10	12
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	62	4.0	6	1	1	4	5	7	7	12
TOTAL 0-19 YRS										
20-34	19	3.7	8	<1	<1	3	5	7	10	12
35-49	27	4.3	6	1	1	5	6	7	8	11
50-64	12	3.8	5	1	1	3	6	7	7	7
65+	5	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	**63**	**3.9**	**6**	**<1**	**1**	**4**	**5**	**7**	**7**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	15	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	4	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	4	4.0	13	1	1	3	6	9	9	9
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65+	12	3.8	11	1	1	2	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	27	1.7	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	28	2.9	7	1	1	2	3	9	9	10
1. SINGLE DX	27	1.7	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	29	2.8	7	1	1	2	3	8	9	10
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	55	2.3	4	1	1	2	3	4	9	10
TOTAL 0-19 YRS	8	1.4		1	1	1	2	2	2	2
20-34	19	2.2	4	1	1	1	3	4	7	9
35-49	9	1.9	1	<1	<1	2	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	3	3
65+	12	3.8	11	1	1	2	6	9	10	10
GRAND TOTAL	**56**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**9**	**10**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64	10	3.9	15	<1	<1	2	7	10	12	12
65+	11	4.5	10	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	6.5	18	1	1	7	9	11	11	11
35-49	5	6.0	11	2	2	5	8	11	11	11
50-64	32	5.8	23	1	1	5	9	12	16	20
65+	49	5.6	21	1	1	4	8	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	25	4.1	11	<1	1	3	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B *Operated*	91	5.7	21	1	1	4	8	11	14	23
1. SINGLE DX	26	4.0	11	<1	1	3	7	8	10	12
2. MULTIPLE DX	93	5.6	20	1	1	4	8	11	14	23
A. NOT OPERATED	3	2.3	2	1	1	2	3	4	4	4
B. OPERATED	116	5.4	19	1	1	4	8	11	13	22
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	6.5	18	1	1	7	9	11	11	11
35-49	9	5.2	9	1	1	5	7	9	11	11
50-64	42	5.4	22	<1	1	4	8	11	15	20
65+	62	5.3	19	1	1	4	8	10	13	24
GRAND TOTAL	**119**	**5.3**	**19**	**1**	**1**	**4**	**8**	**11**	**13**	**22**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	2.0	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	5	4.2	17	1	1	3	6	11	11	11
1. SINGLE DX	12	2.0	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX	6	5.5	24	1	1	4	11	12	12	12
A. NOT OPERATED	1	12.0		12	12	12	12	12	12	12
B. OPERATED	17	2.6	8	<1	1	1	3	7	10	11
TOTAL 0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	3	4.3	33	1	1	1	9	11	11	11
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**18**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**10**	**12**	**12**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	9	7.3	12	<1	2	7	9	12	13	13
20-34	18	8.6	15	1	3	9	11	14	15	16
35-49	65	9.0	17	2	4	9	11	14	15	22
50-64	62	8.8	30	1	2	8	10	18	21	23
65+	56	8.6	58	1	1	8	11	14	22	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	10	5.8	14	1	1	5	7	11	14	14
50-64	25	5.5	41	<1	1	3	7	17	21	26
65+	62	7.4	35	1	2	6	9	15	18	34
B. *Operated*										
0-19 YRS	15	12.1	74	2	2	9	20	24	26	27
20-34	30	15.3	215	2	3	11	17	32	43	70
35-49	90	12.9	96	1	4	11	17	22	32	89
50-64	163	15.3	211	2	4	11	19	31	41	85
65+	211	18.8	215	3	5	15	24	37	51	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.2	4	1	1	3	5	6	6	6
B. *Operated*	210	8.7	31	1	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	100	6.7	34	1	1	5	8	14	18	31
B. *Operated*	509	16.2	193	2	4	12	21	32	44	74
1. SINGLE DX	221	8.5	31	1	2	8	11	14	18	25
2. MULTIPLE DX	609	14.7	179	2	3	11	18	30	42	72
A. NOT OPERATED	111	6.4	32	1	1	5	8	14	18	30
B. OPERATED	719	14.0	157	2	3	10	17	28	37	70
TOTAL 0-19 YRS	24	10.3	55	1	2	9	14	24	25	27
20-34	53	11.9	142	2	2	10	12	31	33	69
35-49	169	10.8	64	1	3	10	13	19	23	66
50-64	252	12.6	161	1	2	9	15	26	34	71
65+	332	14.8	181	2	3	10	19	30	44	68
GRAND TOTAL	**830**	**13.0**	**147**	**1**	**2**	**10**	**16**	**27**	**35**	**69**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.1	1	1	1	2	3	4	4	4
20-34	169	2.5	1	1	1	2	3	4	4	7
35-49	230	2.6	2	1	1	2	3	4	5	8
50-64	150	3.1	7	1	1	3	4	5	6	9
65+	37	3.0	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	5	5	5
20-34	58	3.1	5	1	1	3	4	5	6	16
35-49	145	3.0	3	1	1	3	4	5	6	12
50-64	163	3.7	7	1	1	3	4	6	9	12
65+	110	5.0	23	1	2	4	5	8	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	618	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*	484	3.7	10	1	1	3	4	6	8	17
1. SINGLE DX	618	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX	486	3.7	10	1	1	3	4	6	8	17
A. NOT OPERATED	2	4.5	5	3	3	4	6	6	6	6
B. OPERATED	1102	3.1	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	40	2.2	1	1	1	2	3	4	4	5
20-34	227	2.7	2	1	1	2	3	4	5	7
35-49	375	2.8	2	1	1	3	3	4	5	9
50-64	314	3.4	7	1	1	3	4	5	7	12
65+	148	4.5	18	1	2	4	5	8	9	31
GRAND TOTAL	**1104**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	4.3	11	1	1	4	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	6.8	14	2	2	7	8	11	16	17
35-49	26	6.1	19	2	2	5	8	11	16	20
50-64	45	5.0	8	2	2	4	6	10	11	13
65+	35	6.1	17	2	3	5	9	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	4.3	16	<1	1	3	5	11	14	14
35-49	14	5.3	12	1	1	5	6	12	13	13
50-64	14	5.3	5	2	3	5	7	9	9	9
65+	17	8.6	35	1	1	8	13	17	19	19
B. *Operated*										
0-19 YRS	12	7.3	48	3	3	5	7	16	26	28
20-34	48	7.4	24	2	2	7	9	11	19	27
35-49	72	8.1	56	2	2	5	10	17	28	34
50-64	137	10.1	84	2	3	7	14	20	36	61
65+	144	9.9	109	2	3	6	12	18	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.6	5	<1	<1	3	5	7	8	8
B. *Operated*	128	5.8	14	2	2	5	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	55	6.2	20	1	1	5	8	13	15	19
B. *Operated*	413	9.3	80	2	3	6	12	18	28	57
1. SINGLE DX	138	5.7	13	2	2	5	8	10	13	20
2. MULTIPLE DX	468	8.9	74	2	3	6	11	17	25	54
A. NOT OPERATED	65	5.8	18	1	1	5	8	12	15	19
B. OPERATED	541	8.5	67	2	3	6	10	17	22	48
TOTAL 0-19 YRS	16	6.6	39	1	2	5	7	11	23	28
20-34	80	6.8	21	1	2	6	8	11	16	25
35-49	116	7.2	42	1	2	5	9	16	20	32
50-64	197	8.5	66	2	3	6	11	17	24	50
65+	197	9.1	87	2	3	6	12	17	22	61
GRAND TOTAL	**606**	**8.2**	**62**	**2**	**2**	**6**	**10**	**16**	**21**	**46**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	326	3.7	3	1	1	4	5	6	6	8
35-49	142	3.9	3	1	1	4	5	6	7	8
50-64	31	4.4	5	1	1	5	6	7	7	8
65+	16	4.8	4	<1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	396	4.6	3	1	2	5	6	6	7	9
35-49	353	5.1	5	2	3	5	6	7	9	13
50-64	100	5.7	8	2	3	5	7	8	10	19
65+	60	6.7	23	1	2	6	8	11	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	516	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	17	1.8	3	<1	<1	1	2	4	6	7
B. *Operated*	913	5.0	6	1	3	5	6	7	8	13
1. SINGLE DX	518	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX	930	5.0	6	1	2	5	6	7	8	13
A. NOT OPERATED	19	1.7	2	<1	<1	1	2	4	6	7
B. OPERATED	1429	4.6	5	1	1	5	6	7	8	12
TOTAL 0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	730	4.2	3	1	1	4	5	6	7	8
35-49	502	4.7	5	1	2	5	6	7	8	12
50-64	131	5.4	7	1	2	5	6	8	9	17
65+	80	6.2	19	1	1	6	7	10	12	28
GRAND TOTAL	**1448**	**4.6**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	13	3.2	6	<1	1	2	5	7	8	8
35-49	63	3.6	4	1	1	3	5	6	7	10
50-64	98	4.2	8	1	1	4	6	8	10	14
65+	65	4.6	11	1	1	4	7	9	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	5.8	67	1	1	2	10	18	18	18
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	25	5.9	14	1	2	5	7	11	14	16
35-49	101	5.6	16	1	2	5	6	9	13	23
50-64	180	6.7	35	1	2	5	9	12	16	21
65+	332	8.4	70	1	2	6	11	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*	239	4.1	8	1	1	3	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	9	4.3	29	1	1	2	5	13	18	18
B. *Operated*	638	7.4	50	1	2	6	9	15	19	34
1. SINGLE DX	241	4.1	8	1	1	3	6	8	9	14
2. MULTIPLE DX	647	7.3	50	1	2	5	9	15	19	34
A. NOT OPERATED	11	4.4	24	1	1	2	6	11	17	18
B. OPERATED	877	6.5	41	1	2	5	8	13	18	33
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	39	5.0	12	1	1	5	6	10	12	16
35-49	165	4.8	12	1	1	4	6	8	11	22
50-64	282	5.8	27	1	1	5	7	11	14	20
65+	401	7.7	61	1	2	6	10	16	21	35
GRAND TOTAL	**888**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	7	<1	1	2	4	7	9	10
20-34	13	2.8	2	<1	1	2	4	5	6	6
35-49	15	4.7	73	<1	<1	2	4	7	28	35
50-64	21	5.9	123	1	1	3	5	9	30	53
65+	17	3.9	8	1	2	3	5	9	10	11
B. *Operated*										
0-19 YRS	94	4.9	24	1	1	3	6	10	18	24
20-34	119	3.6	8	1	1	3	4	8	9	11
35-49	126	3.8	7	1	1	3	5	8	9	11
50-64	173	4.2	17	1	1	3	6	9	11	24
65+	143	4.3	13	1	1	3	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.3	112	<1	1	2	5	9	28	56
20-34	59	3.6	8	<1	1	3	4	7	10	15
35-49	55	4.2	11	<1	1	3	6	10	10	17
50-64	110	4.9	22	<1	1	4	6	10	14	25
65+	262	5.9	21	1	2	5	8	12	15	21
B. *Operated*										
0-19 YRS	60	7.1	28	1	1	6	9	15	18	24
20-34	111	5.8	23	1	1	5	7	10	15	27
35-49	200	6.5	45	1	2	5	8	11	19	52
50-64	360	7.8	55	1	1	6	10	16	24	38
65+	715	9.5	72	1	2	8	12	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.1	46	<1	1	3	4	7	10	47
B. *Operated*	655	4.1	14	1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	519	5.2	25	1	1	4	6	11	14	24
B. *Operated*	1446	8.3	60	1	2	6	10	17	24	42
1. SINGLE DX	741	4.1	17	1	1	3	5	9	11	18
2. MULTIPLE DX	1965	7.5	53	1	1	6	10	16	21	39
A. NOT OPERATED	605	5.0	28	1	1	4	6	10	14	25
B. OPERATED	2101	7.0	50	1	1	5	9	15	20	38
TOTAL 0-19 YRS	207	5.4	39	1	1	3	7	11	17	28
20-34	302	4.3	14	1	1	3	6	9	10	21
35-49	396	5.3	31	1	1	4	7	9	12	33
50-64	664	6.3	44	1	1	5	8	13	18	36
65+	1137	7.9	57	1	2	6	10	16	22	41
GRAND TOTAL	**2706**	**6.6**	**45**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	7.3	37	2	2	6	12	14	14	14
B. *Operated*										
0-19 YRS	14	2.2	1	1	1	2	3	4	4	4
20-34	145	2.6	2	1	1	2	3	4	5	7
35-49	200	2.9	3	1	1	3	4	4	5	11
50-64	158	3.1	3	1	2	3	4	4	5	14
65+	68	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	8	1	1	5	7	7	7	7
35-49	14	2.4	7	<1	<1	1	3	5	9	10
50-64	9	4.6	12	<1	<1	5	7	9	10	10
65+	20	4.2	4	1	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	7	3.1	1	2	2	3	4	4	4	4
20-34	61	2.7	1	1	1	3	3	4	4	6
35-49	122	4.0	8	2	2	3	4	6	8	18
50-64	178	3.9	7	2	2	3	5	6	8	19
65+	171	6.3	52	2	2	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	14	<1	<1	2	4	8	13	14
B. *Operated*	585	2.9	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	47	3.8	7	<1	<1	3	6	7	9	10
B. *Operated*	539	4.5	22	2	2	4	5	8	11	21
1. SINGLE DX	597	2.9	3	1	1	3	4	4	5	10
2. MULTIPLE DX	586	4.5	21	1	2	4	5	8	11	21
A. NOT OPERATED	59	3.7	8	<1	<1	3	6	7	9	14
B. OPERATED	1124	3.7	13	1	2	3	4	6	8	16
TOTAL 0-19 YRS	22	2.5	1	1	1	2	3	4	4	4
20-34	212	2.7	2	1	1	2	3	4	5	7
35-49	340	3.3	5	1	1	3	4	5	6	12
50-64	347	3.6	6	1	2	3	4	6	7	15
65+	262	5.4	36	2	2	4	6	10	13	22
GRAND TOTAL	**1183**	**3.7**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	2	1	1	3	4	5	6	6
20-34	35	4.0	5	1	2	3	5	7	8	9
35-49	36	4.1	7	1	1	4	5	7	10	12
50-64	18	3.4	3	1	1	3	4	6	8	8
65+	14	4.8	8	1	2	4	6	8	11	12
B. *Operated*										
0-19 YRS	25	3.2	1	1	2	4	4	4	5	5
20-34	83	3.5	4	1	2	3	4	6	8	12
35-49	102	3.3	3	1	2	3	4	5	7	9
50-64	58	3.7	9	2	2	3	4	6	8	22
65+	27	4.1	7	1	1	4	5	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	17	1	1	3	6	11	13	18
20-34	84	4.3	9	1	1	4	6	8	11	14
35-49	127	5.7	19	2	2	5	7	9	12	22
50-64	162	6.0	17	2	2	5	7	10	13	24
65+	269	8.1	31	2	3	7	10	14	19	32
B. *Operated*										
0-19 YRS	8	4.9	19	1	1	4	5	12	15	15
20-34	66	4.3	16	1	2	3	5	8	9	27
35-49	88	4.7	15	1	2	4	5	9	12	22
50-64	99	5.0	14	1	2	4	6	10	11	21
65+	95	11.1	157	2	3	7	13	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.0	5	1	2	3	5	7	9	12
B. *Operated*	295	3.5	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	671	6.5	24	2	2	5	8	12	15	27
B. *Operated*	356	6.4	60	1	2	4	7	12	21	39
1. SINGLE DX	409	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	1027	6.5	37	1	2	5	8	12	17	31
A. NOT OPERATED	785	6.1	22	1	2	5	8	11	14	24
B. OPERATED	651	5.1	37	1	2	4	5	9	14	30
TOTAL 0-19 YRS	73	3.9	10	1	1	3	4	6	12	17
20-34	268	4.0	9	1	1	3	5	7	9	13
35-49	353	4.6	13	1	2	4	5	8	10	19
50-64	337	5.1	15	2	2	4	6	9	12	23
65+	405	8.4	61	2	3	6	10	15	22	41
GRAND TOTAL	**1436**	**5.7**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	4.7	5	1	2	5	6	8	9	11
20-34	53	4.4	23	1	1	4	6	6	7	34
35-49	50	5.4	11	2	2	5	7	10	11	18
50-64	50	5.1	6	2	2	5	6	9	10	12
65+	18	5.9	25	1	2	4	6	13	18	21
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	6.3	85	1	1	1	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.1	8	1	2	5	7	8	10	13
20-34	104	5.9	57	1	1	4	7	10	27	37
35-49	194	5.3	14	1	1	5	7	9	11	19
50-64	327	5.6	11	2	2	5	7	9	11	18
65+	206	6.1	14	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	4	6.5	44	1	1	4	11	16	16	16
20-34	8	5.4	17	1	1	4	8	12	13	13
35-49	26	10.0	128	1	2	5	12	30	35	49
50-64	46	8.8	28	2	3	8	12	17	18	21
65+	26	14.7	190	3	4	9	18	30	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.9	11	1	2	4	6	8	10	17
B. *Operated*	9	3.7	27	1	1	1	4	12	17	17
2. MULTIPLE DX										
A. *Not Operated*	992	5.6	17	1	2	5	7	9	11	22
B. *Operated*	110	10.1	95	2	2	7	13	19	31	57
1. SINGLE DX	288	4.9	11	1	1	4	6	8	10	18
2. MULTIPLE DX	1102	6.0	26	1	2	5	7	10	13	31
A. NOT OPERATED	1271	5.4	15	1	2	5	7	9	11	21
B. OPERATED	119	9.6	92	1	2	7	12	19	29	55
TOTAL 0-19 YRS	273	4.9	7	1	2	5	6	8	10	13
20-34	166	5.4	44	1	1	4	6	8	13	37
35-49	274	5.7	25	1	2	5	7	10	12	31
50-64	424	5.9	13	2	2	5	8	10	13	19
65+	253	7.0	39	1	2	6	8	13	18	31
GRAND TOTAL	**1390**	**5.8**	**23**	**1**	**2**	**5**	**7**	**10**	**13**	**28**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	4.0	6	1	1	3	5	7	9	11
20-34	374	4.0	6	1	2	3	5	7	9	12
35-49	129	4.8	7	1	2	4	6	8	9	13
50-64	67	6.3	12	2	3	6	8	11	13	18
65+	43	6.5	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	8	6.1	6	3	3	6	8	9	10	10
20-34	9	5.1	6	2	2	5	7	9	9	9
35-49	2	8.5	113	1	1	8	16	16	16	16
50-64										
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	952	4.4	11	1	2	4	6	8	10	16
20-34	1150	5.0	12	2	2	4	6	9	10	17
35-49	620	6.3	16	2	2	5	8	11	14	21
50-64	573	7.6	22	2	3	7	9	13	17	25
65+	819	9.0	36	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	36	10.1	88	3	3	8	10	17	35	48
20-34	98	12.4	152	2	4	8	14	27	32	68
35-49	126	10.9	68	3	4	9	13	20	26	81
50-64	122	18.7	285	4	5	14	24	42	60	93
65+	160	16.6	121	4	6	13	21	33	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	4.3	7	1	2	4	6	8	9	13
B. *Operated*	21	5.8	11	2	2	5	8	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	4114	6.2	22	2	2	5	8	11	15	24
B. *Operated*	542	14.5	158	3	4	10	18	30	42	76
1. SINGLE DX	1173	4.3	7	1	2	4	6	8	9	13
2. MULTIPLE DX	4656	7.2	45	2	2	6	9	13	18	35
A. NOT OPERATED	5266	5.8	19	1	2	5	7	10	13	22
B. OPERATED	563	14.2	155	3	4	10	17	29	42	76
TOTAL 0-19 YRS	1535	4.4	11	1	2	4	6	8	10	16
20-34	1631	5.2	23	1	2	4	6	9	11	24
35-49	877	6.7	26	2	2	6	9	13	15	25
50-64	762	9.3	80	2	3	7	10	17	24	51
65+	1024	10.1	56	3	4	8	12	18	25	41
GRAND TOTAL	**5829**	**6.6**	**38**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	5.1	7	2	2	5	7	8	10	12
20-34	357	4.6	6	1	2	4	6	8	9	13
35-49	396	4.9	8	2	2	4	6	8	10	14
50-64	504	5.2	7	2	3	5	6	8	10	14
65+	348	6.0	23	2	3	5	7	10	12	24
B. *Operated*										
0-19 YRS										
20-34	10	5.0	10	2	2	4	6	10	13	13
35-49	15	4.3	9	1	1	3	7	8	10	10
50-64	27	6.1	30	1	1	5	8	11	20	23
65+	35	5.3	36	1	1	2	8	14	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	533	5.3	13	1	2	4	7	10	12	21
20-34	1411	5.5	20	1	2	5	7	9	12	24
35-49	2527	6.2	14	2	3	5	8	10	13	19
50-64	4511	6.4	15	2	3	6	8	11	13	20
65+	5851	7.1	20	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	31	7.5	39	1	2	6	10	14	15	34
20-34	318	9.6	69	1	2	7	13	23	30	59
35-49	737	11.5	90	2	3	9	15	23	30	54
50-64	1547	13.0	131	2	3	10	16	26	36	64
65+	2074	14.8	137	3	4	12	19	29	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1978	5.2	10	2	2	5	6	9	10	14
B. *Operated*	87	5.3	26	1	1	4	8	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	14833	6.5	17	2	3	6	8	11	14	21
B. *Operated*	4707	13.3	125	2	3	10	17	27	35	60
1. SINGLE DX	2065	5.2	11	2	2	5	6	9	10	15
2. MULTIPLE DX	19540	8.2	42	2	3	6	9	15	21	39
A. NOT OPERATED	16811	6.4	17	2	3	6	8	11	13	21
B. OPERATED	4794	13.2	125	2	3	10	17	27	35	60
TOTAL 0-19 YRS	937	5.3	12	1	2	5	7	9	11	18
20-34	2096	6.0	28	1	2	5	7	11	15	30
35-49	3675	7.1	34	2	3	6	8	13	17	32
50-64	6589	7.9	50	2	3	6	9	14	20	40
65+	8308	9.0	61	2	3	7	11	17	23	42
GRAND TOTAL	**21605**	**7.9**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.8	3	1	1	4	5	6	6	6
20-34	37	4.6	4	1	2	5	6	7	8	9
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	1	1	2	3	5	5	5
20-34	29	4.5	14	1	1	5	5	9	11	19
35-49	5	4.8		4	4	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	4.6	3	2	2	5	6	7	8	8
20-34	160	4.5	4	1	2	4	5	7	8	11
35-49	32	4.9	6	2	2	5	6	7	8	15
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	4.0	4	2	2	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	<1	1	2	4	4	5	5
B. *Operated*	47	4.4	4	1	1	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	11	1	1	4	5	6	10	19
B. *Operated*	212	4.6	4	2	2	5	6	7	8	11
1. SINGLE DX	60	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX	254	4.5	5	1	2	5	5	7	8	11
A. NOT OPERATED	55	3.7	9	1	1	3	5	5	9	19
B. OPERATED	259	4.5	4	1	2	5	6	7	8	11
TOTAL 0-19 YRS	32	3.8	3	1	1	4	5	6	7	8
20-34	235	4.4	5	1	2	4	5	7	8	11
35-49	42	4.7	5	1	2	5	6	7	8	15
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	4.0	4	2	2	4	5	6	6	6
GRAND TOTAL	**314**	**4.4**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.0	3	1	1	1	2	4	6	9
20-34	57	3.7	6	1	1	3	5	7	9	12
35-49	41	3.7	5	1	1	3	5	7	8	11
50-64	25	3.6	5	1	1	3	5	8	8	8
65+	35	4.3	11	<1	1	4	6	8	12	14
B. *Operated*										
0-19 YRS	5	5.4	37	1	1	3	8	16	16	16
20-34	14	3.4	7	1	1	3	4	6	10	11
35-49	11	3.5	2	2	2	3	5	6	6	6
50-64	18	5.1	38	2	2	3	4	7	20	29
65+	9	5.0	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.1	9	1	1	2	4	7	9	16
20-34	335	4.4	26	1	1	3	5	8	10	26
35-49	377	4.9	16	1	1	4	7	10	13	19
50-64	713	5.3	17	1	1	4	7	11	13	21
65+	1885	6.1	20	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	26	10.3	152	1	2	6	11	34	59	99+
20-34	51	9.6	47	2	3	8	11	19	26	34
35-49	87	9.3	99	2	3	7	10	20	32	88
50-64	141	10.0	134	2	3	7	11	20	27	70
65+	239	12.5	131	2	4	9	16	25	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.2	6	1	1	2	4	7	8	12
B. *Operated*	57	4.4	17	1	2	4	5	7	10	28
2. MULTIPLE DX										
A. *Not Operated*	3609	5.4	20	1	1	4	7	10	13	22
B. *Operated*	544	11.0	121	2	3	8	13	24	34	72
1. SINGLE DX	304	3.4	8	1	1	3	5	7	8	13
2. MULTIPLE DX	4153	6.1	36	1	2	5	8	12	16	30
A. NOT OPERATED	3856	5.3	19	1	1	4	7	10	13	21
B. OPERATED	601	10.3	115	2	3	7	12	23	33	70
TOTAL 0-19 YRS	419	3.4	20	1	1	2	4	7	10	29
20-34	457	4.9	28	1	1	4	6	10	12	26
35-49	516	5.5	32	1	1	4	7	11	14	33
50-64	897	6.0	38	1	2	4	7	12	16	29
65+	2168	6.8	36	2	2	5	8	13	17	30
GRAND TOTAL	**4457**	**6.0**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	6.3	23	2	2	5	9	13	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	52	3	3	4	13	16	16	16
65+	6	3.5	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	11.5	242	1	2	6	10	34	45	80
20-34	28	12.7	257	2	2	7	11	39	58	59
35-49	31	10.7	75	3	3	8	14	28	30	34
50-64	112	9.3	48	2	3	7	11	18	20	37
65+	393	8.8	41	2	3	7	11	16	20	36
B. *Operated*										
0-19 YRS	15	13.5	100	3	6	10	24	35	81	99+
20-34	15	13.9	78	5	6	12	21	29	30	30
35-49	32	17.2	224	3	5	11	24	42	50	61
50-64	62	13.5	164	3	4	11	16	24	48	97
65+	250	12.2	84	2	3	10	17	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.8	13	<1	2	5	8	11	12	13
B. *Operated*	12	4.2	16	2	2	3	4	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	623	9.4	73	2	3	7	11	18	26	46
B. *Operated*	374	12.9	111	2	4	10	17	26	35	74
1. SINGLE DX	27	5.1	14	1	2	4	7	11	13	16
2. MULTIPLE DX	997	10.7	90	2	3	8	14	21	31	57
A. NOT OPERATED	638	9.3	72	2	3	7	11	18	26	46
B. OPERATED	386	12.7	110	2	3	10	17	26	35	72
TOTAL 0-19 YRS	79	11.4	203	1	2	6	11	34	44	95
20-34	46	12.7	182	2	2	8	13	30	44	59
35-49	66	13.6	156	3	3	9	18	30	42	59
50-64	180	10.6	91	2	3	8	14	19	26	73
65+	653	10.0	60	2	3	8	13	19	26	44
GRAND TOTAL	**1024**	**10.6**	**89**	**2**	**3**	**8**	**14**	**21**	**30**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	9.2	18	2	3	9	13	14	15	17
20-34	33	9.5	29	2	3	10	12	17	22	23
35-49	3	9.0	12	7	7	7	12	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	10.7	44	3	3	14	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	11.3	33	2	4	11	14	16	20	30
20-34	99	11.7	32	3	5	12	14	16	21	34
35-49	12	9.2	15	4	5	8	13	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	37	15.1	61	4	5	15	19	22	39	99+
20-34	5	14.6	32	6	6	14	19	21	21	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	9.3	21	2	3	9	13	14	16	23
B. *Operated*	4	11.0	30	3	3	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	428	11.3	32	3	4	11	14	16	20	30
B. *Operated*	42	15.1	56	4	5	15	19	21	35	99+
1. SINGLE DX	100	9.4	22	2	3	9	13	15	16	22
2. MULTIPLE DX	470	11.6	35	3	4	12	14	17	21	31
A. NOT OPERATED	524	10.9	31	2	4	11	14	16	19	29
B. OPERATED	46	14.7	55	4	4	15	18	21	31	99+
TOTAL 0-19 YRS	415	11.3	35	2	3	11	14	17	20	31
20-34	140	11.3	32	3	4	12	14	17	21	30
35-49	15	9.1	13	4	5	8	13	14	15	15
50-64										
65+										
GRAND TOTAL	**570**	**11.2**	**34**	**3**	**4**	**11**	**14**	**17**	**20**	**31**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	7	4.6	23	1	1	1	8	12	13	13
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	6.3	5	2	3	7	8	8	8	8
20-34	109	6.7	4	4	5	7	8	8	9	14
35-49	72	7.0	4	4	5	7	8	9	10	14
50-64	9	8.4	23	4	4	6	12	16	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.1	345	<1	1	3	20	44	54	59
20-34	36	6.8	267	<1	<1	2	3	9	40	88
35-49	50	4.6	53	<1	<1	2	5	9	14	43
50-64	18	4.8	13	<1	1	4	8	10	12	14
65+	7	3.3	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	11	5.9	8	2	2	6	8	10	10	10
20-34	242	7.5	19	4	5	7	8	9	12	24
35-49	375	8.2	52	4	5	7	9	11	13	58
50-64	84	8.7	26	4	5	8	10	12	17	34
65+	2	9.0	32	5	5	9	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.8	14	1	1	2	7	9	12	13
B. *Operated*	197	6.9	5	4	5	7	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	127	6.3	146	<1	<1	3	5	12	31	66
B. *Operated*	714	8.0	37	4	5	7	8	11	13	39
1. SINGLE DX	210	6.7	6	3	4	7	8	9	11	15
2. MULTIPLE DX	841	7.7	54	1	3	7	8	11	14	44
A. NOT OPERATED	140	6.0	134	<1	<1	3	5	11	25	62
B. OPERATED	911	7.8	31	4	5	7	8	10	13	30
TOTAL 0-19 YRS	37	8.9	162	1	1	5	8	21	43	59
20-34	394	7.2	37	2	3	7	8	9	12	27
35-49	500	7.7	47	2	4	7	8	10	13	43
50-64	111	8.0	25	2	3	8	10	13	17	29
65+	9	4.6	15	1	1	3	6	11	13	13
GRAND TOTAL	**1051**	**7.5**	**45**	**2**	**3**	**7**	**8**	**10**	**13**	**43**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.9	8	<1	<1	2	3	7	8	16
20-34	71	4.3	25	<1	<1	2	5	12	14	26
35-49	41	4.8	38	<1	1	2	6	11	13	35
50-64	14	3.4	8	<1	1	2	4	7	10	11
65+	14	5.6	12	2	3	4	7	10	14	15
B. *Operated*										
0-19 YRS	17	3.8	4	1	1	3	5	7	8	8
20-34	40	3.8	7	1	1	3	5	7	9	14
35-49	70	2.7	3	1	1	2	4	6	6	7
50-64	24	2.5	7	<1	1	2	3	5	8	13
65+	8	6.8	88	1	1	2	9	23	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	22	<1	<1	3	5	9	14	22
20-34	179	4.5	60	<1	<1	2	6	9	13	28
35-49	360	3.5	17	<1	<1	<1	5	9	12	17
50-64	380	4.9	31	<1	<1	3	7	11	15	30
65+	368	8.1	39	1	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	43	9.0	93	1	2	6	11	21	28	50
20-34	97	8.8	76	1	2	6	11	18	27	45
35-49	149	8.7	115	1	2	5	10	18	30	56
50-64	144	8.6	59	1	2	6	12	17	22	40
65+	151	12.0	125	2	3	8	15	26	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.0	21	<1	<1	2	5	9	13	23
B. *Operated*	159	3.3	9	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1453	5.2	35	<1	<1	3	7	12	15	28
B. *Operated*	584	9.6	97	1	2	6	12	19	29	52
1. SINGLE DX	359	3.7	16	<1	<1	2	5	7	11	19
2. MULTIPLE DX	2037	6.5	57	<1	<1	4	8	14	19	40
A. NOT OPERATED	1653	5.1	33	<1	<1	3	7	11	15	28
B. OPERATED	743	8.2	85	1	1	5	10	17	26	49
TOTAL 0-19 YRS	286	4.6	32	<1	<1	3	6	10	15	28
20-34	387	5.5	56	<1	<1	4	6	13	16	35
35-49	620	4.7	45	<1	<1	2	6	11	14	40
50-64	562	5.7	40	<1	<1	4	8	13	17	34
65+	541	9.1	66	1	3	7	11	18	24	45
GRAND TOTAL	**2396**	**6.0**	**52**	**<1**	**<1**	**4**	**8**	**14**	**18**	**38**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.9	3	1	1	3	4	5	5	5
35-49	20	3.9	4	2	2	4	5	7	7	8
50-64	23	3.9	7	1	2	3	5	6	9	14
65+	15	3.2	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	8.0	91	2	2	3	15	19	19	19
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	6	3.0	3	1	1	3	4	6	6	6
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	4.7	12	1	1	3	8	9	9	9
35-49	49	4.3	5	1	2	4	6	8	8	9
50-64	90	6.1	25	2	2	5	7	10	18	30
65+	233	6.1	18	2	2	5	8	10	12	22
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	10.0	98	3	3	10	17	17	17	17
35-49	13	6.5	28	1	2	4	10	14	19	20
50-64	24	9.7	120	2	3	7	12	15	30	57
65+	49	10.5	63	2	3	8	13	19	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.6	4	1	2	3	5	6	7	13
B. *Operated*	20	3.3	16	1	1	2	4	5	12	19
2. MULTIPLE DX										
A. *Not Operated*	380	5.8	18	2	2	5	7	10	12	22
B. *Operated*	89	9.7	73	2	3	8	12	18	21	52
1. SINGLE DX	86	3.5	7	1	1	3	4	6	7	17
2. MULTIPLE DX	469	6.6	31	2	2	5	8	12	14	31
A. NOT OPERATED	446	5.5	17	2	2	5	7	9	11	22
B. OPERATED	109	8.5	68	1	2	6	12	17	20	49
TOTAL 0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	20	5.0	25	1	1	3	6	13	18	19
35-49	88	4.4	9	1	2	4	6	8	9	17
50-64	143	6.2	39	2	2	5	7	11	16	37
65+	301	6.6	28	2	2	5	8	12	14	30
GRAND TOTAL	**555**	**6.1**	**28**	**2**	**2**	**5**	**8**	**11**	**14**	**28**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.3	3	1	1	2	2	4	6	11
20-34	28	2.3	2	1	1	2	3	4	5	5
35-49	41	3.0	3	1	1	3	4	5	6	9
50-64	31	3.2	7	1	1	3	3	6	10	13
65+	114	5.4	19	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	7	23.4	840	3	3	8	38	72	80	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3816	3.1	8	1	1	3	4	5	6	12
20-34	1193	3.5	8	1	1	3	4	6	8	14
35-49	1320	4.5	15	1	2	4	5	8	11	20
50-64	2351	5.8	23	2	2	4	7	11	14	24
65+	11089	7.0	26	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	75	10.4	174	1	1	5	14	25	45	60
20-34	84	8.9	107	1	1	5	11	19	41	82
35-49	162	11.2	107	2	3	8	13	24	32	61
50-64	318	12.0	119	2	3	9	15	23	32	66
65+	1298	13.6	125	3	4	11	16	26	35	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.6	11	1	1	3	4	7	10	18
B. *Operated*	11	16.0	612	1	1	3	21	57	78	80
2. MULTIPLE DX										
A. *Not Operated*	19769	5.7	23	1	2	4	7	11	14	24
B. *Operated*	1937	12.8	125	2	3	10	16	26	35	65
1. SINGLE DX	327	4.0	34	1	1	3	4	7	10	26
2. MULTIPLE DX	21706	6.3	36	1	2	5	8	12	16	31
A. NOT OPERATED	20085	5.7	23	1	2	4	7	11	14	24
B. OPERATED	1948	12.8	127	2	3	10	16	26	35	65
TOTAL 0-19 YRS	3995	3.2	12	1	1	3	4	5	7	14
20-34	1305	3.8	16	1	1	3	4	7	9	19
35-49	1525	5.2	29	1	2	4	6	10	13	29
50-64	2700	6.5	39	1	2	5	8	13	17	32
65+	12508	7.6	41	2	3	6	9	14	19	33
GRAND TOTAL	**22033**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	2	1	1	3	4	5	6	6
20-34	12	2.5	1	1	1	3	3	4	4	4
35-49	21	3.0	4	<1	1	3	4	6	7	7
50-64	21	3.5	3	2	2	3	4	6	7	7
65+	35	4.3	5	1	2	4	6	7	8	10
B. *Operated*										
0-19 YRS	7	3.6	4	1	1	3	5	6	6	6
20-34	7	3.4	2	2	2	3	4	6	6	6
35-49	12	3.9	4	1	1	4	5	6	7	7
50-64	9	5.4	4	2	3	6	7	8	8	8
65+	10	6.7	12	3	3	5	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.2	8	1	1	3	4	6	7	19
20-34	93	4.3	7	1	2	4	5	7	9	16
35-49	184	4.1	8	1	1	4	5	7	8	14
50-64	278	4.4	10	1	1	4	6	8	9	14
65+	1322	5.7	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	11	4.8	13	1	1	3	6	11	12	12
20-34	29	6.7	45	1	1	5	7	14	18	35
35-49	105	5.5	9	2	2	5	7	10	11	13
50-64	148	8.5	34	2	3	7	11	14	19	35
65+	526	9.1	45	3	3	8	11	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.4	4	1	1	3	4	6	7	9
B. *Operated*	45	4.7	7	1	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1961	5.2	13	1	2	5	7	9	12	19
B. *Operated*	819	8.4	39	2	3	7	10	14	18	35
1. SINGLE DX	163	3.8	5	1	1	3	5	7	7	11
2. MULTIPLE DX	2780	6.2	23	1	2	5	8	11	14	25
A. NOT OPERATED	2079	5.1	13	1	2	4	7	9	12	18
B. OPERATED	864	8.2	38	2	3	7	10	14	18	35
TOTAL 0-19 YRS	131	3.3	7	1	1	3	4	6	7	15
20-34	141	4.6	15	1	1	4	5	7	11	19
35-49	322	4.5	9	1	2	4	6	8	10	14
50-64	456	5.7	21	1	1	5	7	11	14	23
65+	1893	6.7	25	2	2	6	8	12	15	27
GRAND TOTAL	**2943**	**6.0**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.5	9	1	2	4	5	8	11	17
20-34	743	6.0	18	1	2	5	7	10	14	22
35-49	148	5.8	10	2	3	5	7	9	12	21
50-64	12	5.8	7	2	2	6	8	9	10	10
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	20	10.2	29	2	3	9	14	15	20	25
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	5.2	14	1	2	4	7	9	12	20
20-34	934	6.9	28	2	2	6	9	12	16	29
35-49	242	6.6	14	2	3	6	8	11	15	19
50-64	19	6.7	34	2	2	5	7	15	22	25
65+	7	5.0	16	2	2	3	8	11	12	12
B. *Operated*										
0-19 YRS	18	9.6	85	2	3	6	12	23	34	38
20-34	100	16.6	176	4	5	12	21	33	47	64
35-49	29	16.8	251	2	4	12	19	41	57	62
50-64	5	13.6	223	3	3	8	17	40	40	40
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	5.6	15	1	2	5	7	10	13	20
B. *Operated*	21	10.2	28	2	3	10	14	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	1661	6.4	23	2	2	5	8	11	15	25
B. *Operated*	153	15.6	182	3	4	12	19	34	47	64
1. SINGLE DX	1285	5.6	15	2	2	5	7	10	13	20
2. MULTIPLE DX	1814	7.2	43	2	2	6	9	13	18	37
A. NOT OPERATED	2925	6.0	19	2	2	5	7	11	14	23
B. OPERATED	174	15.0	166	3	4	11	17	32	46	63
TOTAL 0-19 YRS	834	5.0	14	1	2	4	6	9	12	18
20-34	1797	7.1	37	2	2	6	9	13	18	33
35-49	420	7.0	36	2	3	6	8	12	16	35
50-64	36	7.4	52	2	2	6	8	10	23	40
65+	12	4.9	9	2	2	5	6	10	12	12
GRAND TOTAL	**3099**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.3	6	<1	<1	1	3	5	5	15
20-34	40	2.7	8	<1	<1	2	3	4	9	15
35-49	20	6.3	63	1	1	3	6	20	26	29
50-64	34	3.5	7	<1	1	2	6	8	9	10
65+	118	3.2	13	1	1	2	4	6	8	19
B. *Operated*										
0-19 YRS	35	4.1	8	1	2	3	5	7	11	15
20-34	21	5.3	18	1	2	4	7	9	15	20
35-49	14	6.6	39	2	2	6	7	11	23	27
50-64	23	6.0	11	1	2	5	8	11	12	13
65+	29	6.2	21	2	2	5	8	12	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.1	7	<1	1	2	4	6	8	15
20-34	158	3.7	12	1	1	2	5	8	10	16
35-49	266	4.8	20	1	1	3	6	10	14	23
50-64	655	4.9	26	1	1	4	6	10	13	21
65+	2281	5.4	22	1	1	4	7	10	14	24
B. *Operated*										
0-19 YRS	68	7.7	73	1	1	5	8	23	27	38
20-34	83	10.3	96	2	3	7	13	19	28	59
35-49	133	9.2	92	2	3	7	10	16	22	59
50-64	243	9.7	99	2	3	7	11	18	26	50
65+	857	9.4	50	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.0	13	<1	<1	2	4	6	8	21
B. *Operated*	122	5.5	17	1	2	4	7	10	12	24
2. MULTIPLE DX										
A. *Not Operated*	3604	5.0	21	1	1	4	7	10	13	22
B. *Operated*	1384	9.4	67	2	3	7	12	17	23	47
1. SINGLE DX	448	3.7	15	<1	1	3	5	8	10	23
2. MULTIPLE DX	4988	6.2	38	1	1	5	8	13	16	29
A. NOT OPERATED	3930	4.9	21	1	1	4	6	10	13	22
B. OPERATED	1506	9.1	64	2	3	7	11	17	23	47
TOTAL 0-19 YRS	461	3.7	20	<1	1	2	4	7	10	26
20-34	302	5.5	44	1	1	3	7	13	17	31
35-49	433	6.3	48	1	1	4	8	13	18	30
50-64	955	6.1	48	1	1	5	8	12	16	30
65+	3285	6.4	32	1	1	5	8	13	16	29
GRAND TOTAL	**5436**	**6.0**	**37**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	6	<1	1	3	5	7	8	9
20-34	20	9.1	69	1	2	5	13	23	26	27
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	5	13.2	126	6	6	9	16	33	33	33
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.6	80	<1	1	3	5	11	22	51
20-34	24	4.7	8	1	2	4	6	9	10	12
35-49	17	4.5	16	1	1	4	5	7	14	18
50-64	6	5.8	14	2	2	5	9	11	11	11
65+	7	5.1	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	5	11.0	113	6	6	6	13	30	30	30
20-34	4	19.8	243	3	3	21	33	34	34	34
35-49	3	10.7	5	8	8	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	6.3	40	1	1	4	7	15	22	27
B. *Operated*	5	13.2	126	6	6	9	16	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	92	5.2	39	1	1	4	6	9	13	40
B. *Operated*	12	13.8	127	3	5	9	21	33	34	34
1. SINGLE DX	50	7.0	51	1	1	5	9	17	26	33
2. MULTIPLE DX	104	6.2	56	1	1	4	7	12	20	42
A. NOT OPERATED	137	5.5	39	1	1	4	6	11	19	30
B. OPERATED	17	13.6	119	4	6	9	17	33	34	34
TOTAL 0-19 YRS	63	5.4	61	<1	1	3	6	8	21	48
20-34	53	8.3	71	1	2	5	10	22	31	34
35-49	24	5.5	17	1	1	4	7	12	14	18
50-64	7	6.0	12	2	2	7	9	11	11	11
65+	7	5.1	7	2	2	5	7	9	10	10
GRAND TOTAL	**154**	**6.4**	**54**	**1**	**1**	**4**	**7**	**12**	**23**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	3.0	5	1	1	2	4	5	7	12
20-34	24	4.6	30	<1	1	3	6	8	14	28
35-49	65	2.3	7	<1	1	1	3	5	7	15
50-64	44	4.1	14	1	1	3	6	9	12	16
65+	28	5.1	13	<1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	99	4.0	6	1	1	4	5	7	9	13
20-34	45	6.6	32	2	2	5	7	11	21	32
35-49	34	6.9	18	3	3	6	8	11	16	22
50-64	36	7.1	13	3	3	7	9	11	13	20
65+	32	7.0	23	2	3	5	8	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.3	12	1	1	3	5	8	11	19
20-34	166	4.9	12	1	2	4	6	10	12	18
35-49	255	6.3	23	1	2	5	8	11	14	23
50-64	417	6.4	21	1	2	6	8	12	14	27
65+	817	7.0	30	1	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	139	7.4	94	1	1	5	8	13	27	51
20-34	138	7.8	38	2	3	6	10	16	22	30
35-49	142	9.0	46	2	3	7	11	17	22	38
50-64	242	10.8	81	2	3	8	13	21	28	49
65+	525	11.8	92	3	4	9	14	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	3.3	9	1	1	2	4	6	9	15
B. *Operated*	246	5.7	18	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2030	6.1	23	1	2	5	8	12	15	25
B. *Operated*	1186	10.3	81	2	3	8	13	21	27	46
1. SINGLE DX	612	4.3	14	1	1	3	5	8	11	20
2. MULTIPLE DX	3216	7.6	48	1	2	6	9	15	21	36
A. NOT OPERATED	2396	5.7	22	1	1	5	7	11	14	24
B. OPERATED	1432	9.5	73	2	3	7	12	19	26	44
TOTAL 0-19 YRS	818	4.5	25	1	1	3	5	8	11	25
20-34	373	6.2	27	1	2	5	7	11	17	28
35-49	496	6.6	31	1	1	5	8	13	17	29
50-64	739	7.7	44	1	2	6	9	15	21	36
65+	1402	8.7	58	2	2	7	11	17	23	38
GRAND TOTAL	**3828**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.9	1	1	1	2	2	3	4	6
20-34	136	2.1	2	1	1	2	2	3	4	9
35-49	23	1.8	1	<1	1	2	2	3	4	5
50-64	5	3.4	3	1	1	3	4	6	6	6
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	294	3.2	2	2	2	3	4	5	5	7
20-34	107	3.5	1	2	2	3	4	5	6	7
35-49	16	3.8	4	1	2	3	5	7	8	8
50-64	5	3.2	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	2.3	2	1	1	2	3	4	5	8
20-34	88	2.4	2	1	1	2	3	4	5	7
35-49	17	2.6	3	1	1	2	4	4	6	7
50-64	12	3.4	3	1	1	3	4	6	7	7
65+	8	4.6	10	2	2	3	7	9	10	10
B. *Operated*										
0-19 YRS	214	4.3	4	2	2	4	5	7	9	11
20-34	91	4.7	5	2	2	4	5	7	9	14
35-49	16	6.2	18	1	1	6	7	12	15	17
50-64	3	8.0	37	4	4	5	12	15	15	15
65+	4	7.5	4	5	5	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	1.9	1	1	1	2	2	3	4	6
B. *Operated*	423	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	615	2.3	2	1	1	2	3	4	5	8
B. *Operated*	328	4.5	6	2	2	4	5	7	10	14
1. SINGLE DX	1269	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	943	3.1	5	1	1	3	4	6	7	11
A. NOT OPERATED	1461	2.1	2	1	1	2	3	4	4	7
B. OPERATED	751	3.8	4	2	2	3	5	6	7	11
TOTAL 0-19 YRS	1677	2.5	3	1	1	2	3	4	5	9
20-34	422	3.1	3	1	1	3	4	5	6	9
35-49	72	3.4	8	1	1	2	4	7	8	16
50-64	25	3.9	7	1	2	3	4	6	9	15
65+	16	4.6	11	1	1	3	7	10	10	10
GRAND TOTAL	**2212**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.8	3	1	2	4	5	6	7	9
20-34	10	4.0	6	1	1	4	5	7	9	9
35-49	8	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.9	5	<1	<1	2	4	7	8	8
20-34	27	3.3	21	<1	<1	1	3	8	15	21
35-49	16	3.3	8	1	1	2	4	8	10	11
50-64	13	1.8	1	1	1	2	2	3	4	4
65+	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.4	9	2	2	4	5	8	9	17
20-34	17	4.3	7	1	1	4	6	9	9	9
35-49	8	4.3	7	<1	1	4	6	8	8	8
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	6	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	40	5.2	16	<1	1	4	7	10	13	19
20-34	31	6.2	84	1	1	4	8	11	17	51
35-49	19	4.7	27	1	1	2	6	13	17	20
50-64	15	5.3	16	1	1	5	8	11	13	13
65+	10	6.6	97	<1	<1	2	7	22	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.8	3	1	2	4	5	6	7	9
B. *Operated*	100	2.8	9	<1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	159	4.3	8	2	2	4	5	8	9	14
B. *Operated*	115	5.5	42	1	1	4	7	11	14	39
1. SINGLE DX	230	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	274	4.8	23	1	1	4	6	9	11	25
A. NOT OPERATED	289	4.1	6	1	2	4	5	7	8	11
B. OPERATED	215	4.3	28	<1	1	3	6	9	12	25
TOTAL 0-19 YRS	315	4.1	8	1	1	4	5	7	9	14
20-34	85	4.6	40	1	1	3	5	9	12	40
35-49	51	4.0	14	1	1	3	5	8	11	20
50-64	33	3.6	10	1	1	2	5	9	11	13
65+	20	4.7	52	<1	<1	2	5	9	22	33
GRAND TOTAL	**504**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	15	12.8	134	1	1	13	19	30	36	38
35-49	12	13.9	346	1	1	6	16	41	62	66
50-64	16	9.8	190	1	1	4	14	21	45	55
65+	37	11.2	146	1	1	8	13	28	40	52
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	10.9	146	1	1	5	20	29	38	39
20-34	79	17.6	303	2	2	13	24	40	58	84
35-49	69	14.9	174	2	3	11	22	30	38	68
50-64	116	13.0	163	1	2	9	19	31	35	58
65+	564	9.8	78	2	3	7	12	23	26	43
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	8.3	46	2	2	6	12	19	20	20
50-64	19	16.3	351	3	3	9	21	35	62	81
65+	59	12.0	110	1	1	9	19	26	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	11.3	174	1	1	6	16	29	40	62
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	849	11.4	126	2	2	7	15	25	32	54
B. *Operated*	85	12.8	159	1	1	9	19	27	38	67
1. SINGLE DX	86	11.0	170	1	1	5	16	28	39	62
2. MULTIPLE DX	934	11.5	129	2	2	7	15	25	33	55
A. NOT OPERATED	932	11.4	130	1	2	7	15	25	33	56
B. OPERATED	88	12.4	157	1	1	8	18	27	38	65
TOTAL 0-19 YRS	24	9.7	138	<1	1	3	19	25	38	39
20-34	95	16.8	275	1	2	13	23	36	52	80
35-49	87	14.3	188	2	2	10	21	30	39	69
50-64	153	13.0	187	1	2	9	18	31	38	71
65+	661	10.0	85	2	2	7	13	23	27	43
GRAND TOTAL	**1020**	**11.5**	**132**	**1**	**2**	**7**	**15**	**26**	**33**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.6	1	1	1	1	2	3	4	6
20-34	60	3.4	9	<1	<1	2	5	7	9	14
35-49	39	4.8	11	1	1	4	7	9	11	16
50-64	40	6.4	40	<1	1	4	8	17	20	27
65+	226	9.9	96	1	2	7	12	21	28	47
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	2.3		2	2	2	3	3	3	3
65+	5	9.8	153	1	1	5	15	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	8.1	324	1	1	2	4	39	79	99+
20-34	250	9.6	192	1	1	5	10	21	38	74
35-49	181	10.0	122	1	1	6	13	25	31	56
50-64	271	12.0	120	2	3	9	16	26	34	78
65+	2011	9.8	58	2	3	8	13	20	25	40
B. *Operated*										
0-19 YRS	11	6.3	61	1	1	3	10	18	25	26
20-34	21	5.8	29	<1	1	3	12	13	15	17
35-49	18	11.1	73	1	2	10	17	22	30	34
50-64	38	13.5	150	<1	1	9	22	30	40	44
65+	192	14.8	133	3	4	12	20	28	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	6.8	67	1	1	4	8	16	23	41
B. *Operated*	9	7.8	95	1	1	3	11	24	31	31
2. MULTIPLE DX										
A. *Not Operated*	2860	9.9	94	1	2	7	13	21	28	56
B. *Operated*	280	13.4	128	1	2	11	19	28	34	44
1. SINGLE DX	444	6.9	67	1	1	4	8	16	23	41
2. MULTIPLE DX	3140	10.2	98	1	2	7	13	21	28	53
A. NOT OPERATED	3295	9.5	91	1	2	7	12	20	27	51
B. OPERATED	289	13.2	127	1	2	11	18	28	34	44
TOTAL 0-19 YRS	228	6.0	220	1	1	2	3	14	59	99+
20-34	331	8.2	154	1	1	4	8	19	30	72
35-49	239	9.3	104	1	1	6	12	22	27	51
50-64	352	11.4	117	1	2	8	15	26	33	53
65+	2434	10.2	70	2	3	8	13	21	27	41
GRAND TOTAL	**3584**	**9.8**	**95**	**1**	**2**	**7**	**13**	**21**	**28**	**51**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	17	12.5	82	1	2	12	17	23	31	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	21.0	200	11	11	21	31	31	31	31
50-64	22	11.5	102	2	4	9	14	22	35	48
65+	249	10.6	54	3	4	9	14	20	23	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	20.4	204	7	8	17	24	44	52	52
65+	23	13.7	155	3	4	10	15	30	43	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	12.2	79	1	2	12	16	23	31	35
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	273	10.7	59	3	4	9	14	20	26	42
B. *Operated*	31	15.5	170	4	5	10	18	32	51	57
1. SINGLE DX	19	12.5	77	1	2	12	17	23	30	35
2. MULTIPLE DX	304	11.2	72	3	4	9	14	20	28	50
A. NOT OPERATED	291	10.8	60	2	3	9	14	20	27	41
B. OPERATED	32	15.5	164	4	5	11	18	31	50	57
TOTAL 0-19 YRS										
20-34										
35-49	2	21.0	200	11	11	21	31	31	31	31
50-64	31	13.7	136	3	4	10	17	26	47	52
65+	290	11.0	64	2	4	9	14	20	27	41
GRAND TOTAL	**323**	**11.3**	**72**	**3**	**4**	**9**	**14**	**20**	**28**	**49**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	61	3.2	9	<1	1	2	4	6	8	20
35-49	72	4.1	24	1	1	3	4	7	13	27
50-64	36	5.3	36	1	2	4	6	10	14	35
65+	7	11.0	60	2	2	10	17	22	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.7	59	<1	1	3	5	22	23	23
20-34	808	5.9	54	1	2	4	5	13	22	32
35-49	1169	5.7	33	2	2	4	5	11	19	30
50-64	733	6.7	41	2	2	5	7	12	21	33
65+	255	8.5	52	2	3	6	11	18	23	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	11.8	180	2	3	8	13	33	48	52
35-49	43	13.1	123	3	4	8	17	26	39	54
50-64	42	12.3	106	2	3	9	20	22	32	52
65+	17	15.5	143	3	4	14	20	30	42	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	4.3	24	<1	1	3	4	9	14	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2988	6.2	43	2	2	4	6	13	22	31
B. *Operated*	122	12.9	127	2	3	8	17	27	39	53
1. SINGLE DX	177	4.3	24	<1	1	3	4	9	14	27
2. MULTIPLE DX	3110	6.5	48	2	2	4	7	14	22	33
A. NOT OPERATED	3165	6.1	42	1	2	4	6	12	22	31
B. OPERATED	122	12.9	127	2	3	8	17	27	39	53
TOTAL 0-19 YRS	25	6.3	55	<1	1	3	5	22	22	23
20-34	888	5.8	54	1	2	4	5	12	22	33
35-49	1284	5.8	37	1	2	4	6	12	20	30
50-64	811	6.9	45	2	2	5	8	13	22	34
65+	279	9.0	60	2	3	6	12	19	26	43
GRAND TOTAL	**3287**	**6.4**	**47**	**1**	**2**	**4**	**7**	**14**	**22**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	41	<1	<1	1	3	9	21	26
20-34	59	4.8	33	1	1	3	5	11	20	94
35-49	21	4.5	7	1	2	4	5	7	11	13
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	9	6.6	47	2	2	4	7	18	24	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	10.4	186	1	1	4	13	30	39	67
20-34	963	5.1	38	2	2	4	4	7	16	34
35-49	422	4.8	21	2	2	4	5	7	13	31
50-64	140	6.5	44	1	1	4	7	15	22	34
65+	281	7.1	41	1	2	5	8	14	19	33
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	13	7.9	40	2	3	6	17	29	84	99+
35-49	8	8.1	32	1	2	7	12	17	18	18
50-64	7	11.6	31	5	5	12	17	19	19	19
65+	26	10.9	84	2	4	8	11	24	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	29	1	1	3	5	9	17	62
B. *Operated*	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1871	5.6	42	1	2	4	5	10	19	34
B. *Operated*	55	10.1	61	2	4	8	13	21	31	96
1. SINGLE DX	111	4.6	28	1	1	3	5	8	17	60
2. MULTIPLE DX	1926	5.7	43	1	2	4	5	11	19	34
A. NOT OPERATED	1979	5.6	41	1	2	4	5	10	19	34
B. OPERATED	58	9.8	59	2	4	7	12	21	30	95
TOTAL 0-19 YRS	83	9.2	163	<1	1	3	10	30	34	62
20-34	1036	5.1	38	1	2	4	4	7	18	35
35-49	452	4.9	21	2	2	4	5	8	13	31
50-64	150	6.6	44	1	1	4	7	15	19	34
65+	316	7.4	46	1	2	6	8	14	21	36
GRAND TOTAL	**2037**	**5.7**	**42**	**1**	**2**	**4**	**5**	**11**	**19**	**35**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	20.7	218	4	5	18	31	47	62	99+
20-34	965	16.5	212	1	3	13	21	35	46	71
35-49	528	15.3	141	2	4	13	20	31	39	59
50-64	180	14.7	142	2	3	12	20	28	40	53
65+	36	17.5	119	2	7	16	22	30	41	48
B. *Operated*										
0-19 YRS										
20-34	4	28.5	176	14	14	27	37	46	46	46
35-49	2	20.5	85	14	14	20	27	27	27	27
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	19.4	209	2	3	16	28	41	50	64
20-34	826	16.9	175	2	4	14	22	35	44	72
35-49	608	16.1	152	3	4	13	21	31	38	69
50-64	316	17.9	156	3	4	16	24	34	41	60
65+	166	17.2	156	3	5	15	22	31	41	52
B. *Operated*										
0-19 YRS	3	35.7	129	23	23	39	43	45	45	45
20-34	26	23.6	396	5	6	16	30	62	66	79
35-49	34	21.7	124	8	10	20	27	45	53	99+
50-64	16	22.9	131	6	8	21	30	40	41	42
65+	6	35.0	347	4	6	38	52	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1775	16.1	183	2	3	13	21	33	45	67
B. *Operated*	7	24.4	130	14	14	25	28	43	46	46
2. MULTIPLE DX										
A. *Not Operated*	1966	16.9	164	3	4	14	22	34	42	67
B. *Operated*	85	24.0	229	6	8	20	31	49	56	92
1. SINGLE DX	1782	16.2	183	2	3	13	21	33	45	67
2. MULTIPLE DX	2051	17.2	169	3	4	14	23	34	43	67
A. NOT OPERATED	3741	16.5	173	2	4	13	22	34	43	67
B. OPERATED	92	24.0	220	6	8	21	31	47	54	91
TOTAL 0-19 YRS	119	20.5	216	3	5	18	29	46	52	99+
20-34	1821	16.8	198	2	3	13	22	35	46	71
35-49	1172	15.9	147	3	4	13	21	31	39	62
50-64	513	16.9	153	2	4	14	23	32	41	56
65+	208	17.7	161	3	5	15	23	32	45	52
GRAND TOTAL	**3833**	**16.7**	**175**	**2**	**4**	**14**	**22**	**34**	**44**	**67**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	22.9	602	2	3	12	48	61	62	62
20-34	63	17.7	146	2	4	16	25	36	39	58
35-49	11	17.0	201	2	2	15	21	41	45	45
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	4	5.0	10	1	1	5	7	8	8	8
B. *Ooerated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	19.8	156	2	5	21	25	36	45	47
20-34	42	16.0	98	4	5	14	20	28	38	48
35-49	17	17.4	152	2	5	16	23	28	45	54
50-64	9	15.4	81	1	2	15	21	27	28	28
65+	5	12.8	110	4	4	11	18	30	30	30
B. *Operated*										
0-19 YRS	2	34.5	221	24	24	34	45	45	45	45
20-34	2	29.0	2	28	28	29	30	30	30	30
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	17.5	203	2	3	14	22	38	45	62
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	16.6	113	3	4	15	22	28	37	52
B. *Operated*	8	21.4	216	3	4	26	29	40	45	45
1. SINGLE DX	91	17.5	203	2	3	14	22	38	45	62
2. MULTIPLE DX	93	17.0	121	3	4	16	23	29	41	51
A. NOT OPERATED	176	17.0	159	2	3	15	22	34	42	61
B. OPERATED	8	21.4	216	3	4	26	29	40	45	45
TOTAL 0-19 YRS	25	22.3	347	2	4	19	27	58	61	62
20-34	107	17.3	126	3	5	16	22	34	38	53
35-49	30	17.2	162	2	3	15	22	34	45	54
50-64	13	12.5	78	1	2	15	17	26	28	28
65+	9	9.3	76	1	2	7	12	24	30	30
GRAND TOTAL	**184**	**17.2**	**161**	**2**	**3**	**15**	**22**	**35**	**43**	**61**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	19.2	298	1	2	14	29	42	53	82
20-34	1437	16.0	181	1	3	12	21	35	44	62
35-49	817	15.0	150	2	3	12	19	30	38	65
50-64	350	15.0	135	2	3	12	20	29	38	58
65+	61	13.1	77	2	4	11	19	24	30	41
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	22.9	343	4	5	18	34	50	81	99+
20-34	1606	17.2	204	2	4	13	22	35	45	74
35-49	1196	15.9	147	3	4	13	21	32	41	65
50-64	723	17.2	166	3	5	14	22	35	43	71
65+	236	17.6	163	3	5	14	24	35	45	76
B. *Operated*										
0-19 YRS	8	30.3	137	18	19	27	39	47	51	51
20-34	50	23.8	341	5	6	20	28	47	85	99+
35-49	65	25.0	260	7	9	21	35	52	76	99+
50-64	49	23.2	151	8	10	20	31	41	48	59
65+	23	27.7	213	8	11	27	39	49	53	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	15.7	169	2	3	12	21	33	42	62
B. *Operated*	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	3927	17.1	184	3	4	14	22	35	44	74
B. *Operated*	195	24.8	242	7	9	21	33	47	58	99+
1. SINGLE DX	2791	15.6	169	2	3	12	21	33	42	62
2. MULTIPLE DX	4122	17.4	190	3	4	14	23	36	45	76
A. NOT OPERATED	6716	16.5	179	2	4	13	22	34	43	69
B. OPERATED	197	24.7	241	6	9	20	33	47	58	99+
TOTAL 0-19 YRS	298	21.6	322	2	4	16	32	47	58	99+
20-34	3094	16.8	196	2	3	13	22	35	45	67
35-49	2079	15.8	154	2	4	13	20	31	40	71
50-64	1122	16.8	158	2	4	14	22	34	42	59
65+	320	17.5	160	3	5	14	23	35	44	65
GRAND TOTAL	**6913**	**16.7**	**182**	**2**	**4**	**13**	**22**	**35**	**44**	**72**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	26.9	430	7	8	23	45	70	93	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	34.0	501	6	7	29	47	73	85	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	26.9	430	7	8	23	45	70	93	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	48	34.0	501	6	7	29	47	73	85	99+
B. *Operated*										
1. SINGLE DX	19	26.9	430	7	8	23	45	70	93	99+
2. MULTIPLE DX	48	34.0	501	6	7	29	47	73	85	99+
A. NOT OPERATED	67	32.0	484	6	7	28	47	73	87	99+
B. OPERATED										
TOTAL 0-19 YRS	67	32.0	484	6	7	28	47	73	87	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**67**	**32.0**	**484**	**6**	**7**	**28**	**47**	**73**	**87**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	20.1	239	2	4	17	30	44	59	99+
20-34	1173	13.8	150	1	2	10	19	30	40	56
35-49	1255	14.0	121	2	3	12	19	29	36	53
50-64	767	15.7	141	2	4	13	21	32	39	58
65+	552	18.8	149	3	5	17	26	35	40	63
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	20.5	90	13	13	17	27	34	34	34
50-64	2	32.0	18	29	29	32	35	35	35	35
65+	5	24.8	462	10	10	14	36	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	863	25.0	418	3	5	20	37	58	74	99+
20-34	2740	15.1	163	2	3	12	20	31	40	67
35-49	2994	15.2	128	2	4	13	20	30	37	57
50-64	2046	17.0	147	3	4	14	22	32	41	60
65+	2291	19.1	184	3	5	16	25	36	45	67
B. *Operated*										
0-19 YRS	22	27.5	524	2	3	21	46	74	85	99+
20-34	140	22.8	240	3	7	20	31	44	52	95
35-49	210	20.9	204	5	6	18	28	39	51	88
50-64	180	24.8	195	7	10	21	34	43	52	64
65+	244	23.4	164	6	9	21	30	41	52	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4059	15.4	150	2	3	13	21	32	40	60
B. *Operated*	12	23.8	218	10	11	18	31	43	58	61
2. MULTIPLE DX										
A. *Not Operated*	10934	17.1	183	3	4	14	23	34	44	73
B. *Operated*	796	23.0	206	5	8	20	30	42	52	79
1. SINGLE DX	4071	15.4	151	2	3	13	21	32	40	60
2. MULTIPLE DX	11730	17.5	186	3	4	14	23	35	45	73
A. NOT OPERATED	14993	16.6	174	2	4	14	22	34	43	70
B. OPERATED	808	23.1	206	5	8	20	30	42	52	78
TOTAL 0-19 YRS	1197	23.8	377	3	4	19	35	57	72	99+
20-34	4054	15.0	164	2	3	12	20	31	41	66
35-49	4463	15.2	131	2	4	13	20	30	37	56
50-64	2995	17.2	153	3	4	14	23	33	42	60
65+	3092	19.4	178	3	5	17	26	36	44	67
GRAND TOTAL	**15801**	**17.0**	**178**	**2**	**4**	**14**	**23**	**34**	**44**	**70**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	19.7	210	3	4	17	27	36	44	72
20-34	845	15.5	144	2	3	13	20	30	39	60
35-49	769	15.6	126	2	4	13	21	31	38	56
50-64	367	17.4	143	4	5	15	22	31	41	59
65+	142	17.3	159	3	4	15	23	35	44	71
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	24.5	41	20	20	29	82	99+	99+	99+
65+	2	35.0	32	31	31	35	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	25.0	420	2	4	20	35	55	71	97
20-34	1251	16.5	160	2	4	14	21	32	39	67
35-49	1219	16.8	144	3	4	14	22	31	38	62
50-64	860	18.1	150	4	6	16	23	34	41	64
65+	543	18.7	140	4	6	17	24	34	41	61
B. *Operated*										
0-19 YRS	10	28.9	662	3	4	18	46	69	76	76
20-34	50	21.3	113	7	8	19	29	36	42	50
35-49	73	24.9	221	7	9	21	33	47	56	72
50-64	62	22.6	195	6	8	19	31	43	48	71
65+	42	24.7	198	8	10	19	38	45	53	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	16.2	144	2	4	14	21	32	39	60
B. *Operated*	6	25.0	96	12	13	29	37	88	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4142	17.7	171	3	5	15	23	34	42	70
B. *Operated*	237	23.7	204	7	9	19	31	44	52	72
1. SINGLE DX	2275	16.2	144	2	4	14	21	32	40	60
2. MULTIPLE DX	4379	18.1	175	3	5	15	23	35	43	70
A. NOT OPERATED	6411	17.2	162	3	4	15	22	33	41	65
B. OPERATED	243	23.7	201	7	9	19	32	44	53	74
TOTAL 0-19 YRS	425	23.2	358	3	4	19	32	52	64	95
20-34	2147	16.2	153	2	4	14	21	32	39	63
35-49	2062	16.6	143	3	4	14	22	31	39	59
50-64	1291	18.1	150	4	6	16	23	34	42	65
65+	729	18.8	149	4	5	17	24	35	42	61
GRAND TOTAL	**6654**	**17.4**	**165**	**3**	**4**	**15**	**23**	**34**	**42**	**66**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	13.3	158	1	2	9	21	28	38	57
20-34	270	10.8	104	1	1	8	14	23	31	43
35-49	201	10.4	97	1	1	8	13	21	27	53
50-64	108	11.5	101	1	2	8	16	23	31	54
65+	75	9.6	47	1	2	8	14	20	23	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	20.5	399	2	3	14	31	50	71	88
20-34	462	12.3	111	2	2	10	17	27	32	58
35-49	398	12.9	124	1	2	10	17	28	36	58
50-64	373	11.4	84	2	2	9	16	22	30	41
65+	803	10.1	77	2	3	7	13	21	28	44
B. *Operated*										
0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	16	15.3	116	2	3	14	19	36	37	37
35-49	23	17.9	137	5	6	18	25	32	40	52
50-64	32	15.1	90	3	5	12	23	29	32	37
65+	70	12.5	126	2	3	10	14	28	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	10.8	100	1	1	8	15	23	29	51
B. *Operated*	5	3.8	9	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2169	12.0	119	2	3	9	16	26	34	56
B. *Operated*	142	14.4	120	2	4	12	19	30	37	57
1. SINGLE DX	713	10.8	99	1	1	8	15	23	29	51
2. MULTIPLE DX	2311	12.1	120	2	3	9	16	26	34	56
A. NOT OPERATED	2877	11.7	115	1	2	9	16	25	32	55
B. OPERATED	147	14.0	120	2	3	11	19	30	37	55
TOTAL 0-19 YRS	188	18.5	338	1	2	12	26	46	61	94
20-34	748	11.8	109	1	2	9	16	26	32	51
35-49	625	12.2	118	1	2	9	16	27	34	56
50-64	514	11.6	88	2	3	9	17	23	30	44
65+	949	10.2	78	2	3	8	13	21	28	47
GRAND TOTAL	**3024**	**11.8**	**115**	**1**	**2**	**9**	**16**	**25**	**33**	**54**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	10.4	206	<1	1	3	13	37	44	44
20-34	150	6.4	47	1	1	4	9	14	18	34
35-49	127	6.0	41	1	1	4	7	15	18	31
50-64	58	5.3	22	<1	1	3	7	13	16	20
65+	42	4.5	19	<1	1	3	6	12	14	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	7.8	169	1	1	2	10	31	31	31
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	11.0	187	1	1	5	15	29	42	68
20-34	386	7.8	68	1	1	5	10	18	25	40
35-49	474	7.8	68	1	1	4	11	20	24	40
50-64	378	6.3	48	1	1	4	7	14	21	33
65+	397	6.5	40	1	2	4	9	14	19	31
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	10.9	50	2	3	10	17	21	25	26
35-49	20	12.0	120	2	3	7	21	28	34	39
50-64	17	7.9	73	1	2	4	9	16	29	36
65+	17	9.8	53	1	2	8	13	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	6.3	55	1	1	3	8	14	21	39
B. *Operated*	8	6.3	102	1	1	3	4	23	31	31
2. MULTIPLE DX										
A. *Not Operated*	1707	7.3	63	1	1	4	9	17	24	40
B. *Operated*	73	10.2	75	2	2	7	14	23	27	38
1. SINGLE DX	423	6.3	56	1	1	3	8	14	21	39
2. MULTIPLE DX	1780	7.4	63	1	1	4	9	18	24	39
A. NOT OPERATED	2122	7.1	61	1	1	4	9	17	23	39
B. OPERATED	81	9.8	78	1	2	7	14	23	28	38
TOTAL 0-19 YRS	111	10.7	191	1	1	4	14	33	43	57
20-34	555	7.5	62	1	1	5	10	17	25	36
35-49	626	7.6	65	1	1	4	11	19	24	37
50-64	455	6.3	45	1	1	4	7	14	20	34
65+	456	6.5	39	1	2	4	9	14	19	30
GRAND TOTAL	**2203**	**7.2**	**62**	**1**	**1**	**4**	**9**	**17**	**24**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	26.5	395	1	4	26	41	58	68	99+
20-34	419	9.8	87	1	1	7	13	22	29	43
35-49	365	10.5	91	1	2	7	15	23	30	45
50-64	115	12.1	141	2	2	9	15	22	37	83
65+	67	11.4	74	1	2	8	15	25	29	41
B. *Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	26.5	454	2	4	22	43	64	84	99+
20-34	1195	11.5	111	1	2	8	16	26	31	56
35-49	1085	11.9	101	2	3	9	16	26	31	47
50-64	528	10.7	80	2	3	8	15	22	29	44
65+	429	11.3	97	2	3	9	15	24	31	48
B. *Operated*										
0-19 YRS	18	32.2	414	7	13	32	60	99+	99+	99+
20-34	46	17.7	247	3	4	15	20	30	47	93
35-49	49	17.9	232	4	5	14	24	31	44	97
50-64	34	17.5	176	4	6	12	23	33	44	64
65+	38	14.9	101	3	4	13	19	27	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	13.9	203	1	2	9	18	35	44	75
B. *Operated*	4	16.3	246	3	3	11	25	39	39	39
2. MULTIPLE DX										
A. *Not Operated*	3825	13.8	184	2	3	10	18	30	44	83
B. *Operated*	185	18.5	233	3	5	15	24	38	59	99+
1. SINGLE DX	1239	13.9	203	1	2	9	18	36	44	75
2. MULTIPLE DX	4010	14.0	187	2	3	10	19	31	44	84
A. NOT OPERATED	5060	13.8	189	1	2	9	18	31	44	79
B. OPERATED	189	18.5	232	3	5	15	24	39	58	99+
TOTAL 0-19 YRS	875	26.6	435	2	4	23	42	62	80	99+
20-34	1661	11.3	111	1	2	8	16	25	31	51
35-49	1501	11.7	104	2	2	9	16	25	31	45
50-64	677	11.3	97	2	3	9	15	23	30	53
65+	535	11.5	95	2	3	9	15	25	31	48
GRAND TOTAL	**5249**	**14.0**	**191**	**1**	**2**	**10**	**19**	**32**	**44**	**81**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	13.4	249	1	1	7	20	41	47	73
20-34	316	9.5	119	<1	1	5	12	25	34	48
35-49	137	10.6	183	<1	1	6	13	24	39	67
50-64	53	9.1	181	1	1	5	11	19	26	89
65+	16	11.1	158	1	1	7	15	21	42	51
B. *Operated*										
0-19 YRS										
20-34	17	9.4	49	1	2	7	14	21	21	21
35-49	32	7.7	53	1	1	5	10	18	22	32
50-64	14	2.6	2	1	1	2	4	5	5	5
65+	5	4.4	2	2	2	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	14.8	298	1	1	7	22	42	59	99+
20-34	826	9.4	102	1	1	6	12	20	27	58
35-49	509	9.9	90	1	2	7	14	24	30	47
50-64	209	10.1	94	1	2	7	13	23	29	42
65+	203	9.4	83	1	2	6	14	21	29	43
B. *Operated*										
0-19 YRS	9	25.7	808	1	2	18	81	99+	99+	99+
20-34	59	12.7	144	1	2	8	19	31	38	56
35-49	46	16.7	261	2	3	14	22	29	38	97
50-64	38	8.4	108	1	2	4	9	19	28	55
65+	18	10.6	62	1	2	9	18	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	10.7	172	<1	1	6	14	27	40	63
B. *Operated*	68	6.8	43	1	1	5	9	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	2102	10.5	133	1	1	7	14	25	34	74
B. *Operated*	170	13.3	204	1	2	9	19	29	42	99
1. SINGLE DX	770	10.4	162	1	1	6	13	27	39	61
2. MULTIPLE DX	2272	10.7	139	1	1	7	14	25	34	79
A. NOT OPERATED	2804	10.5	143	1	1	6	14	26	36	69
B. OPERATED	238	11.4	166	1	2	7	17	26	34	97
TOTAL 0-19 YRS	544	14.5	290	1	1	7	22	43	56	99+
20-34	1218	9.6	108	1	1	6	13	21	30	54
35-49	724	10.4	119	1	1	7	14	24	30	52
50-64	314	9.4	108	1	1	6	12	22	28	51
65+	242	9.5	85	1	2	6	14	21	28	45
GRAND TOTAL	**3042**	**10.6**	**145**	**1**	**1**	**6**	**14**	**26**	**36**	**73**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	10.3	202	<1	<1	2	22	31	39	55
20-34	1273	10.3	113	1	1	4	22	28	29	31
35-49	1293	9.7	105	1	1	4	21	28	29	32
50-64	512	9.6	106	1	2	4	16	28	30	35
65+	81	9.1	84	1	2	4	16	26	28	29
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	26.0	2	25	25	26	27	27	27	27
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	30.5	1013	8	8	30	53	53	53	53
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1304	25.0	216	2	3	27	36	42	47	57
20-34	6456	14.8	118	1	2	14	25	29	30	35
35-49	5474	13.2	113	2	2	8	23	28	30	35
50-64	2672	13.0	113	2	3	8	23	28	30	36
65+	966	12.4	109	2	2	8	21	28	31	38
B. *Operated*										
0-19 YRS	13	25.5	180	2	5	28	34	39	47	49
20-34	139	17.5	112	1	3	21	27	29	31	35
35-49	160	18.7	115	3	5	21	26	30	34	48
50-64	108	16.7	133	3	4	14	25	34	37	51
65+	63	16.9	160	2	3	12	27	33	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3298	9.9	112	1	1	4	21	28	29	33
B. *Operated*	8	21.0	252	4	5	22	26	45	53	53
2. MULTIPLE DX										
A. *Not Operated*	16872	14.7	132	2	2	11	25	29	32	42
B. *Operated*	483	17.9	127	2	4	18	27	31	35	49
1. SINGLE DX	3306	10.0	112	1	1	4	21	28	29	34
2. MULTIPLE DX	17355	14.7	133	2	2	11	25	29	32	42
A. NOT OPERATED	20170	13.9	132	1	2	9	24	29	31	42
B. OPERATED	491	17.9	129	2	4	19	27	31	35	49
TOTAL 0-19 YRS	1457	23.6	233	1	2	25	35	42	46	56
20-34	7870	14.2	120	1	2	11	24	29	30	35
35-49	6928	12.7	114	1	2	7	23	28	30	35
50-64	3294	12.6	115	2	2	7	23	28	30	37
65+	1112	12.4	112	2	2	8	21	28	31	38
GRAND TOTAL	**20661**	**14.0**	**132**	**1**	**2**	**9**	**24**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	31	1	1	5	10	14	14	14
20-34	213	7.6	72	1	2	4	6	23	28	35
35-49	83	7.6	59	1	2	4	7	23	24	28
50-64	4	17.5	262	5	5	13	30	39	39	39
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	24.2	503	2	3	20	34	63	75	86
20-34	690	12.1	94	2	3	7	21	27	29	36
35-49	376	12.7	89	2	3	8	21	26	28	36
50-64	34	15.8	96	4	4	16	23	28	32	36
65+	21	13.2	143	2	3	7	28	32	33	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	28	16.0	74	4	6	15	23	29	30	32
35-49	15	14.7	90	2	4	12	23	28	29	29
50-64	7	18.7	103	7	7	22	27	31	32	32
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	7.7	70	1	2	4	7	23	28	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1146	12.7	105	2	3	8	21	28	30	37
B. *Operated*	52	15.6	81	4	5	13	23	29	29	32
1. SINGLE DX	305	7.7	70	1	2	4	7	23	28	35
2. MULTIPLE DX	1198	12.8	104	2	3	8	21	28	30	37
A. NOT OPERATED	1451	11.6	102	2	3	7	21	27	29	37
B. OPERATED	52	15.6	81	4	5	13	23	29	29	32
TOTAL 0-19 YRS	30	21.4	463	1	2	16	29	52	71	86
20-34	931	11.2	92	2	3	7	20	27	29	36
35-49	474	11.9	88	2	3	7	21	25	28	35
50-64	45	16.4	105	4	5	17	23	29	34	39
65+	23	12.4	138	2	3	7	25	32	33	34
GRAND TOTAL	**1503**	**11.8**	**102**	**2**	**3**	**7**	**21**	**27**	**29**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	27.7	360	2	3	28	44	46	59	82
20-34	464	11.4	95	2	2	6	21	27	29	33
35-49	103	12.7	102	2	3	8	21	26	30	37
50-64	5	5.8	9	1	1	7	8	8	8	8
65+	6	9.7	200	<1	<1	4	9	35	38	38
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	736	27.0	240	3	5	28	37	43	51	81
20-34	2204	16.1	106	2	3	19	24	29	30	38
35-49	656	16.6	109	3	3	20	24	29	31	38
50-64	73	16.3	151	2	3	11	27	34	37	44
65+	48	17.8	122	3	5	16	27	33	37	46
B. *Operated*										
0-19 YRS	12	41.9	231	27	28	40	55	82	97	99+
20-34	43	20.0	82	3	4	22	25	30	34	36
35-49	23	15.9	88	2	2	15	24	28	30	32
50-64	4	21.8	65	13	13	22	28	30	30	30
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	14.2	175	2	2	8	23	30	40	59
B. *Operated*	2	18.5	365	5	5	18	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3717	18.4	152	2	3	20	28	32	39	52
B. *Operated*	82	22.2	171	2	5	23	28	37	46	92
1. SINGLE DX	693	14.2	175	2	2	8	23	30	40	59
2. MULTIPLE DX	3799	18.5	152	2	3	20	28	32	39	52
A. NOT OPERATED	4408	17.7	158	2	3	20	27	32	39	52
B. OPERATED	84	22.1	172	2	5	23	28	37	45	92
TOTAL 0-19 YRS	861	27.3	258	3	5	29	38	46	52	83
20-34	2712	15.4	107	2	3	17	23	29	30	37
35-49	783	16.1	109	2	3	18	24	29	31	38
50-64	82	16.0	145	2	3	11	27	33	36	44
65+	54	16.9	134	3	4	14	26	33	38	46
GRAND TOTAL	**4492**	**17.8**	**158**	**2**	**3**	**20**	**27**	**32**	**39**	**53**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	1.7	15	<1	<1	1	1	2	3	18
20-34	152	2.2	21	<1	<1	1	1	3	8	28
35-49	69	3.7	36	<1	1	1	3	9	20	29
50-64	20	3.4	17	<1	<1	2	3	9	14	18
65+	4	2.0	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	6.9	165	<1	<1	2	6	21	42	56
20-34	437	6.0	74	<1	<1	2	5	21	28	32
35-49	240	5.7	67	<1	1	3	5	17	22	35
50-64	157	5.7	69	<1	1	3	5	15	27	36
65+	66	3.9	15	1	1	3	5	7	9	26
B. *Operated*										
0-19 YRS	9	1.9	4	<1	<1	1	2	5	7	7
20-34	16	3.6	17	<1	<1	1	6	10	13	14
35-49	11	4.8	25	<1	<1	2	7	13	16	16
50-64	6	15.0	159	2	2	14	24	31	32	32
65+	7	3.4	16	<1	<1	1	6	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	2.3	21	<1	<1	1	2	3	7	28
B. *Operated*	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1212	6.0	93	<1	<1	2	5	19	29	46
B. *Operated*	49	4.9	45	<1	<1	2	7	13	22	32
1. SINGLE DX	460	2.3	20	<1	<1	1	2	3	7	28
2. MULTIPLE DX	1261	6.0	91	<1	<1	2	5	19	29	46
A. NOT OPERATED	1669	5.0	76	<1	<1	2	4	15	27	43
B. OPERATED	52	4.8	42	<1	<1	2	7	12	21	32
TOTAL 0-19 YRS	533	4.8	109	<1	<1	1	3	9	29	50
20-34	606	5.0	62	<1	<1	2	4	17	27	32
35-49	320	5.3	60	<1	1	2	4	16	21	33
50-64	185	5.8	68	<1	1	3	5	18	27	35
65+	77	3.7	15	<1	1	3	5	7	10	24
GRAND TOTAL	**1721**	**5.0**	**75**	**<1**	**<1**	**2**	**4**	**14**	**26**	**43**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	8.6	140	<1	1	3	10	29	34	49
20-34	251	9.6	96	1	1	4	21	25	28	33
35-49	54	8.3	84	1	2	4	9	26	28	33
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	24.9	421	1	2	20	44	54	60	78
20-34	735	12.6	112	1	2	8	22	28	29	35
35-49	195	10.8	101	1	2	6	20	28	30	35
50-64	24	9.1	88	1	2	6	10	17	34	42
65+	9	9.1	48	3	3	7	11	21	23	23
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	37	20.4	116	2	5	21	28	34	37	43
35-49	6	13.3	83	1	2	14	16	27	28	28
50-64	2	16.5	221	6	6	16	27	27	27	27
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	9.2	97	1	1	4	18	26	28	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1138	14.1	178	1	2	9	23	29	42	60
B. *Operated*	46	19.8	125	1	4	20	28	34	40	43
1. SINGLE DX	347	9.2	97	1	1	4	18	26	28	34
2. MULTIPLE DX	1184	14.3	177	1	2	9	23	30	42	59
A. NOT OPERATED	1485	12.9	164	1	2	7	22	29	34	56
B. OPERATED	46	19.8	125	1	4	20	28	34	40	43
TOTAL 0-19 YRS	213	22.2	409	1	1	16	43	51	59	78
20-34	1023	12.1	112	1	2	7	22	28	29	35
35-49	255	10.3	98	1	2	6	18	28	29	33
50-64	30	8.9	85	2	2	6	10	21	31	42
65+	10	8.7	45	3	3	6	9	20	23	23
GRAND TOTAL	**1531**	**13.1**	**164**	**1**	**2**	**7**	**22**	**29**	**35**	**55**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	73TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	2	<1	1	3	4	5	5	6
20-34	15	3.1	6	1	1	2	4	7	8	9
35-49	21	2.9	6	<1	1	2	3	6	9	11
50-64	13	2.6	4	1	1	2	3	6	7	7
65+	6	4.0	10	1	1	3	4	9	10	10
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	72	1	1	3	4	7	24	49
20-34	97	5.0	38	1	1	3	5	12	18	36
35-49	126	5.2	32	1	1	4	6	10	17	32
50-64	103	4.3	19	1	1	3	6	8	13	24
65+	128	4.3	11	1	1	4	5	8	10	20
B. *Operated*										
0-19 YRS	9	8.0	126	1	1	5	8	25	37	37
20-34	15	6.5	45	<1	<1	4	8	19	23	24
35-49	18	5.5	18	1	1	6	7	8	15	19
50-64	21	7.4	39	1	1	7	11	13	20	27
65+	11	5.9	13	1	2	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.0	5	1	1	2	4	6	7	11
B. *Operated*	9	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	504	4.7	29	1	1	3	5	9	13	32
B. *Operated*	74	6.6	40	1	1	5	8	12	19	35
1. SINGLE DX	86	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX	578	5.0	31	1	1	3	6	10	15	32
A. NOT OPERATED	581	4.5	26	1	1	3	5	8	12	31
B. OPERATED	83	6.2	37	1	1	5	8	11	19	34
TOTAL 0-19 YRS	84	4.6	57	1	1	3	4	7	14	45
20-34	129	4.9	35	1	1	3	5	11	19	33
35-49	167	4.9	27	1	1	3	6	9	16	32
50-64	138	4.6	22	1	1	3	6	11	13	27
65+	146	4.4	11	1	1	4	5	9	10	19
GRAND TOTAL	**664**	**4.7**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	691	14.8	212	1	1	9	23	38	44	72
20-34	687	6.6	54	<1	1	4	9	14	20	40
35-49	356	7.3	54	1	1	5	10	15	19	41
50-64	110	6.7	51	1	1	4	9	14	20	41
65+	40	9.9	98	<1	1	6	16	25	27	43
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	20.5	145	12	12	20	29	29	29	29
50-64	2	10.5	181	1	1	10	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1264	16.4	256	1	2	11	25	41	52	99+
20-34	1753	9.1	88	1	1	6	12	21	28	49
35-49	1131	9.7	92	1	1	7	13	23	30	39
50-64	392	10.5	95	1	2	8	14	26	30	49
65+	287	9.2	51	1	2	7	13	19	23	35
B. *Operated*										
0-19 YRS	20	18.7	282	2	3	11	29	53	75	99+
20-34	42	15.1	197	1	2	10	18	41	44	57
35-49	33	13.8	91	3	4	13	18	31	33	39
50-64	21	14.2	80	2	4	15	18	25	31	37
65+	26	16.3	161	3	4	13	21	31	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	9.8	127	1	1	6	13	25	36	51
B. *Operated*	6	12.5	108	1	1	10	20	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	4827	11.3	141	1	2	7	15	28	36	64
B. *Operated*	142	15.4	158	2	3	12	20	37	44	60
1. SINGLE DX	1890	9.8	127	1	1	6	13	25	36	51
2. MULTIPLE DX	4969	11.4	142	1	2	7	15	28	37	63
A. NOT OPERATED	6711	10.9	137	1	1	7	14	28	36	61
B. OPERATED	148	15.3	156	2	3	12	20	35	44	57
TOTAL 0-19 YRS	1976	15.8	241	1	2	10	24	40	49	99+
20-34	2483	8.5	83	1	1	6	11	19	28	45
35-49	1522	9.2	84	1	1	6	12	21	29	40
50-64	525	9.9	88	1	1	7	14	24	30	46
65+	353	9.8	67	1	2	7	14	21	27	43
GRAND TOTAL	**6859**	**11.0**	**138**	**1**	**1**	**7**	**14**	**28**	**37**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	682	21.8	414	1	2	17	34	52	78	99+
20-34	251	11.3	187	<1	1	5	15	30	41	69
35-49	123	8.0	104	1	1	4	10	20	30	70
50-64	52	9.2	123	1	1	6	14	21	28	60
65+	26	8.0	62	1	1	4	10	22	25	27
B. *Operated*										
0-19 YRS	3	14.7	341	4	4	4	28	36	36	36
20-34	6	3.5	8	1	1	3	5	8	8	8
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1784	26.0	501	2	3	22	42	68	90	99+
20-34	852	12.7	199	1	2	7	18	32	44	74
35-49	538	10.1	135	1	2	5	14	25	34	54
50-64	334	8.7	78	2	2	5	11	21	28	44
65+	384	8.7	71	2	2	6	11	18	23	41
B. *Operated*										
0-19 YRS	40	33.5	882	3	3	25	69	93	99+	99+
20-34	41	14.2	181	1	3	9	22	32	47	60
35-49	44	11.2	137	1	2	7	13	24	40	50
50-64	37	11.5	79	2	3	10	15	22	33	38
65+	47	10.1	75	2	2	8	11	22	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	17.1	343	1	2	10	27	44	64	99+
B. *Operated*	14	6.4	79	1	1	4	7	11	30	36
2. MULTIPLE DX										
A. *Not Operated*	3892	17.7	365	1	2	10	27	48	67	99+
B. *Operated*	209	15.9	334	2	3	9	20	46	70	99+
1. SINGLE DX	1148	17.0	341	1	2	10	27	44	64	99+
2. MULTIPLE DX	4101	17.6	364	1	2	10	27	48	68	99+
A. NOT OPERATED	5026	17.6	360	1	2	10	27	47	67	99+
B. OPERATED	223	15.3	323	1	2	9	19	44	68	99+
TOTAL 0-19 YRS	2509	25.0	487	2	3	20	40	66	87	99+
20-34	1150	12.4	195	1	1	7	18	32	43	71
35-49	707	9.8	130	1	1	5	13	25	34	55
50-64	425	9.0	83	1	2	6	11	21	28	44
65+	458	8.8	71	2	2	6	11	18	24	39
GRAND TOTAL	**5249**	**17.5**	**359**	**1**	**2**	**10**	**27**	**47**	**67**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	11.6	161	1	1	5	19	32	35	35
20-34	6	7.8	155	1	1	3	5	30	33	33
35-49	3	10.7	72	2	2	11	17	19	19	19
50-64	3	4.0	9	<1	<1	4	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	13.7	183	2	3	8	16	40	45	45
20-34	27	15.5	156	1	2	14	25	39	49	99+
35-49	12	10.7	41	2	4	10	14	39	89	99+
50-64	9	15.2	100	3	4	15	21	30	33	33
65+	2	17.5	365	4	4	17	31	31	31	31
B. *Operated*										
0-19 YRS	5	4.0	14	1	1	3	6	10	10	10
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	16.3	618	1	1	6	31	53	53	53
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	9.1	113	<1	1	4	13	28	34	35
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	73	14.2	138	2	3	10	21	34	44	99+
B. *Operated*	10	9.6	250	1	1	4	10	32	53	53
1. SINGLE DX	22	8.1	103	<1	1	4	11	25	34	35
2. MULTIPLE DX	83	13.6	150	1	2	10	20	34	45	99+
A. NOT OPERATED	92	13.1	136	1	2	10	20	33	43	99+
B. OPERATED	13	7.9	198	1	1	3	10	19	47	53
TOTAL 0-19 YRS	38	11.2	154	1	1	6	14	34	42	45
20-34	34	14.0	155	1	1	12	23	34	42	99+
35-49	19	11.8	141	1	1	10	15	38	76	99+
50-64	12	12.4	100	<1	2	9	19	27	32	33
65+	2	17.5	365	4	4	17	31	31	31	31
GRAND TOTAL	**105**	**12.5**	**145**	**1**	**1**	**9**	**20**	**33**	**43**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	8.9	18	2	2	10	11	13	15	21
20-34	35	5.6	10	1	2	5	7	10	11	14
35-49	32	8.5	69	2	2	7	11	14	19	47
50-64	13	7.5	36	<1	1	6	10	17	20	21
65+	3	8.3	30	2	2	11	12	12	12	12
B. *Operated*										
0-19 YRS	25	14.0	57	5	8	12	15	27	31	33
20-34	17	7.8	118	1	1	5	9	18	36	45
35-49	31	7.9	148	1	1	3	9	21	38	56
50-64	22	4.9	26	1	1	2	9	11	15	19
65+	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	10.2	29	2	3	10	12	15	17	27
20-34	66	6.4	19	1	2	6	9	12	14	22
35-49	70	11.1	79	1	2	9	14	24	27	45
50-64	70	11.2	68	1	3	10	15	21	27	42
65+	62	13.9	53	3	6	14	18	22	28	92
B. *Operated*										
0-19 YRS	52	17.8	117	3	8	15	22	34	40	55
20-34	48	17.2	225	3	3	13	23	31	47	75
35-49	65	14.3	252	1	1	9	20	38	50	68
50-64	70	15.9	291	1	1	10	22	43	47	88
65+	65	20.3	310	1	2	15	30	52	57	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	8.5	23	1	2	10	11	13	15	21
B. *Operated*	100	8.4	97	1	1	6	11	18	29	50
2. MULTIPLE DX										
A. *Not Operated*	677	10.4	42	2	3	10	13	16	21	38
B. *Operated*	300	17.1	247	1	2	12	23	41	52	68
1. SINGLE DX	463	8.4	39	1	2	9	11	14	16	33
2. MULTIPLE DX	977	12.4	114	2	3	10	15	24	34	57
A. NOT OPERATED	1040	9.7	36	2	3	10	12	15	19	34
B. OPERATED	400	14.9	223	1	1	11	20	34	47	67
TOTAL 0-19 YRS	766	10.4	37	2	3	10	12	15	19	34
20-34	166	9.5	110	1	2	7	11	22	27	63
35-49	198	11.2	149	1	2	8	14	26	39	58
50-64	175	12.0	162	1	1	9	16	25	40	57
65+	135	16.4	193	1	2	14	21	36	53	72
GRAND TOTAL	**1440**	**11.2**	**93**	**1**	**2**	**10**	**13**	**21**	**29**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	15	7.3	28	1	2	7	9	17	18	19
65+	39	7.1	20	2	3	6	8	13	18	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	9	1	1	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	14.0	32	10	10	14	18	18	18	18
35-49	6	4.2	4	1	1	4	6	6	6	6
50-64	82	8.8	38	2	3	7	11	16	21	34
65+	591	9.3	55	3	3	8	11	17	21	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	15.2	166	3	3	9	22	36	41	41
65+	83	15.7	126	4	5	13	20	31	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.0	22	2	2	6	9	13	18	22
B. *Operated*	3	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	682	9.2	53	2	3	8	11	17	21	36
B. *Operated*	92	15.6	128	3	5	13	20	31	41	58
1. SINGLE DX	58	6.9	22	1	2	6	8	13	18	22
2. MULTIPLE DX	774	10.0	66	3	3	8	12	18	24	42
A. NOT OPERATED	737	9.1	51	2	3	7	11	17	21	35
B. OPERATED	95	15.3	128	3	4	12	19	31	40	57
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	14.0	32	10	10	14	18	18	18	18
35-49	7	3.9	4	1	1	4	6	6	6	6
50-64	109	9.0	49	2	2	7	11	18	22	39
65+	713	9.9	66	3	3	8	12	18	24	42
GRAND TOTAL	**832**	**9.8**	**63**	**2**	**3**	**8**	**12**	**18**	**24**	**41**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	16	1	1	9	10	11	11	11
20-34	155	6.7	19	1	2	6	9	11	13	26
35-49	215	7.7	24	1	2	7	10	14	19	23
50-64	55	8.0	26	1	3	8	10	15	19	26
65+	4	9.0	7	5	5	10	11	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	4.0	12	1	1	2	7	9	10	11
35-49	32	6.6	36	1	1	4	10	16	20	24
50-64	6	5.8	18	1	1	5	7	12	13	13
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.4	225	1	2	8	22	40	43	43
20-34	190	10.3	86	2	3	8	12	18	25	55
35-49	321	9.4	54	2	3	9	12	15	20	29
50-64	167	10.0	49	2	3	9	12	18	24	37
65+	41	9.6	64	2	3	8	12	17	23	46
B. *Operated*										
0-19 YRS										
20-34	42	12.1	128	2	3	9	17	21	40	55
35-49	100	11.8	155	2	2	9	14	28	40	99+
50-64	52	11.8	71	3	4	9	15	23	34	37
65+	15	17.9	171	3	4	16	26	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	7.4	23	1	2	7	10	12	18	24
B. *Operated*	61	5.9	33	1	1	4	8	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	727	9.8	64	2	3	9	12	17	22	40
B. *Operated*	209	12.3	130	2	3	9	16	28	39	99+
1. SINGLE DX	496	7.2	24	1	2	6	10	12	18	25
2. MULTIPLE DX	936	10.4	79	2	3	9	13	19	26	53
A. NOT OPERATED	1162	8.9	50	2	3	8	11	16	21	32
B. OPERATED	270	10.8	115	1	2	8	14	23	36	99+
TOTAL 0-19 YRS	15	10.7	136	1	1	9	12	42	83	99+
20-34	408	8.8	66	1	2	7	10	16	21	44
35-49	668	9.1	61	2	2	8	11	16	21	39
50-64	280	9.9	49	2	3	9	12	19	23	37
65+	61	11.9	100	2	3	10	16	25	39	94
GRAND TOTAL	**1432**	**9.3**	**63**	**2**	**2**	**8**	**11**	**17**	**23**	**43**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.3	16	1	1	2	4	6	9	23
20-34	400	3.5	14	1	1	3	4	6	9	23
35-49	198	3.2	9	1	1	2	4	6	8	16
50-64	87	3.2	5	<1	1	3	4	6	6	14
65+	71	3.7	6	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	15	3.9	5	1	2	3	5	8	9	9
20-34	25	10.0	100	2	3	8	11	21	34	48
35-49	12	6.0	23	<1	1	4	9	14	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1053	5.4	58	1	1	3	5	11	22	41
20-34	801	5.0	32	1	1	4	6	10	13	30
35-49	753	5.1	21	1	1	4	6	10	15	24
50-64	785	5.8	32	1	2	4	7	11	17	27
65+	1204	6.2	20	2	2	5	8	12	16	22
B. *Operated*										
0-19 YRS	46	10.7	127	1	2	6	18	27	34	99+
20-34	86	7.0	38	1	1	6	10	15	16	78
35-49	63	9.0	64	2	3	7	11	16	22	47
50-64	103	12.3	111	2	3	10	16	22	31	57
65+	142	13.9	166	3	4	11	16	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1297	3.4	13	1	1	3	4	6	8	19
B. *Operated*	54	7.2	60	1	2	5	9	13	20	47
2. MULTIPLE DX										
A. *Not Operated*	4596	5.6	33	1	1	4	7	11	16	30
B. *Operated*	440	11.2	116	2	2	8	14	23	31	65
1. SINGLE DX	1351	3.5	15	1	1	3	4	6	9	21
2. MULTIPLE DX	5036	6.1	43	1	1	4	7	12	18	34
A. NOT OPERATED	5893	5.1	29	1	1	4	6	10	15	29
B. OPERATED	494	10.7	111	2	2	8	13	22	30	63
TOTAL 0-19 YRS	1655	4.8	47	1	1	3	5	9	17	39
20-34	1312	4.8	29	1	1	3	5	10	13	29
35-49	1026	5.0	23	1	1	4	6	10	15	25
50-64	976	6.3	43	1	2	4	7	13	18	32
65+	1418	6.9	40	2	2	5	8	14	17	30
GRAND TOTAL	**6387**	**5.5**	**38**	**1**	**1**	**4**	**6**	**11**	**16**	**32**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	3.9	27	1	1	3	4	7	10	35
20-34	191	3.8	27	1	1	3	4	7	11	45
35-49	170	4.1	12	1	1	3	5	8	12	19
50-64	90	4.5	23	1	1	3	5	8	11	28
65+	98	6.4	35	1	1	5	8	12	20	32
B. *Operated*										
0-19 YRS	155	4.8	13	1	1	3	7	10	12	16
20-34	130	4.7	25	1	1	3	6	10	15	28
35-49	130	4.9	31	1	1	3	7	11	14	33
50-64	100	4.6	22	1	1	3	7	9	13	27
65+	89	6.3	28	1	1	5	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	382	6.3	105	1	1	3	6	14	21	80
20-34	456	7.5	123	1	1	4	8	14	22	77
35-49	442	7.4	81	1	2	5	8	15	26	52
50-64	568	10.5	175	2	2	6	11	21	43	80
65+	1873	9.9	92	2	3	7	12	19	28	55
B. *Operated*										
0-19 YRS	341	8.9	132	1	2	5	10	23	31	99+
20-34	278	10.6	164	1	1	7	14	27	54	99+
35-49	304	11.7	221	1	2	7	13	24	45	80
50-64	443	12.9	212	1	2	8	16	31	43	93
65+	765	13.8	131	2	3	11	18	29	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	4.4	25	1	1	3	5	8	12	28
B. *Operated*	604	5.0	23	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	3721	9.0	110	1	2	6	10	18	28	62
B. *Operated*	2131	12.1	168	1	2	8	16	28	42	99+
1. SINGLE DX	1294	4.7	24	1	1	3	6	10	13	27
2. MULTIPLE DX	5852	10.2	134	1	2	7	12	22	33	76
A. NOT OPERATED	4411	8.3	100	1	2	5	10	17	25	61
B. OPERATED	2735	10.5	145	1	2	7	13	24	35	91
TOTAL 0-19 YRS	1019	6.6	92	1	1	4	7	14	24	80
20-34	1055	7.3	110	1	1	4	8	15	26	93
35-49	1046	7.8	112	1	1	5	8	16	26	59
50-64	1201	10.4	172	1	2	6	12	23	40	81
65+	2825	10.8	103	2	3	8	13	22	31	57
GRAND TOTAL	**7146**	**9.2**	**118**	**1**	**2**	**6**	**11**	**20**	**31**	**70**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	2.4	3	1	1	2	3	4	6	10
20-34	439	3.3	6	1	1	3	4	6	8	12
35-49	310	3.5	7	1	1	3	5	7	9	14
50-64	83	3.3	4	<1	1	3	4	6	7	10
65+	12	3.7	8	1	1	3	5	8	10	10
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	34	3.3	5	1	1	2	5	7	8	9
35-49	42	3.2	4	1	1	3	4	6	8	9
50-64	13	3.5	10	1	1	3	4	9	11	12
65+	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	3.4	8	1	1	2	4	7	10	15
20-34	698	4.6	14	1	1	3	6	9	11	19
35-49	740	5.2	16	1	2	4	7	10	13	19
50-64	314	5.0	14	1	2	4	6	10	13	18
65+	128	5.1	15	1	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	12	5.3	14	2	2	4	8	11	14	14
20-34	80	6.8	56	1	2	5	8	12	21	47
35-49	73	5.5	10	2	2	5	7	10	13	16
50-64	64	5.3	26	1	1	4	6	8	10	33
65+	20	5.7	11	1	2	5	8	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.2	6	1	1	2	4	6	8	12
B. *Operated*	100	3.2	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2094	4.8	14	1	1	4	6	10	12	18
B. *Operated*	249	5.9	29	1	2	5	7	10	14	26
1. SINGLE DX	1125	3.2	6	1	1	2	4	6	8	12
2. MULTIPLE DX	2343	4.9	16	1	1	4	6	10	12	19
A. NOT OPERATED	3119	4.3	12	1	1	3	5	9	11	18
B. OPERATED	349	5.1	24	1	2	4	6	9	12	25
TOTAL 0-19 YRS	413	3.0	7	1	1	2	3	6	9	13
20-34	1251	4.2	14	1	1	3	5	9	11	19
35-49	1165	4.7	13	1	1	4	6	9	12	18
50-64	474	4.7	14	1	2	4	6	9	12	18
65+	165	5.0	14	1	2	4	7	10	13	19
GRAND TOTAL	**3468**	**4.3**	**13**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	65	1.7	2	<1	<1	1	2	3	4	9
35-49	131	1.9	3	<1	<1	1	2	4	6	9
50-64	96	1.7	2	<1	<1	1	2	2	4	9
65+	44	1.7	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.4	8	<1	<1	2	6	7	8	8
35-49	16	4.2	16	1	1	3	6	8	14	16
50-64	22	4.3	17	<1	1	3	5	8	14	20
65+	10	3.6	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	64	2.5	4	1	1	2	3	5	7	10
35-49	148	2.7	6	<1	1	2	3	6	8	13
50-64	179	2.8	21	1	1	2	3	5	7	16
65+	111	3.5	28	<1	1	2	4	8	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	1	1	1	2	3	4	5	5
B. *Operated*	337	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	57	4.0	12	1	1	3	5	7	9	20
B. *Operated*	504	2.9	16	1	1	2	3	6	8	15
1. SINGLE DX	348	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	561	3.0	16	1	1	2	3	6	8	16
A. NOT OPERATED	68	3.8	11	1	1	3	5	7	8	19
B. OPERATED	841	2.5	11	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	4	3.3	10	1	1	2	5	8	8	8
20-34	140	2.2	3	<1	<1	2	2	5	6	10
35-49	298	2.4	5	<1	<1	2	3	6	7	13
50-64	300	2.6	15	<1	1	2	3	5	7	16
65+	167	3.1	20	<1	1	2	3	7	10	21
GRAND TOTAL	**909**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.0	166	<1	1	4	6	13	25	87
20-34	101	5.2	25	1	1	3	7	11	14	28
35-49	143	5.7	50	1	1	4	7	9	14	46
50-64	100	4.5	22	1	1	3	5	8	11	30
65+	74	4.5	10	1	1	4	6	10	11	14
B. *Operated*										
0-19 YRS	54	2.9	6	1	1	2	4	6	8	14
20-34	328	2.9	8	1	1	2	4	5	8	14
35-49	416	2.9	6	1	1	2	4	6	8	14
50-64	310	3.1	10	1	1	2	4	7	10	15
65+	171	3.1	9	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	10.0	122	1	2	5	12	28	32	50
20-34	181	5.6	30	1	1	4	7	11	15	27
35-49	324	6.0	33	1	2	4	7	11	16	38
50-64	370	6.3	30	1	2	5	8	12	16	28
65+	625	6.7	23	2	2	6	8	13	16	24
B. *Operated*										
0-19 YRS	52	6.8	137	1	1	3	5	14	34	59
20-34	294	5.7	88	1	1	3	6	12	24	83
35-49	431	4.8	34	1	1	3	6	10	14	30
50-64	414	5.9	76	1	1	3	7	13	18	63
65+	450	8.6	89	1	1	6	11	19	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	5.3	45	1	1	4	6	10	13	30
B. *Operated*	1279	3.0	8	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	1552	6.4	32	1	2	5	8	12	16	29
B. *Operated*	1641	6.3	75	1	1	4	8	14	21	59
1. SINGLE DX	1748	3.6	19	1	1	2	4	8	10	18
2. MULTIPLE DX	3193	6.4	54	1	1	4	8	13	19	42
A. NOT OPERATED	2021	6.2	35	1	2	5	8	12	16	30
B. OPERATED	2920	4.9	48	1	1	3	5	10	16	39
TOTAL 0-19 YRS	209	6.6	112	1	1	3	6	14	26	57
20-34	904	4.6	42	1	1	3	5	10	14	32
35-49	1314	4.6	28	1	1	3	5	9	13	30
50-64	1194	5.2	42	1	1	3	6	11	15	36
65+	1320	6.7	46	1	1	5	9	14	18	36
GRAND TOTAL	**4941**	**5.4**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**34**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	46	2.8	3	1	1	2	4	5	6	7
20-34	103	2.7	4	1	1	2	3	5	7	11
35-49	120	2.6	4	1	1	2	3	5	6	10
50-64	318	2.3	2	1	1	2	3	4	5	8
65+	341	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.8	1	1	1	1	2	4	4	4
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	5	2.2	3	<1	<1	2	3	5	5	5
65+	13	2.2	5	<1	<1	1	2	6	8	9
B. *Operated*										
0-19 YRS	50	3.4	6	1	1	3	5	6	7	14
20-34	154	3.6	8	1	1	3	5	7	8	13
35-49	188	3.5	6	1	1	3	4	7	9	12
50-64	386	3.1	4	1	1	3	4	6	6	11
65+	569	3.2	4	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	928	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	30	2.1	4	<1	<1	1	2	5	8	9
B. *Operated*	1347	3.3	5	1	1	3	4	6	7	11
1. SINGLE DX	931	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1377	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	33	2.1	4	<1	<1	1	2	5	8	9
B. OPERATED	2275	3.0	4	1	1	2	4	6	7	10
TOTAL 0-19 YRS	98	3.1	4	1	1	3	4	6	7	11
20-34	265	3.2	7	1	1	2	4	6	8	13
35-49	312	3.1	5	1	1	3	4	6	8	12
50-64	710	2.7	3	1	1	2	3	5	6	10
65+	923	3.0	4	1	1	3	4	5	7	10
GRAND TOTAL	**2308**	**3.0**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	13	1.4		<1	<1	1	2	2	2	2
65+	16	1.6	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	8	1.9	1	1	1	2	3	4	4	4
35-49	34	2.6	3	1	1	2	4	4	5	9
50-64	76	2.5	2	1	1	2	3	4	4	9
65+	145	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	14	3.2	8	1	1	2	6	8	9	9
65+	67	2.9	9	1	1	2	3	6	11	14
B. *Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	12	4.3	15	1	1	3	6	10	13	14
35-49	31	3.5	6	1	1	3	4	7	8	9
50-64	94	2.8	3	1	1	2	4	5	6	9
65+	426	3.2	8	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	273	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	86	3.0	8	1	1	2	3	7	9	14
B. *Operated*	571	3.2	7	1	1	2	4	6	8	14
1. SINGLE DX	310	2.4	2	1	1	2	3	4	4	9
2. MULTIPLE DX	657	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	123	2.6	7	1	1	2	3	6	8	14
B. OPERATED	844	3.0	5	1	1	2	4	5	7	11
TOTAL 0-19 YRS	19	2.3	1	1	1	2	3	4	5	5
20-34	22	3.3	10	1	1	2	4	8	11	14
35-49	75	2.9	4	1	1	2	4	7	8	9
50-64	197	2.6	3	1	1	2	3	5	6	9
65+	654	3.0	7	1	1	2	3	5	8	14
GRAND TOTAL	**967**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	10	2.1	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	10	1.5	1	1	1	1	2	3	3	3
20-34	7	2.6	1	1	1	2	4	4	4	4
35-49	12	3.8	9	1	1	3	5	9	11	11
50-64	23	2.2	1	1	1	2	3	4	5	5
65+	57	2.1	3	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	12	3.8	7	<1	1	3	5	8	10	10
65+	30	2.7	6	1	1	2	3	7	7	10
B. *Operated*										
0-19 YRS	12	2.3	5	1	1	1	3	5	8	9
20-34	21	5.0	55	1	1	3	5	8	21	36
35-49	26	4.0	5	1	1	4	5	7	8	10
50-64	54	4.4	37	1	1	3	4	11	18	35
65+	141	3.2	7	1	1	2	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.3	1	1	1	2	3	4	4	4
B. *Operated*	109	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	53	3.0	6	1	1	2	4	7	7	10
B. *Operated*	254	3.6	18	1	1	3	4	7	10	23
1. SINGLE DX	120	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX	307	3.5	15	1	1	2	4	7	10	21
A. NOT OPERATED	64	2.9	5	1	1	2	4	7	7	10
B. OPERATED	363	3.2	14	1	1	2	4	6	9	20
TOTAL 0-19 YRS	25	1.9	3	1	1	1	2	3	5	9
20-34	34	4.4	35	1	1	3	4	7	9	36
35-49	41	3.8	6	1	1	4	5	7	9	11
50-64	89	3.7	25	1	1	2	4	7	12	31
65+	238	2.8	6	1	1	2	3	5	8	12
GRAND TOTAL	**427**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	31	1.7	1	<1	<1	2	2	2	3	6
50-64	186	1.5	1	<1	<1	1	2	2	3	4
65+	745	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.3		1	1	1	2	2	2	2
50-64	11	3.0	11	<1	<1	1	4	9	11	11
65+	33	3.5	34	<1	<1	2	3	7	13	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	60	2.5	9	1	1	2	2	4	7	18
50-64	336	2.1	3	1	1	2	2	3	6	10
65+	1791	2.1	4	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*	962	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	48	3.2	26	<1	<1	1	3	7	11	32
B. *Operated*	2187	2.1	4	1	1	2	2	3	4	9
1. SINGLE DX	966	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	2235	2.1	4	1	1	2	2	3	4	10
A. NOT OPERATED	52	3.1	24	<1	<1	1	3	7	11	32
B. OPERATED	3149	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	95	2.2	6	<1	1	2	2	3	5	17
50-64	533	1.9	3	<1	<1	2	2	3	4	10
65+	2573	1.9	3	<1	<1	2	2	3	4	8
GRAND TOTAL	**3201**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.7	2	<1	<1	1	2	4	6	6
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	7	1.7		1	1	2	2	2	2	2
50-64	17	1.5		1	1	2	2	2	2	2
65+	9	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.9	9	1	1	3	7	8	9	9
20-34	11	2.6	2	1	1	2	4	5	5	5
35-49	19	1.8	1	1	1	2	2	2	4	6
50-64	47	1.9	1	1	1	2	2	3	4	6
65+	59	2.3	2	1	1	2	3	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	47	1.7	1	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	145	2.2	2	1	1	2	3	4	5	9
1. SINGLE DX	48	1.7	1	1	1	2	2	2	3	6
2. MULTIPLE DX	147	2.2	2	1	1	2	2	4	5	9
A. NOT OPERATED	3	1.7		1	1	2	2	2	2	2
B. OPERATED	192	2.1	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	22	2.6	6	<1	1	2	3	7	8	9
20-34	15	2.4	2	1	1	2	4	4	5	5
35-49	26	1.8	1	1	1	2	2	2	3	6
50-64	64	1.8	1	1	1	2	2	3	3	6
65+	68	2.2	2	1	1	2	3	3	4	8
GRAND TOTAL	**195**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	5	4.0	5	1	1	4	5	7	7	7
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	4	4.3	11	1	1	4	7	8	8	8
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	201	1.1		<1	<1	1	1	2	2	2
20-34	48	1.3		<1	<1	1	1	2	3	4
35-49	26	1.2		<1	<1	1	1	2	2	2
50-64	12	1.3		<1	<1	1	2	2	2	2
65+	11	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	3	<1	<1	1	2	5	6	6
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	7	4.0	6	1	1	3	6	8	8	8
50-64	24	4.5	9	1	1	4	6	9	10	13
65+	47	4.2	6	1	2	4	5	8	9	11
B. *Operated*										
0-19 YRS	68	1.3		<1	<1	1	2	2	2	5
20-34	22	1.7	3	<1	<1	1	2	3	6	9
35-49	28	2.1	4	<1	1	1	2	4	6	11
50-64	36	3.5	20	<1	<1	1	4	13	14	16
65+	21	4.6	17	1	1	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.0	4	1	1	2	4	6	7	8
B. *Operated*	298	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	99	3.8	6	<1	1	3	5	8	9	12
B. *Operated*	175	2.3	9	<1	1	1	2	5	10	14
1. SINGLE DX	321	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	274	2.9	8	<1	1	2	4	7	9	14
A. NOT OPERATED	122	3.7	6	1	1	3	5	7	9	12
B. OPERATED	473	1.6	4	<1	<1	1	1	2	4	13
TOTAL 0-19 YRS	293	1.2		<1	<1	1	1	2	2	5
20-34	78	1.7	2	<1	1	1	2	3	5	8
35-49	67	1.9	3	<1	1	1	2	4	5	10
50-64	76	3.5	14	<1	1	2	5	9	13	16
65+	81	4.0	8	1	1	3	5	8	11	13
GRAND TOTAL	**595**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.0	3	<1	<1	3	4	5	6	10
20-34	25	4.1	12	1	1	3	5	9	11	17
35-49	17	4.0	11	<1	1	3	5	8	11	13
50-64	17	4.8	9	1	1	4	6	9	11	12
65+	26	5.0	7	1	2	5	7	8	9	11
B. *Operated*										
0-19 YRS	41	2.1	4	<1	1	1	2	5	7	10
20-34	89	1.7	1	1	1	1	2	3	3	5
35-49	114	1.8	1	1	1	1	2	3	3	6
50-64	125	2.0	3	1	1	2	2	3	4	11
65+	330	2.2	3	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.7	9	1	1	3	5	6	8	21
20-34	47	4.7	14	1	1	4	7	10	12	16
35-49	33	4.9	12	1	1	5	6	9	14	15
50-64	37	5.7	37	1	1	4	7	10	14	37
65+	115	6.1	25	<1	1	5	8	11	16	24
B. *Operated*										
0-19 YRS	45	2.6	4	1	1	2	4	6	7	9
20-34	59	2.7	6	1	1	2	3	6	6	15
35-49	103	2.3	3	1	1	2	3	5	6	7
50-64	233	2.4	5	1	1	2	3	5	7	12
65+	894	3.1	12	1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.8	7	<1	1	3	5	8	9	13
B. *Operated*	699	2.0	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	354	5.0	19	1	1	4	6	10	13	22
B. *Operated*	1334	2.9	10	1	1	2	3	5	7	15
1. SINGLE DX	853	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	1688	3.3	12	1	1	2	4	6	9	19
A. NOT OPERATED	508	4.6	16	1	1	4	6	9	11	22
B. OPERATED	2033	2.6	7	1	1	2	3	5	6	14
TOTAL 0-19 YRS	277	3.1	6	<1	1	3	4	5	7	10
20-34	220	2.9	8	1	1	2	3	6	9	15
35-49	267	2.5	5	1	1	2	3	5	6	13
50-64	412	2.7	8	1	1	2	3	6	8	13
65+	1365	3.2	12	1	1	2	4	6	8	19
GRAND TOTAL	**2541**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	3.3	3	1	2	3	4	6	7	10
20-34	50	4.1	7	1	1	4	6	8	8	12
35-49	25	3.3	4	<1	1	3	5	6	7	9
50-64	18	3.5	9	1	1	2	5	7	10	12
65+	30	4.0	8	1	1	4	6	7	9	14
B. *Operated*										
0-19 YRS	23	2.5	3	1	1	2	3	6	7	7
20-34	33	3.2	9	1	1	2	4	7	9	15
35-49	26	2.8	11	<1	1	2	3	8	10	16
50-64	81	2.7	7	<1	1	2	3	5	7	17
65+	140	2.3	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	4.1	5	1	2	4	5	7	8	13
20-34	93	4.7	13	1	1	4	5	8	11	21
35-49	74	5.3	16	1	2	4	7	9	13	23
50-64	111	5.1	21	1	1	4	6	10	13	27
65+	176	5.1	13	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	56	5.2	20	1	1	5	7	10	12	25
20-34	131	3.7	15	1	1	3	4	7	8	22
35-49	174	3.6	10	1	1	3	4	7	10	16
50-64	294	4.0	13	1	1	3	5	8	10	20
65+	562	4.3	26	1	1	3	5	9	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	3.5	4	1	1	3	4	6	8	11
B. *Operated*	303	2.6	6	1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	916	4.6	10	1	2	4	6	8	10	17
B. *Operated*	1217	4.1	19	1	1	3	5	8	12	23
1. SINGLE DX	722	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX	2133	4.3	15	1	1	3	5	8	11	20
A. NOT OPERATED	1335	4.2	9	1	2	4	5	7	10	16
B. OPERATED	1520	3.8	17	1	1	2	5	8	11	21
TOTAL 0-19 YRS	837	3.9	6	1	2	3	5	6	8	12
20-34	307	4.0	12	1	1	3	5	8	9	20
35-49	299	3.9	11	1	1	3	5	8	10	16
50-64	504	4.0	14	1	1	3	5	8	11	20
65+	908	4.2	20	1	1	3	5	8	12	23
GRAND TOTAL	**2855**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	7	1	1	2	3	7	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	11	3.3	3	1	1	2	5	6	6	6
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	7	2.7	7	<1	<1	1	4	7	8	8
35-49	10	2.6	4	1	1	2	4	6	7	7
50-64	13	1.9	3	1	1	1	2	4	6	7
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	2	<1	<1	2	3	4	6	7
20-34	20	2.8	4	<1	1	2	3	5	8	10
35-49	21	3.0	5	<1	1	2	4	7	8	8
50-64	39	3.9	6	1	2	3	6	7	8	11
65+	49	4.5	7	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	16	2.1	1	1	1	2	3	4	4	4
20-34	22	2.8	4	1	1	2	3	5	7	9
35-49	28	3.2	8	1	1	3	4	6	7	15
50-64	40	2.8	8	1	1	2	3	5	8	16
65+	49	2.8	11	1	1	1	3	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.9	4	<1	1	2	4	6	7	8
B. *Operated*	37	2.2	3	1	1	1	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.6	6	1	1	3	5	7	8	12
B. *Operated*	155	2.8	8	1	1	2	3	5	8	16
1. SINGLE DX	61	2.5	4	1	1	2	3	6	7	8
2. MULTIPLE DX	304	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	173	3.5	6	1	1	3	5	7	8	12
B. OPERATED	192	2.7	7	1	1	2	3	5	7	16
TOTAL 0-19 YRS	47	2.3	2	<1	1	2	3	4	5	8
20-34	50	2.9	4	1	1	2	3	6	8	10
35-49	62	2.9	6	1	1	2	4	6	7	14
50-64	103	3.2	6	1	1	2	4	6	7	13
65+	103	3.6	10	1	1	3	5	7	10	15
GRAND TOTAL	**365**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	2.6	2	1	1	2	3	4	5	8
20-34	8	2.5	1	1	1	2	3	4	4	4
35-49	5	2.6	1	1	1	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	312	1.4	1	<1	<1	1	2	2	3	7
20-34	188	1.4		1	1	1	2	2	2	3
35-49	159	1.4		1	1	1	2	2	2	3
50-64	150	1.5	1	1	1	1	2	2	3	7
65+	57	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1917	3.0	4	1	1	3	4	5	6	10
20-34	52	4.2	7	1	2	4	5	8	9	14
35-49	52	5.0	14	1	2	4	6	9	13	22
50-64	33	4.6	6	1	1	5	6	7	9	10
65+	30	6.9	30	1	2	4	12	16	18	18
B. *Operated*										
0-19 YRS	1056	1.6	3	<1	1	1	1	3	5	8
20-34	271	1.7	4	1	1	1	2	2	4	11
35-49	207	1.7	3	1	1	1	2	3	4	9
50-64	267	1.7	2	1	1	1	2	3	4	9
65+	128	2.7	11	1	1	2	2	4	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	2.6	2	1	1	2	3	4	5	8
B. *Operated*	866	1.4	1	<1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	2084	3.2	5	1	1	3	4	5	7	12
B. *Operated*	1929	1.7	3	1	1	1	2	3	5	11
1. SINGLE DX	1262	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	4013	2.5	5	1	1	2	3	5	6	11
A. NOT OPERATED	2480	3.1	4	1	1	3	4	5	7	11
B. OPERATED	2795	1.6	3	1	1	1	2	2	4	9
TOTAL 0-19 YRS	3666	2.4	3	1	1	2	3	4	6	9
20-34	519	1.8	4	1	1	1	2	3	5	11
35-49	423	2.0	5	1	1	1	2	4	6	11
50-64	451	1.8	3	1	1	1	2	3	5	9
65+	216	2.9	13	1	1	2	3	6	11	18
GRAND TOTAL	**5275**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.8	8	1	1	3	4	7	10	14
20-34	42	3.9	5	2	2	3	5	7	8	10
35-49	23	3.3	3	1	1	3	4	6	7	7
50-64	8	4.9	12	2	2	4	5	11	13	13
65+	7	6.4	109	1	1	3	3	25	30	30
B. *Operated*										
0-19 YRS	51	2.4	5	<1	<1	1	2	6	8	10
20-34	18	1.8	2	1	1	1	2	4	6	7
35-49	14	2.4	5	<1	<1	1	3	7	7	7
50-64	16	1.3		1	1	1	2	2	3	3
65+	6	3.3	27	1	1	1	2	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	3.7	5	1	1	3	5	6	8	12
20-34	94	4.5	9	2	2	4	5	7	10	19
35-49	88	5.7	14	2	2	5	7	10	11	23
50-64	72	6.4	22	2	2	5	8	12	14	24
65+	73	7.8	61	1	3	6	8	12	30	41
B. *Operated*										
0-19 YRS	149	3.2	24	1	1	1	3	7	11	30
20-34	53	3.5	20	1	1	2	4	10	11	25
35-49	54	3.8	22	1	1	2	4	10	15	20
50-64	51	4.5	62	1	1	2	3	10	21	43
65+	58	8.1	212	1	1	3	7	22	32	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.9	10	1	1	3	4	7	10	15
B. *Operated*	105	2.2	5	<1	1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	631	4.9	17	1	2	4	6	9	11	24
B. *Operated*	365	4.3	60	1	1	2	4	10	16	36
1. SINGLE DX	286	3.3	9	1	1	2	4	6	9	14
2. MULTIPLE DX	996	4.7	33	1	1	3	5	9	12	32
A. NOT OPERATED	812	4.7	16	1	2	4	6	9	11	23
B. OPERATED	470	3.8	49	1	1	2	4	8	14	35
TOTAL 0-19 YRS	605	3.5	10	1	1	3	4	7	9	15
20-34	207	3.9	11	1	1	3	5	7	10	18
35-49	179	4.6	15	1	1	3	6	9	11	21
50-64	147	5.1	35	1	1	3	7	11	14	33
65+	144	7.7	122	1	1	5	8	16	30	47
GRAND TOTAL	**1282**	**4.3**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	1	1	2	3	3	4	4
20-34	91	2.8	4	1	1	2	3	5	6	12
35-49	134	2.9	5	1	1	2	4	5	6	11
50-64	213	2.6	2	1	1	2	4	5	5	8
65+	186	3.0	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	9	2.1	2	1	1	2	3	4	4	4
20-34	43	2.7	5	1	1	2	3	6	8	9
35-49	74	2.6	4	1	1	2	3	5	8	9
50-64	78	2.7	4	1	1	2	3	6	7	10
65+	36	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	6	1	2	3	4	9	9	10
20-34	138	3.3	5	1	1	3	4	6	8	11
35-49	398	3.6	6	1	1	3	4	7	8	13
50-64	809	3.7	6	1	1	3	5	7	9	13
65+	1483	4.2	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	5	2.4	4	1	1	2	3	6	6	6
20-34	18	4.9	28	1	1	3	6	15	19	19
35-49	51	5.4	48	1	1	3	6	10	17	46
50-64	103	5.0	13	1	1	4	7	9	13	18
65+	154	6.2	18	1	2	5	9	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	2.8	3	1	1	2	4	5	6	8
B. *Operated*	240	2.6	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	2853	3.9	7	1	1	3	5	7	9	13
B. *Operated*	331	5.6	21	1	1	4	8	12	14	18
1. SINGLE DX	879	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	3184	4.1	9	1	1	3	5	8	10	15
A. NOT OPERATED	3492	3.7	7	1	1	3	5	7	8	13
B. OPERATED	571	4.3	16	1	1	3	6	9	13	17
TOTAL 0-19 YRS	54	2.8	4	1	1	2	4	5	8	10
20-34	290	3.2	6	1	1	2	4	6	8	13
35-49	657	3.5	9	1	1	3	4	6	8	16
50-64	1203	3.6	6	1	1	3	4	7	9	13
65+	1859	4.2	9	1	2	3	5	8	10	15
GRAND TOTAL	**4063**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARi-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	24	1.6		1	1	2	2	2	2	2
20-34	162	1.5	1	1	1	1	2	3	3	3
35-49	302	1.7	3	1	1	1	2	3	3	4
50-64	230	1.7	1	1	1	1	2	3	3	4
65+	102	1.9	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-19 YRS	11	1.9	1	1	1	2	2	3	3	3
20-34	33	1.4		1	1	1	2	2	3	3
35-49	79	1.6	1	1	1	1	2	3	3	5
50-64	73	1.7	1	1	1	1	2	3	3	3
65+	87	2.1	1	1	1	2	3	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	820	1.7	2	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	<1	<1	2	5	5	5	5
B. *Operated*	283	1.8	1	1	1	2	2	3	3	4
1. SINGLE DX	822	1.7	2	1	1	1	2	3	3	4
2. MULTIPLE DX	289	1.8	1	1	1	2	2	3	3	5
A. NOT OPERATED	8	2.5	3	<1	<1	2	4	5	5	5
B. OPERATED	1103	1.7	1	1	1	1	2	3	3	4
TOTAL 0-19 YRS	35	1.7		1	1	2	2	2	3	3
20-34	196	1.5	1	1	1	1	2	3	3	3
35-49	383	1.7	3	1	1	1	2	3	3	5
50-64	305	1.7	1	1	1	1	2	3	3	4
65+	192	2.0	1	1	1	2	3	3	3	5
GRAND TOTAL	**1111**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	<1	<1	3	4	5	5	5
20-34	13	3.5	3	1	2	4	4	6	8	8
35-49	17	3.1	2	1	1	3	4	5	5	5
50-64	24	3.3	1	1	1	3	4	4	5	5
65+	13	3.7	2	1	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	374	1.3	2	1	1	1	1	2	2	4
20-34	242	1.3	1	1	1	1	1	2	3	5
35-49	199	1.4	1	1	1	1	2	2	3	4
50-64	163	1.4		1	1	1	2	2	3	4
65+	63	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	4	<1	<1	2	3	5	6	8
20-34	17	4.5	14	<1	<1	4	6	10	13	15
35-49	24	3.8	3	<1	1	4	5	6	7	8
50-64	39	3.4	4	<1	1	3	5	6	8	9
65+	50	4.8	19	1	1	4	5	8	15	22
B. *Operated*										
0-19 YRS	384	1.3	1	<1	1	1	1	2	2	5
20-34	323	1.8	17	1	1	1	2	2	3	13
35-49	266	1.5	2	1	1	1	2	2	3	8
50-64	244	1.7	2	1	1	1	2	3	4	8
65+	162	1.9	3	1	1	1	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.3	2	1	1	3	4	5	5	7
B. *Operated*	1041	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	155	3.9	10	<1	1	3	5	7	9	20
B. *Operated*	1379	1.6	5	1	1	1	2	2	3	8
1. SINGLE DX	1117	1.5	2	1	1	1	2	3	4	5
2. MULTIPLE DX	1534	1.8	6	1	1	1	2	3	5	9
A. NOT OPERATED	231	3.7	7	<1	1	3	4	6	8	16
B. OPERATED	2420	1.5	4	1	1	1	2	2	3	7
TOTAL 0-19 YRS	792	1.3	2	<1	1	1	1	2	3	5
20-34	595	1.7	10	1	1	1	2	2	4	9
35-49	506	1.6	2	1	1	1	2	3	4	7
50-64	470	1.8	2	1	1	1	2	3	4	8
65+	288	2.4	6	1	1	2	3	5	6	15
GRAND TOTAL	**2651**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.1	26	2	2	5	7	11	14	32
20-34	12	5.4	8	2	3	4	7	10	12	12
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.3	21	2	2	7	9	14	15	23
20-34	21	5.8	20	2	2	5	6	9	15	23
35-49	11	5.6	5	2	3	5	8	9	9	9
50-64	21	6.1	13	2	2	6	7	11	15	17
65+	19	7.5	9	3	4	7	9	11	14	16
B. *Operated*										
0-19 YRS	2	18.5	613	1	1	18	36	36	36	36
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	10	15.3	75	3	5	14	22	28	33	33
50-64	11	13.7	130	1	1	13	19	32	37	37
65+	12	9.3	21	2	3	10	11	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.8	21	2	2	5	7	10	13	30
B. *Operated*	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	114	6.7	16	2	3	6	9	11	14	23
B. *Operated*	37	13.0	88	1	2	11	17	28	35	37
1. SINGLE DX	61	5.8	20	2	2	5	7	10	13	30
2. MULTIPLE DX	151	8.2	41	2	2	7	10	15	22	36
A. NOT OPERATED	173	6.4	18	2	2	5	8	11	14	23
B. OPERATED	39	12.6	88	1	2	11	16	26	35	37
TOTAL 0-19 YRS	86	7.0	34	2	2	6	9	13	15	35
20-34	36	6.2	21	2	3	5	7	9	18	23
35-49	25	9.0	59	2	2	7	12	22	25	33
50-64	34	8.5	61	2	2	6	9	17	27	37
65+	31	8.2	14	3	4	8	11	12	16	18
GRAND TOTAL	**212**	**7.5**	**36**	**2**	**2**	**6**	**9**	**14**	**20**	**34**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	3.0	2	2	2	2	4	5	5	5
35-49	7	3.0	2	1	1	3	4	5	5	5
50-64	5	9.6	205	1	1	5	13	35	35	35
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	3.2	11	1	1	2	2	9	10	10
20-34	24	5.4	18	1	1	4	9	12	13	14
35-49	40	5.8	21	1	1	4	10	11	13	15
50-64	71	6.4	23	1	1	6	10	13	15	17
65+	37	6.1	39	1	1	2	10	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.5	3	2	2	4	6	7	7	7
20-34	33	4.1	5	2	2	4	5	7	8	10
35-49	65	4.7	16	1	1	3	6	10	13	22
50-64	114	5.7	19	1	2	5	7	10	12	25
65+	208	8.1	46	1	2	7	10	16	22	37
B. *Operated*										
0-19 YRS	17	11.8	334	1	1	7	11	44	60	65
20-34	42	8.8	42	1	2	9	13	17	22	25
35-49	175	9.4	53	1	2	9	13	19	23	29
50-64	341	10.4	113	1	1	9	14	20	26	66
65+	357	12.9	121	1	2	11	18	27	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.6	48	1	1	3	5	5	17	35
B. *Operated*	178	5.9	25	1	1	3	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	428	6.6	33	1	2	5	8	12	18	30
B. *Operated*	932	11.1	107	1	2	10	15	23	29	54
1. SINGLE DX	200	5.8	27	1	1	3	9	13	15	21
2. MULTIPLE DX	1360	9.7	88	1	2	8	13	21	26	49
A. NOT OPERATED	450	6.5	34	1	2	5	8	12	18	32
B. OPERATED	1110	10.3	97	1	1	9	14	21	27	51
TOTAL 0-19 YRS	33	8.0	186	1	1	3	8	15	46	65
20-34	104	6.2	27	1	2	4	9	14	16	24
35-49	287	7.7	43	1	1	6	11	17	20	28
50-64	531	8.9	85	1	1	7	12	18	23	49
65+	605	10.8	96	1	2	8	15	23	29	48
GRAND TOTAL	**1560**	**9.2**	**82**	**1**	**2**	**7**	**12**	**20**	**25**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	2	1	1	3	4	5	6	6
20-34	67	3.1	3	1	1	3	4	5	7	9
35-49	176	3.6	6	1	1	3	4	7	8	14
50-64	204	3.7	6	1	2	3	5	6	8	14
65+	141	4.1	26	1	1	3	5	7	8	20
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	14	2.4	4	<1	<1	1	4	6	6	6
35-49	35	3.0	9	<1	1	2	4	6	8	15
50-64	49	3.5	11	1	1	2	5	9	12	15
65+	15	5.0	38	1	1	4	5	13	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	9	1	1	3	5	8	10	15
20-34	270	4.0	5	1	2	4	5	7	8	11
35-49	1117	4.5	8	1	2	4	5	8	10	15
50-64	1598	4.8	10	1	2	4	6	9	10	17
65+	1982	5.2	14	1	2	4	6	10	12	19
B. *Operated*										
0-19 YRS	10	4.4	21	1	1	3	6	11	16	16
20-34	51	6.8	54	1	1	6	9	11	13	49
35-49	200	6.9	42	1	2	5	8	14	19	40
50-64	305	5.8	24	1	1	5	8	12	15	27
65+	358	7.7	44	1	1	6	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.7	10	1	1	3	4	6	8	14
B. *Operated*	116	3.4	13	<1	1	2	5	6	11	18
2. MULTIPLE DX										
A. *Not Operated*	5018	4.8	11	1	2	4	6	9	11	17
B. *Operated*	924	6.8	38	1	1	5	9	14	19	32
1. SINGLE DX	720	3.6	11	1	1	3	4	6	8	14
2. MULTIPLE DX	5942	5.1	16	1	2	4	6	9	12	20
A. NOT OPERATED	5622	4.7	11	1	2	4	6	9	11	17
B. OPERATED	1040	6.4	36	1	1	5	8	13	18	30
TOTAL 0-19 YRS	80	3.9	9	1	1	3	5	7	10	16
20-34	402	4.2	12	1	1	4	5	8	9	13
35-49	1528	4.6	13	1	2	4	6	8	11	18
50-64	2156	4.8	12	1	2	4	6	9	11	19
65+	2496	5.5	20	1	2	4	7	10	13	22
GRAND TOTAL	**6662**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.3	15	2	2	3	6	10	10	10
35-49	30	4.4	3	1	2	4	6	7	7	8
50-64	43	4.8	10	1	2	4	6	8	12	14
65+	54	5.5	7	2	2	5	8	10	10	11
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	2.8	11	1	1	2	2	8	11	11
50-64	12	2.2	5	1	1	1	2	6	8	8
65+	12	5.0	27	1	2	3	6	12	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	3	<1	<1	3	4	6	6	6
20-34	15	6.6	12	2	3	6	8	11	14	15
35-49	181	5.6	10	2	2	5	7	10	12	19
50-64	618	6.7	21	2	2	6	8	12	14	23
65+	1771	7.7	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS										
20-34	5	9.2	19	3	3	10	11	15	15	15
35-49	49	8.8	247	1	1	5	9	16	26	83
50-64	150	7.6	47	1	1	6	10	16	24	42
65+	259	11.5	92	2	2	10	14	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.0	7	1	2	5	7	9	10	13
B. *Operated*	33	3.3	15	1	1	2	3	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	2590	7.3	24	2	3	6	9	13	16	25
B. *Operated*	463	10.0	96	1	2	8	13	20	27	46
1. SINGLE DX	165	4.7	9	1	1	4	6	8	10	14
2. MULTIPLE DX	3053	7.7	35	2	3	6	9	14	17	31
A. NOT OPERATED	2722	7.2	23	2	3	6	9	13	16	24
B. OPERATED	496	9.5	93	1	1	8	12	19	24	45
TOTAL 0-19 YRS	6	3.5	3	<1	<1	3	5	6	6	6
20-34	25	6.6	15	2	2	6	10	11	15	15
35-49	268	6.0	54	1	1	5	7	10	13	23
50-64	823	6.7	25	2	2	6	9	12	15	27
65+	2096	8.1	35	2	3	7	10	14	18	32
GRAND TOTAL	**3218**	**7.5**	**35**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	11	2	2	4	7	9	9	9
20-34	5	6.6	19	3	3	5	10	13	13	13
35-49	10	4.1	6	1	1	4	5	7	9	9
50-64	9	7.8	21	1	2	7	13	14	14	14
65+	4	5.3	12	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	6	3.8	7	1	1	3	7	7	7	7
20-34	19	3.8	10	1	1	3	4	8	11	13
35-49	21	4.0	17	1	1	2	5	9	15	18
50-64	38	4.9	22	1	1	3	7	10	15	22
65+	28	3.8	16	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.4	29	1	2	4	11	15	16	17
20-34	29	5.9	34	1	1	4	7	14	18	26
35-49	57	6.1	23	1	2	5	8	14	17	21
50-64	104	7.1	42	2	2	5	9	15	17	38
65+	237	8.4	32	2	3	7	11	16	18	32
B. *Operated*										
0-19 YRS	20	12.5	271	1	1	8	15	25	51	74
20-34	47	8.0	45	1	2	6	11	20	23	24
35-49	96	8.1	45	1	2	7	12	17	19	32
50-64	181	9.0	56	1	2	8	12	18	22	38
65+	216	12.4	134	2	2	10	16	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.7	14	1	1	5	8	13	13	14
B. *Operated*	112	4.2	16	1	1	2	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	450	7.5	34	2	2	6	10	15	18	28
B. *Operated*	560	10.2	94	1	2	8	13	21	30	46
1. SINGLE DX	144	4.5	16	1	1	3	6	10	13	18
2. MULTIPLE DX	1010	9.0	69	2	2	7	12	18	23	39
A. NOT OPERATED	482	7.4	33	2	2	6	9	15	17	27
B. OPERATED	672	9.2	86	1	2	7	12	19	26	42
TOTAL 0-19 YRS	53	8.3	124	1	1	4	12	17	22	73
20-34	100	6.5	36	1	2	4	8	15	21	25
35-49	184	6.8	35	1	2	5	10	15	18	26
50-64	332	7.9	48	1	2	6	11	15	20	37
65+	485	9.9	82	2	2	8	12	19	30	42
GRAND TOTAL	**1154**	**8.5**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**38**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	33	6.5	9	1	3	7	9	10	11	13
35-49	355	7.8	9	2	4	8	9	11	13	15
50-64	696	8.1	11	3	4	8	10	12	13	17
65+	584	8.7	17	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	7.1	5	3	4	7	9	10	11	12
35-49	226	7.5	9	2	4	7	9	11	12	18
50-64	306	7.6	13	2	3	8	9	12	13	19
65+	139	9.2	39	3	5	9	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	6	4	5	7	9	11	12	12
20-34	96	8.4	20	2	3	8	10	13	18	23
35-49	1360	8.7	16	3	4	9	10	13	15	22
50-64	4535	9.4	19	4	5	9	11	14	16	24
65+	10437	10.5	24	4	6	10	12	16	19	28
B. *Operated*										
0-19 YRS	8	15.4	172	7	7	12	14	37	47	47
20-34	87	8.8	17	3	4	9	10	13	16	25
35-49	1182	9.7	34	2	4	9	11	15	19	31
50-64	2867	11.3	52	2	5	10	14	19	23	40
65+	2807	14.4	84	4	6	12	17	25	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	8.2	13	3	4	8	10	12	14	18
B. *Operated*	709	7.9	17	2	4	8	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	16441	10.0	22	4	5	9	12	15	18	27
B. *Operated*	6951	12.2	65	3	5	10	15	21	27	45
1. SINGLE DX	2377	8.1	14	3	4	8	10	12	14	18
2. MULTIPLE DX	23392	10.7	36	4	5	10	13	17	21	34
A. NOT OPERATED	18109	9.8	22	4	5	9	12	15	18	27
B. OPERATED	7660	11.8	62	3	5	10	14	20	26	44
TOTAL 0-19 YRS	22	10.2	78	3	5	8	12	14	28	47
20-34	253	8.1	16	3	4	8	10	12	15	22
35-49	3123	8.9	22	3	4	8	11	14	16	26
50-64	8404	9.9	30	3	5	9	12	15	19	31
65+	13967	11.2	39	4	6	10	13	18	22	35
GRAND TOTAL	**25769**	**10.4**	**35**	**4**	**5**	**9**	**12**	**16**	**20**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	52	3.1	5	1	1	2	4	5	7	12
35-49	372	2.8	3	1	1	3	4	5	6	9
50-64	489	2.9	3	1	1	3	4	5	6	10
65+	365	3.0	5	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	3.4	4	<1	1	3	5	6	7	8
35-49	165	2.2	2	1	1	2	2	4	6	8
50-64	334	2.3	3	1	1	2	2	4	6	9
65+	121	2.6	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	4	1	1	5	5	6	6	6
20-34	201	3.4	4	1	1	3	4	6	8	10
35-49	1930	3.7	6	1	1	3	5	7	8	12
50-64	4448	4.0	7	1	2	3	5	7	9	13
65+	7965	4.5	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	6	4.7	15	1	1	4	8	10	10	10
20-34	61	4.1	12	1	1	2	6	9	10	17
35-49	1144	3.7	12	1	1	2	5	8	10	16
50-64	3385	4.1	18	1	1	2	5	9	12	19
65+	2532	5.7	30	1	1	4	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	2.9	3	1	1	3	4	5	6	9
B. *Operated*	638	2.3	4	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	14554	4.2	7	1	2	4	5	7	9	14
B. *Operated*	7128	4.6	22	1	1	3	6	10	13	22
1. SINGLE DX	1916	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	21682	4.3	12	1	1	3	5	8	11	17
A. NOT OPERATED	15832	4.1	7	1	2	3	5	7	9	14
B. OPERATED	7766	4.4	21	1	1	2	6	10	13	22
TOTAL 0-19 YRS	17	4.0	8	1	1	5	6	8	9	10
20-34	331	3.5	6	1	1	3	4	7	8	12
35-49	3611	3.5	7	1	1	3	4	7	8	14
50-64	8656	3.9	11	1	1	3	5	8	10	16
65+	10983	4.7	14	1	2	4	6	9	11	19
GRAND TOTAL	**23598**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	3.3	3	1	1	3	4	6	7	7
35-49	343	3.3	3	1	1	3	4	6	7	9
50-64	606	3.5	5	1	1	3	4	6	7	11
65+	649	4.0	9	1	2	3	5	7	9	16
B. *Operated*										
0-19 YRS										
20-34	5	4.2	10	1	1	5	6	8	8	8
35-49	91	4.7	11	1	1	4	7	9	10	16
50-64	177	5.2	20	1	1	4	6	11	12	23
65+	107	5.3	18	1	2	4	6	10	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	6	1	1	3	5	8	9	9
20-34	126	4.1	7	1	2	3	5	7	9	14
35-49	2056	4.2	8	1	2	4	5	7	9	15
50-64	6225	4.7	8	2	2	4	6	8	10	14
65+	13045	5.5	12	2	2	5	7	9	12	18
B. *Operated*										
0-19 YRS	4	9.0	15	4	4	10	12	12	12	12
20-34	43	5.4	20	1	2	4	7	9	14	24
35-49	1132	6.9	30	2	2	6	9	13	15	23
50-64	3769	7.8	43	2	2	7	10	15	18	31
65+	3741	9.8	67	2	2	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1632	3.7	6	1	2	3	5	6	8	12
B. *Operated*	380	5.1	17	1	1	4	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	21461	5.1	11	2	2	4	6	9	11	16
B. *Operated*	8689	8.6	53	2	2	7	11	16	21	36
1. SINGLE DX	2012	3.9	8	1	1	3	5	7	9	16
2. MULTIPLE DX	30150	6.1	25	2	2	5	8	11	15	24
A. NOT OPERATED	23093	5.0	10	2	2	4	6	9	11	16
B. OPERATED	9069	8.4	52	2	2	7	11	16	21	36
TOTAL 0-19 YRS	13	5.5	13	1	2	4	8	12	12	12
20-34	208	4.3	10	1	2	4	5	8	9	19
35-49	3622	5.0	16	1	2	4	6	10	12	18
50-64	10777	5.7	23	1	2	5	7	11	14	22
65+	17542	6.3	27	2	2	5	8	12	15	26
GRAND TOTAL	**32162**	**6.0**	**24**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.4	4	<1	1	3	4	6	7	7
35-49	34	3.3	11	<1	1	2	4	6	9	18
50-64	89	3.6	11	<1	1	2	4	9	12	16
65+	78	5.9	27	1	2	4	8	14	16	25
B. *Operated*										
0-19 YRS	5	3.0	12	<1	<1	2	4	9	9	9
20-34	33	2.8	7	1	1	2	3	5	11	12
35-49	789	3.3	9	1	1	2	4	8	10	14
50-64	2232	3.7	12	1	1	2	4	9	11	16
65+	1071	5.1	28	1	1	2	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	29	4.2	24	1	1	3	4	7	9	28
35-49	328	4.0	6	1	1	4	5	7	8	13
50-64	1028	4.3	9	1	1	4	5	8	10	15
65+	1350	5.4	14	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	8	7.5	72	1	1	5	10	22	26	26
20-34	100	4.6	26	1	1	2	6	11	15	26
35-49	2612	5.2	27	1	1	3	8	11	14	22
50-64	9156	6.1	42	1	1	3	9	13	17	30
65+	6640	8.1	67	1	1	6	12	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.4	18	1	1	3	5	10	14	21
B. *Operated*	4130	4.0	16	1	1	2	5	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2738	4.8	11	1	2	4	6	9	11	17
B. *Operated*	18516	6.7	50	1	1	4	10	15	19	33
1. SINGLE DX	4339	4.0	16	1	1	2	5	10	12	18
2. MULTIPLE DX	21254	6.5	45	1	1	4	9	14	18	32
A. NOT OPERATED	2947	4.8	12	1	1	4	6	9	11	17
B. OPERATED	22646	6.2	45	1	1	3	9	14	18	31
TOTAL 0-19 YRS	16	5.2	43	<1	1	2	7	12	22	26
20-34	170	4.1	21	1	1	2	5	10	12	27
35-49	3763	4.7	22	1	1	3	7	10	13	21
50-64	12505	5.5	35	1	1	3	8	12	16	27
65+	9139	7.3	56	1	1	5	10	16	21	35
GRAND TOTAL	**25593**	**6.0**	**41**	**1**	**1**	**3**	**9**	**13**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	70	7.6	7	4	5	7	9	11	13	15
35-49	58	7.5	9	1	4	8	9	11	13	16
50-64	72	8.3	10	3	5	8	10	12	13	18
65+	71	8.9	11	5	5	9	11	13	15	19
B. *Operated*										
0-19 YRS										
20-34	14	8.1	10	5	5	7	9	14	16	16
35-49	18	9.1	10	4	5	9	11	13	15	15
50-64	16	11.3	28	3	7	11	13	21	23	23
65+	13	11.9	31	2	5	13	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.0	21	2	3	7	10	15	18	18
20-34	169	8.5	12	2	4	8	11	12	14	19
35-49	271	9.1	22	3	4	8	11	15	16	27
50-64	605	10.1	21	4	6	9	12	15	18	26
65+	1440	11.0	23	5	6	10	13	17	20	29
B. *Operated*										
0-19 YRS	5	11.0	73	1	1	12	16	23	23	23
20-34	86	12.1	39	5	6	10	14	19	26	36
35-49	114	13.3	73	5	7	12	15	21	28	52
50-64	229	12.7	42	6	7	11	15	21	24	37
65+	412	14.8	68	5	7	12	18	26	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	8.1	9	3	5	8	10	12	13	18
B. *Operated*	61	10.0	20	4	5	9	12	15	20	23
2. MULTIPLE DX										
A. *Not Operated*	2494	10.4	22	4	6	10	12	16	19	28
B. *Operated*	846	13.7	60	5	7	12	16	23	28	46
1. SINGLE DX	336	8.5	12	3	5	8	10	13	15	19
2. MULTIPLE DX	3340	11.2	34	5	6	10	13	18	22	34
A. NOT OPERATED	2769	10.1	22	4	6	9	12	15	18	28
B. OPERATED	907	13.5	58	5	7	12	16	22	28	45
TOTAL 0-19 YRS	18	8.5	30	1	3	7	10	17	21	23
20-34	339	9.2	20	4	5	9	11	14	17	26
35-49	461	9.9	36	3	5	9	12	15	19	37
50-64	922	10.6	27	4	6	10	12	17	20	29
65+	1936	11.7	35	5	6	10	14	18	23	36
GRAND TOTAL	**3676**	**11.0**	**33**	**4**	**6**	**10**	**13**	**17**	**21**	**33**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	13.0	151	4	4	8	22	27	27	27
35-49	4	14.0	125	5	5	12	23	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	20.4	189	2	3	22	29	33	46	51
20-34	52	21.2	184	2	4	19	31	42	44	47
35-49	45	16.8	149	2	4	15	27	34	43	46
50-64	51	13.0	81	1	2	12	17	28	31	32
65+	113	22.2	180	5	7	20	30	41	47	66
B. *Operated*										
0-19 YRS	3	58.7	1072	22	22	69	81	85	85	85
20-34	55	28.1	180	7	9	29	37	44	48	62
35-49	53	30.9	195	10	14	30	38	46	54	82
50-64	47	33.5	348	9	12	30	45	52	63	95
65+	67	31.4	158	13	16	32	40	48	52	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.7	100	1	2	6	18	27	28	28
B. *Operated*	3	18.7	206	8	8	13	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	277	19.4	168	2	4	17	28	36	45	51
B. *Operated*	225	31.3	230	9	12	30	41	48	55	84
1. SINGLE DX	13	12.5	121	1	3	8	20	29	34	35
2. MULTIPLE DX	502	24.7	231	4	6	24	33	45	49	72
A. NOT OPERATED	287	19.0	168	2	4	16	28	36	45	51
B. OPERATED	228	31.1	231	9	12	30	40	48	55	84
TOTAL 0-19 YRS	19	26.5	482	2	3	26	31	62	78	85
20-34	111	24.3	194	4	6	26	33	44	45	57
35-49	102	24.0	221	4	5	24	32	43	47	69
50-64	100	22.8	310	2	4	17	31	46	52	89
65+	183	25.3	194	5	8	24	34	46	49	61
GRAND TOTAL	**515**	**24.4**	**231**	**4**	**5**	**23**	**33**	**45**	**49**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	4	<1	1	2	3	6	7	8
20-34	42	2.1	3	<1	<1	1	3	4	6	8
35-49	88	2.9	35	1	1	2	3	5	6	37
50-64	82	2.0	2	<1	1	2	3	4	5	6
65+	55	2.6	3	1	1	2	3	4	5	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	4	2.3		2	2	2	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.3	6	1	1	3	4	7	10	10
20-34	83	2.7	6	1	1	2	3	5	7	14
35-49	200	3.2	5	1	1	3	4	6	8	12
50-64	445	3.5	5	1	1	3	5	6	7	13
65+	801	4.6	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	7.9	98	1	1	4	10	25	30	30
35-49	15	5.5	13	1	1	4	9	10	11	11
50-64	47	6.1	10	2	2	6	8	10	13	13
65+	70	8.7	41	2	2	7	12	17	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.4	12	<1	1	2	3	4	5	8
B. *Operated*	15	2.5	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1559	4.0	9	1	1	3	5	7	10	15
B. *Operated*	142	7.4	32	2	2	6	10	14	18	30
1. SINGLE DX	308	2.4	12	<1	1	2	3	4	5	8
2. MULTIPLE DX	1701	4.3	11	1	1	3	5	8	10	17
A. NOT OPERATED	1852	3.7	10	1	1	3	5	7	9	15
B. OPERATED	157	6.9	31	1	2	6	9	13	17	30
TOTAL 0-19 YRS	59	2.9	5	<1	1	2	4	6	8	10
20-34	138	2.8	11	<1	1	2	3	6	8	18
35-49	307	3.2	14	1	1	2	4	6	8	12
50-64	578	3.5	6	1	1	3	5	7	8	13
65+	927	4.8	14	1	2	4	6	9	12	20
GRAND TOTAL	**2009**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	100	1.9	2	<1	1	1	2	4	5	7
35-49	169	2.3	3	<1	<1	2	3	5	6	9
50-64	288	2.4	3	<1	1	2	3	5	6	9
65+	303	2.8	4	1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	9	3.1	5	1	1	2	4	7	8	8
50-64	13	3.9	7	1	1	3	6	8	8	8
65+	5	4.0	16	1	1	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	7	<1	<1	3	4	8	9	11
20-34	165	3.2	5	1	1	3	4	7	8	10
35-49	508	3.2	7	<1	1	2	4	7	8	13
50-64	1804	4.2	10	1	1	3	5	8	10	16
65+	5705	5.4	15	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	18	6.3	82	<1	<1	3	8	13	29	39
35-49	45	5.5	17	1	2	4	7	11	13	19
50-64	201	8.1	64	1	2	6	10	16	26	40
65+	615	10.5	75	2	3	9	13	21	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	29	3.7	7	1	1	3	6	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	8209	4.9	14	1	1	4	6	9	12	18
B. *Operated*	881	9.6	72	1	2	8	12	19	27	42
1. SINGLE DX	893	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	9090	5.4	21	1	2	4	7	10	13	24
A. NOT OPERATED	9073	4.7	13	1	1	4	6	9	11	18
B. OPERATED	910	9.4	71	1	2	7	12	19	27	41
TOTAL 0-19 YRS	33	3.7	6	<1	<1	4	5	8	8	11
20-34	285	2.9	10	<1	1	2	4	6	8	12
35-49	731	3.2	7	<1	1	2	4	7	8	13
50-64	2306	4.3	16	1	1	3	5	8	11	20
65+	6628	5.7	23	1	2	5	7	11	14	25
GRAND TOTAL	**9983**	**5.1**	**21**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.5	6	<1	<1	2	3	4	5	15
20-34	133	3.2	19	<1	1	2	4	5	7	54
35-49	238	2.7	6	<1	1	2	3	5	6	11
50-64	252	3.2	4	1	1	3	4	6	7	10
65+	263	3.8	8	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	32	4.3	9	1	1	3	6	9	10	12
20-34	26	3.2	6	<1	1	2	5	7	8	8
35-49	64	3.3	10	1	1	2	4	7	10	17
50-64	86	3.7	6	1	1	3	5	7	9	12
65+	233	4.9	10	1	2	4	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.3	6	1	1	3	4	7	8	12
20-34	454	3.6	9	1	1	3	4	6	8	15
35-49	1076	4.0	10	1	1	3	5	7	10	15
50-64	2800	4.7	12	1	2	4	6	8	11	19
65+	7749	5.8	17	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	55	8.5	185	1	2	5	10	16	20	91
20-34	78	5.8	56	1	1	3	7	12	24	86
35-49	259	7.7	67	1	2	6	9	14	23	43
50-64	909	8.3	55	2	2	7	10	16	20	39
65+	3835	8.8	39	2	3	7	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	3.2	8	1	1	3	4	6	8	14
B. *Operated*	441	4.3	9	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	12248	5.3	15	1	2	4	7	10	12	20
B. *Operated*	5136	8.6	46	2	3	7	11	16	21	36
1. SINGLE DX	1379	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	17384	6.3	27	1	2	5	8	12	15	25
A. NOT OPERATED	13186	5.1	15	1	2	4	6	9	12	20
B. OPERATED	5577	8.3	44	2	2	7	10	16	20	35
TOTAL 0-19 YRS	308	4.2	42	1	1	3	5	9	10	20
20-34	691	3.7	16	1	1	3	4	7	10	24
35-49	1637	4.3	20	1	1	3	5	8	11	24
50-64	4047	5.4	24	1	2	4	7	10	14	24
65+	12080	6.7	26	2	2	5	8	13	16	26
GRAND TOTAL	**18763**	**6.1**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	17	1	1	6	9	9	9	9
20-34	1	10.0		10	10	10	10	10	10	10
35-49	31	5.1	11	1	2	4	7	9	12	15
50-64	175	5.6	14	1	2	5	7	10	13	19
65+	637	5.4	14	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64	13	4.0	8	1	1	3	5	8	10	10
65+	11	9.8	52	1	2	9	14	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	5.8	29	1	2	4	7	12	16	30
20-34	144	6.6	21	2	2	5	8	13	16	24
35-49	1021	6.6	22	2	3	6	8	12	15	23
50-64	6021	7.2	24	2	3	6	9	13	16	25
65+	29456	7.8	27	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	18	13.4	225	1	1	10	19	20	48	67
20-34	36	10.1	84	2	2	8	12	19	26	50
35-49	212	12.3	150	2	3	9	14	24	36	69
50-64	910	13.0	112	2	4	10	16	25	35	61
65+	3140	14.1	102	4	5	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	5.5	14	1	2	5	7	10	13	19
B. *Operated*	29	6.1	32	1	1	4	8	13	21	23
2. MULTIPLE DX										
A. *Not Operated*	36781	7.7	27	2	3	6	10	14	17	27
B. *Operated*	4316	13.7	107	3	4	11	17	26	33	56
1. SINGLE DX	877	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	41097	8.3	38	2	3	7	10	15	19	32
A. NOT OPERATED	37629	7.0	26	2	3	6	9	14	17	26
B. OPERATED	4345	13.7	107	3	4	11	17	26	33	56
TOTAL 0-19 YRS	162	6.7	55	1	2	4	8	15	19	33
20-34	182	7.3	35	2	2	6	9	14	18	27
35-49	1267	7.5	47	2	3	6	9	14	18	36
50-64	7119	7.8	39	2	3	6	10	14	19	34
65+	33244	8.4	37	2	3	7	10	15	19	31
GRAND TOTAL	**41974**	**8.3**	**38**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.5	7	1	1	3	5	6	7	17
20-34	164	3.4	10	1	1	3	4	6	8	12
35-49	161	3.4	5	1	1	3	5	6	7	10
50-64	112	3.7	8	1	1	3	4	7	11	15
65+	57	4.8	16	1	1	4	6	9	10	24
B. *Operated*										
0-19 YRS	35	3.0	5	1	1	2	5	7	7	8
20-34	74	4.4	12	1	1	3	6	10	12	15
35-49	158	4.3	20	1	1	2	7	10	11	24
50-64	268	4.2	19	1	1	2	6	10	12	19
65+	135	5.9	72	1	1	2	9	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.8	12	1	1	4	6	9	12	17
20-34	458	4.5	15	1	2	4	5	9	11	20
35-49	791	5.4	20	1	2	4	7	10	13	23
50-64	1406	6.6	26	2	2	5	8	13	17	27
65+	2047	7.5	25	2	3	6	10	14	17	26
B. *Operated*										
0-19 YRS	107	6.0	38	<1	1	4	8	14	17	31
20-34	195	7.5	54	1	1	5	10	15	25	33
35-49	596	7.3	65	1	1	5	10	17	21	47
50-64	1472	8.7	88	1	1	6	11	19	26	56
65+	1642	10.7	100	1	2	9	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	3.6	9	1	1	3	5	6	8	17
B. *Operated*	670	4.5	29	1	1	2	7	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	4834	6.5	24	2	2	5	8	12	16	25
B. *Operated*	4012	9.2	89	1	1	7	12	20	27	48
1. SINGLE DX	1218	4.1	20	1	1	3	5	9	11	18
2. MULTIPLE DX	8846	7.7	55	1	2	6	10	16	21	38
A. NOT OPERATED	5382	6.2	23	1	2	5	8	12	15	25
B. OPERATED	4682	8.5	83	1	1	6	12	19	25	47
TOTAL 0-19 YRS	328	4.8	20	1	1	4	6	10	13	23
20-34	891	5.0	24	1	1	3	6	10	13	28
35-49	1706	5.7	36	1	1	4	7	12	16	29
50-64	3258	7.3	55	1	2	5	9	15	21	41
65+	3881	8.7	61	1	2	7	11	17	23	39
GRAND TOTAL	**10064**	**7.3**	**52**	**1**	**2**	**5**	**10**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	1.8		1	1	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	13	3.6	7	2	2	3	4	9	10	10
50-64	35	4.9	8	1	2	5	6	9	10	14
65+	104	6.3	22	2	2	6	7	12	17	62
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	3.3	12	1	1	2	3	9	11	15
50-64	54	5.3	29	1	1	3	8	13	15	24
65+	45	5.4	16	2	2	4	7	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*	7	1.9		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	153	5.7	18	1	2	5	7	11	15	31
B. *Operated*	123	4.9	21	1	1	3	6	12	14	21
1. SINGLE DX	9	3.0	12	1	1	2	2	8	12	12
2. MULTIPLE DX	276	5.4	20	1	2	4	7	12	15	23
A. NOT OPERATED	155	5.7	18	1	2	5	7	11	15	30
B. OPERATED	130	4.8	21	1	1	2	6	12	14	21
TOTAL 0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	36	3.4	10	1	1	2	3	9	10	15
50-64	96	4.9	20	1	1	3	6	12	14	22
65+	151	6.0	21	2	2	5	7	12	16	31
GRAND TOTAL	**285**	**5.3**	**20**	**1**	**2**	**4**	**7**	**12**	**14**	**23**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	5	5.8	68	1	1	1	9	20	20	20
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
0-19 YRS	4	10.3	71	2	2	8	15	22	22	22
20-34	27	12.9	69	1	1	11	17	25	29	34
35-49	24	11.9	63	<1	2	11	18	22	24	28
50-64	32	14.1	83	1	2	12	18	29	31	35
65+	7	11.7	57	2	2	11	18	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.5	613	8	8	25	43	43	43	43
20-34	4	7.0	101	1	1	2	12	22	22	22
35-49	9	9.9	85	<1	<1	7	20	23	25	25
50-64	18	7.4	34	1	1	5	10	16	19	21
65+	55	12.8	41	3	5	11	19	21	23	32
B. *Operated*										
0-19 YRS	8	22.0	917	6	6	11	18	73	96	96
20-34	26	20.6	386	2	4	14	22	48	60	91
35-49	56	20.0	130	7	9	18	27	39	57	99+
50-64	94	24.2	262	2	8	21	33	48	61	89
65+	71	28.0	346	6	11	22	35	61	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.6	35	1	1	4	9	14	19	20
B. *Operated*	94	12.8	70	1	2	11	18	24	29	35
2. MULTIPLE DX										
A. *Not Operated*	88	11.4	61	1	2	10	17	21	23	39
B. *Operated*	255	23.9	292	5	8	19	32	49	64	99+
1. SINGLE DX	106	12.0	71	1	1	11	17	23	28	34
2. MULTIPLE DX	343	20.7	262	2	5	17	27	42	61	99+
A. NOT OPERATED	100	10.7	61	1	1	9	16	21	23	37
B. OPERATED	349	20.9	256	2	6	17	28	41	61	99+
TOTAL 0-19 YRS	14	19.1	593	3	6	9	19	48	85	96
20-34	60	15.2	229	1	1	12	19	34	43	87
35-49	94	16.2	126	1	2	15	22	32	44	99+
50-64	146	19.7	231	2	3	16	27	39	50	77
65+	135	20.7	260	4	7	17	25	41	62	96
GRAND TOTAL	**449**	**18.7**	**230**	**2**	**3**	**15**	**24**	**38**	**52**	**96**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.0	247	2	2	6	25	31	31	31
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	8	16.5	330	<1	<1	14	18	47	58	58
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	19.6	94	9	9	22	31	80	99+	99+
35-49	19	28.7	231	8	9	27	32	49	62	72
50-64	7	30.9	109	16	18	30	34	47	50	50
65+	8	20.9	150	9	9	16	32	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	14.1	249	<1	1	8	17	36	54	58
B. *Operated*	42	25.8	178	9	10	27	32	48	58	99+
1. SINGLE DX										
2. MULTIPLE DX	55	23.0	216	3	7	23	31	47	56	98
A. NOT OPERATED	13	14.1	249	<1	1	8	17	36	54	58
B. OPERATED	42	25.8	178	9	10	27	32	48	58	99+
TOTAL 0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	19.6	94	9	9	22	31	80	99+	99+
35-49	22	26.6	252	4	7	27	32	48	58	72
50-64	9	25.3	202	5	6	29	33	44	50	50
65+	16	18.7	229	<1	2	14	24	40	53	58
GRAND TOTAL	**55**	**23.0**	**216**	**3**	**7**	**23**	**31**	**47**	**56**	**98**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	5	1	1	4	6	7	7	7
20-34	2	12.5	221	2	2	12	23	23	23	23
35-49	6	15.3	503	<1	<1	8	14	55	60	60
50-64	10	5.7	19	<1	<1	5	10	11	12	12
65+	47	8.0	27	2	3	7	11	14	17	26
B. *Operated*										
0-19 YRS	12	7.2	27	2	3	6	8	13	21	22
20-34	16	6.4	31	1	1	5	8	12	20	23
35-49	22	8.9	143	2	3	6	8	16	36	59
50-64	22	8.6	16	4	4	7	12	14	16	18
65+	50	10.8	61	4	5	8	15	19	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.7	31	1	1	8	11	15	16	16
20-34	12	11.0	403	1	2	5	7	31	68	74
35-49	36	8.2	46	<1	1	6	12	16	23	30
50-64	134	11.1	131	2	3	8	12	21	31	67
65+	558	11.3	58	3	4	10	15	20	26	39
B. *Operated*										
0-19 YRS	30	10.6	117	1	2	7	12	24	39	47
20-34	22	12.0	63	3	4	10	19	27	54	99+
35-49	44	22.4	519	4	5	13	31	51	79	94
50-64	130	16.9	191	4	4	13	21	37	59	99+
65+	335	19.4	164	5	7	17	26	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	8.2	68	1	1	7	11	14	23	53
B. *Operated*	122	9.1	61	2	3	7	11	16	22	46
2. MULTIPLE DX										
A. *Not Operated*	747	11.0	75	2	4	9	14	20	26	48
B. *Operated*	561	18.3	197	4	5	14	25	37	50	99+
1. SINGLE DX	192	8.8	63	1	2	7	11	16	23	51
2. MULTIPLE DX	1308	14.1	140	3	4	11	18	29	38	76
A. NOT OPERATED	817	10.8	75	2	3	9	14	20	26	49
B. OPERATED	683	16.6	185	3	5	13	22	34	47	97
TOTAL 0-19 YRS	54	8.9	78	1	1	7	10	19	26	47
20-34	52	10.1	132	1	2	7	12	24	29	99
35-49	108	14.5	321	1	2	8	15	36	59	91
50-64	296	13.3	156	2	3	9	16	28	39	76
65+	990	13.8	108	3	4	11	18	27	34	63
GRAND TOTAL	**1500**	**13.5**	**134**	**3**	**4**	**10**	**17**	**27**	**37**	**74**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	3	8.3	65	1	1	7	14	17	17	17
35-49	13	20.7	391	4	5	14	25	60	63	64
50-64	53	19.3	291	5	6	15	24	38	69	99
65+	229	14.4	88	5	6	12	18	24	29	53
B. *Operated*										
0-19 YRS	3	13.7	96	8	8	8	21	25	25	25
20-34	3	27.7	289	15	15	21	40	47	47	47
35-49	10	27.4	324	9	9	18	44	53	57	57
50-64	35	23.7	233	7	8	21	30	53	54	63
65+	82	25.1	313	7	9	19	32	51	59	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	300	15.5	140	5	6	12	19	27	36	72
B. *Operated*	133	24.7	284	7	8	20	32	51	56	84
1. SINGLE DX										
2. MULTIPLE DX	433	18.3	202	5	7	14	21	36	52	77
A. NOT OPERATED	300	15.5	140	5	6	12	19	27	36	72
B. OPERATED	133	24.7	284	7	8	20	32	51	56	84
TOTAL 0-19 YRS	5	12.6	75	4	4	8	20	25	25	25
20-34	6	18.0	254	1	2	16	21	44	47	47
35-49	23	23.6	357	4	5	15	37	57	61	64
50-64	88	21.1	270	5	7	18	28	49	64	93
65+	311	17.2	169	5	7	13	20	32	46	72
GRAND TOTAL	**433**	**18.3**	**202**	**5**	**7**	**14**	**21**	**36**	**52**	**77**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	15	3.1	5	1	1	2	5	7	8	8
65+	27	4.1	5	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	10.7	120	2	2	7	19	23	23	23
35-49	48	5.2	17	1	1	4	6	12	15	16
50-64	426	4.3	8	1	1	4	5	8	10	13
65+	826	4.4	9	1	1	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	19	4.9	12	1	1	4	7	11	13	13
50-64	131	4.7	10	1	1	4	6	10	11	13
65+	555	5.6	21	1	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	7	10.9	196	1	1	5	13	36	41	41
20-34	7	5.9	12	1	1	7	9	10	10	10
35-49	153	6.6	51	1	2	5	8	12	15	35
50-64	1764	6.1	22	1	2	5	8	11	15	24
65+	4451	6.9	32	1	2	6	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.7	5	1	1	3	5	8	8	8
B. *Operated*	1303	4.4	9	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	708	5.4	19	1	2	4	7	10	13	19
B. *Operated*	6382	6.7	30	1	2	5	8	12	16	29
1. SINGLE DX	1348	4.4	9	1	1	4	5	8	10	16
2. MULTIPLE DX	7090	6.6	29	1	2	5	8	12	16	28
A. NOT OPERATED	753	5.3	18	1	2	4	7	10	12	19
B. OPERATED	7685	6.3	27	1	2	5	8	12	15	27
TOTAL 0-19 YRS	8	10.0	174	1	2	5	10	33	41	41
20-34	13	6.0	37	1	1	4	8	13	21	23
35-49	222	6.1	40	1	2	5	8	12	14	30
50-64	2336	5.7	19	1	2	5	7	11	13	22
65+	5859	6.4	29	1	2	5	8	12	16	27
GRAND TOTAL	**8438**	**6.2**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	17	10.5	91	2	4	8	12	21	35	41
65+	47	8.7	26	3	3	8	10	15	17	30
B. *Operated*										
0-19 YRS										
20-34	4	9.3	45	2	2	8	14	18	18	18
35-49	12	11.8	195	2	3	7	14	29	49	53
50-64	83	11.1	104	1	2	9	13	24	35	48
65+	198	13.3	209	2	3	9	15	27	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	9.2	42	3	4	8	11	15	21	39
B. *Operated*	297	12.6	177	2	2	9	15	26	39	85
1. SINGLE DX										
2. MULTIPLE DX	362	11.9	154	2	3	9	14	24	36	77
A. NOT OPERATED	65	9.2	42	3	4	8	11	15	21	39
B. OPERATED	297	12.6	177	2	2	9	15	26	39	85
TOTAL 0-19 YRS										
20-34	4	9.3	45	2	2	8	14	18	18	18
35-49	13	11.8	179	2	3	7	13	25	48	53
50-64	100	11.0	101	1	2	9	13	23	35	48
65+	245	12.4	177	2	3	9	14	25	37	91
GRAND TOTAL	**362**	**11.9**	**154**	**2**	**3**	**9**	**14**	**24**	**36**	**77**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.7	11	1	1	6	8	10	10	10
35-49	23	6.1	20	2	2	5	8	10	15	22
50-64	78	6.1	10	2	2	6	8	10	12	16
65+	297	6.9	28	2	3	6	8	12	15	28
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	13	5.9	19	2	2	4	8	13	14	14
35-49	21	7.5	125	1	1	5	8	14	33	53
50-64	44	9.3	208	1	2	5	9	19	32	91
65+	56	6.8	44	1	2	5	8	11	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	108	1	2	4	6	17	35	41
20-34	34	8.1	39	2	3	6	12	16	19	32
35-49	178	8.7	67	2	3	7	10	15	20	35
50-64	1081	8.8	47	3	3	7	11	16	21	36
65+	6001	9.6	48	3	4	8	12	17	22	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	9.3	84	2	2	6	11	20	33	40
35-49	122	11.2	151	2	3	8	13	24	34	90
50-64	458	13.0	161	2	3	9	15	27	42	92
65+	1148	14.1	128	3	4	11	18	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	6.6	24	2	2	6	8	12	15	24
B. *Operated*	137	7.5	106	1	2	5	8	13	19	58
2. MULTIPLE DX										
A. *Not Operated*	7309	9.4	48	3	4	8	12	17	22	35
B. *Operated*	1756	13.5	138	2	4	10	17	28	39	66
1. SINGLE DX	542	6.9	45	2	2	6	8	12	15	34
2. MULTIPLE DX	9065	10.2	68	3	4	8	12	19	25	46
A. NOT OPERATED	7714	9.3	47	3	3	8	11	17	21	35
B. OPERATED	1893	13.1	138	2	3	10	16	27	38	66
TOTAL 0-19 YRS	19	6.8	89	1	2	4	5	17	30	41
20-34	81	8.0	49	2	2	6	11	15	20	38
35-49	344	9.4	99	2	3	7	11	17	25	62
50-64	1661	9.9	85	2	3	7	12	18	26	53
65+	7502	10.1	62	3	4	8	12	19	24	43
GRAND TOTAL	**9607**	**10.0**	**67**	**3**	**3**	**8**	**12**	**18**	**24**	**45**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.1	128	5	5	8	12	32	39	39
20-34	19	14.0	275	3	4	7	14	40	57	66
35-49	80	11.5	115	2	3	9	13	23	28	67
50-64	507	12.6	113	3	4	10	15	23	31	60
65+	2771	12.3	78	4	5	10	15	22	28	50
B. *Operated*										
0-19 YRS	4	6.0	17	1	1	6	9	11	11	11
20-34	10	18.6	261	5	5	12	26	46	50	50
35-49	35	16.4	175	4	5	12	21	44	53	99+
50-64	142	20.1	363	5	6	13	23	51	72	99+
65+	503	18.8	188	5	7	15	22	39	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3385	12.3	85	4	5	10	15	22	28	54
B. *Operated*	694	18.8	224	5	6	14	22	43	53	92
1. SINGLE DX										
2. MULTIPLE DX	4079	13.4	115	4	5	11	16	24	34	64
A. NOT OPERATED	3385	12.3	85	4	5	10	15	22	28	54
B. OPERATED	694	18.8	224	5	6	14	22	43	53	92
TOTAL 0-19 YRS	12	10.1	96	1	4	7	10	22	37	39
20-34	29	15.6	266	4	4	8	16	45	51	66
35-49	115	13.0	137	2	4	10	16	25	38	87
50-64	649	14.2	177	3	5	10	16	27	46	79
65+	3274	13.3	100	4	5	11	16	24	32	59
GRAND TOTAL	**4079**	**13.4**	**115**	**4**	**5**	**11**	**16**	**24**	**34**	**64**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	2.8	2	1	1	3	4	5	6	6
35-49	62	3.0	4	<1	1	3	4	6	7	9
50-64	206	3.4	4	1	1	3	4	6	7	10
65+	493	3.6	6	1	1	3	5	6	8	13
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	45	3.4	4	1	1	3	4	6	7	8
50-64	148	3.8	7	1	1	3	5	7	8	15
65+	143	4.2	31	1	1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	2	1	2	3	4	6	6	6
20-34	68	3.9	6	1	1	3	5	6	9	14
35-49	346	4.2	6	1	1	4	6	7	9	13
50-64	1610	4.7	10	1	2	4	6	8	10	17
65+	7996	5.3	15	2	2	4	7	9	12	20
B. *Operated*										
0-19 YRS	5	7.2	27	3	3	4	11	15	15	15
20-34	25	5.6	8	1	2	5	8	9	11	11
35-49	167	5.1	13	1	2	4	7	10	12	18
50-64	703	6.0	22	1	2	5	8	11	14	24
65+	1685	7.7	46	2	2	6	9	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	3.5	5	1	1	3	4	6	7	12
B. *Operated*	337	3.9	17	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	10033	5.2	14	2	2	4	6	9	11	19
B. *Operated*	2585	7.1	38	1	2	6	9	14	18	29
1. SINGLE DX	1121	3.6	9	1	1	3	5	7	8	13
2. MULTIPLE DX	12618	5.6	20	2	2	5	7	10	13	22
A. NOT OPERATED	10817	5.1	14	1	2	4	6	9	11	18
B. OPERATED	2922	6.7	36	1	2	5	8	13	17	29
TOTAL 0-19 YRS	20	4.3	10	1	2	3	5	8	12	15
20-34	115	4.0	7	1	1	4	5	8	9	13
35-49	620	4.3	8	1	1	4	6	8	10	14
50-64	2667	4.9	13	1	2	4	6	9	11	19
65+	10317	5.6	21	2	2	5	7	10	13	22
GRAND TOTAL	**13739**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	24	7.4	53	2	2	5	7	16	23	36
50-64	84	6.1	51	2	2	5	7	11	14	48
65+	281	7.3	38	2	2	6	9	13	15	34
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	8	5.0	9	2	2	4	7	9	10	10
50-64	32	4.9	16	1	1	4	7	11	11	17
65+	36	10.5	159	1	2	6	12	24	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.0	48	2	2	5	10	20	22	22
20-34	26	8.0	51	1	2	6	9	18	24	30
35-49	107	7.5	25	2	3	7	9	13	19	26
50-64	585	8.1	49	2	3	6	10	15	19	34
65+	3392	8.5	30	3	3	7	11	15	19	28
B. *Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	10	11.0	224	2	2	6	10	33	52	52
35-49	31	9.8	74	2	2	7	13	20	25	44
50-64	189	10.6	84	2	3	8	13	23	28	86
65+	548	14.8	160	3	5	11	17	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	7.1	42	2	2	6	8	12	15	36
B. *Operated*	80	7.4	86	1	1	5	9	13	23	57
2. MULTIPLE DX										
A. *Not Operated*	4117	8.4	32	2	3	7	10	15	19	28
B. *Operated*	781	13.5	142	3	4	10	16	27	39	68
1. SINGLE DX	472	7.1	49	2	2	6	8	13	16	41
2. MULTIPLE DX	4898	9.2	53	2	3	7	11	16	22	41
A. NOT OPERATED	4509	8.3	33	2	3	7	10	15	19	29
B. OPERATED	861	12.9	140	2	3	10	16	26	38	68
TOTAL 0-19 YRS	12	6.7	31	2	2	5	7	15	21	22
20-34	41	8.8	88	2	2	6	10	18	26	52
35-49	170	7.8	38	2	3	6	9	15	20	34
50-64	890	8.3	57	2	2	6	10	16	21	43
65+	4257	9.2	53	3	3	7	11	16	21	41
GRAND TOTAL	**5370**	**9.0**	**53**	**2**	**3**	**7**	**11**	**16**	**21**	**41**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	25	13	13	16	20	20	20	20
20-34	7	9.3	11	6	6	9	10	15	16	16
35-49	39	10.5	110	3	3	7	13	22	26	59
50-64	266	10.5	68	2	3	8	13	18	25	46
65+	1440	10.5	64	3	4	9	13	18	24	43
B. *Operated*										
0-19 YRS	3	15.0	13	11	11	16	17	18	18	18
20-34	3	7.7	30	2	2	8	12	13	13	13
35-49	19	13.9	139	4	5	10	16	31	44	51
50-64	67	10.6	80	2	4	8	13	21	39	90
65+	207	15.8	135	4	5	13	20	31	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1754	10.5	65	3	4	9	13	18	24	47
B. *Operated*	299	14.5	125	4	4	11	18	30	37	70
1. SINGLE DX										
2. MULTIPLE DX	2053	11.1	76	3	4	9	13	20	27	50
A. NOT OPERATED	1754	10.5	65	3	4	9	13	18	24	47
B. OPERATED	299	14.5	125	4	4	11	18	30	37	70
TOTAL 0-19 YRS	5	15.6	13	11	11	16	18	20	20	20
20-34	10	8.8	15	2	4	8	10	14	16	16
35-49	58	11.6	120	3	4	8	13	24	31	58
50-64	333	10.5	70	2	3	8	13	19	27	48
65+	1647	11.2	76	3	4	9	14	20	27	49
GRAND TOTAL	**2053**	**11.1**	**76**	**3**	**4**	**9**	**13**	**20**	**27**	**50**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	14	3.1	2	1	2	3	4	5	7	7
35-49	41	3.0	3	1	1	3	4	6	7	8
50-64	56	3.7	9	1	1	3	4	8	12	15
65+	80	4.5	16	1	1	3	5	10	14	20
B. *Operated*										
0-19 YRS	6	6.3	19	2	2	5	11	12	12	12
20-34	17	4.8	19	<1	1	3	8	12	14	15
35-49	42	6.0	19	1	1	6	9	12	14	16
50-64	39	5.7	36	1	1	3	8	14	19	26
65+	44	4.1	20	1	1	2	4	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.7	58	1	2	4	7	17	26	30
20-34	66	5.0	32	1	1	4	6	9	12	38
35-49	284	5.1	17	1	2	4	6	9	13	18
50-64	535	5.8	35	1	2	4	7	11	14	26
65+	1805	6.5	24	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	8	27.3	1201	3	3	10	49	84	87	87
20-34	49	13.3	317	1	1	8	14	29	46	86
35-49	76	10.9	72	2	3	9	14	21	30	42
50-64	242	10.9	181	1	1	7	13	23	31	75
65+	407	9.1	82	1	2	7	12	17	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.8	10	1	1	3	5	8	11	16
B. *Operated*	148	5.3	24	1	1	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2706	6.2	26	2	2	5	8	11	15	24
B. *Operated*	782	10.3	140	1	2	7	12	20	27	76
1. SINGLE DX	342	4.4	17	1	1	3	6	10	13	21
2. MULTIPLE DX	3488	7.1	54	1	2	5	9	13	17	38
A. NOT OPERATED	2900	6.0	25	1	2	5	7	11	14	23
B. OPERATED	930	9.5	125	1	2	7	12	19	26	68
TOTAL 0-19 YRS	33	11.3	378	1	2	5	11	23	71	87
20-34	146	7.6	139	1	1	4	8	14	22	86
35-49	443	6.0	30	1	2	4	7	12	16	30
50-64	872	7.0	80	1	2	4	8	14	20	42
65+	2336	6.8	35	2	2	5	8	13	16	26
GRAND TOTAL	**3830**	**6.8**	**52**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+	8	6.9	28	1	1	6	9	15	17	17
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	6	3	3	7	8	8	8	8
35-49	38	4.5	13	1	1	3	7	10	11	13
50-64	148	4.2	15	1	1	2	7	10	12	18
65+	138	5.0	25	1	1	2	8	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49	10	3.4	4	1	1	3	4	6	7	7
50-64	60	4.5	14	1	1	3	7	10	11	16
65+	180	6.0	27	1	1	4	8	12	17	26
B. *Operated*										
0-19 YRS	5	7.8	11	4	4	8	10	12	12	12
20-34	15	7.1	76	<1	2	5	7	11	30	37
35-49	218	8.0	53	1	1	7	10	18	24	59
50-64	953	9.1	80	1	1	7	12	19	27	46
65+	2102	11.5	104	1	2	9	15	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.2	22	<1	1	4	8	11	16	17
B. *Operated*	329	4.6	19	1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	252	5.5	23	1	1	4	8	12	15	24
B. *Operated*	3293	10.6	95	1	1	8	14	22	30	48
1. SINGLE DX	342	4.6	19	1	1	2	7	11	13	19
2. MULTIPLE DX	3545	10.2	92	1	1	8	14	21	29	47
A. NOT OPERATED	265	5.5	23	1	1	4	8	12	15	24
B. OPERATED	3622	10.0	91	1	1	8	13	21	29	46
TOTAL 0-19 YRS	8	6.1	15	1	1	6	9	11	12	12
20-34	19	6.9	60	1	2	6	8	10	25	37
35-49	268	7.3	48	1	1	6	10	17	23	41
50-64	1164	8.2	72	1	1	6	11	18	24	45
65+	2428	10.7	97	1	1	8	14	22	30	47
GRAND TOTAL	**3887**	**9.7**	**88**	**1**	**1**	**8**	**13**	**21**	**28**	**46**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	19	6.6	57	1	1	3	7	20	24	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	7.2	6	3	3	9	9	9	9	9
50-64	93	8.6	16	1	2	9	11	11	13	70
65+	129	9.5	22	1	2	10	12	16	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	6.3	44	2	2	4	10	16	16	16
50-64	32	3.9	9	<1	1	4	6	8	10	11
65+	261	6.3	35	1	1	4	8	14	19	31
B. *Operated*										
0-19 YRS	4	5.0	17	<1	<1	5	8	9	9	9
20-34	13	16.4	290	1	3	11	21	34	61	67
35-49	27	12.3	152	1	2	10	12	23	34	66
50-64	631	12.1	68	2	5	10	13	21	28	49
65+	1779	14.6	127	2	5	12	17	26	35	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.9	50	<1	1	3	6	19	23	27
B. *Operated*	233	9.0	19	1	2	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	299	6.0	32	1	1	4	7	13	18	31
B. *Operated*	2454	13.9	114	2	5	11	16	24	33	73
1. SINGLE DX	256	8.8	23	1	2	9	11	14	17	27
2. MULTIPLE DX	2753	13.1	111	2	3	11	15	24	32	66
A. NOT OPERATED	322	6.0	33	1	1	4	7	14	19	30
B. OPERATED	2687	13.5	108	2	4	11	16	24	32	69
TOTAL 0-19 YRS	6	4.3	13	<1	<1	3	8	9	9	9
20-34	16	14.4	251	2	3	9	18	26	55	67
35-49	41	10.3	112	1	2	9	11	16	26	66
50-64	758	11.3	62	2	3	10	13	19	26	48
65+	2188	13.2	118	2	3	11	16	24	32	80
GRAND TOTAL	**3009**	**12.7**	**105**	**2**	**3**	**11**	**15**	**23**	**31**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	11	6.1	23	1	1	4	11	13	13	13
35-49	22	4.2	11	<1	1	3	5	10	11	12
50-64	35	6.9	17	1	1	7	9	12	15	17
65+	52	7.7	26	1	2	7	9	12	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	18	6.9	23	1	1	6	12	13	15	17
B. *Operated*										
0-19 YRS	4	6.3	29	1	1	5	10	13	13	13
20-34	15	15.7	193	1	3	9	24	38	45	48
35-49	54	13.6	189	1	1	10	21	29	38	77
50-64	148	10.1	49	2	3	8	13	19	23	45
65+	330	11.5	103	2	3	9	15	20	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	9	2	2	3	5	9	11	11
B. *Operated*	123	6.6	21	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	24	5.8	22	<1	1	5	9	13	14	17
B. *Operated*	551	11.4	99	2	3	9	14	21	29	57
1. SINGLE DX	132	6.4	21	1	1	6	9	12	14	21
2. MULTIPLE DX	575	11.2	97	2	2	9	14	21	29	56
A. NOT OPERATED	33	5.3	19	1	1	4	7	12	13	17
B. OPERATED	674	10.5	88	1	2	8	13	20	27	53
TOTAL 0-19 YRS	8	4.1	18	1	1	2	6	11	13	13
20-34	28	11.1	135	1	1	8	13	28	39	48
35-49	81	10.3	150	1	1	6	13	26	32	67
50-64	188	9.4	44	1	2	8	12	18	20	44
65+	402	10.8	91	2	3	9	13	19	26	55
GRAND TOTAL	**707**	**10.3**	**86**	**1**	**2**	**8**	**13**	**19**	**27**	**53**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	3	5	5	7	8	9	9	9
20-34	9	6.1	9	2	2	7	8	10	10	10
35-49	7	6.3	10	2	2	6	8	11	12	12
50-64	23	5.1	26	<1	1	3	7	10	16	23
65+	30	5.2	13	1	1	5	7	11	12	15
B. *Operated*										
0-19 YRS	5	9.4	19	5	5	10	12	16	16	16
20-34	23	7.5	34	1	2	6	11	18	19	21
35-49	131	5.2	15	1	1	5	8	10	12	16
50-64	354	5.7	15	1	1	6	8	11	12	16
65+	303	5.7	18	1	1	5	9	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	7.1	9	3	3	7	9	11	11	11
35-49	27	6.7	28	1	1	6	10	12	15	23
50-64	73	6.2	22	1	1	5	9	11	12	27
65+	251	7.3	28	1	2	7	9	13	16	29
B. *Operated*										
0-19 YRS	5	16.0	61	9	9	11	24	25	25	25
20-34	52	12.5	198	1	2	9	13	27	50	74
35-49	359	10.3	109	1	2	8	12	19	28	64
50-64	1618	10.1	73	1	2	8	13	19	26	45
65+	2901	11.9	97	1	2	10	15	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.5	15	1	1	5	7	10	12	21
B. *Operated*	816	5.7	17	1	1	5	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*	360	7.0	27	1	1	7	9	12	15	29
B. *Operated*	4935	11.2	92	1	2	9	14	22	29	53
1. SINGLE DX	889	5.7	17	1	1	5	8	11	12	18
2. MULTIPLE DX	5295	10.9	88	1	2	9	14	22	29	53
A. NOT OPERATED	433	6.8	25	1	1	6	9	12	14	29
B. OPERATED	5751	10.4	85	1	2	9	13	21	28	52
TOTAL 0-19 YRS	15	11.3	38	5	5	10	13	24	25	25
20-34	92	10.2	128	1	2	8	11	19	28	67
35-49	524	8.8	85	1	1	7	11	16	22	57
50-64	2068	9.2	64	1	2	8	12	17	23	41
65+	3485	10.9	89	1	2	9	14	22	29	52
GRAND TOTAL	**6184**	**10.2**	**81**	**1**	**2**	**8**	**13**	**20**	**27**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	8	1	1	4	6	8	9	15
20-34	15	4.1	9	1	2	4	4	10	11	11
35-49	15	4.3	4	1	3	4	5	8	9	9
50-64	32	3.8	11	<1	1	2	5	8	12	15
65+	43	5.4	36	<1	1	4	7	12	23	25
B. *Operated*										
0-19 YRS	10	2.6	1	1	1	3	4	4	4	4
20-34	30	9.0	157	1	2	4	10	25	45	52
35-49	82	3.3	10	1	1	2	4	7	10	17
50-64	231	4.1	20	1	1	2	6	10	12	16
65+	210	4.5	23	1	1	2	6	11	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	4.9	8	2	2	4	7	9	10	14
20-34	54	5.9	22	<1	1	4	8	12	15	21
35-49	74	6.4	34	1	1	4	8	17	20	26
50-64	165	5.7	51	1	1	4	7	10	14	34
65+	446	6.3	23	1	1	5	8	12	17	23
B. *Operated*										
0-19 YRS	23	10.3	235	<1	1	3	14	36	77	99+
20-34	70	8.0	55	1	2	6	12	18	35	99+
35-49	261	7.4	103	1	1	5	9	14	23	53
50-64	861	8.2	82	1	1	6	10	18	26	44
65+	1467	10.0	105	1	2	7	13	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	4.5	15	1	1	4	6	8	11	24
B. *Operated*	563	4.4	28	1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	832	6.0	28	1	1	5	8	12	17	23
B. *Operated*	2682	9.1	98	1	1	6	12	20	28	51
1. SINGLE DX	750	4.4	25	1	1	3	6	10	12	23
2. MULTIPLE DX	3514	8.4	83	1	1	6	11	18	25	47
A. NOT OPERATED	1019	5.7	26	1	1	4	7	11	15	23
B. OPERATED	3245	8.3	89	1	1	6	11	19	26	49
TOTAL 0-19 YRS	208	5.2	35	1	2	4	7	9	13	47
20-34	169	7.2	60	1	2	5	9	17	21	90
35-49	432	6.3	73	1	1	4	8	13	19	42
50-64	1289	7.0	68	1	1	5	9	15	21	42
65+	2166	8.6	83	1	1	6	11	20	25	46
GRAND TOTAL	**4264**	**7.7**	**75**	**1**	**1**	**5**	**10**	**17**	**23**	**46**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.7	9	1	2	6	7	9	12	14
20-34	214	6.3	9	2	3	6	8	10	12	14
35-49	332	6.5	10	2	3	6	8	10	11	16
50-64	314	7.0	11	2	3	7	9	11	13	18
65+	273	6.8	9	3	3	7	8	10	12	18
B. *Operated*										
0-19 YRS	20	6.2	20	1	1	5	9	12	15	16
20-34	146	6.2	12	1	2	6	9	11	12	15
35-49	194	6.3	12	2	2	6	8	11	13	16
50-64	180	6.6	12	2	2	6	8	11	13	17
65+	111	7.2	21	1	2	7	10	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.4	11	2	2	6	8	12	13	13
20-34	279	7.3	18	2	3	7	10	12	14	24
35-49	610	7.4	16	2	3	7	10	12	14	21
50-64	1048	7.9	17	3	4	7	9	13	15	24
65+	1795	8.2	15	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	24	9.4	55	2	2	8	12	19	24	35
20-34	252	7.8	26	2	2	7	10	14	18	26
35-49	412	8.4	25	2	3	8	10	15	18	25
50-64	656	8.9	35	2	3	8	11	15	20	32
65+	1125	10.2	50	3	4	9	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	6.7	10	2	3	6	8	10	12	17
B. *Operated*	651	6.5	14	1	2	6	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	3762	7.9	16	3	4	7	10	13	15	21
B. *Operated*	2469	9.3	40	2	3	8	11	16	20	34
1. SINGLE DX	1815	6.6	11	2	3	6	8	11	12	17
2. MULTIPLE DX	6231	8.5	26	3	3	8	10	14	17	28
A. NOT OPERATED	4926	7.6	15	3	3	7	9	12	14	21
B. OPERATED	3120	8.7	36	2	3	8	11	15	19	30
TOTAL 0-19 YRS	105	6.8	23	1	2	6	8	13	14	26
20-34	891	7.0	18	2	2	6	9	12	14	22
35-49	1548	7.4	17	2	3	7	9	12	15	21
50-64	2198	7.9	22	2	3	7	10	13	15	27
65+	3304	8.8	28	3	4	8	11	14	17	29
GRAND TOTAL	**8046**	**8.1**	**23**	**2**	**3**	**7**	**10**	**13**	**16**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	13	7.3	27	1	1	6	10	16	17	17
50-64	16	8.1	33	2	3	8	10	14	22	25
65+	21	9.2	44	2	3	7	12	21	24	26
B. *Operated*										
0-19 YRS	10	3.1	5	1	1	2	6	7	7	7
20-34	370	2.4	2	1	1	2	3	4	5	8
35-49	596	2.8	6	1	1	2	3	4	6	17
50-64	379	3.6	16	1	1	3	4	6	10	22
65+	124	4.9	29	1	1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	16	6.1	41	<1	<1	4	8	14	22	25
35-49	63	7.6	24	1	2	7	11	15	17	22
50-64	130	8.5	38	1	3	7	11	15	18	38
65+	385	8.8	27	3	4	8	11	16	20	26
B. *Operated*										
0-19 YRS	7	3.4	2	1	1	4	5	5	5	5
20-34	135	4.9	37	1	1	3	5	9	18	32
35-49	310	4.9	31	1	1	3	5	11	15	26
50-64	366	7.5	76	1	1	4	9	20	28	37
65+	412	13.5	167	2	2	10	18	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.4	35	1	2	7	10	16	23	26
B. *Operated*	1479	3.1	10	1	1	2	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	596	8.5	30	2	3	7	11	16	19	26
B. *Operated*	1230	8.5	104	1	1	4	11	21	30	51
1. SINGLE DX	1530	3.3	12	1	1	2	4	6	8	20
2. MULTIPLE DX	1826	8.5	80	1	2	6	11	19	26	43
A. NOT OPERATED	647	8.5	30	2	3	7	11	16	19	26
B. OPERATED	2709	5.6	60	1	1	3	5	14	21	38
TOTAL 0-19 YRS	19	3.3	4	1	1	2	5	7	7	7
20-34	522	3.2	14	1	1	2	3	5	7	25
35-49	982	3.8	18	1	1	3	4	7	12	22
50-64	891	6.0	48	1	1	4	7	13	21	36
65+	942	10.3	98	1	2	8	13	21	29	56
GRAND TOTAL	**3356**	**6.1**	**55**	**1**	**1**	**3**	**7**	**14**	**20**	**37**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	24	2.8	3	<1	1	2	4	6	6	7
35-49	24	2.7	1	1	1	2	4	4	5	5
50-64	14	2.4	2	<1	<1	2	3	4	6	6
65+	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	7	3.9	17	1	1	3	4	11	13	13
20-34	221	3.1	3	1	1	3	4	5	6	7
35-49	291	3.2	3	1	1	3	4	5	7	9
50-64	156	3.1	3	1	1	3	4	5	6	8
65+	74	3.6	17	1	1	3	4	5	7	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	63	3.3	6	1	1	3	4	6	9	11
35-49	107	3.5	7	<1	1	3	5	6	8	14
50-64	113	3.6	4	1	1	3	5	6	7	10
65+	176	4.2	6	1	1	4	6	7	9	10
B. *Operated*										
0-19 YRS	25	3.4	2	1	2	3	4	6	6	7
20-34	1093	3.4	4	1	2	3	4	5	6	10
35-49	1767	3.5	4	1	2	3	4	6	7	11
50-64	1451	3.8	6	1	2	3	5	6	8	13
65+	799	4.9	14	1	2	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.6	2	<1	1	2	3	5	6	7
B. *Operated*	749	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	466	3.7	6	1	1	3	5	7	8	11
B. *Operated*	5135	3.8	6	1	2	3	5	6	8	13
1. SINGLE DX	829	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX	5601	3.8	6	1	2	3	5	6	8	13
A. NOT OPERATED	546	3.6	5	1	1	3	5	6	8	10
B. OPERATED	5884	3.7	6	1	2	3	5	6	8	13
TOTAL 0-19 YRS	44	3.1	4	1	1	3	4	5	6	13
20-34	1401	3.4	3	1	1	3	4	5	6	10
35-49	2189	3.4	4	1	1	3	4	6	7	11
50-64	1734	3.7	6	1	2	3	5	6	8	12
65+	1062	4.7	13	1	2	4	6	8	11	16
GRAND TOTAL	**6430**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	15	1	1	4	7	9	13	17
20-34	108	5.9	12	1	1	6	8	10	13	14
35-49	120	6.3	9	1	2	6	8	11	12	14
50-64	153	6.0	11	1	2	6	8	10	11	21
65+	164	6.6	15	1	2	6	8	11	12	23
B. *Operated*										
0-19 YRS	66	2.5	8	1	1	1	2	7	9	15
20-34	170	4.5	15	1	1	3	7	10	12	15
35-49	136	6.3	19	1	1	6	8	11	14	21
50-64	127	6.7	11	1	2	7	9	11	11	14
65+	119	8.1	17	2	3	8	10	14	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	14	1	1	3	7	9	13	20
20-34	274	6.1	21	1	1	5	8	12	15	25
35-49	486	6.7	31	1	2	6	8	12	15	26
50-64	1056	6.5	18	1	2	6	9	12	14	21
65+	2643	6.7	22	2	2	6	8	12	15	22
B. *Operated*										
0-19 YRS	61	6.5	62	1	1	4	9	13	18	44
20-34	316	7.5	61	1	1	6	10	15	20	36
35-49	428	8.6	56	1	1	7	11	16	22	39
50-64	718	9.2	46	1	2	8	12	17	21	34
65+	1309	10.4	59	2	3	9	12	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	6.2	12	1	2	6	8	10	12	17
B. *Operated*	618	5.8	17	1	1	6	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	4530	6.6	22	1	2	6	8	12	14	22
B. *Operated*	2832	9.4	57	1	2	8	12	17	22	39
1. SINGLE DX	1192	6.0	15	1	1	6	8	11	13	17
2. MULTIPLE DX	7362	7.7	37	1	2	7	10	14	18	30
A. NOT OPERATED	5104	6.5	21	1	2	6	8	11	14	22
B. OPERATED	3450	8.8	52	1	1	8	11	16	21	37
TOTAL 0-19 YRS	227	4.6	27	1	1	3	7	10	13	25
20-34	868	6.3	34	1	1	5	9	13	15	27
35-49	1170	7.3	38	1	1	6	9	13	17	30
50-64	2054	7.4	29	1	2	7	10	13	17	26
65+	4235	7.9	36	2	2	7	10	14	18	31
GRAND TOTAL	**8554**	**7.4**	**35**	**1**	**2**	**7**	**10**	**13**	**17**	**29**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1760	2.4	2	1	1	2	3	4	5	8
20-34	276	2.8	2	1	1	3	4	5	5	8
35-49	120	3.3	4	1	1	3	4	6	7	9
50-64	50	3.3	4	1	1	3	4	6	8	9
65+	36	4.2	7	1	2	4	6	7	10	12
B. *Operated*										
0-19 YRS	235	1.6	2	1	1	1	2	3	4	8
20-34	87	1.9	3	1	1	1	2	4	6	8
35-49	11	2.9	4	1	1	2	4	6	7	7
50-64	12	2.7	5	1	1	2	4	6	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4627	3.1	4	1	1	3	4	5	7	11
20-34	849	3.6	15	1	2	3	4	6	7	11
35-49	493	4.1	5	1	2	4	5	7	8	13
50-64	420	4.9	10	2	2	4	6	8	11	18
65+	648	5.5	14	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	319	2.8	14	1	1	1	3	7	10	22
20-34	116	4.0	25	1	1	3	5	9	11	27
35-49	59	6.1	47	1	1	5	8	10	11	48
50-64	67	7.9	62	1	1	6	10	15	19	50
65+	62	9.5	48	1	2	9	14	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2242	2.6	2	1	1	2	3	4	6	8
B. *Operated*	346	1.8	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	7037	3.6	7	1	1	3	4	6	8	13
B. *Operated*	623	4.5	33	1	1	2	6	11	14	30
1. SINGLE DX	2588	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	7660	3.6	10	1	1	3	4	6	9	14
A. NOT OPERATED	9279	3.3	6	1	1	3	4	6	7	12
B. OPERATED	969	3.6	24	1	1	2	4	9	12	26
TOTAL 0-19 YRS	6941	2.9	4	1	1	2	4	5	6	10
20-34	1328	3.4	13	1	1	3	4	6	7	12
35-49	683	4.1	9	1	2	3	5	7	9	13
50-64	549	5.1	17	1	2	4	6	9	11	19
65+	747	5.8	18	2	2	5	7	11	13	22
GRAND TOTAL	**10248**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3322	3.2	3	1	1	3	4	5	6	9
20-34	192	3.2	3	1	1	3	4	5	6	9
35-49	213	4.0	3	2	2	4	5	6	7	11
50-64	148	4.0	3	1	2	4	5	6	7	10
65+	156	4.3	3	2	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	10	6.0	19	1	2	5	9	13	14	14
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	6	9.0	165	1	1	4	6	32	35	35
50-64	3	3.7		3	3	4	4	4	4	4
65+	5	7.6	31	1	1	7	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5879	4.0	6	1	2	3	5	7	8	13
20-34	863	4.5	9	2	2	4	5	8	9	18
35-49	1436	5.2	13	2	2	4	6	9	11	17
50-64	3453	6.4	17	2	3	5	8	11	14	22
65+	7310	6.9	18	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	59	10.5	188	1	3	7	11	20	33	86
20-34	40	7.7	44	2	2	6	9	15	18	38
35-49	115	8.8	53	2	3	6	11	19	27	62
50-64	303	11.2	82	3	4	9	14	20	27	51
65+	563	12.3	100	3	4	10	15	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4031	3.4	3	1	1	3	4	6	7	9
B. *Operated*	28	6.4	46	1	2	4	7	13	17	35
2. MULTIPLE DX										
A. *Not Operated*	18941	5.7	15	2	2	5	7	10	13	20
B. *Operated*	1080	11.4	94	3	4	9	14	21	28	52
1. SINGLE DX	4059	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX	20021	6.0	21	2	2	5	7	11	14	24
A. NOT OPERATED	22972	5.3	14	2	2	4	6	9	12	19
B. OPERATED	1108	11.2	93	3	3	9	14	21	28	52
TOTAL 0-19 YRS	9270	3.8	6	1	2	3	5	6	8	12
20-34	1099	4.3	10	1	2	4	5	7	9	18
35-49	1770	5.3	16	2	2	4	6	9	11	22
50-64	3907	6.6	23	2	3	5	8	12	14	25
65+	8034	7.3	26	2	3	6	9	13	16	26
GRAND TOTAL	**24080**	**5.5**	**19**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	174	1.3	1	1	1	1	1	2	2	5
20-34	402	1.4	1	1	1	1	2	2	3	5
35-49	261	1.4	1	1	1	1	2	2	3	5
50-64	97	1.5	1	1	1	1	2	3	3	4
65+	29	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.3	1	<1	<1	2	3	4	4	4
35-49	7	1.0		<1	<1	<1	<1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	564	1.4	1	1	1	1	2	2	3	4
20-34	1472	1.5	1	1	1	1	2	2	3	6
35-49	1131	1.6	1	1	1	1	2	3	3	6
50-64	624	1.7	1	1	1	1	2	3	4	5
65+	227	2.1	4	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	963	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	21	1.5	1	<1	<1	<1	2	3	4	4
B. *Operated*	4018	1.6	1	1	1	1	2	3	3	6
1. SINGLE DX	966	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	4039	1.6	1	1	1	1	2	3	3	6
A. NOT OPERATED	24	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	4981	1.5	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	742	1.4	1	1	1	1	2	2	3	4
20-34	1881	1.5	1	1	1	1	2	2	3	6
35-49	1399	1.5	1	1	1	1	2	2	3	6
50-64	723	1.7	1	1	1	1	2	3	3	5
65+	260	2.0	3	1	1	2	2	3	4	7
GRAND TOTAL	**5005**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.8	2	1	1	1	3	4	4	4
20-34	19	1.5		<1	1	1	2	3	3	3
35-49	37	1.4	1	<1	1	1	2	3	3	4
50-64	17	1.5	1	<1	1	1	2	3	3	3
65+	18	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	2	5.5	41	<1	<1	5	10	10	10	10
50-64	5	4.0	14	1	1	3	6	10	10	10
65+	5	5.4	37	<1	<1	1	11	13	13	13
B. *Operated*										
0-19 YRS	31	2.3	10	1	1	1	2	4	7	18
20-34	86	1.6	1	1	1	1	2	3	4	6
35-49	177	1.7	2	1	1	1	2	3	4	6
50-64	189	1.9	3	1	1	1	2	3	4	10
65+	131	2.3	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	102	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	15	4.5	19	<1	<1	3	9	11	12	13
B. *Operated*	614	1.9	3	1	1	1	2	3	4	8
1. SINGLE DX	102	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX	629	2.0	3	1	1	1	2	4	5	10
A. NOT OPERATED	15	4.5	19	<1	<1	3	9	11	12	13
B. OPERATED	716	1.9	3	1	1	1	2	3	4	8
TOTAL 0-19 YRS	42	2.2	8	1	1	1	2	4	6	18
20-34	108	1.7	1	1	1	1	2	3	4	6
35-49	216	1.7	2	1	1	1	2	3	4	8
50-64	211	2.0	3	1	1	1	2	3	4	11
65+	154	2.4	4	1	1	2	3	5	7	11
GRAND TOTAL	**731**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	2	<1	<1	2	3	4	5	6
20-34	10	1.8	3	<1	<1	1	2	4	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8352	1.1		<1	1	1	1	1	2	3
20-34	1826	1.2		1	1	1	1	2	2	4
35-49	177	1.2		1	1	1	1	2	2	3
50-64	33	1.4		1	1	1	2	2	3	4
65+	8	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.1	3	<1	<1	1	3	5	6	8
20-34	21	2.7	3	<1	<1	2	3	5	7	8
35-49	8	3.8	3	2	2	3	5	6	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5743	1.2	1	1	1	1	1	2	2	4
20-34	551	1.4	1	1	1	1	2	2	3	5
35-49	102	1.6	2	1	1	1	2	3	4	9
50-64	25	1.9	3	1	1	1	2	3	5	9
65+	17	1.9	4	<1	1	1	2	5	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	10396	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	136	2.3	3	<1	<1	1	3	5	6	8
B. *Operated*	6438	1.2	1	1	1	1	1	2	2	4
1. SINGLE DX	10443	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX	6574	1.3	1	<1	1	1	1	2	2	5
A. NOT OPERATED	183	2.2	3	<1	<1	1	3	5	6	8
B. OPERATED	16834	1.2	1	1	1	1	1	2	2	3
TOTAL 0-19 YRS	14237	1.2	1	<1	1	1	1	2	2	3
20-34	2408	1.3		1	1	1	1	2	2	4
35-49	288	1.4	1	1	1	1	2	2	3	6
50-64	58	1.6	2	1	1	1	2	3	4	9
65+	26	1.8	3	<1	1	1	2	4	6	9
GRAND TOTAL	**17017**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	335	2.6	2	1	1	2	3	5	5	7
20-34	261	2.7	2	1	1	2	3	4	5	8
35-49	81	3.1	3	1	1	3	4	5	6	10
50-64	33	3.0	2	1	1	3	4	5	6	7
65+	19	5.6	28	1	2	4	6	11	18	24
B. *Operated*										
0-19 YRS	345	2.4	4	1	1	2	3	4	6	10
20-34	455	2.1	3	1	1	2	3	4	5	9
35-49	303	1.9	3	1	1	1	2	4	5	9
50-64	238	2.0	5	1	1	1	2	3	6	10
65+	111	1.8	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	3.4	7	1	1	3	4	5	7	12
20-34	240	3.4	5	1	2	3	4	6	7	9
35-49	185	4.8	16	1	2	4	6	8	11	21
50-64	158	5.1	23	1	2	4	6	9	11	29
65+	137	5.4	17	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	542	3.1	17	1	1	2	3	6	10	24
20-34	719	2.4	10	1	1	2	3	5	6	12
35-49	746	2.7	16	1	1	2	2	5	8	24
50-64	718	3.0	11	1	1	2	3	7	10	18
65+	455	4.4	32	1	1	2	5	10	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	2.8	3	1	1	2	3	5	6	9
B. *Operated*	1452	2.1	3	1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1182	4.1	12	1	1	3	5	7	9	18
B. *Operated*	3180	3.0	16	1	1	2	3	6	10	21
1. SINGLE DX	2181	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4362	3.3	15	1	1	2	4	7	10	20
A. NOT OPERATED	1911	3.6	9	1	1	3	4	6	8	14
B. OPERATED	4632	2.7	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	1684	2.9	9	1	1	2	3	5	7	15
20-34	1675	2.5	6	1	1	2	3	5	6	10
35-49	1315	2.8	13	1	1	2	3	6	8	20
50-64	1147	3.1	12	1	1	2	4	7	9	17
65+	722	4.2	25	1	1	2	5	10	14	29
GRAND TOTAL	**6543**	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

505 Hospitals, North Central Region, January-December 1986

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6348	3.8	4	1	2	3	5	6	7	10
20-34	1355	4.4	4	2	2	4	5	7	8	11
35-49	1016	4.9	6	2	2	4	6	8	9	12
50-64	800	5.4	7	2	3	5	7	8	10	15
65+	1054	5.9	8	2	3	5	7	10	11	15
B. *Operated*										
0-19 YRS	25	5.8	11	1	2	5	8	12	12	13
20-34	31	8.4	31	2	2	8	11	13	23	25
35-49	26	8.4	18	3	5	7	10	14	18	20
50-64	57	9.4	22	3	4	9	11	16	18	24
65+	47	9.6	16	5	5	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11088	4.5	10	2	2	4	5	8	10	16
20-34	2447	5.9	16	2	2	5	7	10	14	21
35-49	3018	6.3	15	2	3	5	8	11	13	20
50-64	5986	7.4	22	3	3	6	9	12	15	24
65+	22622	8.8	28	3	4	8	11	15	18	28
B. *Operated*										
0-19 YRS	253	12.6	151	2	3	9	15	25	33	74
20-34	269	13.1	102	3	4	11	17	25	31	60
35-49	455	13.1	78	4	5	11	17	24	33	49
50-64	1095	15.1	137	4	5	12	18	29	39	67
65+	2975	16.6	127	5	6	14	21	31	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10573	4.3	5	2	2	4	5	7	9	12
B. *Operated*	186	8.6	21	2	3	8	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	45161	7.2	25	2	3	6	9	13	16	25
B. *Operated*	5047	15.6	127	4	6	13	19	29	38	64
1. SINGLE DX	10759	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX	50208	8.0	41	2	3	6	10	15	19	34
A. NOT OPERATED	55734	6.7	22	2	3	5	8	12	15	24
B. OPERATED	5233	15.3	125	4	5	12	19	29	37	63
TOTAL 0-19 YRS	17714	4.4	11	2	2	4	5	7	9	16
20-34	4102	5.9	22	2	2	5	7	10	14	25
35-49	4515	6.7	25	2	3	5	8	12	15	27
50-64	7938	8.2	44	3	3	7	10	14	19	36
65+	26698	9.5	45	3	4	8	11	17	21	36
GRAND TOTAL	**60967**	**7.4**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.6	2	1	1	2	3	4	5	9
20-34	102	2.8	3	1	1	2	4	5	6	9
35-49	94	3.6	5	2	2	3	4	5	6	14
50-64	72	3.8	4	1	2	3	5	6	8	11
65+	77	4.2	5	1	1	4	6	7	8	11
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	3.1	3	1	1	3	4	5	7	10
20-34	412	3.4	5	1	1	3	4	6	8	10
35-49	378	3.8	4	1	2	3	5	6	8	11
50-64	515	4.9	9	2	2	4	6	9	10	18
65+	1150	5.9	15	2	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	5	21.4	672	3	3	9	33	66	66	66
20-34	5	8.2	49	3	3	5	12	20	20	20
35-49	14	6.1	15	2	2	5	7	14	15	15
50-64	20	8.2	22	2	3	8	11	15	17	19
65+	45	12.0	84	3	3	10	15	25	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	3.2	4	1	1	3	4	6	7	10
B. *Operated*	5	6.2	20	3	3	4	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2938	4.7	10	1	2	4	6	8	11	17
B. *Operated*	89	10.5	94	3	3	8	14	21	27	58
1. SINGLE DX	517	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	3027	4.8	14	1	2	4	6	9	11	18
A. NOT OPERATED	3450	4.4	10	1	2	4	5	8	10	17
B. OPERATED	94	10.3	91	3	3	7	14	21	27	57
TOTAL 0-19 YRS	658	3.1	10	1	1	3	4	5	7	10
20-34	519	3.3	5	1	1	3	4	6	7	10
35-49	487	3.9	4	1	2	4	5	6	8	11
50-64	607	4.9	10	2	2	4	6	9	11	18
65+	1273	6.0	18	2	2	5	7	11	14	22
GRAND TOTAL	**3544**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	3.0	3	1	1	3	4	5	7	9
20-34	43	3.1	3	1	1	3	4	5	7	8
35-49	46	4.2	12	1	1	3	5	7	11	20
50-64	95	5.3	54	1	2	4	6	8	10	48
65+	82	5.4	10	1	2	5	7	10	11	16
B. *Operated*										
0-19 YRS	9	3.2	9	1	1	2	5	8	9	9
20-34	5	5.0	6	2	2	6	7	8	8	8
35-49	8	5.9	13	<1	<1	6	8	11	12	12
50-64	12	4.3	15	<1	<1	2	8	10	11	11
65+	4	5.0	18	1	1	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	860	3.6	5	1	2	3	4	6	8	11
20-34	168	4.0	7	1	2	3	5	7	10	15
35-49	345	4.9	12	1	2	4	6	8	10	21
50-64	882	6.2	18	2	2	5	8	11	14	22
65+	1614	7.2	25	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	21	6.0	25	<1	1	5	7	14	17	18
20-34	16	5.0	9	1	2	5	7	12	69	99+
35-49	53	6.6	27	2	2	5	8	12	15	32
50-64	150	8.5	68	1	2	6	11	15	19	58
65+	196	11.0	70	3	4	8	14	21	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	3.7	13	1	1	3	4	7	8	13
B. *Operated*	38	4.5	12	<1	<1	4	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	3869	5.8	19	2	2	5	7	11	14	21
B. *Operated*	436	9.1	63	2	2	7	12	17	23	54
1. SINGLE DX	697	3.8	13	1	1	3	5	7	8	13
2. MULTIPLE DX	4305	6.1	24	2	2	5	8	11	15	24
A. NOT OPERATED	4528	5.5	19	1	2	4	7	10	13	21
B. OPERATED	474	8.8	61	1	2	7	11	17	22	51
TOTAL 0-19 YRS	1283	3.5	5	1	1	3	4	6	8	11
20-34	232	3.9	7	1	2	3	5	7	9	15
35-49	452	5.0	14	1	2	4	6	9	11	21
50-64	1139	6.4	29	2	2	5	8	11	15	24
65+	1896	7.5	30	2	3	6	9	13	17	31
GRAND TOTAL	**5002**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	1.8	1	<1	<1	1	2	4	4	4
35-49	12	4.7	5	1	2	4	7	8	8	8
50-64	102	6.3	13	2	3	6	8	11	14	18
65+	113	6.5	20	2	3	6	8	10	14	28
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	10.0	4	8	8	10	11	12	12	12
35-49	6	5.8	31	1	1	4	8	15	16	16
50-64	6	8.0	19	3	3	7	11	15	15	15
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	1	1	4	5	6	6	6
20-34	6	4.3	2	3	3	4	6	6	6	6
35-49	95	7.0	86	2	2	5	8	11	14	61
50-64	761	7.7	33	3	3	6	9	14	18	29
65+	1546	8.1	27	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	6	8.8	46	3	3	5	17	18	18	18
20-34	10	10.5	21	3	4	11	15	16	16	16
35-49	27	10.9	70	2	2	9	14	22	29	37
50-64	105	14.8	211	2	5	10	18	38	63	99+
65+	177	16.7	166	2	5	14	21	35	50	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	6.2	16	2	2	5	8	11	14	26
B. *Operated*	20	6.2	22	1	1	5	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	2413	7.9	32	2	3	7	9	14	18	29
B. *Operated*	325	15.2	169	2	5	11	19	35	48	99+
1. SINGLE DX	254	6.2	17	2	2	5	8	11	14	25
2. MULTIPLE DX	2738	8.8	54	2	3	7	10	16	21	43
A. NOT OPERATED	2647	7.7	30	2	3	6	9	14	17	29
B. OPERATED	345	14.7	165	2	4	11	19	32	46	99+
TOTAL 0-19 YRS	13	5.8	30	1	1	5	6	17	18	18
20-34	25	6.9	24	1	1	6	11	15	16	16
35-49	140	7.5	76	2	2	6	9	12	20	42
50-64	974	8.3	55	2	3	6	10	15	21	47
65+	1840	8.8	47	2	3	7	10	16	21	38
GRAND TOTAL	**2992**	**8.5**	**51**	**2**	**3**	**7**	**10**	**16**	**20**	**41**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6559	3.1	3	1	1	3	4	5	6	8
20-34	1602	3.5	4	1	1	3	4	6	7	10
35-49	1251	4.1	5	1	2	4	5	7	8	12
50-64	922	4.5	7	1	2	4	6	8	9	13
65+	493	5.0	8	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	14	3.9	6	1	2	3	5	7	9	10
20-34	5	4.6	11	1	1	3	7	9	9	9
35-49	7	5.4	12	1	1	5	8	10	10	10
50-64	3	6.7	16	3	3	6	10	11	11	11
65+	4	7.8	7	5	5	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6583	3.7	5	1	2	3	5	6	7	11
20-34	1974	4.4	8	1	2	4	5	8	9	14
35-49	2582	5.2	10	2	2	5	7	9	11	16
50-64	3802	6.0	14	2	3	5	8	10	13	20
65+	4574	6.8	18	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS	81	6.8	35	1	2	6	8	12	18	36
20-34	77	8.2	38	2	2	7	10	18	23	31
35-49	144	9.7	50	3	4	7	12	18	23	40
50-64	204	10.8	70	2	3	9	13	19	25	53
65+	284	12.5	88	3	5	10	15	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10827	3.4	4	1	2	3	4	6	7	10
B. *Operated*	33	5.0	9	1	2	4	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	19515	5.2	12	2	2	4	6	9	11	18
B. *Operated*	790	10.5	69	2	3	8	13	20	26	47
1. SINGLE DX	10860	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	20305	5.4	16	2	2	4	7	10	12	20
A. NOT OPERATED	30342	4.5	10	1	2	4	6	8	10	16
B. OPERATED	823	10.3	68	2	3	8	12	19	26	46
TOTAL 0-19 YRS	13237	3.4	4	1	2	3	4	6	7	10
20-34	3658	4.1	7	1	2	4	5	7	9	13
35-49	3984	5.0	11	2	2	4	6	9	11	17
50-64	4931	6.0	16	2	2	5	7	10	13	21
65+	5355	6.9	22	2	3	6	9	12	15	24
GRAND TOTAL	**31165**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	2	1	1	3	4	5	5	5
20-34	12	3.6	9	1	1	3	4	9	11	11
35-49	64	5.0	5	2	3	5	6	8	9	12
50-64	319	5.3	14	1	2	5	6	9	11	22
65+	351	5.9	13	2	2	5	8	10	12	17
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	12	6.5	30	1	2	4	10	15	18	18
65+	13	7.2	30	1	2	4	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.5	9	1	2	4	7	9	11	12
20-34	44	6.5	18	2	2	5	9	12	15	20
35-49	409	6.5	25	2	2	6	8	11	14	25
50-64	2598	7.3	24	2	3	6	9	13	16	26
65+	4927	7.6	29	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	13	10.5	36	2	4	10	14	18	23	24
35-49	66	9.2	40	2	3	7	12	20	24	88
50-64	288	12.1	116	2	3	9	15	25	33	80
65+	522	13.9	133	3	4	11	17	27	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	5.5	13	2	2	5	7	9	12	17
B. *Operated*	32	7.1	28	1	2	5	12	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	8001	7.4	27	2	3	6	9	13	17	27
B. *Operated*	891	12.9	121	2	4	10	16	25	35	64
1. SINGLE DX	791	5.6	13	2	2	5	7	10	12	17
2. MULTIPLE DX	8892	8.0	39	2	3	7	10	14	19	33
A. NOT OPERATED	8760	7.3	26	2	3	6	9	13	16	27
B. OPERATED	923	12.7	118	2	4	10	16	25	34	63
TOTAL 0-19 YRS	40	4.3	9	1	2	3	6	8	11	13
20-34	72	6.7	24	1	2	5	10	14	15	23
35-49	541	6.7	25	2	2	6	8	12	15	27
50-64	3217	7.5	34	2	3	6	9	13	17	32
65+	5813	8.1	41	2	3	7	10	14	19	33
GRAND TOTAL	**9683**	**7.8**	**38**	**2**	**3**	**6**	**9**	**14**	**18**	**33**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	8	<1	1	2	3	6	8	16
20-34	128	3.3	8	1	1	3	4	7	9	16
35-49	32	3.6	23	1	1	2	4	6	9	28
50-64	10	3.3	4	1	1	3	4	6	7	7
65+	3	8.3	10	6	6	7	11	12	12	12
B. *Operated*										
0-19 YRS	98	6.4	20	2	2	5	9	13	14	22
20-34	439	5.5	14	2	2	4	7	10	12	23
35-49	158	6.6	21	2	3	5	8	13	17	23
50-64	43	6.1	11	2	3	5	9	11	12	15
65+	19	5.9	16	2	2	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	35	<1	1	3	5	10	19	27
20-34	53	3.1	3	1	1	3	4	6	8	8
35-49	36	6.3	61	1	1	4	7	10	17	46
50-64	35	6.3	24	1	2	6	8	9	17	26
65+	74	7.4	24	2	2	7	9	13	15	28
B. *Operated*										
0-19 YRS	42	10.3	59	2	3	9	12	20	24	43
20-34	206	9.2	39	3	3	7	12	18	23	32
35-49	154	9.1	46	2	3	7	12	17	23	37
50-64	258	10.6	76	2	3	8	13	21	26	41
65+	355	11.9	68	3	4	10	15	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	3.3	10	1	1	2	4	7	9	17
B. *Operated*	757	5.9	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	218	5.7	29	1	1	4	7	10	14	28
B. *Operated*	1015	10.5	61	3	4	8	13	21	26	38
1. SINGLE DX	971	5.3	16	1	2	4	7	10	13	22
2. MULTIPLE DX	1233	9.7	59	2	3	7	12	20	25	37
A. NOT OPERATED	432	4.5	21	1	1	3	6	9	12	26
B. OPERATED	1772	8.6	47	2	3	6	11	17	23	34
TOTAL 0-19 YRS	201	6.3	33	1	1	4	9	13	17	26
20-34	826	6.0	23	1	2	4	7	12	16	25
35-49	380	7.3	37	2	2	6	9	14	20	30
50-64	346	9.4	64	2	3	7	12	21	25	38
65+	451	10.9	62	3	4	9	14	22	28	37
GRAND TOTAL	**2204**	**7.8**	**45**	**2**	**2**	**6**	**10**	**16**	**21**	**32**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	2.9	3	1	1	3	4	5	6	10
20-34	136	3.2	11	<1	1	2	4	6	9	17
35-49	119	3.2	6	1	1	3	4	6	9	12
50-64	108	3.4	6	1	1	3	5	7	8	12
65+	119	5.1	11	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	71	3.0	14	1	1	1	3	10	10	18
20-34	58	5.5	19	1	1	5	8	12	13	21
35-49	112	6.0	20	1	1	5	8	11	15	23
50-64	137	7.0	43	1	1	6	8	13	19	41
65+	97	7.1	56	1	1	5	9	14	21	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	876	4.5	17	1	1	3	6	9	12	18
20-34	472	5.0	36	1	1	3	6	10	13	29
35-49	742	5.4	30	1	2	4	7	10	13	25
50-64	1609	6.2	25	1	2	5	8	11	15	24
65+	4855	7.9	32	2	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	233	9.9	151	1	1	6	15	24	37	99+
20-34	264	11.1	157	1	1	8	15	25	30	66
35-49	500	10.4	124	1	2	8	12	22	31	68
50-64	924	11.3	118	1	2	8	15	24	31	65
65+	1766	13.8	122	2	3	11	18	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	802	3.4	7	1	1	3	4	6	8	12
B. *Operated*	475	6.0	35	1	1	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	8554	6.9	31	1	2	5	9	13	17	27
B. *Operated*	3687	12.3	128	1	2	9	16	26	34	63
1. SINGLE DX	1277	4.4	19	1	1	3	6	9	11	21
2. MULTIPLE DX	12241	8.5	66	1	2	6	10	17	23	44
A. NOT OPERATED	9356	6.6	30	1	2	5	8	13	16	26
B. OPERATED	4162	11.6	121	1	2	9	15	24	32	61
TOTAL 0-19 YRS	1500	5.0	40	1	1	3	6	10	15	31
20-34	930	6.5	74	1	1	4	8	14	21	40
35-49	1473	7.0	66	1	2	5	8	14	20	44
50-64	2778	7.8	62	1	2	6	9	16	22	41
65+	6837	9.4	62	2	3	7	12	18	24	43
GRAND TOTAL	**13518**	**8.1**	**63**	**1**	**2**	**6**	**10**	**16**	**22**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	2	1	1	2	4	5	5	5
20-34	22	3.1	2	1	2	3	4	5	6	6
35-49	13	3.1	6	1	1	3	4	7	9	10
50-64	12	2.5	1	1	1	3	3	4	4	4
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	605	2.5	1	1	1	2	3	4	4	6
20-34	810	2.6	2	1	1	2	3	4	5	6
35-49	389	2.5	2	1	1	2	3	4	5	6
50-64	189	2.1	2	1	1	2	2	3	5	7
65+	46	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.8	10	1	1	3	5	6	7	19
20-34	98	3.4	8	<1	1	3	5	6	9	16
35-49	59	4.1	5	1	1	4	6	7	9	11
50-64	52	4.6	25	<1	1	3	6	8	12	27
65+	38	4.5	11	<1	1	3	6	9	10	16
B. *Operated*										
0-19 YRS	790	2.8	3	1	1	3	4	5	5	10
20-34	777	3.1	5	1	1	3	4	5	6	12
35-49	463	3.2	8	1	1	3	4	5	7	14
50-64	444	3.2	19	1	1	2	3	6	9	22
65+	313	3.4	19	1	1	2	3	7	10	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.8	2	1	1	3	4	5	5	9
B. *Operated*	2039	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	365	3.9	11	<1	1	3	5	7	9	17
B. *Operated*	2787	3.1	9	1	1	3	4	5	7	14
1. SINGLE DX	2105	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	3152	3.2	9	1	1	3	4	5	7	15
A. NOT OPERATED	431	3.8	10	1	1	3	5	7	9	16
B. OPERATED	4826	2.8	6	1	1	2	3	5	6	11
TOTAL 0-19 YRS	1530	2.8	3	1	1	3	3	4	5	9
20-34	1707	2.9	4	1	1	3	3	5	6	10
35-49	924	3.0	5	1	1	3	4	5	6	11
50-64	697	3.0	15	1	1	2	3	5	7	21
65+	399	3.3	17	1	1	2	3	7	9	25
GRAND TOTAL	**5257**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.7	4	1	2	3	5	6	8	11
20-34	36	4.1	18	1	2	3	4	9	10	25
35-49	29	3.4	3	1	1	3	4	5	6	10
50-64	20	4.7	11	2	2	4	4	9	13	15
65+	6	2.8	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	83	2.6	4	<1	1	2	4	5	7	11
20-34	111	2.1	2	1	1	2	3	4	5	7
35-49	105	2.1	4	1	1	2	2	3	5	14
50-64	109	2.0	2	1	1	2	2	3	4	7
65+	67	2.7	5	1	1	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	4.0	4	1	2	4	5	7	8	11
20-34	61	4.4	11	<1	1	4	6	8	9	19
35-49	52	5.8	28	2	2	5	7	9	20	28
50-64	81	5.7	20	2	2	5	7	9	14	28
65+	143	6.6	14	2	3	6	8	11	15	18
B. *Operated*										
0-19 YRS	85	3.3	5	1	1	3	4	7	9	12
20-34	106	3.1	7	1	1	2	4	6	8	15
35-49	130	3.6	17	1	1	2	4	8	10	22
50-64	193	3.8	18	1	1	3	4	8	11	25
65+	191	5.0	31	1	1	3	6	13	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.8	8	1	2	3	4	6	9	15
B. *Operated*	475	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	544	5.1	13	1	2	4	7	9	11	20
B. *Operated*	705	3.9	18	1	1	3	4	8	12	22
1. SINGLE DX	639	2.6	5	1	1	2	3	5	6	12
2. MULTIPLE DX	1249	4.4	17	1	1	3	5	9	12	20
A. NOT OPERATED	708	4.8	12	1	2	4	6	9	11	19
B. OPERATED	1180	3.2	13	1	1	2	4	7	10	19
TOTAL 0-19 YRS	448	3.5	5	1	1	3	4	7	8	11
20-34	314	3.1	8	1	1	2	4	6	8	16
35-49	316	3.4	15	1	1	2	4	7	10	22
50-64	403	3.7	15	1	1	3	4	8	10	21
65+	407	5.1	22	1	1	4	7	11	14	21
GRAND TOTAL	**1888**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	2.6	3	1	1	2	3	5	6	8
20-34	88	3.0	3	<1	1	3	4	6	7	8
35-49	148	2.8	3	1	1	2	4	5	7	8
50-64	120	3.4	11	1	1	3	4	6	8	20
65+	62	2.9	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	64	4.4	13	1	1	4	6	10	11	19
20-34	43	4.5	8	<1	1	5	6	8	10	12
35-49	66	4.7	7	1	1	5	7	8	9	10
50-64	79	4.9	48	1	1	4	6	8	11	47
65+	87	5.0	11	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	485	3.8	8	1	1	3	5	7	9	15
20-34	395	3.6	7	1	1	3	4	7	8	13
35-49	789	4.0	8	1	1	3	5	7	9	15
50-64	1032	4.2	9	1	1	4	5	7	10	14
65+	1465	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	209	11.3	129	1	1	8	15	27	34	88
20-34	195	7.8	61	2	2	6	8	15	23	42
35-49	405	6.7	31	2	2	6	8	12	16	33
50-64	700	7.7	41	2	2	6	9	15	21	36
65+	1285	8.6	68	2	2	6	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	2.9	5	1	1	2	4	5	7	8
B. *Operated*	339	4.8	19	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	4166	4.3	10	1	1	4	5	8	10	16
B. *Operated*	2794	8.3	61	2	2	6	10	16	23	43
1. SINGLE DX	969	3.5	10	1	1	3	5	7	8	13
2. MULTIPLE DX	6960	5.9	34	1	2	4	7	11	15	32
A. NOT OPERATED	4796	4.1	10	1	1	3	5	7	9	15
B. OPERATED	3133	7.9	58	1	2	6	9	15	22	41
TOTAL 0-19 YRS	970	5.2	44	1	1	3	6	10	16	37
20-34	721	4.7	25	1	1	4	6	8	12	25
35-49	1408	4.7	16	1	1	4	6	8	10	20
50-64	1931	5.5	25	1	2	4	7	10	14	29
65+	2899	6.5	41	1	2	5	8	12	17	33
GRAND TOTAL	**7929**	**5.6**	**32**	**1**	**1**	**4**	**7**	**10**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	1	1	2	4	7	7	7
20-34	37	3.5	12	1	2	3	4	6	7	22
35-49	50	3.7	2	2	2	3	5	6	6	8
50-64	37	3.4	5	1	1	3	4	5	9	12
65+	25	4.4	5	1	2	4	6	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	6.7	21	2	2	5	10	13	17	19
35-49	46	6.6	9	2	3	6	8	11	12	15
50-64	48	5.9	8	2	2	5	8	9	11	16
65+	11	7.0	19	<1	2	6	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.3	2	1	1	4	4	5	6	6
20-34	121	4.7	10	2	2	4	6	9	12	16
35-49	221	5.0	8	2	2	4	6	8	11	15
50-64	286	5.2	9	2	2	5	6	9	11	16
65+	489	5.8	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	60	7.1	20	2	3	6	9	14	16	22
35-49	207	6.9	16	2	3	6	9	12	16	20
50-64	322	7.5	41	2	3	6	9	13	16	29
65+	476	8.4	35	2	3	7	10	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.6	6	1	2	3	4	6	7	12
B. *Operated*	138	6.4	12	2	2	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	1132	5.3	10	2	2	5	7	9	12	16
B. *Operated*	1066	7.8	33	2	3	7	9	14	17	31
1. SINGLE DX	292	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	2198	6.5	22	2	2	5	8	12	15	23
A. NOT OPERATED	1286	5.1	10	2	2	4	6	9	11	16
B. OPERATED	1204	7.6	31	2	3	6	9	14	16	30
TOTAL 0-19 YRS	22	3.2	3	1	1	3	4	5	6	7
20-34	250	5.4	15	2	2	4	7	10	13	19
35-49	524	5.7	12	2	2	5	7	10	13	18
50-64	693	6.2	25	2	2	5	8	11	14	23
65+	1001	7.0	24	2	3	6	8	13	15	29
GRAND TOTAL	**2490**	**6.3**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

505 Hospitals, North Central Region, January-December 1986

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	3.3	2	1	2	3	5	5	6	7
35-49	61	4.2	3	2	2	4	5	7	8	9
50-64	68	4.5	5	2	2	4	6	7	9	12
65+	70	4.3	6	2	2	4	5	8	9	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	6.8	9	3	3	7	9	11	12	15
35-49	46	6.9	13	2	3	7	9	11	14	17
50-64	65	6.9	15	2	3	6	8	12	14	22
65+	59	6.8	10	3	3	7	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	3	2	2	4	5	6	7	7
20-34	100	4.6	7	1	2	4	6	8	10	15
35-49	211	4.6	8	2	2	4	5	8	10	16
50-64	429	5.8	15	2	3	5	7	10	12	19
65+	1269	6.8	19	2	3	6	8	11	14	24
B. *Operated*										
0-19 YRS	3	7.7	16	4	4	7	11	12	12	12
20-34	61	10.0	226	2	3	6	9	16	45	81
35-49	179	8.6	36	3	3	7	11	16	20	23
50-64	465	9.4	66	3	3	7	11	17	24	42
65+	1418	10.9	88	3	4	8	13	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.2	5	2	2	4	5	7	9	11
B. *Operated*	198	6.8	12	2	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2024	6.2	17	2	3	5	8	10	13	22
B. *Operated*	2126	10.4	83	3	4	8	12	20	25	54
1. SINGLE DX	424	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX	4150	8.3	55	2	3	6	10	15	20	39
A. NOT OPERATED	2250	6.0	16	2	3	5	7	10	13	20
B. OPERATED	2324	10.1	78	3	4	8	12	19	24	52
TOTAL 0-19 YRS	20	4.5	6	2	2	4	6	7	10	12
20-34	214	6.3	75	2	2	5	7	10	13	67
35-49	497	6.2	22	2	2	5	8	11	15	21
50-64	1027	7.4	41	2	3	6	9	13	17	30
65+	2816	8.8	58	3	3	7	10	16	22	41
GRAND TOTAL	**4574**	**8.1**	**52**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	2	1	1	3	4	5	6	7
20-34	187	3.3	4	1	1	3	4	6	7	9
35-49	200	3.2	3	1	1	3	4	5	7	9
50-64	108	3.4	4	1	1	3	4	6	7	10
65+	54	3.5	4	1	1	3	5	6	8	9
B. *Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	25	7.0	18	1	2	6	9	15	15	16
35-49	36	7.2	15	2	2	7	9	14	15	16
50-64	25	7.6	10	2	4	8	9	10	12	17
65+	5	6.2	9	2	2	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	6	1	2	3	4	6	9	15
20-34	402	4.0	5	1	2	4	5	7	8	12
35-49	565	4.4	6	1	2	4	6	8	9	13
50-64	593	4.8	9	2	2	4	6	8	10	17
65+	788	5.6	12	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	6	6.0	10	1	1	6	8	10	10	10
20-34	71	8.3	29	3	3	7	10	14	17	32
35-49	160	9.2	64	2	3	7	10	19	27	39
50-64	213	8.3	23	2	3	7	11	14	16	26
65+	195	9.6	73	2	3	8	11	16	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	3.3	3	1	1	3	4	6	7	9
B. *Operated*	95	7.1	14	2	2	7	9	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	2410	4.8	9	2	2	4	6	8	10	15
B. *Operated*	645	8.9	49	2	3	7	10	15	22	39
1. SINGLE DX	692	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	3055	5.7	20	2	2	5	7	10	13	23
A. NOT OPERATED	3007	4.5	8	1	2	4	6	8	9	15
B. OPERATED	740	8.7	45	2	3	7	10	15	20	37
TOTAL 0-19 YRS	120	3.6	5	1	1	3	4	6	8	14
20-34	685	4.4	10	1	2	4	5	8	10	15
35-49	961	5.1	20	1	2	4	6	9	11	26
50-64	939	5.5	14	2	2	4	7	10	13	20
65+	1042	6.3	26	2	2	5	8	11	14	27
GRAND TOTAL	**3747**	**5.3**	**18**	**1**	**2**	**4**	**7**	**9**	**12**	**22**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	3	<1	1	3	4	5	7	8
20-34	119	3.6	3	1	2	3	5	6	7	9
35-49	149	3.6	4	1	2	3	5	6	8	10
50-64	130	4.3	4	2	2	4	5	7	8	10
65+	117	4.7	5	2	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	6	7.5	18	4	4	6	9	14	15	15
20-34	42	8.2	51	2	4	7	9	11	16	49
35-49	78	7.1	9	2	3	7	9	10	12	16
50-64	58	7.6	8	3	4	8	9	12	12	15
65+	64	10.7	40	3	5	10	13	16	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	5	1	1	4	6	7	8	11
20-34	207	4.6	7	2	2	4	5	7	10	15
35-49	348	5.0	10	2	2	4	6	8	10	17
50-64	586	5.2	9	2	2	5	6	9	11	16
65+	1662	6.9	19	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	6	11.2	36	5	5	9	17	20	20	20
20-34	101	8.5	34	2	3	7	10	15	18	67
35-49	191	10.6	92	3	4	8	12	17	24	61
50-64	352	10.9	66	3	4	9	14	20	26	41
65+	967	13.4	118	4	5	10	16	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	4.0	4	1	2	4	5	7	8	10
B. *Operated*	248	8.4	26	2	4	8	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	2842	6.1	16	2	3	5	7	11	13	22
B. *Operated*	1617	12.2	101	3	4	9	15	22	31	57
1. SINGLE DX	787	5.3	15	1	2	5	7	9	11	17
2. MULTIPLE DX	4459	8.3	55	2	3	6	10	16	21	41
A. NOT OPERATED	3381	5.8	15	2	2	5	7	10	13	21
B. OPERATED	1865	11.7	92	3	4	9	14	21	29	54
TOTAL 0-19 YRS	75	4.7	12	1	1	4	6	8	11	19
20-34	469	5.5	20	2	2	5	7	10	12	27
35-49	766	6.3	36	2	2	5	7	12	14	32
50-64	1126	7.0	33	2	3	5	8	13	17	28
65+	2810	9.1	63	3	3	7	11	17	23	43
GRAND TOTAL	**5246**	**7.9**	**50**	**2**	**3**	**6**	**9**	**15**	**20**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	6.2	20	1	2	4	10	13	16	16
35-49	12	4.4	5	1	2	4	6	8	8	8
50-64	12	4.3	4	1	2	4	5	8	8	8
65+	8	6.6	23	3	3	5	7	15	18	18
B. *Operated*										
0-19 YRS										
20-34	8	8.0	13	1	2	9	10	12	13	13
35-49	10	10.5	62	2	3	8	14	22	30	30
50-64	23	9.5	23	3	4	9	12	16	20	21
65+	18	10.9	36	3	6	10	11	18	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	6	2	2	3	5	7	7	7
20-34	19	5.8	12	2	2	5	8	10	13	16
35-49	29	5.7	10	1	1	6	7	10	13	13
50-64	48	6.0	20	3	3	4	7	11	14	29
65+	146	7.8	36	3	3	7	9	13	18	27
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	16.8	111	5	7	15	21	34	40	42
35-49	78	12.2	74	4	6	10	14	23	31	46
50-64	126	12.6	62	3	6	10	16	24	30	40
65+	249	14.9	110	4	5	12	19	28	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.2	12	1	2	4	7	9	12	18
B. *Operated*	59	9.9	31	2	4	9	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	246	7.0	29	2	3	6	8	11	15	26
B. *Operated*	474	13.9	92	4	5	11	17	26	33	46
1. SINGLE DX	103	7.9	29	2	2	7	10	15	18	29
2. MULTIPLE DX	720	11.5	81	3	4	9	15	22	30	44
A. NOT OPERATED	290	6.7	27	2	3	5	8	11	15	25
B. OPERATED	533	13.5	87	4	5	11	17	26	33	45
TOTAL 0-19 YRS	6	4.7	13	2	2	3	7	11	11	11
20-34	58	9.9	71	2	2	8	11	20	28	42
35-49	129	9.9	61	2	3	8	12	17	26	43
50-64	209	10.3	55	3	3	8	13	20	26	38
65+	421	12.1	91	3	4	9	15	23	32	47
GRAND TOTAL	**823**	**11.1**	**76**	**3**	**4**	**8**	**14**	**21**	**28**	**43**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	2.4	2	1	1	2	3	4	5	7
20-34	443	2.6	3	1	1	2	3	5	5	8
35-49	341	3.0	3	1	1	3	4	5	6	9
50-64	182	3.2	5	1	1	3	4	6	7	13
65+	87	3.3	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	10	4.3	10	1	1	3	5	9	12	12
20-34	40	4.3	4	1	2	4	6	7	8	9
35-49	38	5.7	23	2	2	4	7	11	13	27
50-64	27	5.5	28	1	1	4	7	12	15	26
65+	11	5.3	5	1	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1086	2.8	3	1	1	2	3	5	6	10
20-34	1629	3.6	6	1	1	3	5	6	8	12
35-49	1876	4.3	12	1	2	4	5	7	9	14
50-64	1756	4.7	9	1	2	4	6	8	10	17
65+	2482	5.5	13	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	34	4.6	8	2	2	4	5	8	9	16
20-34	236	6.5	30	2	2	5	8	12	16	31
35-49	379	7.7	46	2	3	6	9	14	20	41
50-64	492	7.4	45	2	3	6	8	13	17	34
65+	717	8.7	46	3	3	7	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1461	2.7	3	1	1	2	3	5	6	9
B. *Operated*	126	5.0	15	1	2	4	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	8829	4.4	10	1	2	4	5	8	10	16
B. *Operated*	1858	7.8	44	2	3	6	9	14	19	34
1. SINGLE DX	1587	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	10687	5.0	18	1	2	4	6	9	12	20
A. NOT OPERATED	10290	4.2	10	1	1	3	5	8	10	16
B. OPERATED	1984	7.6	43	2	3	6	9	14	19	33
TOTAL 0-19 YRS	1538	2.7	3	1	1	2	3	5	6	10
20-34	2348	3.7	9	1	1	3	5	7	9	15
35-49	2634	4.6	18	1	2	4	6	8	10	20
50-64	2457	5.1	18	1	2	4	6	9	12	20
65+	3297	6.1	22	2	2	5	7	11	15	23
GRAND TOTAL	**12274**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.6	2	1	1	2	3	5	5	7
20-34	72	3.4	7	<1	1	3	5	6	7	17
35-49	60	4.9	26	1	1	3	6	9	16	29
50-64	39	3.2	7	1	1	2	4	6	9	14
65+	27	3.9	24	<1	1	3	4	7	14	25
B. *Operated*										
0-19 YRS	51	4.2	11	2	2	3	5	7	11	23
20-34	7	10.1	160	1	1	8	9	32	38	38
35-49	15	10.0	49	1	2	8	12	17	27	30
50-64	10	14.5	66	8	8	11	21	27	32	32
65+	8	14.9	163	4	5	11	17	36	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	52	1	1	2	4	6	8	29
20-34	230	4.3	25	1	1	3	5	7	11	32
35-49	269	4.5	11	1	2	4	5	8	10	15
50-64	333	5.0	14	1	2	4	6	10	12	19
65+	538	5.6	13	1	2	5	7	10	13	17
B. *Operated*										
0-19 YRS	53	8.4	205	1	1	5	6	16	31	82
20-34	63	10.6	125	1	2	7	14	21	42	48
35-49	140	13.5	100	2	5	10	18	28	36	57
50-64	183	13.1	99	3	5	10	16	26	31	61
65+	298	15.1	191	2	4	11	18	32	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.6	13	1	1	3	4	7	9	20
B. *Operated*	91	7.7	62	2	2	5	9	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	1573	4.9	20	1	2	4	6	9	12	18
B. *Operated*	737	13.4	149	2	3	10	16	28	40	65
1. SINGLE DX	342	4.7	29	1	1	3	5	9	14	30
2. MULTIPLE DX	2310	7.6	77	1	2	5	9	16	23	47
A. NOT OPERATED	1824	4.7	19	1	1	4	6	9	12	19
B. OPERATED	828	12.8	143	2	3	9	16	27	38	63
TOTAL 0-19 YRS	360	4.3	64	1	1	3	4	7	11	33
20-34	372	5.3	47	1	1	3	6	10	15	42
35-49	484	7.3	56	1	2	5	9	16	23	41
50-64	565	7.7	58	1	2	6	10	16	23	43
65+	871	8.9	97	1	2	6	10	18	28	49
GRAND TOTAL	**2652**	**7.2**	**72**	**1**	**2**	**5**	**8**	**15**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	1	<1	1	2	2	3	4	6
20-34	21	2.0	1	<1	1	2	2	3	4	4
35-49	5	2.0	5	<1	<1	1	2	6	6	6
50-64	4	3.5	6	1	1	3	5	7	7	7
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	3930	3.1	2	2	2	3	4	5	5	8
20-34	2867	3.3	3	2	2	3	4	5	6	8
35-49	893	3.6	3	2	2	3	4	5	6	9
50-64	340	4.2	3	2	2	4	5	6	8	11
65+	83	5.0	4	3	3	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	2	<1	1	1	2	3	4	8
20-34	19	2.1	2	<1	1	2	3	4	5	5
35-49	8	3.1	6	1	1	2	4	7	8	8
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	839	4.3	8	2	2	4	5	7	9	18
20-34	804	4.4	8	2	2	4	5	7	9	15
35-49	368	5.3	11	2	3	4	6	9	11	15
50-64	239	6.4	17	2	3	5	8	11	13	24
65+	165	7.7	26	3	3	6	9	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	8113	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	60	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	2415	4.9	11	2	2	4	6	8	11	18
1. SINGLE DX	8173	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX	2475	4.8	11	2	2	4	6	8	11	18
A. NOT OPERATED	120	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	10528	3.7	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4825	3.3	3	2	2	3	4	5	6	10
20-34	3711	3.6	4	2	2	3	4	5	6	10
35-49	1274	4.1	6	2	2	4	5	6	8	13
50-64	586	5.1	10	2	3	4	6	9	11	17
65+	252	6.7	20	3	3	5	8	11	15	21
GRAND TOTAL	**10648**	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	6	2	2	3	7	8	8	8
20-34	6	3.8	5	1	1	4	5	7	7	7
35-49	6	4.5	3	3	3	4	6	7	7	7
50-64	4	6.3	12	2	2	6	9	10	10	10
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	800	6.0	7	2	3	6	7	9	11	13
20-34	424	6.1	7	2	3	6	8	9	10	14
35-49	332	6.7	9	3	3	6	8	10	12	17
50-64	188	7.7	12	3	4	7	9	11	14	19
65+	81	8.1	8	4	5	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	2	5	5	6	7	8	8	8
20-34	3	8.3	10	6	6	7	11	12	12	12
35-49	7	7.7	11	4	4	8	10	12	13	13
50-64	10	7.7	7	4	4	7	9	11	12	12
65+	15	8.4	19	1	3	8	10	15	16	17
B. *Operated*										
0-19 YRS	641	8.3	19	4	4	7	10	13	17	26
20-34	393	8.7	28	3	4	7	10	14	18	28
35-49	375	9.3	24	4	4	8	11	15	18	30
50-64	417	10.8	33	5	6	9	12	18	23	33
65+	402	12.0	43	5	6	10	14	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.1	9	1	2	5	7	8	11	14
B. *Operated*	1825	6.4	8	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	40	7.8	11	3	4	7	9	13	14	17
B. *Operated*	2228	9.7	30	4	5	8	11	16	20	30
1. SINGLE DX	1850	6.4	8	2	3	6	8	10	11	15
2. MULTIPLE DX	2268	9.6	30	4	5	8	11	16	20	30
A. NOT OPERATED	65	6.8	12	2	3	7	8	12	14	17
B. OPERATED	4053	8.2	23	3	4	7	10	13	17	28
TOTAL 0-19 YRS	1453	7.0	13	3	3	6	8	11	13	21
20-34	826	7.3	19	3	3	7	9	12	14	24
35-49	720	8.0	19	3	4	7	10	13	16	24
50-64	619	9.8	28	4	5	8	11	17	20	31
65+	500	11.2	39	5	6	10	13	19	25	35
GRAND TOTAL	**4118**	**8.2**	**23**	**3**	**4**	**7**	**10**	**13**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.2	2	<1	<1	2	3	4	5	8
20-34	33	1.9	2	<1	<1	1	2	3	5	6
35-49	15	2.5	4	<1	<1	2	4	7	7	7
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	322	3.4	3	2	2	3	4	5	6	9
20-34	206	3.7	4	1	2	3	4	6	7	12
35-49	67	3.9	3	2	2	4	5	6	7	10
50-64	23	4.5	5	1	2	4	6	7	9	11
65+	8	5.1	5	2	2	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	6	8
20-34	29	2.4	2	1	1	2	3	4	5	7
35-49	7	3.9	13	1	1	3	3	10	12	12
50-64	10	3.4	3	1	1	3	4	6	7	7
65+	9	5.0	16	1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	194	4.4	5	2	2	4	5	7	8	11
20-34	193	4.8	6	2	2	4	6	8	10	13
35-49	77	5.3	8	2	3	4	7	9	12	13
50-64	28	8.9	34	3	4	7	10	19	22	27
65+	23	9.3	28	3	4	8	14	16	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.1	2	<1	<1	2	3	4	6	8
B. *Operated*	626	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	88	2.9	5	1	1	2	3	5	7	12
B. *Operated*	515	5.1	10	2	3	4	6	9	12	18
1. SINGLE DX	734	3.4	3	1	2	3	4	6	7	10
2. MULTIPLE DX	603	4.8	10	1	2	4	6	8	11	16
A. NOT OPERATED	196	2.5	4	<1	1	2	3	5	7	11
B. OPERATED	1141	4.3	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	606	3.6	4	1	2	3	4	6	7	10
20-34	461	4.0	5	1	2	4	5	7	8	13
35-49	166	4.4	6	1	2	4	5	8	10	13
50-64	64	6.1	23	1	2	5	7	11	16	26
65+	40	7.5	24	1	2	6	10	15	16	23
GRAND TOTAL	**1337**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	9	1.1		<1	<1	1	1	2	2	2
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	9	2.2	2	1	1	2	3	5	5	5
65+	11	2.9	4	<1	<1	3	4	6	8	8
B. *Operated*										
0-19 YRS	855	1.5	2	<1	<1	1	2	2	3	4
20-34	2070	1.9	1	1	1	2	2	3	4	5
35-49	2114	2.1	1	1	1	2	3	4	4	6
50-64	2665	2.2	2	1	1	2	3	4	5	6
65+	1763	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.6	1	<1	<1	1	2	3	4	5
20-34	16	2.2	6	<1	<1	1	2	5	8	10
35-49	18	1.8	2	<1	<1	<1	2	4	5	6
50-64	35	2.3	4	<1	<1	1	3	5	7	7
65+	92	3.1	19	<1	<1	2	3	7	9	27
B. *Operated*										
0-19 YRS	685	1.8	3	<1	1	1	2	3	4	9
20-34	830	2.4	3	1	1	2	3	4	5	9
35-49	1343	2.7	3	1	1	2	3	5	6	9
50-64	2772	3.0	6	1	1	2	4	5	7	11
65+	3943	3.8	10	1	1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.8	2	<1	<1	1	2	4	4	8
B. *Operated*	9467	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	195	2.5	11	<1	<1	1	3	5	7	20
B. *Operated*	9573	3.1	7	1	1	3	4	6	7	12
1. SINGLE DX	9513	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	9768	3.1	7	1	1	3	4	6	7	12
A. NOT OPERATED	241	2.4	9	<1	<1	1	3	5	7	18
B. OPERATED	19040	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	1587	1.6	2	<1	<1	1	2	3	3	7
20-34	2925	2.1	2	1	1	2	3	4	4	7
35-49	3479	2.3	2	1	1	2	3	4	5	7
50-64	5481	2.6	4	1	1	2	3	5	6	9
65+	5809	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**19281**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	11	2.3	4	<1	<1	1	3	6	7	7
B. *Operated*										
0-19 YRS	253	1.7	1	<1	1	1	2	3	4	6
20-34	125	2.3	2	1	1	2	3	4	5	6
35-49	86	2.3	2	1	1	2	3	4	4	8
50-64	138	3.0	3	1	1	3	4	6	6	7
65+	193	4.1	7	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	5	1	1	1	1	6	7	7
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.6	2	1	1	2	3	5	5	5
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	41	4.4	21	1	1	3	6	9	15	22
B. *Operated*										
0-19 YRS	212	2.6	7	1	1	2	3	5	6	13
20-34	80	3.6	8	1	1	3	4	7	9	17
35-49	85	4.3	16	1	1	3	5	8	10	25
50-64	211	4.5	13	1	1	4	5	8	13	18
65+	795	6.9	29	2	2	5	9	14	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*	795	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	16	1	1	2	5	8	12	21
B. *Operated*	1383	5.5	24	1	1	4	7	12	16	25
1. SINGLE DX	823	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1442	5.5	24	1	1	4	7	12	16	25
A. NOT OPERATED	87	3.2	13	<1	1	2	4	7	9	20
B. OPERATED	2178	4.5	18	1	1	3	6	9	13	22
TOTAL 0-19 YRS	481	2.1	4	<1	1	1	2	4	5	9
20-34	210	2.8	5	1	1	2	4	5	6	10
35-49	179	3.3	10	1	1	3	4	6	8	18
50-64	355	3.9	9	1	1	3	5	7	10	17
65+	1040	6.3	26	1	2	5	8	13	16	25
GRAND TOTAL	**2265**	**4.4**	**18**	**1**	**1**	**3**	**5**	**9**	**13**	**22**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	74	1.6	2	<1	<1	1	2	3	4	8
20-34	72	1.8	1	1	1	1	2	3	4	6
35-49	155	1.8	1	1	1	2	2	3	3	4
50-64	111	2.4	2	1	1	2	3	4	5	8
65+	50	2.8	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	11	<1	<1	1	2	8	10	10
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	9	2.4	5	<1	<1	1	3	6	8	8
65+	9	4.0	10	<1	<1	3	6	9	9	9
B. *Operated*										
0-19 YRS	35	2.4	4	1	1	2	3	4	5	11
20-34	58	3.0	4	1	1	3	4	6	7	10
35-49	155	3.2	5	1	1	3	4	6	9	11
50-64	165	3.5	6	1	1	3	4	6	8	14
65+	147	4.3	11	1	1	4	5	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	2	2	2
B. *Operated*	462	2.0	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	560	3.5	7	1	1	3	4	7	9	12
1. SINGLE DX	473	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX	592	3.5	7	1	1	3	4	7	9	12
A. NOT OPERATED	43	2.7	7	<1	<1	2	3	8	9	10
B. OPERATED	1022	2.8	5	1	1	2	4	5	7	11
TOTAL 0-19 YRS	119	1.8	3	<1	<1	1	2	4	5	10
20-34	133	2.4	3	1	1	2	3	4	6	10
35-49	316	2.5	3	1	1	2	3	5	6	10
50-64	289	3.0	5	1	1	2	4	5	7	11
65+	208	3.9	9	1	1	3	5	7	10	12
GRAND TOTAL	**1065**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.7	1	1	1	1	3	3	3	3
50-64	6	4.0	12	<1	<1	3	6	10	10	10
65+	5	2.6	6	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	34	2.1	2	1	1	2	3	5	5	7
20-34	215	2.7	3	1	1	2	4	5	6	8
35-49	409	3.3	4	1	1	3	4	6	7	10
50-64	453	3.7	4	1	1	3	5	6	8	9
65+	320	4.2	5	1	1	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	1.5	1	<1	<1	1	2	3	3	3
35-49	20	3.0	5	<1	<1	2	4	7	8	8
50-64	40	3.4	6	<1	1	3	5	7	7	11
65+	44	4.0	11	<1	1	3	5	9	11	14
B. *Operated*										
0-19 YRS	28	4.0	13	<1	<1	3	5	8	14	15
20-34	191	4.2	9	1	1	4	5	7	10	17
35-49	578	5.2	19	1	2	4	6	9	12	20
50-64	886	5.3	14	1	2	4	7	9	12	21
65+	924	6.3	22	2	2	5	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	7	<1	<1	2	3	7	9	10
B. *Operated*	1431	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	117	3.4	8	<1	1	2	4	7	8	13
B. *Operated*	2607	5.6	18	1	2	5	7	10	12	22
1. SINGLE DX	1448	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX	2724	5.5	18	1	2	5	7	10	12	21
A. NOT OPERATED	134	3.3	8	<1	1	2	4	7	8	12
B. OPERATED	4038	4.8	14	1	1	4	6	8	11	19
TOTAL 0-19 YRS	64	2.9	8	<1	1	2	4	6	7	15
20-34	417	3.4	6	1	1	3	5	6	7	11
35-49	1013	4.4	13	1	1	4	5	8	10	17
50-64	1385	4.7	11	1	1	4	6	8	10	19
65+	1293	5.7	19	1	2	5	7	10	13	21
GRAND TOTAL	**4172**	**4.8**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.8	1	1	1	3	4	5	5	5
35-49	24	2.8	4	<1	1	2	3	5	8	8
50-64	34	2.9	2	1	1	3	4	5	6	7
65+	30	3.5	4	1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.4	2	4	4	7	7	8	8	8
35-49	14	7.2	10	1	3	7	9	11	13	14
50-64	20	5.8	7	2	2	6	8	9	10	10
65+	7	6.7	5	5	5	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	3	<1	1	3	5	6	7	7
20-34	60	3.4	4	<1	1	3	4	6	8	11
35-49	243	3.7	5	1	2	3	5	6	7	11
50-64	426	4.0	5	1	2	4	5	7	8	11
65+	669	4.6	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	19	8.8	73	2	3	6	9	16	30	41
20-34	38	7.4	16	3	4	7	8	11	12	27
35-49	142	7.6	14	3	4	7	9	12	14	22
50-64	225	7.7	20	3	3	7	9	12	15	25
65+	221	9.2	29	3	4	8	11	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.0	3	1	1	3	4	6	7	8
B. *Operated*	47	6.4	7	2	3	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1407	4.2	7	1	2	4	5	7	9	14
B. *Operated*	645	8.2	24	3	4	7	9	14	17	27
1. SINGLE DX	146	4.1	7	1	1	3	6	8	9	11
2. MULTIPLE DX	2052	5.5	15	1	2	5	7	10	12	20
A. NOT OPERATED	1506	4.1	6	1	2	4	5	7	9	13
B. OPERATED	692	8.1	23	3	4	7	9	13	16	26
TOTAL 0-19 YRS	29	7.1	54	2	2	6	7	13	17	41
20-34	114	4.8	11	1	2	4	7	8	10	17
35-49	423	5.1	12	1	2	4	7	9	11	17
50-64	705	5.2	13	1	2	4	7	9	11	16
65+	927	5.7	17	1	2	5	7	10	14	21
GRAND TOTAL	**2198**	**5.4**	**15**	**1**	**2**	**4**	**7**	**9**	**12**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	4	5	5
20-34	36	2.4	2	1	1	2	3	5	5	8
35-49	54	2.3	3	1	1	2	3	4	5	9
50-64	54	2.6	7	<1	1	2	3	4	5	18
65+	52	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	4	6.0	11	4	4	5	8	11	11	11
65+	7	6.4	13	3	3	5	9	12	13	13
B. *Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	22	3.1	6	1	1	2	3	6	9	11
35-49	44	4.6	22	1	2	4	5	8	11	30
50-64	58	4.3	8	1	1	4	6	9	10	14
65+	120	4.8	15	1	1	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	5	<1	<1	2	4	6	7	7
B. *Operated*	204	2.7	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	19	5.2	10	1	2	4	6	11	12	13
B. *Operated*	248	4.4	14	1	1	3	6	9	10	20
1. SINGLE DX	211	2.7	5	1	1	2	3	5	6	13
2. MULTIPLE DX	267	4.5	14	1	1	4	6	9	11	20
A. NOT OPERATED	26	4.5	10	<1	1	4	5	10	11	13
B. OPERATED	452	3.7	11	1	1	3	4	8	9	18
TOTAL 0-19 YRS	15	2.9	5	<1	1	2	4	7	8	8
20-34	61	2.7	4	1	1	2	3	5	7	11
35-49	105	3.3	12	1	1	2	4	6	8	21
50-64	118	3.5	8	1	1	3	4	7	10	16
65+	179	4.4	13	1	1	3	5	9	12	19
GRAND TOTAL	**478**	**3.7**	**11**	**1**	**1**	**3**	**4**	**8**	**9**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	5	1.8		1	1	2	2	2	2	2
50-64	7	2.7	6	1	1	2	4	7	7	7
65+	10	2.9	4	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	29	2.6	5	<1	<1	2	3	6	9	9
20-34	92	2.9	4	1	1	2	4	5	7	10
35-49	188	3.5	7	1	1	3	4	6	8	13
50-64	194	3.8	6	1	1	3	5	7	9	12
65+	219	5.6	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	11	3.4	2	1	1	3	5	5	5	5
50-64	24	4.4	8	<1	1	4	6	8	9	12
65+	111	5.0	9	2	2	4	6	9	10	15
B. *Operated*										
0-19 YRS	20	7.5	75	1	2	5	9	13	28	41
20-34	82	5.5	29	1	1	4	8	12	16	27
35-49	245	5.9	22	1	2	5	8	11	13	21
50-64	467	7.9	61	1	2	6	9	15	19	52
65+	988	9.8	58	2	3	8	12	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.5	3	1	1	2	3	6	6	7
B. *Operated*	722	4.1	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	152	4.7	8	1	2	4	6	8	10	12
B. *Operated*	1802	8.5	55	2	2	7	11	16	21	44
1. SINGLE DX	751	4.0	9	1	1	3	5	8	10	17
2. MULTIPLE DX	1954	8.2	53	2	2	6	10	16	21	41
A. NOT OPERATED	181	4.3	8	1	1	4	6	8	9	12
B. OPERATED	2524	7.3	46	1	2	5	9	14	19	36
TOTAL 0-19 YRS	53	4.3	37	<1	1	3	5	9	11	40
20-34	183	4.0	17	1	1	3	5	9	12	23
35-49	449	4.7	17	1	1	4	6	9	12	19
50-64	692	6.6	47	1	2	5	8	13	17	43
65+	1328	8.6	50	2	3	7	11	17	21	37
GRAND TOTAL	**2705**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.2	3	<1	1	2	3	4	6	9
20-34	210	3.8	7	1	1	3	4	7	9	15
35-49	282	3.9	6	1	1	4	5	7	8	14
50-64	355	4.3	8	1	2	4	5	7	10	15
65+	412	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	118	5.8	9	2	2	5	8	10	12	14
20-34	118	8.0	11	4	4	7	10	13	16	18
35-49	170	9.8	30	4	5	8	11	16	23	29
50-64	177	10.8	37	5	6	10	12	16	19	39
65+	151	11.4	23	6	7	10	14	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	4.1	32	1	1	3	5	8	10	41
20-34	373	5.0	15	1	2	4	6	9	12	19
35-49	727	5.5	15	1	2	5	7	10	12	20
50-64	1276	5.6	14	2	2	5	7	10	12	19
65+	3640	6.8	22	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	176	10.4	165	3	4	7	11	16	27	86
20-34	315	12.3	73	5	5	10	15	20	27	54
35-49	531	13.8	118	5	6	11	16	25	32	58
50-64	857	14.9	110	5	6	12	18	27	37	63
65+	2168	16.2	111	6	7	13	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	4.0	8	1	1	3	5	7	9	15
B. *Operated*	734	9.4	28	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	6183	6.2	20	2	2	5	8	11	14	22
B. *Operated*	4047	15.1	113	5	6	12	18	27	36	59
1. SINGLE DX	2131	5.9	21	1	2	5	8	12	14	23
2. MULTIPLE DX	10230	9.7	75	2	3	7	12	19	25	45
A. NOT OPERATED	7580	5.8	18	1	2	5	7	11	13	22
B. OPERATED	4781	14.2	104	5	6	12	17	25	34	57
TOTAL 0-19 YRS	599	5.9	70	1	1	4	7	11	13	48
20-34	1016	7.4	43	1	2	6	9	15	17	38
35-49	1710	8.3	63	2	2	6	10	16	22	38
50-64	2665	8.8	65	2	2	7	11	17	23	44
65+	6371	10.0	72	2	3	8	13	19	25	44
GRAND TOTAL	**12361**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**24**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2677	2.3	2	1	1	2	3	4	5	7
20-34	1127	2.4	3	1	1	2	3	4	5	8
35-49	532	2.8	4	1	1	2	3	5	6	9
50-64	280	2.8	4	1	1	3	4	5	6	10
65+	207	3.2	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	80	3.6	3	2	2	3	5	6	7	9
20-34	91	4.3	6	2	2	4	5	7	10	15
35-49	51	5.1	6	2	2	5	7	8	10	11
50-64	26	5.5	10	2	2	5	7	8	14	14
65+	10	6.9	26	2	2	5	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8289	3.0	3	1	1	3	4	5	6	9
20-34	2464	3.0	4	1	1	3	4	5	7	11
35-49	1782	3.7	6	1	1	3	5	7	8	12
50-64	1810	4.4	10	1	2	4	5	8	10	15
65+	3790	5.3	16	2	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	141	6.4	38	2	2	4	8	12	17	36
20-34	187	6.4	20	2	2	5	8	12	16	24
35-49	218	7.4	37	2	3	6	9	14	18	33
50-64	284	9.8	89	3	3	7	11	20	27	54
65+	465	10.8	75	3	4	8	13	20	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4823	2.5	3	1	1	2	3	4	5	8
B. *Operated*	258	4.5	6	2	2	4	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	18135	3.7	8	1	1	3	4	7	8	14
B. *Operated*	1295	8.9	63	2	3	7	10	17	22	46
1. SINGLE DX	5081	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	19430	4.0	13	1	1	3	5	7	10	18
A. NOT OPERATED	22958	3.4	7	1	1	3	4	6	8	14
B. OPERATED	1553	8.2	56	2	3	6	10	16	21	38
TOTAL 0-19 YRS	11187	2.9	4	1	1	2	3	5	6	9
20-34	3869	3.0	5	1	1	2	4	6	7	12
35-49	2583	3.8	9	1	1	3	5	7	9	16
50-64	2400	4.9	22	1	2	4	6	9	11	23
65+	4472	5.7	24	2	2	4	7	11	14	25
GRAND TOTAL	**24511**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	49	4.8	5	2	2	4	6	8	9	9
35-49	330	4.6	5	2	2	4	6	7	9	11
50-64	526	4.7	5	2	2	4	6	8	9	12
65+	417	4.7	6	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS										
20-34	30	7.4	9	4	4	7	8	11	15	17
35-49	83	8.0	10	3	5	8	9	11	12	22
50-64	149	9.5	12	5	6	9	11	13	15	26
65+	97	10.7	14	5	7	10	12	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	10	2	2	4	5	10	11	11
20-34	40	4.5	6	1	2	4	6	8	9	10
35-49	400	5.3	7	2	2	5	7	9	10	15
50-64	1297	5.5	8	2	2	5	7	9	11	15
65+	3774	6.2	15	2	3	5	8	10	13	20
B. *Operated*										
0-19 YRS	6	7.0	5	4	4	7	7	11	11	11
20-34	67	9.9	34	4	5	8	12	15	22	36
35-49	351	11.1	32	5	6	10	13	18	21	35
50-64	867	12.1	53	5	6	10	14	20	25	39
65+	1802	13.4	79	4	5	11	16	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	4.7	5	2	2	4	6	8	9	12
B. *Operated*	359	9.3	13	4	6	9	11	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	5517	6.0	13	2	3	5	7	10	12	18
B. *Operated*	3093	12.7	66	4	5	11	15	22	28	43
1. SINGLE DX	1683	5.7	11	2	2	5	7	10	12	16
2. MULTIPLE DX	8610	8.4	43	2	3	7	10	15	20	33
A. NOT OPERATED	6841	5.7	12	2	2	5	7	9	12	18
B. OPERATED	3452	12.3	62	4	5	10	14	21	26	42
TOTAL 0-19 YRS	14	6.0	7	2	3	6	7	11	11	11
20-34	186	7.0	22	2	2	6	8	12	14	26
35-49	1164	7.0	22	2	3	6	9	12	16	25
50-64	2839	7.6	32	2	3	6	9	13	17	28
65+	6090	8.3	45	2	3	7	10	15	20	34
GRAND TOTAL	**10293**	**7.9**	**38**	**2**	**3**	**6**	**10**	**14**	**19**	**32**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	2	1	1	2	3	5	6	6
20-34	21	2.9	2	<1	1	3	4	5	5	5
35-49	19	2.9	7	<1	<1	3	4	6	9	11
50-64	10	2.5	3	1	1	2	3	5	6	6
65+	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	89	2.7	12	1	1	2	3	5	9	72
20-34	567	2.4	3	1	1	2	3	4	5	9
35-49	567	2.5	3	1	1	2	3	4	6	10
50-64	276	2.6	3	1	1	2	3	5	6	9
65+	101	3.0	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	5	1	1	3	4	6	8	10
20-34	31	4.2	7	1	2	3	5	9	10	11
35-49	47	5.2	22	1	2	4	7	10	13	28
50-64	64	5.7	30	1	1	5	7	11	12	37
65+	56	5.8	16	2	2	5	7	11	14	20
B. *Operated*										
0-19 YRS	62	3.2	4	1	1	3	4	6	8	9
20-34	639	3.5	15	1	1	3	4	6	9	17
35-49	864	3.5	16	1	1	3	4	7	9	15
50-64	747	4.3	27	1	1	3	5	9	12	28
65+	474	5.7	43	1	1	4	6	13	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.7	3	<1	1	2	4	5	6	10
B. *Operated*	1600	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	221	5.2	19	1	2	4	6	10	12	22
B. *Operated*	2786	4.1	24	1	1	3	5	8	11	25
1. SINGLE DX	1666	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	3007	4.2	23	1	1	3	5	8	11	25
A. NOT OPERATED	287	4.6	17	1	1	4	6	9	11	19
B. OPERATED	4386	3.5	17	1	1	2	4	6	9	21
TOTAL 0-19 YRS	185	2.9	8	1	1	2	4	6	8	22
20-34	1258	3.0	9	1	1	2	4	5	7	12
35-49	1497	3.1	11	1	1	2	4	6	8	13
50-64	1097	4.0	22	1	1	3	5	7	11	22
65+	636	5.3	35	1	1	4	6	11	17	30
GRAND TOTAL	**4673**	**3.6**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.2	7	1	1	3	4	6	8	15
20-34	502	4.3	10	1	1	4	5	8	10	18
35-49	336	4.3	10	1	1	4	5	9	11	13
50-64	168	3.8	7	<1	1	3	5	8	8	13
65+	153	3.5	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	118	6.1	22	1	2	5	8	10	16	25
20-34	319	7.2	26	1	2	6	9	12	17	27
35-49	232	7.6	31	1	2	6	10	15	17	25
50-64	173	7.2	38	1	2	6	9	15	18	25
65+	154	6.9	21	1	2	6	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	568	3.6	10	1	1	3	4	7	9	19
20-34	1040	5.3	21	1	2	4	7	10	13	22
35-49	1049	5.2	17	1	2	4	6	9	12	21
50-64	1194	5.6	24	1	2	4	7	11	14	22
65+	2904	6.1	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	312	9.4	82	1	2	7	12	22	29	47
20-34	1047	10.0	78	2	3	7	13	20	26	50
35-49	1088	11.0	101	2	3	8	14	22	31	59
50-64	1266	12.0	131	2	3	9	14	25	36	79
65+	2373	12.7	120	2	3	10	16	24	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1490	3.9	9	1	1	3	5	8	9	15
B. *Operated*	996	7.1	28	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	6755	5.5	21	1	2	4	7	11	14	22
B. *Operated*	6086	11.6	111	2	3	9	15	23	31	60
1. SINGLE DX	2486	5.2	19	1	1	4	7	10	13	22
2. MULTIPLE DX	12841	8.4	73	1	2	6	10	17	24	46
A. NOT OPERATED	8245	5.2	19	1	2	4	7	10	13	21
B. OPERATED	7082	11.0	102	2	3	8	14	22	30	57
TOTAL 0-19 YRS	1329	5.1	34	1	1	3	6	11	16	30
20-34	2908	7.0	46	1	2	5	9	14	20	36
35-49	2705	7.6	59	1	2	5	9	15	21	43
50-64	2801	8.5	83	1	2	6	10	17	25	56
65+	5584	8.8	74	2	2	6	11	18	24	45
GRAND TOTAL	**15327**	**7.9**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	5.7	12	1	2	6	8	11	13	13
35-49	19	5.5	8	2	2	5	7	10	11	12
50-64	11	7.1	47	3	3	4	7	20	23	23
65+	6	5.2	7	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	3.7	21	1	1	1	7	9	9	9
35-49	12	5.0	28	<1	<1	3	7	14	17	18
50-64	6	3.2	8	1	1	2	5	8	8	8
65+	4	4.3	11	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	11	3	3	9	10	11	11	11
20-34	185	7.8	33	2	3	6	9	15	20	30
35-49	443	8.0	33	2	3	6	10	15	20	28
50-64	549	8.9	38	2	3	7	11	17	22	32
65+	249	9.6	42	3	4	8	12	16	20	37
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	11.7	137	1	3	9	13	26	33	68
35-49	171	10.7	91	2	2	8	14	22	28	58
50-64	200	12.7	155	2	3	9	16	25	33	91
65+	99	13.9	149	2	4	10	19	27	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.8	16	2	2	5	7	10	13	22
B. *Operated*	25	4.3	18	<1	1	2	7	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	1431	8.6	37	2	3	7	11	16	20	31
B. *Operated*	521	12.1	132	1	3	9	15	24	33	71
1. SINGLE DX	88	5.4	17	1	1	5	7	10	13	21
2. MULTIPLE DX	1952	9.5	64	2	3	8	12	18	23	40
A. NOT OPERATED	1494	8.5	36	2	3	7	11	16	20	31
B. OPERATED	546	11.8	129	1	2	9	15	23	32	69
TOTAL 0-19 YRS	6	6.7	16	1	1	7	10	11	11	11
20-34	265	8.2	53	2	2	6	10	15	20	38
35-49	645	8.6	49	2	3	7	11	17	22	35
50-64	766	9.8	71	2	3	8	12	19	25	36
65+	358	10.6	75	2	3	8	13	20	25	57
GRAND TOTAL	**2040**	**9.4**	**63**	**2**	**3**	**7**	**11**	**18**	**23**	**39**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	10	8.1	87	1	1	5	10	22	32	32
35-49	11	5.1	17	1	1	5	6	11	15	15
50-64	15	4.2	19	<1	1	2	6	11	14	15
65+	7	5.9	25	<1	<1	5	10	13	14	14
B. *Operated*										
0-19 YRS	8	2.5	4	1	1	2	4	6	6	6
20-34	35	2.0	4	1	1	1	2	5	7	8
35-49	45	2.0	3	1	1	1	2	4	5	10
50-64	69	3.3	21	1	1	1	4	8	12	28
65+	28	4.1	36	<1	1	1	4	11	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	28	<1	1	3	4	11	18	22
20-34	41	6.3	27	1	1	5	7	14	20	21
35-49	102	6.7	24	1	2	6	9	11	16	28
50-64	225	9.0	45	2	3	7	11	16	22	40
65+	296	9.4	49	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	25	8.8	379	1	1	2	6	21	41	97
20-34	61	6.4	88	1	1	2	7	16	20	53
35-49	141	7.3	86	1	1	5	10	16	22	41
50-64	238	9.8	112	1	1	7	14	23	32	45
65+	292	9.7	70	1	1	8	14	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.2	32	1	1	3	6	12	15	32
B. *Operated*	185	2.8	15	1	1	1	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	682	8.5	43	2	3	7	11	16	21	37
B. *Operated*	757	9.0	98	1	1	6	12	20	28	45
1. SINGLE DX	234	3.3	20	1	1	1	4	8	11	25
2. MULTIPLE DX	1439	8.8	72	1	1	7	11	18	24	41
A. NOT OPERATED	731	8.3	43	1	2	7	10	16	21	36
B. OPERATED	942	7.8	88	1	1	5	10	18	24	42
TOTAL 0-19 YRS	57	5.8	180	1	1	2	4	15	21	92
20-34	147	5.4	53	1	1	3	7	13	20	40
35-49	299	6.2	53	1	1	5	8	12	18	36
50-64	547	8.5	75	1	1	6	11	17	25	41
65+	623	9.2	59	1	1	7	12	19	23	40
GRAND TOTAL	**1673**	**8.0**	**69**	**1**	**1**	**6**	**10**	**17**	**22**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	3	1	1	3	4	6	7	8
20-34	69	5.3	9	2	2	5	7	10	11	15
35-49	51	4.9	12	2	2	4	5	8	11	20
50-64	25	4.9	11	1	1	4	6	12	12	13
65+	13	4.3	2	2	3	4	5	6	7	7
B. *Operated*										
0-19 YRS	9	8.2	72	1	1	4	12	22	26	26
20-34	19	5.5	45	1	1	3	6	13	22	29
35-49	21	4.2	10	1	1	4	6	8	10	12
50-64	24	4.8	54	1	1	2	4	14	21	33
65+	15	3.1	15	1	1	1	4	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.4	7	1	2	4	5	8	9	12
20-34	150	6.4	26	2	2	5	7	12	15	33
35-49	256	7.7	44	2	2	6	9	14	20	39
50-64	425	8.2	35	2	3	7	11	15	19	29
65+	476	8.9	41	3	3	7	12	16	21	32
B. *Operated*										
0-19 YRS	26	9.1	231	1	2	4	8	19	48	71
20-34	61	10.9	203	1	1	7	13	23	41	81
35-49	111	13.1	225	1	2	7	16	36	50	89
50-64	171	12.0	92	1	1	9	17	25	31	40
65+	200	13.5	123	2	3	10	18	27	37	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.7	9	1	2	4	6	8	11	18
B. *Operated*	88	4.9	37	1	1	2	6	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	1355	8.0	38	2	3	6	10	15	19	32
B. *Operated*	569	12.5	147	1	2	9	17	27	38	63
1. SINGLE DX	277	4.8	18	1	1	4	6	9	12	24
2. MULTIPLE DX	1924	9.3	74	2	2	7	12	19	25	46
A. NOT OPERATED	1544	7.6	35	2	3	6	9	14	19	31
B. OPERATED	657	11.5	139	1	1	8	16	25	35	60
TOTAL 0-19 YRS	114	5.5	65	1	1	4	6	9	14	52
20-34	299	7.0	63	1	2	5	8	13	18	44
35-49	439	8.6	93	2	2	6	9	18	24	54
50-64	645	8.9	54	1	2	7	12	18	25	35
65+	704	10.0	69	2	3	8	13	20	26	45
GRAND TOTAL	**2201**	**8.7**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.4	2	1	1	2	3	4	5	6
20-34	306	2.4	2	<1	1	2	3	4	5	7
35-49	312	2.3	2	<1	1	2	3	4	5	7
50-64	221	2.7	3	1	1	2	4	5	7	8
65+	157	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	247	5.0	5	2	3	5	6	7	9	12
20-34	3148	4.9	3	3	3	5	6	7	8	11
35-49	2765	5.1	4	3	3	5	6	8	9	11
50-64	2146	5.5	4	3	3	5	6	8	9	12
65+	1037	6.5	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	5	<1	1	2	4	6	9	11
20-34	371	3.2	8	1	1	3	4	6	7	10
35-49	481	3.7	8	1	1	3	5	7	8	14
50-64	816	4.2	8	1	1	4	5	8	9	14
65+	1731	5.5	13	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	234	6.8	16	3	3	6	8	11	13	23
20-34	3049	6.3	12	3	3	6	7	10	12	18
35-49	3986	6.6	14	3	3	6	8	10	13	21
50-64	5331	7.7	21	3	4	7	9	12	15	24
65+	6213	10.2	41	4	5	9	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	9343	5.3	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	3455	4.6	11	1	1	4	6	9	11	16
B. *Operated*	18813	8.0	27	3	4	7	9	13	17	27
1. SINGLE DX	10374	5.0	5	2	3	5	6	8	9	12
2. MULTIPLE DX	22268	7.5	26	2	3	6	9	13	16	26
A. NOT OPERATED	4486	4.2	10	1	1	3	5	8	10	15
B. OPERATED	28156	7.1	21	3	4	6	8	12	15	24
TOTAL 0-19 YRS	572	5.3	11	2	2	5	6	9	11	17
20-34	6874	5.3	8	2	3	5	6	8	10	15
35-49	7544	5.7	11	2	3	5	7	9	11	17
50-64	8514	6.7	17	2	3	6	8	11	13	21
65+	9138	8.7	35	3	4	7	11	15	19	31
GRAND TOTAL	**32642**	**6.7**	**21**	**2**	**3**	**6**	**8**	**11**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	4	1	1	3	5	7	8	8
20-34	177	3.0	5	<1	1	2	4	6	7	10
35-49	154	2.9	3	<1	1	3	4	6	7	9
50-64	96	3.3	7	<1	1	3	4	6	8	15
65+	74	4.1	11	1	1	4	5	8	9	21
B. *Operated*										
0-19 YRS	31	5.0	10	2	3	4	6	8	9	19
20-34	260	5.3	5	3	3	5	6	8	9	15
35-49	239	5.5	4	3	3	5	6	8	10	13
50-64	151	6.2	8	3	3	6	8	10	11	17
65+	65	8.1	34	4	4	7	8	12	15	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.7	2	1	1	2	3	4	7	8
20-34	232	3.7	6	<1	1	3	5	7	9	12
35-49	248	4.2	8	1	1	3	5	8	11	15
50-64	322	4.8	9	1	2	4	6	8	10	18
65+	528	6.3	17	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	32	6.3	10	4	4	5	8	10	12	19
20-34	406	6.7	13	3	4	6	8	11	14	21
35-49	596	7.4	23	3	4	6	9	12	15	24
50-64	526	9.1	57	4	4	7	10	15	20	42
65+	630	11.6	49	5	5	10	14	20	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.2	6	<1	1	3	4	6	7	10
B. *Operated*	746	5.8	9	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1359	5.1	13	1	2	4	6	9	12	18
B. *Operated*	2190	8.9	40	3	4	7	11	15	20	34
1. SINGLE DX	1268	4.7	9	1	2	4	6	8	9	15
2. MULTIPLE DX	3549	7.4	33	2	3	6	9	13	17	29
A. NOT OPERATED	1881	4.5	11	1	1	4	6	8	11	17
B. OPERATED	2936	8.1	34	3	4	6	10	14	18	31
TOTAL 0-19 YRS	113	4.5	9	1	2	4	6	8	9	19
20-34	1075	5.1	11	1	2	5	6	9	11	18
35-49	1237	5.8	17	1	2	5	7	10	13	21
50-64	1095	6.9	37	2	2	6	8	12	16	31
65+	1297	8.9	41	2	3	7	11	16	20	34
GRAND TOTAL	**4817**	**6.7**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	23	2.5	5	<1	<1	2	3	5	8	10
35-49	15	4.3	53	<1	<1	2	4	7	24	30
50-64	16	3.4	9	1	1	2	4	9	10	11
65+	21	4.2	9	1	2	4	5	7	11	15
B. *Operated*										
0-19 YRS	14	7.2	10	1	1	7	9	11	12	13
20-34	91	6.0	13	1	2	6	8	10	14	19
35-49	71	6.0	11	1	2	6	8	10	11	18
50-64	84	6.2	15	1	1	6	9	11	14	15
65+	119	7.5	24	1	1	7	12	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	7	2	2	4	5	9	9	9
20-34	24	3.8	5	1	1	3	6	7	7	8
35-49	35	5.0	25	1	1	4	6	10	11	29
50-64	63	4.8	11	1	2	4	7	9	11	16
65+	161	6.2	16	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	22	9.1	15	5	5	8	10	15	18	20
20-34	141	9.4	89	4	5	7	10	15	19	49
35-49	164	10.1	71	3	4	8	11	17	25	56
50-64	300	10.9	59	3	4	9	13	19	23	51
65+	898	12.8	64	3	5	11	16	22	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.5	16	<1	1	2	4	7	10	26
B. *Operated*	379	6.5	17	1	1	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	288	5.5	15	1	2	5	7	10	13	19
B. *Operated*	1525	11.8	67	3	5	10	15	20	26	47
1. SINGLE DX	457	6.0	18	1	1	6	8	12	14	18
2. MULTIPLE DX	1813	10.8	64	2	3	9	14	19	25	44
A. NOT OPERATED	366	5.1	16	1	1	4	7	10	12	20
B. OPERATED	1904	10.8	62	2	4	9	13	19	24	44
TOTAL 0-19 YRS	44	7.6	15	2	3	7	9	13	15	20
20-34	279	7.2	56	1	2	6	8	12	16	32
35-49	285	8.1	54	1	2	7	10	14	21	36
50-64	463	9.0	50	1	2	8	11	17	20	43
65+	1199	11.3	61	2	3	10	14	19	25	42
GRAND TOTAL	**2270**	**9.8**	**59**	**2**	**2**	**8**	**12**	**18**	**22**	**41**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	13.2	105	<1	<1	20	21	21	21	21
20-34	13	3.1	3	1	1	2	4	6	7	7
35-49	18	3.6	4	1	1	3	5	7	7	7
50-64	24	5.4	14	1	2	4	7	12	13	14
65+	28	4.4	4	1	2	4	6	7	8	10
B. *Operated*										
0-19 YRS										
20-34	8	5.5	53	1	1	3	5	18	23	23
35-49	27	6.3	24	1	1	5	10	14	16	16
50-64	19	8.5	20	1	2	9	11	15	17	18
65+	21	7.3	34	1	2	5	10	17	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.1	71	1	1	7	13	15	29	34
20-34	37	4.0	10	1	2	3	4	7	13	16
35-49	46	5.0	13	1	2	4	7	11	13	17
50-64	130	5.5	12	1	2	5	8	10	13	16
65+	286	6.7	15	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	6	24.8	367	12	12	16	29	59	62	62
20-34	30	9.9	101	2	3	8	11	15	26	56
35-49	83	11.0	62	2	3	9	14	21	24	41
50-64	142	13.3	120	2	4	11	17	25	39	67
65+	347	14.1	83	2	4	13	18	26	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.8	16	1	1	4	6	8	13	21
B. *Operated*	75	7.1	28	1	1	6	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	514	6.1	16	1	2	5	8	11	15	18
B. *Operated*	608	13.4	95	2	4	11	17	25	31	58
1. SINGLE DX	163	5.8	23	1	1	4	8	12	16	21
2. MULTIPLE DX	1122	10.0	72	2	2	8	13	19	26	50
A. NOT OPERATED	602	5.9	17	1	2	5	8	11	14	20
B. OPERATED	683	12.7	91	2	3	11	16	24	30	55
TOTAL 0-19 YRS	26	13.5	173	1	1	11	16	28	40	62
20-34	88	6.0	51	1	2	4	7	12	16	45
35-49	174	7.9	46	1	2	6	10	15	21	40
50-64	315	9.2	76	1	2	7	12	18	23	56
65+	682	10.4	64	2	3	9	14	20	26	42
GRAND TOTAL	**1285**	**9.5**	**68**	**2**	**2**	**7**	**13**	**19**	**24**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	4	1	1	3	5	6	7	13
20-34	368	4.6	9	1	2	4	6	8	10	13
35-49	356	5.0	12	1	2	4	6	9	11	16
50-64	191	5.4	9	1	2	5	7	10	11	14
65+	145	5.8	17	2	2	5	7	10	11	28
B. *Operated*										
0-19 YRS	9	12.2	54	1	1	14	18	20	22	22
20-34	39	7.2	57	1	1	5	10	14	16	44
35-49	47	9.5	130	1	2	7	11	19	20	76
50-64	40	8.7	105	1	2	7	10	15	21	64
65+	19	5.8	19	1	1	5	8	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.2	14	1	2	4	6	9	10	23
20-34	1241	6.1	19	2	3	5	7	10	13	19
35-49	1731	6.7	22	2	3	6	8	12	15	24
50-64	1220	6.6	19	2	3	6	9	12	14	21
65+	1422	7.4	23	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	18	18.9	159	3	6	18	31	37	38	38
20-34	237	15.7	196	3	5	11	18	30	45	77
35-49	450	14.5	148	3	4	11	17	29	43	71
50-64	447	16.0	217	3	5	12	18	33	46	89
65+	523	16.1	163	4	5	12	19	31	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	5.0	11	1	2	4	6	9	10	15
B. *Operated*	154	8.4	87	1	1	7	10	17	20	63
2. MULTIPLE DX										
A. *Not Operated*	5699	6.7	21	2	3	6	8	12	15	23
B. *Operated*	1675	15.6	178	3	5	12	18	31	45	77
1. SINGLE DX	1271	5.4	21	1	2	4	7	10	12	20
2. MULTIPLE DX	7374	8.7	70	2	3	6	10	16	22	49
A. NOT OPERATED	6816	6.4	20	2	3	5	8	11	14	22
B. OPERATED	1829	15.0	175	3	4	11	18	30	44	76
TOTAL 0-19 YRS	169	6.5	49	1	2	4	7	14	22	37
20-34	1885	7.0	51	2	2	5	8	12	17	41
35-49	2584	7.9	54	2	3	6	9	15	20	42
50-64	1898	8.8	82	2	3	6	10	15	22	51
65+	2109	9.4	72	2	3	7	11	17	24	50
GRAND TOTAL	**8645**	**8.2**	**65**	**2**	**3**	**6**	**10**	**15**	**21**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	2	<1	1	2	3	4	6	7
20-34	78	2.7	3	1	1	3	3	5	6	8
35-49	54	3.6	9	1	1	3	4	6	11	16
50-64	103	3.8	6	1	1	3	5	7	8	13
65+	156	4.2	6	1	1	4	5	8	9	11
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	8	4.5	9	1	1	4	6	9	10	10
35-49	6	5.0	3	3	3	5	6	8	8	8
50-64	15	7.1	42	1	2	5	8	13	24	28
65+	20	5.9	13	<1	1	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	3.5	6	1	1	3	4	6	8	13
20-34	389	3.9	8	1	1	3	5	7	9	14
35-49	536	4.7	10	1	2	4	6	8	10	17
50-64	1163	5.1	11	2	2	4	6	9	10	18
65+	4613	6.4	21	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	14	9.6	187	1	3	5	7	24	47	54
20-34	84	6.8	44	2	2	5	8	13	17	42
35-49	195	8.3	75	2	3	6	10	16	21	45
50-64	456	8.3	49	2	3	6	10	15	21	40
65+	1499	10.0	63	3	3	8	12	19	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.5	6	1	1	3	5	6	8	13
B. *Operated*	52	5.8	19	1	2	5	7	11	12	28
2. MULTIPLE DX										
A. *Not Operated*	6869	5.9	18	2	2	5	7	10	13	21
B. *Operated*	2248	9.4	62	3	3	7	11	18	24	41
1. SINGLE DX	507	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX	9117	6.7	31	2	2	5	8	12	16	29
A. NOT OPERATED	7324	5.7	18	2	2	5	7	10	13	21
B. OPERATED	2300	9.3	61	2	3	7	11	18	24	41
TOTAL 0-19 YRS	249	3.6	17	1	1	3	4	6	8	20
20-34	559	4.2	14	1	1	3	5	8	10	18
35-49	791	5.5	28	1	2	4	6	10	13	25
50-64	1737	5.9	23	2	2	5	7	10	14	27
65+	6288	7.2	33	2	3	6	9	13	17	30
GRAND TOTAL	**9624**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.3	3	1	2	3	4	6	7	9
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	5.8	13	1	1	6	8	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	6.7	1	5	5	7	7	8	8	8
50-64	2	5.0		5	5	5	5	5	5	5
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	20	1	2	3	5	11	17	61
20-34	11	6.8	17	2	2	7	9	12	16	16
35-49	38	6.9	27	1	2	6	10	15	17	22
50-64	24	10.0	93	1	3	7	12	23	29	44
65+	45	9.9	64	2	3	8	12	19	21	49
B. *Operated*										
0-19 YRS	19	7.6	134	1	1	4	12	33	76	99+
20-34	17	7.4	10	4	4	7	9	10	15	17
35-49	34	14.6	220	4	5	9	16	30	51	73
50-64	30	18.2	224	5	6	14	22	34	43	80
65+	55	14.6	100	4	5	11	19	31	38	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.6	4	1	1	3	4	7	8	9
B. *Operated*	13	5.8	14	1	2	5	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	223	6.8	42	1	2	5	9	15	19	45
B. *Operated*	155	13.7	155	3	4	9	17	30	41	80
1. SINGLE DX	68	4.1	7	1	1	3	5	7	8	15
2. MULTIPLE DX	378	9.6	99	2	2	7	12	20	30	67
A. NOT OPERATED	278	6.2	36	1	2	4	8	13	18	40
B. OPERATED	168	13.1	148	2	4	9	16	29	40	79
TOTAL 0-19 YRS	169	4.7	29	1	1	3	5	10	15	90
20-34	33	6.5	13	2	2	6	9	10	15	17
35-49	80	10.2	120	2	2	8	11	18	27	67
50-64	58	13.9	173	3	4	10	18	27	41	77
65+	106	12.2	86	3	4	9	16	24	32	45
GRAND TOTAL	**446**	**8.8**	**89**	**1**	**2**	**6**	**11**	**19**	**28**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	5.5	23	1	1	4	8	12	15	24
20-34	15	5.0	10	1	1	5	6	8	12	14
35-49	6	4.5	7	1	1	4	6	8	8	8
50-64	5	8.2	45	2	2	8	13	18	18	18
65+	4	4.5	12	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	38	3.0	8	1	1	2	3	6	10	14
20-34	28	2.2	3	1	1	2	3	5	6	7
35-49	22	2.6	8	1	1	2	2	4	8	14
50-64	18	2.4	6	1	1	2	3	4	8	11
65+	10	2.2	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.2	16	1	2	4	7	10	13	23
20-34	33	4.5	8	1	2	4	5	6	10	17
35-49	33	5.0	9	1	2	4	6	10	12	12
50-64	51	8.2	34	2	3	7	12	16	17	26
65+	79	9.4	99	3	4	7	12	15	22	66
B. *Operated*										
0-19 YRS	53	7.2	109	1	1	4	8	15	19	66
20-34	60	5.8	43	1	1	3	8	15	21	29
35-49	90	6.3	46	1	1	4	9	13	18	36
50-64	85	9.2	95	1	1	7	12	20	27	53
65+	84	10.4	96	1	2	8	15	24	35	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	5.4	20	1	1	4	7	12	14	22
B. *Operated*	116	2.6	6	1	1	2	3	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	297	6.7	43	2	2	5	8	14	16	26
B. *Operated*	372	7.9	79	1	1	5	10	18	27	46
1. SINGLE DX	208	3.8	14	1	1	2	5	9	12	17
2. MULTIPLE DX	669	7.4	64	1	1	5	9	15	23	42
A. NOT OPERATED	389	6.4	38	1	2	5	8	13	15	26
B. OPERATED	488	6.7	67	1	1	4	9	16	24	44
TOTAL 0-19 YRS	254	5.4	37	1	1	3	7	11	14	25
20-34	136	4.7	24	1	1	3	6	9	15	28
35-49	151	5.4	32	1	1	4	8	11	15	35
50-64	159	8.1	67	1	1	6	11	17	26	43
65+	177	9.4	93	1	2	6	13	21	26	73
GRAND TOTAL	**877**	**6.6**	**54**	**1**	**1**	**4**	**9**	**14**	**19**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	3	2	2	4	5	7	8	8
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	7.5	26	1	1	8	8	15	16	16
20-34	6	4.2	20	1	1	3	4	12	13	13
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.9	11	1	2	4	6	9	11	18
20-34	17	5.4	13	1	2	5	6	12	13	14
35-49	14	5.0	4	2	3	5	7	8	8	8
50-64	19	7.8	26	3	3	6	11	15	19	21
65+	40	8.0	27	3	3	6	11	13	20	24
B. *Operated*										
0-19 YRS	8	12.0	193	1	1	7	17	35	42	42
20-34	8	5.0	24	1	1	2	9	12	13	13
35-49	3	7.3	16	5	5	5	10	12	12	12
50-64	19	10.3	119	1	2	6	16	23	35	44
65+	21	12.6	92	2	3	11	16	26	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	3	2	2	4	5	7	8	8
B. *Operated*	15	5.3	22	1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	128	6.4	19	2	3	5	8	12	14	23
B. *Operated*	59	10.5	102	1	1	8	14	23	34	44
1. SINGLE DX	41	4.5	10	1	1	4	6	8	10	16
2. MULTIPLE DX	187	7.7	49	1	2	5	10	16	21	41
A. NOT OPERATED	154	6.0	17	2	3	5	7	11	14	23
B. OPERATED	74	9.4	90	1	1	7	13	20	28	44
TOTAL 0-19 YRS	74	5.7	32	1	2	4	6	10	17	36
20-34	35	4.8	15	1	1	3	6	12	13	14
35-49	17	5.4	6	2	3	5	7	8	11	12
50-64	40	8.8	70	1	2	6	11	20	23	44
65+	62	9.4	53	2	3	8	12	19	24	38
GRAND TOTAL	**228**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	5	<1	<1	3	5	6	6	6
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	11	1.4	1	<1	<1	<1	1	3	3	3
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	14	6.9	24	3	3	6	6	17	18	18
20-34	25	8.3	73	1	1	6	10	20	28	36
35-49	22	5.4	30	1	1	3	10	12	17	22
50-64	30	4.7	12	1	1	4	8	10	11	13
65+	17	4.5	23	1	1	3	5	9	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.2	14	<1	1	3	5	9	12	16
20-34	35	3.9	9	<1	1	3	5	8	9	14
35-49	57	4.1	16	<1	<1	3	6	8	11	22
50-64	97	7.4	29	1	2	6	9	16	18	26
65+	330	8.4	46	2	2	7	10	15	20	40
B. *Operated*										
0-19 YRS	81	12.7	109	2	3	10	17	30	41	99+
20-34	242	10.0	110	1	1	7	13	22	32	77
35-49	328	11.0	117	1	2	8	14	26	34	50
50-64	381	9.6	84	1	2	7	12	21	27	45
65+	395	12.3	117	2	2	9	18	26	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*	108	5.9	34	1	1	4	8	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	565	7.1	38	1	1	6	9	14	18	31
B. *Operated*	1427	10.9	107	1	2	8	15	24	32	61
1. SINGLE DX	133	5.2	31	<1	1	3	6	11	17	28
2. MULTIPLE DX	1992	9.9	91	1	2	7	13	22	29	53
A. NOT OPERATED	590	6.9	38	1	1	6	9	14	17	31
B. OPERATED	1535	10.6	104	1	2	8	14	23	31	61
TOTAL 0-19 YRS	145	9.2	84	1	2	6	13	20	32	99+
20-34	305	9.1	98	1	1	6	12	21	31	68
35-49	418	9.5	104	1	1	6	12	23	31	49
50-64	513	8.8	71	1	2	6	11	20	24	38
65+	744	10.4	88	2	2	8	14	22	28	51
GRAND TOTAL	**2125**	**9.6**	**88**	**1**	**2**	**7**	**12**	**21**	**28**	**52**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	17	9.9	225	1	2	6	9	16	49	66
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64	3	6.3	44	2	2	3	11	14	14	14
65+	6	7.0	28	1	1	6	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	10	<1	1	5	7	10	11	11
20-34	27	7.5	42	1	1	6	11	14	21	30
35-49	47	7.1	26	2	2	6	10	15	17	23
50-64	150	9.1	43	2	3	8	12	16	22	35
65+	974	10.2	39	3	4	9	13	18	22	33
B. *Operated*										
0-19 YRS	19	17.1	155	2	5	14	27	37	42	43
20-34	47	14.6	192	4	4	11	20	24	27	95
35-49	67	14.9	245	2	2	11	15	31	56	72
50-64	173	15.8	152	3	5	12	19	31	39	59
65+	479	16.9	127	4	6	14	21	33	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.0	147	1	2	5	8	12	24	66
B. *Operated*	13	5.7	26	1	1	5	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	1217	9.8	40	3	4	8	12	17	22	32
B. *Operated*	785	16.3	147	4	5	13	20	31	40	66
1. SINGLE DX	40	7.2	107	1	1	5	8	13	17	66
2. MULTIPLE DX	2002	12.4	92	3	4	10	15	23	30	49
A. NOT OPERATED	1244	9.8	42	3	4	8	12	17	22	33
B. OPERATED	798	16.2	147	3	5	13	20	31	40	66
TOTAL 0-19 YRS	43	10.0	112	1	1	6	13	29	34	43
20-34	79	11.6	141	1	2	10	14	21	27	76
35-49	116	11.6	166	2	2	8	13	23	33	72
50-64	328	12.6	111	3	3	9	16	26	32	51
65+	1476	12.4	79	3	4	10	16	23	29	46
GRAND TOTAL	**2042**	**12.3**	**93**	**3**	**4**	**10**	**15**	**23**	**30**	**50**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	3.6	3	2	2	3	4	6	7	11
20-34	454	3.7	3	1	2	3	5	6	7	8
35-49	139	4.0	3	2	2	4	5	6	7	10
50-64	63	4.3	3	2	2	4	5	7	8	9
65+	49	4.5	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	4	3.5	3	1	1	4	5	5	5	5
20-34	19	6.0	6	3	4	5	7	10	11	11
35-49	10	5.3	4	3	3	5	7	8	9	9
50-64	6	7.8	10	3	3	8	10	12	12	12
65+	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.3	4	2	2	4	5	7	8	11
20-34	1129	4.6	5	2	2	4	6	7	9	12
35-49	491	5.5	12	2	3	5	7	9	11	18
50-64	554	6.2	11	2	3	5	7	10	12	18
65+	1209	7.1	16	3	3	6	9	11	14	23
B. *Operated*										
0-19 YRS	74	6.7	19	3	3	6	8	12	16	24
20-34	146	7.1	13	3	4	6	8	12	15	18
35-49	104	9.1	47	3	3	7	11	15	20	45
50-64	126	11.0	63	4	5	9	12	19	24	52
65+	226	10.9	28	5	5	10	14	18	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	3.8	3	2	2	4	5	6	7	10
B. *Operated*	41	6.1	7	2	3	5	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	4004	5.6	11	2	3	5	7	10	11	17
B. *Operated*	676	9.4	36	3	4	8	11	16	21	30
1. SINGLE DX	1064	3.9	3	2	2	4	5	6	7	11
2. MULTIPLE DX	4680	6.2	17	2	3	5	7	11	13	21
A. NOT OPERATED	5027	5.3	10	2	2	5	6	9	11	16
B. OPERATED	717	9.2	35	3	4	8	11	16	20	29
TOTAL 0-19 YRS	1017	4.3	6	2	2	4	5	7	8	12
20-34	1748	4.6	6	2	2	4	6	7	9	14
35-49	744	5.7	17	2	2	5	7	10	13	21
50-64	749	6.8	23	2	3	6	8	11	14	23
65+	1486	7.6	20	3	3	7	10	13	15	24
GRAND TOTAL	**5744**	**5.8**	**15**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.8	3	1	2	3	5	6	7	10
20-34	261	3.6	3	2	2	3	4	6	7	9
35-49	101	3.9	3	2	2	4	5	6	7	11
50-64	37	4.8	10	1	2	4	5	7	11	18
65+	26	5.4	8	1	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	20	5.6	10	1	2	5	8	10	11	13
20-34	27	6.0	14	2	2	5	7	9	13	20
35-49	16	4.5	15	1	1	3	7	10	13	14
50-64	8	5.9	10	1	2	6	8	10	11	11
65+	7	9.9	83	4	4	7	9	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	4.1	5	2	2	4	5	7	9	12
20-34	574	4.9	10	2	2	4	6	8	10	18
35-49	255	5.3	10	2	3	5	6	9	10	20
50-64	283	6.1	11	3	3	5	7	10	13	19
65+	557	7.5	19	3	4	7	9	12	15	28
B. *Operated*										
0-19 YRS	80	6.9	17	2	3	6	9	13	16	18
20-34	96	8.9	35	2	3	7	11	18	22	69
35-49	81	10.1	67	2	3	7	13	20	24	44
50-64	122	11.0	63	4	5	9	14	18	23	53
65+	209	13.5	115	3	5	11	17	23	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	3.9	4	2	2	4	5	6	7	10
B. *Operated*	78	5.9	19	1	2	5	7	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	2049	5.7	13	2	2	5	7	10	12	19
B. *Operated*	588	10.9	76	3	4	8	13	20	25	51
1. SINGLE DX	702	4.1	6	2	2	4	5	7	8	13
2. MULTIPLE DX	2637	6.8	32	2	3	5	8	12	17	29
A. NOT OPERATED	2673	5.3	12	2	2	4	6	9	11	18
B. OPERATED	666	10.3	72	2	3	8	13	19	24	50
TOTAL 0-19 YRS	679	4.4	7	2	2	4	5	8	10	15
20-34	958	5.0	13	2	2	4	6	9	11	20
35-49	453	5.8	23	2	2	5	6	10	15	23
50-64	450	7.3	30	3	3	6	9	13	17	27
65+	799	9.1	51	3	4	7	10	16	21	41
GRAND TOTAL	**3339**	**6.3**	**28**	**2**	**2**	**5**	**7**	**11**	**16**	**26**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	1	<1	1	2	3	3	4	5
20-34	400	1.8	3	<1	1	1	2	3	4	6
35-49	575	1.7	1	<1	1	1	2	3	4	6
50-64	367	1.8	2	<1	1	1	2	3	4	8
65+	115	2.3	5	1	1	2	2	5	7	14
B. *Operated*										
0-19 YRS	23	5.6	26	<1	1	4	7	14	16	20
20-34	215	3.7	8	1	1	3	5	7	9	13
35-49	370	3.4	7	1	1	2	5	7	9	12
50-64	324	3.7	9	1	1	3	5	8	9	14
65+	161	3.9	11	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	1	1	1	2	2	3	5	6
20-34	345	2.7	5	1	1	2	3	5	7	11
35-49	499	2.6	5	1	1	2	3	5	7	11
50-64	427	3.0	9	1	1	2	3	5	7	14
65+	303	3.7	11	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	24	6.6	24	2	2	6	9	13	16	22
20-34	212	6.6	25	1	2	5	9	12	16	23
35-49	401	7.0	38	1	2	5	9	15	20	26
50-64	453	6.6	28	1	2	5	9	12	17	25
65+	475	8.1	54	1	2	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	1093	3.7	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1637	2.9	7	1	1	2	3	6	8	12
B. *Operated*	1565	7.2	38	1	2	6	9	14	19	29
1. SINGLE DX	2600	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX	3202	5.0	27	1	1	3	6	11	15	24
A. NOT OPERATED	3144	2.4	5	1	1	2	3	4	6	11
B. OPERATED	2658	5.7	29	1	1	4	8	12	16	24
TOTAL 0-19 YRS	160	3.2	12	1	1	2	3	6	10	19
20-34	1172	3.3	11	1	1	2	4	7	10	17
35-49	1843	3.4	15	1	1	2	4	7	10	20
50-64	1571	3.9	16	1	1	3	5	9	11	21
65+	1054	5.6	35	1	1	4	7	12	16	26
GRAND TOTAL	**5802**	**3.9**	**19**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.0	2	<1	1	2	2	4	4	6
20-34	1328	1.8	1	<1	1	1	2	3	4	5
35-49	1746	1.8	1	<1	1	1	2	3	4	6
50-64	992	1.9	1	<1	1	2	2	3	4	6
65+	230	2.0	1	1	1	2	3	3	4	6
B. *Operated*										
0-19 YRS	76	3.7	7	1	1	3	5	8	8	11
20-34	813	3.7	6	1	1	3	5	7	8	13
35-49	1169	3.8	7	1	1	3	5	7	9	12
50-64	814	4.2	9	1	1	3	6	8	10	14
65+	234	4.6	12	1	1	4	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.2	2	1	1	2	3	4	5	6
20-34	712	2.2	3	1	1	2	3	4	5	7
35-49	1101	2.2	2	1	1	2	3	4	5	7
50-64	899	2.5	3	1	1	2	3	4	6	9
65+	570	3.0	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	62	4.2	8	1	1	3	6	8	9	14
20-34	557	4.8	11	1	2	4	6	9	11	16
35-49	972	5.1	13	1	2	4	6	9	12	18
50-64	1125	6.0	20	1	2	5	8	12	14	22
65+	896	7.1	31	1	2	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4444	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	3106	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3381	2.4	3	1	1	2	3	4	6	8
B. *Operated*	3612	5.8	20	1	2	5	7	11	14	22
1. SINGLE DX	7550	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	6993	4.2	15	1	1	3	5	8	11	19
A. NOT OPERATED	7825	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	6718	5.0	15	1	1	4	6	9	12	19
TOTAL 0-19 YRS	385	2.7	4	1	1	2	3	6	7	10
20-34	3410	2.8	6	1	1	2	4	6	7	12
35-49	4988	3.0	7	1	1	2	4	6	8	12
50-64	3830	3.7	11	1	1	3	5	8	10	16
65+	1930	5.0	22	1	1	4	6	10	13	23
GRAND TOTAL	**14543**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	2	1	1	2	3	4	5	5
20-34	38	1.9	1	<1	1	2	2	3	4	6
35-49	36	2.3	7	1	1	1	3	6	7	15
50-64	15	2.6	3	<1	1	2	4	4	6	7
65+	10	3.7	7	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	216	5.6	6	1	3	5	7	9	10	13
20-34	123	5.9	13	1	2	6	8	11	13	16
35-49	94	4.8	14	1	1	4	7	10	12	17
50-64	84	5.2	14	1	1	5	7	12	12	13
65+	63	4.7	11	<1	1	5	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	7	1	1	3	5	8	11	11
20-34	67	3.3	5	1	1	3	5	6	7	11
35-49	82	4.5	12	<1	1	3	6	10	12	16
50-64	102	6.2	74	1	1	4	6	12	17	53
65+	234	6.4	24	2	2	5	8	13	16	23
B. *Operated*										
0-19 YRS	382	6.8	34	2	3	6	8	11	13	19
20-34	282	7.3	47	1	2	7	9	12	14	42
35-49	318	7.6	29	1	2	6	10	15	18	27
50-64	438	8.1	41	1	2	7	11	16	20	36
65+	676	9.6	65	1	2	8	13	19	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.4	4	1	1	2	3	4	6	10
B. *Operated*	580	5.4	11	1	1	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	556	5.4	28	1	1	4	7	11	14	26
B. *Operated*	2096	8.2	48	1	2	7	10	15	20	33
1. SINGLE DX	700	4.9	11	1	1	4	7	9	11	15
2. MULTIPLE DX	2652	7.6	45	1	2	6	10	15	19	33
A. NOT OPERATED	676	4.9	25	1	1	4	6	10	13	22
B. OPERATED	2676	7.6	41	1	2	6	10	14	18	31
TOTAL 0-19 YRS	690	6.0	23	1	2	6	8	10	12	17
20-34	510	6.0	33	1	1	5	8	11	13	19
35-49	530	6.3	25	1	1	5	9	12	16	25
50-64	639	7.3	43	1	1	6	10	14	18	36
65+	983	8.5	54	1	2	7	11	17	22	35
GRAND TOTAL	**3352**	**7.0**	**39**	**1**	**1**	**6**	**9**	**14**	**17**	**30**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	45	1.8	1	<1	1	2	2	3	4	5
35-49	71	2.0	2	<1	1	1	2	4	5	8
50-64	54	1.9	1	<1	1	2	2	3	4	5
65+	14	2.2	3	<1	1	2	2	5	6	7
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	28	3.9	6	1	1	3	5	8	8	10
35-49	34	3.9	7	<1	1	3	4	7	11	12
50-64	32	2.9	4	1	1	2	4	6	7	8
65+	27	3.3	15	1	1	2	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	53	2.6	4	<1	1	2	3	5	8	10
35-49	73	2.3	3	1	1	2	3	4	4	11
50-64	51	2.7	4	<1	1	2	4	5	6	10
65+	38	3.3	4	1	1	3	5	6	7	10
B. *Operated*										
0-19 YRS	13	6.5	43	1	1	3	9	17	22	23
20-34	33	5.7	34	1	2	4	6	10	14	33
35-49	57	4.4	15	1	1	3	5	10	14	18
50-64	99	5.2	21	1	1	4	6	11	17	22
65+	310	6.1	38	1	2	5	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	1.9	2	<1	1	2	2	4	4	7
B. *Operated*	125	3.5	8	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	217	2.6	4	<1	1	2	3	5	6	10
B. *Operated*	512	5.7	32	1	1	4	7	12	15	24
1. SINGLE DX	311	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	729	4.8	26	1	1	3	6	10	13	23
A. NOT OPERATED	403	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	637	5.3	28	1	1	4	7	11	14	23
TOTAL 0-19 YRS	21	4.7	31	<1	1	2	5	13	19	23
20-34	159	3.2	11	<1	1	2	4	7	9	14
35-49	235	3.0	7	1	1	2	4	5	8	14
50-64	236	3.6	12	1	1	2	4	7	10	20
65+	389	5.5	34	1	1	4	7	12	14	24
GRAND TOTAL	**1040**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.3	1	1	1	2	3	4	5	6
20-34	30	2.5	3	1	1	2	3	4	8	8
35-49	16	2.6	4	<1	1	2	3	5	8	9
50-64	16	3.8	15	1	1	3	4	7	14	17
65+	7	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	14	3.2	3	1	1	3	4	6	6	6
20-34	46	2.6	4	<1	1	2	3	5	7	9
35-49	37	3.3	31	<1	<1	2	4	5	6	35
50-64	40	3.1	10	<1	<1	2	4	6	11	14
65+	79	2.8	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.6	7	1	1	3	4	7	9	14
20-34	121	3.8	8	1	1	3	5	6	8	18
35-49	89	4.3	8	1	1	3	5	8	10	14
50-64	133	4.7	7	1	2	4	6	8	10	13
65+	452	6.8	25	2	3	6	8	11	14	23
B. *Operated*										
0-19 YRS	53	4.5	8	1	1	4	6	8	10	15
20-34	139	6.5	50	1	2	5	8	11	16	50
35-49	185	5.2	27	1	1	4	7	9	12	28
50-64	266	6.2	58	1	1	4	7	12	17	38
65+	762	7.0	32	1	2	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.6	4	1	1	2	3	4	6	11
B. *Operated*	216	2.9	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	888	5.5	18	1	2	5	7	10	12	21
B. *Operated*	1405	6.5	37	1	2	5	8	12	16	32
1. SINGLE DX	339	2.8	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	2293	6.1	30	1	2	5	8	11	15	26
A. NOT OPERATED	1011	5.1	17	1	2	4	7	9	12	20
B. OPERATED	1621	6.0	35	1	1	5	7	12	15	30
TOTAL 0-19 YRS	214	3.5	6	1	1	3	4	6	8	14
20-34	336	4.6	27	1	1	3	6	8	11	23
35-49	327	4.6	22	1	1	4	6	8	11	22
50-64	455	5.4	39	1	1	4	6	10	14	30
65+	1300	6.7	29	1	2	5	8	12	16	25
GRAND TOTAL	**2632**	**5.7**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	10.0	162	<1	<1	9	19	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	89	1.9	7	<1	<1	1	2	4	5	17
20-34	110	2.2	4	<1	1	2	3	4	5	11
35-49	81	2.3	4	<1	1	1	3	5	6	11
50-64	58	2.3	5	<1	1	1	3	5	7	12
65+	101	2.7	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	11	2.8	5	1	1	2	4	6	9	9
50-64	8	3.9	7	1	1	4	5	8	9	9
65+	33	4.5	6	1	2	4	5	8	10	12
B. *Operated*										
0-19 YRS	104	2.4	4	<1	<1	2	3	5	7	9
20-34	143	3.2	10	1	1	2	3	7	9	18
35-49	164	3.9	15	1	1	3	5	8	10	22
50-64	230	4.0	11	1	1	3	5	8	11	17
65+	614	4.8	15	1	1	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	35	<1	<1	1	3	13	19	19
B. *Operated*	439	2.3	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	6	<1	1	3	5	8	9	12
B. *Operated*	1255	4.1	13	1	1	3	5	8	11	19
1. SINGLE DX	448	2.3	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	1314	4.1	13	1	1	3	5	8	11	19
A. NOT OPERATED	68	3.8	10	<1	1	3	5	8	9	18
B. OPERATED	1694	3.7	12	1	1	3	5	8	10	18
TOTAL 0-19 YRS	198	2.2	5	<1	<1	1	3	5	6	10
20-34	259	2.8	7	<1	1	2	3	6	7	15
35-49	258	3.4	12	1	1	2	4	7	9	19
50-64	298	3.7	11	1	1	3	5	8	11	17
65+	749	4.5	13	1	1	4	6	8	11	20
GRAND TOTAL	**1762**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	2.7	2	1	1	2	3	5	5	7
20-34	150	3.0	3	1	1	3	4	5	6	9
35-49	92	2.8	2	1	1	3	4	5	6	8
50-64	70	3.1	12	1	1	2	4	5	7	24
65+	154	4.9	21	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	91	2.8	6	<1	<1	2	4	6	9	13
20-34	84	2.8	3	<1	1	2	4	5	6	9
35-49	90	3.7	13	1	1	3	4	7	11	19
50-64	162	3.3	11	1	1	3	4	6	8	12
65+	238	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1230	3.8	5	1	2	3	5	7	8	11
20-34	919	4.5	13	1	1	4	6	8	11	18
35-49	731	5.6	20	1	2	5	7	10	12	20
50-64	1349	6.1	17	2	2	5	8	11	14	22
65+	6851	7.4	22	2	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	266	5.5	33	1	1	4	7	11	13	22
20-34	342	6.7	54	1	1	5	8	13	20	43
35-49	464	7.2	55	1	1	5	9	15	20	39
50-64	966	7.0	45	1	2	5	9	14	19	37
65+	3290	9.0	68	2	2	7	12	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	3.2	7	1	1	3	4	6	7	12
B. *Operated*	665	3.2	8	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	11080	6.5	20	2	2	6	8	12	14	23
B. *Operated*	5328	8.2	61	1	2	6	10	17	22	42
1. SINGLE DX	1457	3.2	8	1	1	3	4	6	8	13
2. MULTIPLE DX	16408	7.1	34	2	2	6	9	13	17	30
A. NOT OPERATED	11872	6.3	20	2	2	5	8	11	14	23
B. OPERATED	5993	7.6	58	1	2	5	10	16	21	39
TOTAL 0-19 YRS	1913	3.8	9	1	1	3	5	7	9	13
20-34	1495	4.8	22	1	1	4	6	9	12	26
35-49	1377	5.8	32	1	2	4	7	11	15	30
50-64	2547	6.2	28	1	2	5	8	12	15	28
65+	10533	7.8	37	2	3	6	10	14	18	31
GRAND TOTAL	**17865**	**6.7**	**33**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	23	5.7	34	<1	1	4	7	13	19	26
B. *Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	43	3.3	3	1	1	4	4	5	6	7
50-64	1074	4.2	3	1	2	4	5	6	8	10
65+	1779	4.6	4	2	3	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	5.6	32	2	2	4	7	53	96	99+
50-64	81	3.8	9	<1	1	3	5	8	10	16
65+	317	4.1	12	<1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	8	5.3	4	3	3	5	6	8	9	9
20-34	7	5.4	28	1	1	3	7	14	16	16
35-49	109	4.7	8	1	2	4	6	9	11	14
50-64	3210	5.4	10	2	3	5	6	9	11	17
65+	10233	6.5	18	3	3	5	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	31	1	1	4	6	13	17	26
B. *Operated*	2900	4.5	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	411	4.0	12	<1	1	3	5	8	11	19
B. *Operated*	13567	6.2	16	2	3	5	7	10	13	21
1. SINGLE DX	2926	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX	13978	6.1	16	2	3	5	7	10	13	21
A. NOT OPERATED	437	4.1	13	<1	1	3	5	8	12	21
B. OPERATED	16467	5.9	14	2	3	5	7	10	12	20
TOTAL 0-19 YRS	10	4.8	5	1	2	5	6	8	9	9
20-34	12	3.8	20	<1	<1	2	5	10	15	16
35-49	163	4.4	8	1	1	4	5	8	10	20
50-64	4367	5.1	9	2	3	5	6	8	10	16
65+	12352	6.1	16	2	3	5	7	10	13	21
GRAND TOTAL	**16904**	**5.8**	**14**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	28	3.5	2	1	2	3	4	6	7	7
35-49	38	3.9	4	1	2	4	4	5	8	12
50-64	25	4.4	5	1	2	4	5	9	9	10
65+	8	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	15	3.1	12	<1	<1	2	3	4	12	15
35-49	8	4.1	9	<1	<1	3	6	9	10	10
50-64	26	3.3	13	<1	1	2	5	7	13	15
65+	18	3.1	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	51	3.2	3	1	1	3	4	6	6	9
35-49	96	4.5	5	2	2	4	6	8	9	11
50-64	160	4.6	5	2	2	4	6	7	9	12
65+	148	5.2	13	1	2	5	6	8	10	14
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	38	4.2	7	<1	1	4	7	8	9	9
35-49	80	4.5	11	1	1	4	6	8	9	18
50-64	159	6.0	22	1	1	5	8	11	14	19
65+	242	6.4	24	1	2	5	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.8	4	1	2	4	4	6	8	11
B. *Operated*	69	3.3	9	<1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	459	4.6	8	2	2	4	6	8	9	12
B. *Operated*	523	5.8	21	1	2	5	7	11	14	23
1. SINGLE DX	171	3.6	6	1	1	3	4	6	8	14
2. MULTIPLE DX	982	5.3	15	1	2	4	7	9	12	21
A. NOT OPERATED	561	4.5	7	2	2	4	6	8	9	12
B. OPERATED	592	5.5	20	1	1	4	7	11	14	22
TOTAL 0-19 YRS	13	3.4	2	1	2	3	5	5	6	6
20-34	132	3.5	5	1	1	3	4	7	8	10
35-49	222	4.4	7	1	2	4	6	8	9	13
50-64	370	5.1	13	1	2	4	7	9	11	17
65+	416	5.8	19	1	2	5	7	11	14	25
GRAND TOTAL	**1153**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	93	1.6	10	<1	<1	1	1	2	3	19
20-34	44	2.5	6	<1	1	2	3	4	7	13
35-49	66	1.8	1	<1	1	1	2	3	4	6
50-64	114	1.8	1	<1	1	1	3	3	4	5
65+	81	2.0	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	5.5	26	1	1	4	9	12	12	12
B. *Operated*										
0-19 YRS	95	1.8	2	<1	<1	1	2	3	4	10
20-34	42	2.2	2	<1	1	2	3	4	5	8
35-49	66	2.4	4	1	1	2	3	6	7	10
50-64	139	2.5	3	1	1	2	3	5	7	9
65+	180	3.1	7	1	1	2	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	398	1.9	4	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	19	2.5	8	<1	<1	2	2	6	10	12
B. *Operated*	522	2.5	5	1	1	2	3	5	7	10
1. SINGLE DX	403	1.9	4	<1	1	1	2	3	4	7
2. MULTIPLE DX	541	2.5	5	1	1	2	3	5	7	11
A. NOT OPERATED	24	2.4	6	<1	<1	2	2	5	8	12
B. OPERATED	920	2.3	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	199	1.7	6	<1	<1	1	2	3	3	10
20-34	86	2.3	4	<1	1	2	3	4	5	12
35-49	137	2.1	3	<1	1	2	3	4	6	8
50-64	256	2.2	2	1	1	2	3	4	5	8
65+	266	2.8	6	1	1	2	3	5	7	13
GRAND TOTAL	**944**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.8	6	1	1	3	5	7	9	11
20-34	178	3.5	3	1	2	3	4	6	7	9
35-49	114	4.5	6	1	2	4	6	7	9	13
50-64	56	4.6	5	2	2	4	6	7	9	14
65+	36	5.3	7	2	2	5	6	10	12	13
B. *Operated*										
0-19 YRS	39	2.6	5	1	1	2	3	6	7	12
20-34	49	3.1	5	1	1	2	5	6	8	9
35-49	40	2.8	6	<1	1	2	3	6	9	11
50-64	29	4.1	9	1	1	3	6	7	10	14
65+	22	4.1	11	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	5	1	1	4	5	7	9	10
20-34	110	4.8	5	2	2	5	6	8	9	12
35-49	131	5.0	7	2	2	4	6	9	10	14
50-64	152	5.9	8	2	3	5	8	10	11	14
65+	239	6.5	31	2	3	6	8	10	12	20
B. *Operated*										
0-19 YRS	18	3.5	8	1	1	3	5	7	9	11
20-34	55	4.5	12	1	1	4	6	10	12	15
35-49	88	4.7	11	1	1	4	6	10	11	15
50-64	111	5.7	17	1	1	5	8	11	14	19
65+	191	7.9	45	1	2	7	10	14	17	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.1	5	1	2	4	5	7	8	12
B. *Operated*	179	3.2	7	1	1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	688	5.6	16	2	3	5	7	9	11	15
B. *Operated*	463	6.2	29	1	1	5	9	12	15	25
1. SINGLE DX	680	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	1151	5.8	21	1	2	5	7	10	12	18
A. NOT OPERATED	1189	4.9	12	1	2	4	6	8	10	14
B. OPERATED	642	5.4	24	1	1	4	7	11	13	21
TOTAL 0-19 YRS	230	3.7	6	1	1	3	5	7	8	11
20-34	392	4.0	6	1	1	4	5	7	8	12
35-49	373	4.5	8	1	1	4	6	8	10	14
50-64	348	5.5	11	1	2	5	7	10	12	15
65+	488	6.8	35	2	2	6	8	12	15	27
GRAND TOTAL	**1831**	**5.1**	**16**	**1**	**2**	**4**	**7**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	47	1.2		<1	<1	1	1	2	2	2
20-34	19	1.2		1	1	1	1	2	2	2
35-49	16	1.1		<1	<1	1	1	2	2	2
50-64	11	1.0		<1	<1	1	1	1	1	1
65+	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	44	1.7	1	<1	1	1	2	4	4	4
20-34	14	2.7	25	<1	<1	1	2	5	17	20
35-49	30	2.2	4	<1	1	1	3	5	7	8
50-64	42	2.8	16	<1	1	1	2	7	9	24
65+	50	3.3	7	1	1	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.3	15	1	1	2	5	9	9	9
B. *Operated*	102	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	10	2.7	6	1	1	2	3	6	9	9
B. *Operated*	180	2.6	9	<1	1	1	3	6	8	17
1. SINGLE DX	106	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX	190	2.6	9	<1	1	1	3	6	8	16
A. NOT OPERATED	14	2.9	7	1	1	2	3	9	9	9
B. OPERATED	282	2.1	6	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	97	1.4	1	<1	<1	1	2	2	4	4
20-34	33	1.8	11	1	1	1	2	2	3	20
35-49	46	1.8	3	<1	<1	1	2	3	7	8
50-64	57	2.5	13	<1	1	1	2	6	9	23
65+	63	3.2	7	<1	1	2	4	7	9	11
GRAND TOTAL	**296**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**7**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.8	3	<1	<1	1	2	4	6	8
20-34	22	2.2	3	<1	<1	2	3	4	6	7
35-49	24	2.3	3	<1	1	2	3	5	6	6
50-64	13	2.2	6	1	1	1	2	6	8	9
65+	7	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	436	1.6	2	<1	1	1	2	3	4	7
20-34	203	2.1	3	<1	1	1	3	4	5	9
35-49	153	2.5	4	<1	1	2	3	5	6	11
50-64	237	2.5	3	1	1	2	3	5	5	8
65+	112	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	4	<1	1	2	4	6	7	10
20-34	38	4.2	11	<1	1	3	7	8	11	14
35-49	35	4.3	15	<1	1	3	7	8	14	17
50-64	45	3.3	5	<1	1	3	5	6	7	8
65+	39	6.6	14	1	2	6	9	11	13	18
B. *Operated*										
0-19 YRS	189	2.2	3	<1	1	2	3	4	6	9
20-34	199	3.7	38	1	1	2	4	9	11	19
35-49	303	4.2	28	1	1	3	5	7	11	32
50-64	523	4.3	21	1	1	3	5	8	10	19
65+	361	5.4	40	1	1	4	6	11	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.0	3	<1	<1	1	2	4	6	9
B. *Operated*	1141	2.1	3	1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	194	4.2	11	<1	1	3	6	9	10	16
B. *Operated*	1575	4.2	27	1	1	3	5	8	11	26
1. SINGLE DX	1239	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX	1769	4.2	26	1	1	3	5	8	11	25
A. NOT OPERATED	292	3.5	9	<1	1	2	5	8	9	15
B. OPERATED	2716	3.3	18	1	1	2	4	6	9	20
TOTAL 0-19 YRS	694	1.8	2	<1	1	1	2	3	5	8
20-34	462	3.0	19	1	1	2	3	6	9	14
35-49	515	3.6	20	1	1	3	4	7	10	21
50-64	818	3.7	15	1	1	3	4	6	9	16
65+	519	5.0	31	1	1	4	6	10	16	27
GRAND TOTAL	**3008**	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	68	2.6	2	<1	<1	2	4	5	6	7
35-49	221	2.2	2	<1	<1	2	3	4	5	7
50-64	155	1.9	3	<1	<1	1	2	4	5	11
65+	62	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.6	28	<1	<1	2	7	14	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	87	3.1	4	1	1	3	4	6	7	10
35-49	344	3.1	6	1	1	3	4	5	7	11
50-64	301	3.2	7	<1	1	2	4	7	8	15
65+	200	3.0	6	<1	1	2	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*	512	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	18	<1	<1	2	4	11	14	15
B. *Operated*	933	3.1	6	1	1	2	4	6	7	13
1. SINGLE DX	519	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	948	3.1	6	1	1	2	4	6	7	15
A. NOT OPERATED	22	3.3	13	<1	<1	2	4	9	13	15
B. OPERATED	1445	2.7	5	<1	1	2	4	5	7	11
TOTAL 0-19 YRS	8	2.1	3	<1	<1	1	3	5	5	5
20-34	164	3.0	4	<1	1	3	4	5	7	11
35-49	568	2.7	5	<1	1	2	4	5	6	8
50-64	462	2.7	6	<1	1	2	3	6	7	13
65+	265	2.7	5	<1	1	2	3	5	7	14
GRAND TOTAL	**1467**	**2.7**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	22	<1	1	4	10	13	14	14
20-34	34	2.9	2	1	2	3	4	4	6	6
35-49	12	2.9	3	<1	1	2	4	6	6	6
50-64	12	4.1	7	<1	1	4	5	8	9	9
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	228	2.1	1	1	1	2	3	4	4	5
20-34	385	2.6	2	1	1	2	3	4	5	7
35-49	282	2.6	2	<1	1	2	3	5	6	8
50-64	189	2.4	2	<1	1	2	3	4	5	7
65+	58	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	5	5
20-34	29	4.1	9	1	1	3	5	7	10	15
35-49	26	4.0	7	<1	1	3	6	9	9	10
50-64	21	5.4	11	1	2	4	8	10	12	13
65+	22	6.0	14	1	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	79	2.7	2	1	1	2	3	4	5	10
20-34	234	3.2	5	1	1	3	4	6	8	11
35-49	391	3.2	5	1	1	3	4	6	7	12
50-64	267	3.6	7	1	1	3	4	6	9	14
65+	145	4.0	24	1	1	3	4	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.5	7	<1	1	3	4	6	9	14
B. *Operated*	1142	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	109	4.5	10	<1	1	4	6	9	11	15
B. *Operated*	1116	3.3	8	1	1	3	4	6	8	15
1. SINGLE DX	1214	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1225	3.4	8	1	1	3	4	6	8	14
A. NOT OPERATED	181	4.1	9	<1	1	3	5	8	11	14
B. OPERATED	2258	2.9	5	1	1	2	3	5	6	11
TOTAL 0-19 YRS	329	2.3	3	1	1	2	3	4	5	11
20-34	682	2.9	3	1	1	2	3	5	6	10
35-49	711	3.0	4	1	1	3	4	6	7	10
50-64	489	3.2	6	1	1	3	4	6	8	13
65+	228	3.7	18	1	1	2	4	7	11	20
GRAND TOTAL	**2439**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

505 Hospitals, North Central Region, January-December 1986

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	2.1	2	1	1	2	3	4	4	8
20-34	436	2.1	2	<1	1	2	3	4	4	6
35-49	88	2.1	3	<1	1	2	2	4	5	11
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	284	3.5	3	1	1	3	5	6	7	8
20-34	942	3.7	4	1	1	4	5	6	7	10
35-49	249	4.4	4	1	2	4	5	7	8	13
50-64	46	5.3	4	3	3	5	6	7	8	15
65+	18	5.7	3	2	3	6	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	2.3	2	1	1	2	3	4	5	6
20-34	374	2.8	4	1	1	2	4	5	6	9
35-49	127	2.7	3	1	1	2	3	5	6	8
50-64	14	3.6	5	<1	1	3	6	6	7	7
65+	9	4.9	20	1	1	3	7	12	15	15
B. *Operated*										
0-19 YRS	364	4.3	4	1	2	4	5	7	8	11
20-34	2209	4.8	6	1	2	5	6	8	9	13
35-49	1214	5.6	9	3	3	5	6	8	11	17
50-64	174	6.2	7	3	4	6	7	9	10	18
65+	125	8.3	19	4	5	7	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	1539	3.9	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	723	2.7	3	1	1	2	3	5	6	9
B. *Operated*	4086	5.2	7	1	2	5	6	8	10	15
1. SINGLE DX	2379	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	4809	4.8	8	1	2	4	6	8	9	15
A. NOT OPERATED	1563	2.4	3	1	1	2	3	4	5	8
B. OPERATED	5625	4.8	7	1	2	4	6	8	9	14
TOTAL 0-19 YRS	1159	3.2	4	1	1	3	4	6	7	10
20-34	3961	4.1	6	1	1	4	5	7	8	12
35-49	1678	5.0	8	1	2	5	6	8	10	16
50-64	237	5.8	7	2	3	6	7	8	10	17
65+	153	7.8	18	3	4	7	9	14	17	24
GRAND TOTAL	**7188**	**4.3**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	643	3.7	3	1	2	3	4	6	7	10
20-34	1629	3.8	8	1	2	3	5	6	7	9
35-49	191	4.5	5	2	2	4	6	7	9	11
50-64	11	4.8	17	1	1	4	6	10	16	16
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	111	5.0	6	2	2	4	7	8	10	12
20-34	541	4.5	6	1	1	4	6	7	9	12
35-49	166	5.3	12	1	2	5	6	9	12	16
50-64	26	5.2	10	<1	1	5	6	9	11	15
65+	4	11.5	191	2	2	6	19	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	4.2	6	1	2	4	5	7	8	12
20-34	1749	4.4	5	2	2	4	5	7	8	11
35-49	315	5.3	9	2	2	5	6	9	11	16
50-64	46	5.5	10	1	2	5	7	10	13	14
65+	25	8.6	24	3	4	8	11	13	20	23
B. *Operated*										
0-19 YRS	315	5.8	10	2	2	5	7	10	12	17
20-34	2656	5.3	8	2	3	5	6	9	11	16
35-49	1096	6.3	16	2	3	5	7	10	13	20
50-64	144	6.9	23	3	4	6	8	12	15	29
65+	72	11.8	125	2	4	9	14	19	24	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	3.8	7	1	2	4	5	6	7	10
B. *Operated*	848	4.8	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2766	4.5	6	2	2	4	5	7	9	14
B. *Operated*	4283	5.8	14	2	3	5	7	9	12	18
1. SINGLE DX	3324	4.1	7	1	2	4	5	7	8	11
2. MULTIPLE DX	7049	5.3	11	2	2	5	6	8	11	16
A. NOT OPERATED	5242	4.2	7	1	2	4	5	7	8	12
B. OPERATED	5131	5.6	13	2	3	5	7	9	11	18
TOTAL 0-19 YRS	1700	4.3	6	2	2	4	5	7	9	13
20-34	6575	4.7	8	1	2	4	6	7	9	13
35-49	1768	5.8	14	2	3	5	7	9	12	18
50-64	227	6.3	19	2	2	5	7	11	14	23
65+	103	10.9	101	3	4	8	13	19	24	67
GRAND TOTAL	**10373**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	3	1	1	3	4	5	6	6
20-34	29	2.4	3	1	1	2	3	5	6	8
35-49	12	3.0	3	1	1	3	4	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	23	4.0	7	<1	1	4	5	7	10	12
20-34	484	4.2	4	1	1	4	5	6	7	10
35-49	388	4.9	2	3	3	5	6	6	7	9
50-64	23	5.4	1	4	4	5	6	7	7	7
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	68	3.3	5	<1	1	3	4	6	9	12
35-49	29	2.9	4	<1	<1	2	4	6	6	8
50-64	4	3.0	3	1	1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	57	4.8	8	1	1	5	6	8	9	17
20-34	2685	5.0	4	2	3	5	6	7	8	12
35-49	3495	5.5	4	3	4	5	6	7	8	13
50-64	372	6.0	5	4	4	6	7	8	10	16
65+	39	6.9	10	2	4	7	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.7	3	1	1	2	4	5	6	8
B. *Operated*	921	4.5	3	1	2	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	109	3.1	4	<1	1	3	4	5	6	11
B. *Operated*	6648	5.3	4	3	4	5	6	7	8	12
1. SINGLE DX	975	4.4	3	1	2	4	5	6	7	9
2. MULTIPLE DX	6757	5.3	4	3	3	5	6	7	8	12
A. NOT OPERATED	163	3.0	4	1	1	3	4	5	6	10
B. OPERATED	7569	5.2	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	100	4.3	7	1	1	4	6	7	9	15
20-34	3266	4.8	4	1	3	5	6	7	8	11
35-49	3924	5.4	4	3	4	5	6	7	8	12
50-64	400	5.9	5	4	4	6	6	8	9	15
65+	42	6.7	10	2	3	7	8	10	13	18
GRAND TOTAL	**7732**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	13	3.4	4	<1	<1	3	5	6	6	6
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	4	2.8	6	<1	<1	2	4	6	6	6
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	12	3.4	4	1	1	3	4	7	8	8
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	203	5.2	5	1	3	5	6	7	8	13
35-49	231	5.3	4	1	3	5	6	8	8	10
50-64	44	5.6	11	1	1	6	7	10	11	15
65+	20	4.3	7	1	1	4	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.0	12	1	1	3	6	9	9	9
B. *Operated*	22	3.0	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.3	5	1	1	3	4	7	8	9
B. *Operated*	499	5.3	5	1	2	5	6	8	8	12
1. SINGLE DX	26	3.2	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX	519	5.2	5	1	2	5	6	8	8	12
A. NOT OPERATED	24	3.4	6	1	1	3	4	8	9	9
B. OPERATED	521	5.2	5	1	2	5	6	8	8	12
TOTAL 0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	230	5.0	5	1	2	5	6	7	8	13
35-49	237	5.3	4	1	2	5	6	8	8	10
50-64	49	5.3	11	1	1	5	7	10	11	15
65+	24	4.0	7	1	1	3	6	8	8	9
GRAND TOTAL	**545**	**5.1**	**5**	**1**	**2**	**5**	**6**	**8**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	4	1	1	3	4	5	9	10
20-34	80	3.4	2	1	2	3	4	6	6	8
35-49	19	3.7	3	1	2	3	4	6	7	8
50-64	4	3.5	4	1	1	4	5	5	5	5
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	26	2.1	3	<1	<1	1	3	5	6	7
20-34	117	2.1	2	<1	1	2	3	4	6	8
35-49	54	1.8	2	<1	1	1	2	4	5	8
50-64	19	2.0	3	<1	<1	1	2	4	6	7
65+	5	3.4	5	2	2	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.9	5	1	1	4	5	7	8	12
20-34	156	3.8	4	1	2	3	4	6	8	11
35-49	60	4.7	6	2	2	4	6	8	9	14
50-64	21	5.3	20	1	2	4	6	8	15	23
65+	22	7.6	14	2	3	7	10	13	15	16
B. *Operated*										
0-19 YRS	39	4.4	11	1	1	4	6	8	11	17
20-34	186	3.9	6	1	1	4	5	6	7	14
35-49	129	4.5	9	1	1	4	6	8	9	16
50-64	50	6.2	39	1	1	4	8	15	18	32
65+	62	8.3	42	1	1	7	12	19	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.4	3	1	2	3	4	6	6	9
B. *Operated*	221	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	322	4.3	7	1	2	4	5	8	9	14
B. *Operated*	466	4.9	18	1	1	4	6	9	15	21
1. SINGLE DX	352	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	788	4.7	13	1	1	4	6	8	12	19
A. NOT OPERATED	453	4.1	6	1	2	4	5	7	9	13
B. OPERATED	687	4.0	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	153	3.6	7	1	1	3	5	7	8	13
20-34	539	3.4	5	1	1	3	5	6	7	11
35-49	262	3.9	8	1	1	3	5	8	9	15
50-64	94	5.0	28	1	1	3	6	13	17	28
65+	92	7.7	33	1	2	6	10	16	19	26
GRAND TOTAL	**1140**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	6.0	21	1	1	7	9	10	10	10
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	165	4.6	4	2	3	4	6	7	8	12
35-49	402	5.1	6	2	3	5	6	7	8	10
50-64	664	5.3	3	3	3	5	6	7	8	11
65+	591	5.6	4	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	1.4	1	<1	<1	1	1	3	4	4
35-49	21	3.1	6	<1	<1	3	4	7	8	8
50-64	30	2.3	11	<1	<1	1	2	5	9	17
65+	50	3.5	11	<1	<1	2	5	8	10	16
B. *Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	820	5.4	3	3	3	5	6	7	9	11
35-49	1993	5.8	4	3	4	6	7	8	9	13
50-64	2021	6.2	6	3	4	6	7	9	10	14
65+	2300	6.9	9	4	4	6	8	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	12	1	1	7	8	10	10	10
B. *Operated*	1824	5.3	4	3	3	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	113	3.0	9	<1	<1	1	4	7	9	16
B. *Operated*	7138	6.2	6	3	4	6	7	9	10	15
1. SINGLE DX	1829	5.3	4	3	3	5	6	8	8	11
2. MULTIPLE DX	7251	6.1	6	3	4	6	7	9	10	15
A. NOT OPERATED	118	3.1	10	<1	<1	2	4	8	9	16
B. OPERATED	8962	6.0	6	3	4	6	7	9	10	14
TOTAL 0-19 YRS	7	6.4	2	4	4	7	8	8	8	8
20-34	997	5.2	4	2	3	5	6	7	8	11
35-49	2416	5.6	5	3	3	5	7	8	9	13
50-64	2716	5.9	5	3	3	6	7	8	10	13
65+	2944	6.6	8	3	4	6	8	9	11	17
GRAND TOTAL	**9080**	**6.0**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	1.9	2	<1	<1	1	3	4	5	5
35-49	18	2.4	5	<1	<1	1	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	9	3.2	3	1	1	3	5	6	6	6
35-49	6	3.2	5	<1	<1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	64	3.9	5	<1	<1	4	5	6	8	10
35-49	99	4.6	5	1	1	5	6	7	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	1	1	1	1	2	3	4	4
B. *Operated*	39	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	3	<1	1	3	5	6	6	6
B. *Operated*	166	4.3	5	<1	1	4	5	7	9	10
1. SINGLE DX	50	2.0	3	<1	<1	1	3	5	5	8
2. MULTIPLE DX	183	4.2	5	<1	1	4	5	7	8	10
A. NOT OPERATED	28	2.6	3	<1	1	2	4	5	6	6
B. OPERATED	205	3.9	5	<1	1	4	5	7	8	10
TOTAL 0-19 YRS	11	2.5	4	1	1	2	4	6	7	7
20-34	98	3.3	4	<1	<1	3	5	6	7	10
35-49	124	4.2	5	<1	1	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**233**	**3.8**	**5**	**<1**	**1**	**4**	**5**	**6**	**8**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	2	<1	<1	1	2	4	4	7
20-34	102	1.5	1	<1	<1	1	2	3	4	6
35-49	38	1.4	1	<1	<1	1	1	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.8	2	<1	<1	1	2	4	5	5
20-34	388	2.6	4	<1	<1	2	4	6	6	7
35-49	444	2.9	4	<1	<1	2	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.6	2	1	1	2	3	4	5	9
20-34	209	2.3	4	<1	<1	2	3	5	6	10
35-49	152	2.4	4	<1	1	2	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	104	2.8	3	1	1	2	4	5	7	9
20-34	1941	4.4	5	1	1	4	6	7	8	12
35-49	3783	4.9	6	1	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	883	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	450	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	5828	4.7	6	1	1	5	6	7	8	12
1. SINGLE DX	1071	2.5	4	<1	<1	2	4	5	6	7
2. MULTIPLE DX	6278	4.6	6	1	1	5	6	7	8	12
A. NOT OPERATED	638	2.1	3	<1	<1	2	3	4	5	9
B. OPERATED	6711	4.5	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	292	2.4	3	<1	1	2	3	4	5	9
20-34	2640	3.9	6	1	1	4	5	7	7	11
35-49	4417	4.6	6	1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**7349**	**4.3**	**6**	**1**	**1**	**4**	**6**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	22	2.0	3	<1	<1	1	4	5	5	5
50-64	70	1.8	3	<1	<1	1	2	3	5	10
65+	30	1.8	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	3.3	5	1	1	3	5	7	7	7
50-64	14	3.1	6	<1	1	3	4	5	9	10
65+	35	4.4	15	1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	4.6	8	1	2	4	5	7	11	14
35-49	113	4.2	5	1	1	4	5	7	8	10
50-64	341	4.1	9	1	1	4	6	7	8	12
65+	280	4.4	23	1	1	3	6	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*	122	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	57	3.9	12	1	1	3	5	8	10	20
B. *Operated*	756	4.3	13	1	1	4	6	7	9	16
1. SINGLE DX	129	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	813	4.2	13	1	1	4	6	7	9	16
A. NOT OPERATED	64	3.7	11	<1	1	3	5	7	9	20
B. OPERATED	878	3.9	13	<1	1	3	6	7	9	14
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	4.6	8	1	2	4	5	7	11	14
35-49	144	3.9	5	1	1	4	5	7	8	9
50-64	428	3.7	8	<1	1	3	5	7	8	11
65+	348	4.1	21	<1	1	3	6	8	10	21
GRAND TOTAL	**942**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	1	1	1	2	3	4	4	5
20-34	41	2.1	3	<1	1	1	3	5	6	7
35-49	12	1.6		<1	<1	1	2	3	3	3
50-64	3	1.0		1	1	1	1	1	1	1
65+	3	3.3	16	1	1	1	6	8	8	8
B. *Operated*										
0-19 YRS	55	3.1	3	<1	<1	3	4	6	6	8
20-34	436	3.0	4	<1	1	3	4	6	7	8
35-49	304	3.8	8	<1	1	4	5	7	8	13
50-64	130	3.8	9	<1	<1	4	5	7	10	15
65+	58	4.4	8	1	1	4	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	5
20-34	66	2.5	3	<1	<1	2	3	5	6	9
35-49	47	3.0	6	<1	<1	2	4	7	7	13
50-64	31	5.2	25	<1	1	4	6	10	20	22
65+	56	5.7	19	2	2	5	7	10	12	29
B. *Operated*										
0-19 YRS	99	4.3	8	1	1	4	6	8	9	16
20-34	1023	4.4	6	1	1	4	5	7	8	12
35-49	1692	5.2	8	1	2	5	6	7	9	15
50-64	871	5.8	18	1	2	5	7	9	12	28
65+	472	7.6	63	1	2	6	8	14	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.1	2	1	1	2	3	4	5	8
B. *Operated*	983	3.5	6	<1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	236	3.7	12	<1	1	3	5	7	10	20
B. *Operated*	4157	5.4	16	1	2	5	6	8	10	22
1. SINGLE DX	1078	3.3	6	<1	1	3	5	6	7	11
2. MULTIPLE DX	4393	5.3	16	1	1	5	6	8	10	22
A. NOT OPERATED	331	3.2	10	<1	1	2	4	6	8	16
B. OPERATED	5140	5.0	15	1	1	5	6	8	10	20
TOTAL 0-19 YRS	226	3.3	6	<1	1	3	4	6	8	11
20-34	1566	3.9	6	1	1	4	5	6	7	10
35-49	2055	4.9	8	1	1	5	6	7	8	15
50-64	1035	5.5	17	1	1	5	7	8	11	24
65+	589	7.0	54	1	1	6	8	12	21	43
GRAND TOTAL	**5471**	**4.9**	**15**	**1**	**1**	**5**	**6**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.6	1	<1	1	1	2	3	4	4
20-34	156	2.1	2	<1	1	1	3	4	5	8
35-49	29	1.9	1	1	1	1	3	4	4	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	29	2.7	5	<1	<1	2	4	6	8	8
20-34	387	3.7	4	<1	1	4	5	6	7	9
35-49	481	5.0	5	2	2	5	6	8	9	11
50-64	332	5.7	4	3	4	6	7	8	9	11
65+	126	6.0	6	2	3	6	8	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.4	6	1	1	2	3	4	5	12
20-34	269	2.4	2	<1	<1	2	3	5	6	7
35-49	94	3.5	30	<1	<1	2	4	7	8	35
50-64	22	2.5	3	<1	<1	2	3	5	6	8
65+	23	4.8	27	<1	1	4	5	11	16	25
B. *Operated*										
0-19 YRS	69	3.8	4	1	1	4	5	6	7	10
20-34	1625	4.7	5	1	2	5	6	7	8	10
35-49	1525	5.7	9	3	3	5	7	8	9	14
50-64	672	6.4	6	3	4	6	7	10	11	15
65+	406	7.2	13	3	4	7	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	1.9	2	<1	1	1	2	3	4	6
B. *Operated*	1355	4.9	5	1	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	529	2.7	9	<1	1	2	3	5	6	13
B. *Operated*	4297	5.5	8	2	3	5	7	8	10	15
1. SINGLE DX	1682	4.3	6	1	1	4	6	7	8	11
2. MULTIPLE DX	4826	5.2	9	1	2	5	6	8	10	15
A. NOT OPERATED	856	2.4	7	<1	1	2	3	4	6	10
B. OPERATED	5652	5.4	7	2	3	5	6	8	10	14
TOTAL 0-19 YRS	357	2.4	4	<1	1	2	3	5	6	8
20-34	2437	4.1	5	1	1	4	5	7	8	10
35-49	2129	5.4	9	2	3	5	6	8	9	13
50-64	1028	6.1	6	3	3	6	7	9	10	15
65+	557	6.8	12	2	3	6	8	11	13	20
GRAND TOTAL	**6508**	**5.0**	**8**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	47	1.6	1	<1	<1	1	2	3	4	4
35-49	7	2.1	4	1	1	1	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.2	2	2	3	4	5	6	6	10
20-34	1515	4.1	2	2	3	4	5	5	6	8
35-49	171	4.2	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	34	2.1	2	<1	<1	2	3	4	5	6
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	129	4.8	4	2	3	5	5	7	9	11
20-34	1842	4.5	2	3	3	4	5	6	7	10
35-49	300	4.8	3	3	3	5	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1791	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	2271	4.5	2	3	3	4	5	6	7	10
1. SINGLE DX	1852	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX	2315	4.5	3	2	3	4	5	6	7	10
A. NOT OPERATED	105	1.8	1	<1	<1	1	2	4	4	6
B. OPERATED	4062	4.3	2	2	3	4	5	6	7	9
TOTAL 0-19 YRS	248	4.3	3	1	2	4	5	6	7	11
20-34	3438	4.2	2	2	3	4	5	6	7	9
35-49	481	4.5	3	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**4167**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

255: Logally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	18	1.4	1	<1	<1	1	2	2	3	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.5	1	<1	1	1	2	3	4	6
20-34	94	1.4	1	<1	1	1	2	3	3	7
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	2	1	1	2	3	5	6	6
20-34	34	1.8	1	<1	1	2	2	4	4	4
35-49	9	3.6	11	1	1	2	6	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.9	6	1	1	2	4	5	9	11
20-34	200	3.2	9	1	1	2	4	7	9	14
35-49	46	2.4	4	<1	1	2	3	4	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	2	2	4	4
B. *Operated*	161	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	56	2.3	3	1	1	2	2	4	6	10
B. *Operated*	282	3.1	8	1	1	2	4	7	8	13
1. SINGLE DX	193	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	338	2.9	7	1	1	2	4	6	8	12
A. NOT OPERATED	88	2.0	2	<1	1	2	2	4	5	9
B. OPERATED	443	2.5	6	<1	1	2	3	5	8	11
TOTAL 0-19 YRS	119	2.0	3	<1	1	1	2	4	5	10
20-34	346	2.5	6	<1	1	2	3	6	8	12
35-49	66	2.5	4	<1	1	2	3	6	7	10
50-64										
65+										
GRAND TOTAL	**531**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	4	3.3	1	2	2	3	4	4	4	4
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	5	2.6	1	2	2	2	3	4	4	4
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**2.8**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	1.4	1	<1	<1	1	1	2	3	5
20-34	620	1.3	1	<1	<1	1	1	2	3	4
35-49	67	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1117	1.3		<1	<1	1	1	2	3	4
20-34	5462	1.3	1	<1	<1	1	1	2	2	4
35-49	680	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	1.7	1	1	1	1	2	3	4	7
20-34	181	1.9	2	<1	1	1	2	4	5	8
35-49	20	2.1	2	<1	<1	2	3	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	293	2.1	3	<1	1	2	3	4	5	9
20-34	1275	2.1	4	<1	<1	1	2	4	6	10
35-49	249	2.0	6	<1	<1	1	2	3	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	877	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	7259	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	262	1.9	2	<1	1	1	2	3	5	7
B. *Operated*	1817	2.1	4	<1	<1	1	2	4	5	10
1. SINGLE DX	8136	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2079	2.0	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	1139	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	9076	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1661	1.4	1	<1	<1	1	2	3	3	5
20-34	7538	1.4	1	<1	<1	1	1	2	3	6
35-49	1016	1.4	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**10215**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	4	4	8
20-34	206	1.8	1	<1	<1	1	2	3	4	6
35-49	29	1.7	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	137	1.7	1	<1	<1	1	2	3	4	6
20-34	900	1.4	1	<1	<1	1	2	2	3	6
35-49	91	1.4		<1	<1	1	2	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	2	1	1	2	4	5	5	5
20-34	118	2.4	3	<1	1	2	3	5	6	9
35-49	9	2.2	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	79	2.6	3	<1	<1	2	3	6	7	8
20-34	411	2.5	7	<1	1	2	3	5	7	14
35-49	64	2.6	6	<1	1	2	3	6	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	1.9	1	<1	<1	1	2	3	4	6
B. *Operated*	1128	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	158	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	554	2.6	6	<1	1	2	3	5	7	13
1. SINGLE DX	1410	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	712	2.5	5	<1	1	2	3	5	7	12
A. NOT OPERATED	440	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	1682	1.8	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	294	2.1	2	<1	<1	2	3	4	5	8
20-34	1635	1.8	3	<1	<1	1	2	4	5	8
35-49	193	1.9	3	<1	<1	1	2	3	4	10
50-64										
65+										
GRAND TOTAL	**2122**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	1.6	1	<1	<1	1	2	3	3	5
20-34	1046	1.9	1	<1	1	2	2	3	4	6
35-49	71	1.8	1	<1	1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	4	1	1	3	4	6	6	6
20-34	28	1.4		<1	<1	1	2	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.6	4	1	1	2	3	5	6	12
20-34	425	3.0	37	<1	1	2	3	5	6	9
35-49	33	2.6	2	1	1	2	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	35	2.8	5	1	1	2	4	5	6	12
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	36	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	531	2.9	30	1	1	2	3	5	6	9
B. *Operated*	42	2.8	5	1	1	2	4	5	6	12
1. SINGLE DX	1353	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	573	2.9	28	1	1	2	3	5	6	9
A. NOT OPERATED	1848	2.1	10	<1	1	2	3	4	5	7
B. OPERATED	78	2.3	3	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	281	1.9	2	<1	1	1	2	3	4	7
20-34	1534	2.2	11	<1	1	2	3	4	5	8
35-49	111	2.1	2	<1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**1926**	**2.1**	**9**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	<1	1	2	4	6	7
20-34	97	2.2	6	<1	<1	1	2	5	6	14
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4		1	1	1	2	2	2	2
20-34	50	2.5	2	<1	1	2	3	5	5	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.2	5	<1	<1	1	2	4	6	13
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	60	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	7	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	120	2.2	5	<1	<1	1	2	4	6	13
2. MULTIPLE DX	67	2.3	2	<1	1	2	3	4	5	8
A. NOT OPERATED	178	2.2	4	<1	<1	2	3	4	6	12
B. OPERATED	9	2.0	1	<1	<1	2	3	3	3	3
TOTAL 0-19 YRS	24	1.8	2	<1	<1	1	2	3	5	7
20-34	156	2.3	4	<1	<1	2	3	4	6	12
35-49	7	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
GRAND TOTAL	**187**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.8	7	1	1	2	3	4	6	10
20-34	1150	2.7	3	1	1	2	3	4	6	9
35-49	120	2.9	4	1	1	2	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.7	4	1	1	2	3	5	8	9
20-34	123	2.8	7	<1	<1	2	3	6	8	13
35-49	12	3.0	2	1	1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	2.9	4	<1	<1	3	4	4	7	12
20-34	485	3.1	5	<1	1	3	4	6	7	12
35-49	59	3.5	5	<1	1	3	4	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.3	13	<1	1	3	6	9	12	15
20-34	122	2.8	7	<1	<1	2	4	6	9	13
35-49	15	4.5	15	<1	1	4	7	10	13	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	2.7	4	1	1	2	3	4	6	9
B. *Operated*	150	2.8	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	630	3.1	5	<1	1	3	4	6	7	12
B. *Operated*	156	3.1	9	<1	<1	2	4	7	10	14
1. SINGLE DX	1655	2.7	4	1	1	2	3	4	6	10
2. MULTIPLE DX	786	3.1	6	<1	<1	3	4	6	7	13
A. NOT OPERATED	2135	2.8	4	1	1	2	3	5	6	10
B. OPERATED	306	3.0	8	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	355	2.9	7	1	1	2	3	5	7	11
20-34	1880	2.8	4	<1	1	2	3	5	6	11
35-49	206	3.2	5	1	1	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**2441**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.2	4	1	1	3	4	5	7	10
20-34	1804	3.6	4	1	2	3	4	6	8	11
35-49	62	4.2	7	1	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	13	9.2	81	<1	1	6	16	24	25	25
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.1	3	1	1	3	4	5	6	9
20-34	1147	4.0	8	1	2	3	5	7	9	16
35-49	51	4.4	6	1	2	4	6	8	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.3	3	3	3	5	6	7	7	7
20-34	31	9.5	98	1	1	6	16	22	33	41
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2222	3.5	4	1	2	3	4	6	8	11
B. *Operated*	18	7.7	64	<1	1	5	10	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	1418	3.9	7	1	2	3	5	7	8	14
B. *Operated*	36	9.3	90	1	1	6	16	21	30	41
1. SINGLE DX	2240	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1454	4.0	10	1	2	3	5	7	9	16
A. NOT OPERATED	3640	3.6	6	1	2	3	4	6	8	12
B. OPERATED	54	8.8	80	1	1	5	14	21	25	41
TOTAL 0-19 YRS	583	3.2	4	1	1	3	4	5	7	9
20-34	2995	3.8	7	1	2	3	4	6	8	15
35-49	116	4.4	8	1	2	4	6	8	10	15
50-64										
65+										
GRAND TOTAL	**3694**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1147	1.1	1	<1	<1	<1	1	1	1	3
20-34	4209	1.1		<1	<1	<1	1	1	1	3
35-49	211	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	244	1.1		<1	<1	<1	1	1	2	4
20-34	836	1.1		<1	<1	<1	1	1	2	5
35-49	30	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	1.4	1	<1	<1	1	1	2	3	6
20-34	561	1.4	2	<1	<1	1	1	2	3	7
35-49	41	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.7	2	<1	<1	1	2	4	5	6
20-34	116	1.8	20	<1	<1	1	1	3	4	21
35-49	10	2.6	9	<1	<1	2	3	7	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5567	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	1110	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	783	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*	148	1.9	17	<1	<1	1	2	3	4	12
1. SINGLE DX	6677	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	931	1.5	4	<1	<1	1	1	2	3	7
A. NOT OPERATED	6350	1.1	1	<1	<1	<1	1	1	2	3
B. OPERATED	1258	1.2	2	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1594	1.1	1	<1	<1	<1	1	1	2	4
20-34	5722	1.1	1	<1	<1	<1	1	1	2	4
35-49	292	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**7608**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	3	<1	<1	2	3	4	7	8
20-34	427	2.9	14	<1	1	2	3	5	7	20
35-49	62	2.7	5	<1	1	2	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	43	3.3	17	<1	1	2	3	5	15	21
35-49	6	2.5	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	4	1	1	3	5	6	6	6
20-34	175	4.2	25	1	1	3	4	11	14	25
35-49	13	2.8	3	1	1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	33	5.3	36	<1	1	4	6	10	13	34
35-49	3	16.3	426	2	2	7	32	40	40	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	2.8	13	<1	1	2	3	5	7	16
B. *Operated*	52	3.1	15	<1	<1	2	3	5	12	21
2. MULTIPLE DX										
A. *Not Operated*	200	4.0	23	1	1	3	4	8	13	25
B. *Operated*	37	6.2	65	<1	1	4	6	12	27	40
1. SINGLE DX	570	2.8	13	<1	1	2	3	5	7	19
2. MULTIPLE DX	237	4.4	30	1	1	3	5	10	13	34
A. NOT OPERATED	718	3.2	16	<1	1	2	4	6	8	21
B. OPERATED	89	4.4	38	<1	1	3	5	8	13	38
TOTAL 0-19 YRS	45	2.5	4	<1	<1	2	4	6	6	8
20-34	678	3.3	19	<1	1	2	4	6	10	21
35-49	84	3.2	21	1	1	2	4	6	7	30
50-64										
65+										
GRAND TOTAL	**807**	**3.3**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.8	2	<1	<1	1	2	4	5	7
20-34	594	1.9	2	<1	<1	1	2	3	5	10
35-49	53	1.5	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	63	1.5	1	<1	<1	1	2	2	3	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.5	5	<1	<1	2	3	6	7	12
20-34	268	2.9	31	<1	<1	2	3	5	7	22
35-49	17	3.2	4	<1	1	3	5	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	4.9	50	<1	1	3	5	11	18	35
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	1.9	2	<1	<1	1	2	3	4	9
B. *Operated*	71	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	353	2.8	25	<1	<1	2	3	5	7	18
B. *Operated*	30	4.6	43	<1	1	3	5	10	12	35
1. SINGLE DX	835	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	383	3.0	26	<1	<1	2	3	5	7	21
A. NOT OPERATED	1117	2.2	10	<1	<1	1	2	4	5	11
B. OPERATED	101	2.4	15	<1	<1	1	2	5	7	23
TOTAL 0-19 YRS	195	2.1	3	<1	<1	1	2	4	6	9
20-34	950	2.2	12	<1	<1	1	2	4	5	12
35-49	73	2.0	2	<1	<1	1	2	4	5	8
50-64										
65+										
GRAND TOTAL	**1218**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	2.9	3	<1	1	3	4	5	6	8
20-34	387	2.5	2	<1	<1	2	3	4	5	6
35-49	14	2.6	2	<1	<1	2	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.4	2	<1	<1	2	3	5	5	6
20-34	61	2.3	2	<1	<1	2	4	5	5	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.2	4	<1	1	3	4	5	6	10
20-34	1135	3.1	3	<1	1	3	4	5	7	9
35-49	30	4.2	7	2	2	3	5	8	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	4	1	1	3	4	6	7	7
20-34	81	3.4	5	<1	1	3	4	7	8	11
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.7	2	<1	<1	2	4	5	5	7
B. *Operated*	94	2.3	2	<1	<1	2	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	1739	3.2	4	<1	1	3	4	5	6	9
B. *Operated*	109	3.4	5	<1	1	3	4	7	8	11
1. SINGLE DX	693	2.6	2	<1	<1	2	4	5	5	7
2. MULTIPLE DX	1848	3.2	4	<1	1	3	4	5	7	10
A. NOT OPERATED	2338	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	203	2.9	4	<1	<1	3	4	5	7	10
TOTAL 0-19 YRS	830	3.1	3	<1	1	3	4	5	6	9
20-34	1664	3.0	3	<1	1	3	4	5	6	9
35-49	47	3.8	7	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	**2541**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	2	1	1	3	3	5	5	8
20-34	525	3.2	6	<1	1	3	4	6	8	12
35-49	73	3.5	5	1	2	3	4	6	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	1	3	5	5	5
20-34	59	2.8	6	<1	<1	2	3	6	8	13
35-49	12	3.1	3	<1	<1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	2.9	10	<1	<1	2	4	6	7	13
20-34	2770	3.3	10	<1	1	3	4	7	9	16
35-49	256	3.9	10	1	1	3	5	8	11	18
50-64										
65+										
B. *Operated*										
0-19 YRS	69	3.3	7	1	1	3	4	7	9	12
20-34	355	5.0	34	<1	1	3	6	12	16	31
35-49	40	6.2	40	1	1	4	7	12	23	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	3.2	6	1	1	3	4	6	8	12
B. *Operated*	80	2.8	5	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	3589	3.3	10	<1	1	2	4	6	8	16
B. *Operated*	464	4.8	31	<1	1	3	6	10	15	30
1. SINGLE DX	747	3.1	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	4053	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	4256	3.3	9	<1	1	3	4	6	8	15
B. OPERATED	544	4.5	28	<1	1	3	6	9	14	28
TOTAL 0-19 YRS	710	2.9	9	<1	<1	2	4	6	7	12
20-34	3709	3.5	12	<1	1	3	4	7	9	18
35-49	381	4.1	13	1	1	3	5	8	11	22
50-64										
65+										
GRAND TOTAL	**4800**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	981	1.8	3	<1	<1	1	2	3	4	9
20-34	4094	2.0	4	<1	<1	1	2	4	5	11
35-49	246	2.4	9	<1	<1	1	3	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	298	2.3	8	<1	<1	1	3	4	6	17
20-34	1685	2.1	6	<1	<1	1	2	4	5	10
35-49	132	2.0	3	<1	<1	1	2	4	5	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	535	2.7	7	<1	<1	2	3	5	7	14
20-34	2388	2.9	13	<1	<1	2	3	5	8	17
35-49	164	3.8	18	<1	<1	2	4	8	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	212	3.1	24	<1	<1	2	4	6	8	20
20-34	1157	3.1	19	<1	<1	2	4	6	10	17
35-49	101	3.8	68	<1	<1	2	3	7	11	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5321	2.0	4	<1	<1	1	2	4	5	11
B. *Operated*	2115	2.1	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	3087	2.9	13	<1	<1	2	3	5	8	17
B. *Operated*	1470	3.2	23	<1	<1	2	4	6	10	21
1. SINGLE DX	7436	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	4557	3.0	16	<1	<1	2	3	6	8	17
A. NOT OPERATED	8408	2.3	8	<1	<1	1	3	4	6	12
B. OPERATED	3585	2.5	13	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	2026	2.3	7	<1	<1	1	3	4	6	12
20-34	9324	2.4	9	<1	<1	1	3	5	7	13
35-49	643	2.9	20	<1	<1	2	3	6	8	17
50-64										
65+										
GRAND TOTAL	**11993**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.6	1	2	2	3	3	4	4	4
20-34	448	2.6	1	1	2	3	3	4	4	6
35-49	38	2.6		2	2	3	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.0	2	1	2	3	3	4	6	9
20-34	335	3.3	5	2	2	3	4	5	5	10
35-49	20	3.7	4	2	2	3	5	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	4	2	2	3	3	4	5	8
20-34	990	2.8	4	1	2	3	3	4	5	9
35-49	92	3.1	7	1	2	3	3	4	5	19
50-64										
65+										
B. *Operated*										
0-19 YRS	236	4.3	11	2	2	3	5	8	11	20
20-34	2221	4.4	18	2	2	4	5	6	9	25
35-49	255	4.8	22	2	2	4	5	7	10	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	2.6	1	1	2	3	3	4	4	5
B. *Operated*	402	3.3	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1299	2.9	4	1	2	3	3	4	5	9
B. *Operated*	2712	4.5	18	2	2	4	5	7	9	24
1. SINGLE DX	971	2.9	3	1	2	3	3	4	5	8
2. MULTIPLE DX	4011	3.9	14	2	2	3	4	6	8	21
A. NOT OPERATED	1868	2.8	3	1	2	3	3	4	4	8
B. OPERATED	3114	4.3	16	2	2	3	5	6	9	24
TOTAL 0-19 YRS	583	3.4	7	2	2	3	4	5	8	15
20-34	3994	3.7	12	2	2	3	4	6	7	18
35-49	405	4.2	16	2	2	3	5	6	9	23
50-64										
65+										
GRAND TOTAL	**4982**	**3.7**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5417	2.4	1	1	1	2	3	3	4	4
20-34	33025	2.4	1	1	1	2	3	3	4	4
35-49	1732	2.5	2	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1708	2.4	1	1	2	2	3	3	4	4
20-34	9808	2.5	1	1	2	2	3	3	4	5
35-49	501	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.7	1	1	2	3	3	4	4	7
20-34	1166	2.7	1	1	2	3	3	4	4	6
35-49	79	2.7	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	116	2.7	1	1	2	3	3	4	4	6
20-34	4464	3.0	1	2	2	3	3	4	4	5
35-49	508	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40174	2.4	1	1	1	2	3	3	4	4
B. *Operated*	12017	2.5	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	1450	2.7	1	1	2	3	3	4	4	6
B. *Operated*	5088	3.0	1	2	2	3	3	4	4	5
1. SINGLE DX	52191	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX	6538	2.9	1	2	2	3	3	4	4	6
A. NOT OPERATED	41624	2.4	1	1	1	2	3	3	4	4
B. OPERATED	17105	2.6	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	7446	2.4	1	1	1	2	3	3	4	4
20-34	48463	2.5	1	1	2	2	3	3	4	5
35-49	2820	2.6	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**58729**	**2.5**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	2.6	1	1	1	3	3	4	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.8	2	3	3	5	6	6	6	6
20-34	104	6.7	93	2	3	5	5	7	17	71
35-49	21	6.0	18	2	3	5	7	11	17	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	22	3.7	9	1	2	3	4	6	12	15
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	6.6	36	2	2	4	6	20	21	21
20-34	413	7.6	58	2	3	5	7	15	26	40
35-49	93	7.1	49	3	3	5	7	10	24	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	1	1	1	3	3	4	4	5
B. *Operated*	130	6.5	82	2	3	5	6	8	16	65
2. MULTIPLE DX										
A. *Not Operated*	26	3.7	8	1	1	3	4	6	11	15
B. *Operated*	528	7.4	55	2	3	5	7	14	25	40
1. SINGLE DX	160	5.7	69	2	2	4	5	7	14	57
2. MULTIPLE DX	554	7.3	54	2	3	5	7	14	25	40
A. NOT OPERATED	56	3.1	5	1	1	3	3	4	6	15
B. OPERATED	658	7.3	61	2	3	5	7	13	23	41
TOTAL 0-19 YRS	30	5.9	29	1	2	4	6	16	21	21
20-34	566	7.0	62	2	3	5	6	13	23	41
35-49	118	6.8	43	2	3	5	7	10	20	41
50-64										
65+										
GRAND TOTAL	**714**	**6.9**	**58**	**2**	**3**	**5**	**6**	**12**	**22**	**40**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.2	1	<1	1	2	3	3	4	4
20-34	132	2.6	1	1	1	2	3	4	5	6
35-49	14	2.6	1	1	2	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.6	2	1	2	4	5	5	6	6
20-34	192	3.7	2	1	2	4	5	5	6	8
35-49	16	3.8	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	1	1	3	3	4	4	5
20-34	165	2.9	4	1	1	3	3	5	6	12
35-49	14	2.3	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	104	5.2	33	2	2	4	5	7	13	41
20-34	770	4.5	11	2	2	4	5	6	8	21
35-49	77	6.4	100	1	2	5	6	9	13	70
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	2.5	1	1	1	2	3	4	5	6
B. *Operated*	239	3.7	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	204	2.8	3	1	1	3	3	4	6	10
B. *Operated*	951	4.7	21	2	2	4	5	7	9	22
1. SINGLE DX	401	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	1155	4.4	18	1	2	4	5	6	8	21
A. NOT OPERATED	366	2.7	2	1	1	2	3	4	5	8
B. OPERATED	1190	4.5	17	2	2	4	5	6	8	21
TOTAL 0-19 YRS	176	4.3	21	1	2	3	5	6	8	30
20-34	1259	4.0	8	1	2	4	5	6	7	15
35-49	121	5.1	67	1	2	4	5	7	11	40
50-64										
65+										
GRAND TOTAL	**1556**	**4.1**	**14**	**1**	**2**	**4**	**5**	**6**	**7**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	39	2.5	1	1	1	3	3	4	4	5
35-49	8	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	55	2.3	1	1	1	2	3	3	4	5
20-34	463	2.5	1	1	1	2	3	3	4	5
35-49	30	5.9	284	2	2	3	4	4	4	95
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	21	2.8	1	1	1	3	3	4	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.4	1	1	1	2	3	4	4	6
20-34	437	2.9	2	1	2	3	3	4	5	7
35-49	47	3.1	2	1	2	3	4	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.5	1	1	1	2	3	4	4	5
B. *Operated*	548	2.7	16	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	27	2.7	1	1	1	3	3	4	5	6
B. *Operated*	529	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	599	2.7	15	1	1	2	3	4	4	5
2. MULTIPLE DX	556	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	78	2.6	1	1	1	3	3	4	4	6
B. OPERATED	1077	2.8	9	1	2	3	3	4	4	7
TOTAL 0-19 YRS	110	2.4	1	1	1	2	3	4	4	5
20-34	960	2.7	1	1	2	3	3	4	4	6
35-49	85	4.0	101	1	2	3	4	4	5	64
50-64										
65+										
GRAND TOTAL	**1155**	**2.8**	**9**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	1	2	2	2	3	4	4	4
20-34	188	2.6	1	1	1	2	3	4	4	5
35-49	10	3.1	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.8	2	1	2	3	3	4	5	7
20-34	106	2.8	1	1	1	3	3	4	5	6
35-49	9	2.8	3	1	1	2	3	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	1	1	1	2	3	4	5	5
20-34	129	2.9	1	2	2	3	3	4	5	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.0	2	1	2	3	4	4	4	8
20-34	215	3.1	1	1	2	3	4	4	5	7
35-49	18	3.4	3	1	1	3	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.6	1	1	2	3	3	4	4	5
B. *Operated*	139	2.8	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	1	2	2	3	3	4	5	6
B. *Operated*	263	3.1	2	1	2	3	4	4	5	8
1. SINGLE DX	370	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	418	3.0	1	1	2	3	4	4	5	7
A. NOT OPERATED	386	2.7	1	1	2	3	3	4	4	5
B. OPERATED	402	3.0	1	1	2	3	4	4	5	7
TOTAL 0-19 YRS	109	2.8	1	1	2	3	3	4	4	7
20-34	638	2.8	1	1	2	3	3	4	5	6
35-49	41	3.2	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**788**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

505 Hospitals, North Central Region, January-December 1986

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	1	2	2	3	4	4	4	4
20-34	70	3.2	1	2	2	3	4	5	5	6
35-49	7	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.0	7	3	3	4	5	10	10	10
20-34	74	3.9	1	2	3	4	5	6	6	6
35-49	9	4.3	4	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	5	5	5
20-34	114	3.8	21	1	2	3	4	5	7	28
35-49	10	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	71	6.4	79	2	2	5	6	9	14	61
20-34	793	5.4	24	2	3	5	6	7	10	25
35-49	84	5.9	13	3	3	5	6	8	11	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	1	2	2	3	4	4	5	6
B. *Operated*	89	4.1	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	131	3.7	18	1	2	3	4	5	6	25
B. *Operated*	948	5.5	27	2	3	5	6	7	10	28
1. SINGLE DX	175	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1079	5.3	26	2	2	5	6	7	10	28
A. NOT OPERATED	217	3.5	12	1	2	3	4	5	5	20
B. OPERATED	1037	5.4	25	2	3	5	6	7	10	27
TOTAL 0-19 YRS	93	5.8	63	2	2	4	5	8	11	53
20-34	1051	5.0	21	2	2	4	5	7	9	21
35-49	110	5.3	11	2	2	5	6	8	10	23
50-64										
65+										
GRAND TOTAL	**1254**	**5.1**	**23**	**2**	**2**	**4**	**5**	**7**	**9**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2		2	2	2	2	3	3	3
20-34	115	2.5	1	1	1	2	3	4	4	5
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	219	4.3	1	3	3	4	5	6	6	7
20-34	1616	4.2	1	2	3	4	5	5	6	6
35-49	80	4.2	1	3	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.7	2	1	1	2	3	4	6	6
20-34	52	2.7	1	1	2	3	3	4	5	7
35-49	10	2.7		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	266	5.0	6	2	3	5	5	7	9	16
20-34	2254	4.6	5	2	3	4	5	6	7	11
35-49	235	4.7	4	3	3	5	5	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.5	1	1	1	2	3	4	4	5
B. *Operated*	1915	4.2	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	74	2.7	1	1	2	3	3	4	5	7
B. *Operated*	2755	4.7	5	2	3	4	5	6	7	11
1. SINGLE DX	2050	4.1	1	2	3	4	5	5	6	6
2. MULTIPLE DX	2829	4.6	5	2	3	4	5	6	7	11
A. NOT OPERATED	209	2.6	1	1	1	2	3	4	4	6
B. OPERATED	4670	4.5	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	509	4.6	4	2	3	4	5	6	7	12
20-34	4037	4.4	3	2	3	4	5	6	6	9
35-49	333	4.5	3	2	3	4	5	6	6	10
50-64										
65+										
GRAND TOTAL	**4879**	**4.4**	**4**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	2	1	1	2	3	4	5	7
20-34	516	2.6	1	2	2	3	3	4	4	4
35-49	31	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	1	2	3	4	5	5	6
20-34	790	3.5	2	2	2	3	4	5	6	7
35-49	51	3.5	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.8	1	2	2	3	4	4	4	5
20-34	335	2.7	1	1	2	3	3	4	4	6
35-49	19	2.6	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	495	4.1	3	2	2	4	5	6	7	10
20-34	3481	4.1	4	2	2	4	5	6	6	10
35-49	307	4.6	6	2	2	4	5	6	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	2.6	1	1	2	3	3	4	4	5
B. *Operated*	943	3.5	2	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	400	2.7	1	1	2	3	3	4	4	6
B. *Operated*	4283	4.2	4	2	2	4	5	6	7	10
1. SINGLE DX	1536	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX	4683	4.0	4	2	2	4	5	6	6	10
A. NOT OPERATED	993	2.6	1	1	2	3	3	4	4	5
B. OPERATED	5226	4.0	4	2	2	4	5	6	6	10
TOTAL 0-19 YRS	689	3.7	3	2	2	4	5	6	6	10
20-34	5122	3.8	3	2	2	4	5	5	6	9
35-49	408	4.2	5	2	2	4	5	6	7	14
50-64										
65+										
GRAND TOTAL	**6219**	**3.8**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	23	2.6	1	1	1	2	4	4	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	253	4.8	1	3	3	5	5	6	7	8
20-34	1156	4.7	1	3	4	5	5	6	6	7
35-49	46	5.0	1	3	4	5	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	27	3.3	2	1	2	3	4	5	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	888	5.2	3	3	4	5	6	7	8	12
20-34	4452	5.0	2	3	4	5	5	6	7	9
35-49	274	5.2	4	3	4	5	6	6	7	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	1	1	2	2	4	4	5	6
B. *Operated*	1455	4.7	1	3	4	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.4	2	2	2	3	4	5	5	6
B. *Operated*	5614	5.0	2	3	4	5	6	6	7	10
1. SINGLE DX	1482	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5646	5.0	2	3	4	5	6	6	7	10
A. NOT OPERATED	59	3.1	2	1	2	3	4	5	5	6
B. OPERATED	7069	5.0	2	3	4	5	5	6	7	10
TOTAL 0-19 YRS	1149	5.1	3	3	4	5	6	7	8	11
20-34	5658	4.9	2	3	4	5	5	6	7	9
35-49	321	5.2	4	3	4	5	6	6	7	12
50-64										
65+										
GRAND TOTAL	**7128**	**4.9**	**2**	**3**	**4**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.7	1	1	2	3	3	4	4	5
20-34	623	2.7	2	1	2	3	3	4	4	5
35-49	27	2.7	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	202	3.9	2	2	2	4	5	6	6	8
20-34	1257	3.7	2	2	2	4	5	5	6	7
35-49	76	4.0	2	2	2	4	5	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.9	1	1	2	3	4	4	5	7
20-34	481	2.9	1	1	2	3	3	4	5	6
35-49	36	2.9	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	632	4.5	4	2	2	4	6	7	8	10
20-34	3875	4.2	4	2	2	4	5	6	7	9
35-49	257	4.5	2	2	3	4	5	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	2.7	1	1	2	3	3	4	4	5
B. *Operated*	1535	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	624	2.9	1	1	2	3	3	4	5	6
B. *Operated*	4764	4.2	4	2	2	4	5	6	7	9
1. SINGLE DX	2299	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	5388	4.1	4	2	2	4	5	6	7	9
A. NOT OPERATED	1388	2.8	1	1	2	3	3	4	4	6
B. OPERATED	6299	4.1	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	1055	4.0	3	2	2	4	5	6	7	10
20-34	6236	3.8	3	2	2	4	5	6	6	8
35-49	396	4.2	2	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**7687**	**3.9**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	5	5
20-34	94	2.6	1	1	2	2	3	3	4	8
35-49	10	2.6	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.6	4	2	2	4	6	7	9	9
20-34	346	3.8	4	2	2	4	5	5	6	9
35-49	28	3.3	2	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	<1	<1	2	3	3	3	3
20-34	69	2.9	2	1	2	3	3	4	5	10
35-49	8	3.5	5	2	2	3	4	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	111	4.8	3	2	3	5	6	7	7	11
20-34	1030	4.7	17	2	2	4	5	6	7	13
35-49	122	4.8	5	2	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.6	1	1	1	2	3	4	4	7
B. *Operated*	404	3.8	3	2	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	2.9	2	1	2	3	3	4	5	10
B. *Operated*	1263	4.7	14	2	2	5	5	6	7	11
1. SINGLE DX	517	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1350	4.6	14	2	2	4	5	6	7	11
A. NOT OPERATED	200	2.7	2	1	2	3	3	4	5	9
B. OPERATED	1667	4.5	12	2	2	4	5	6	7	10
TOTAL 0-19 YRS	160	4.5	4	1	2	4	6	6	8	11
20-34	1539	4.3	13	2	2	4	5	6	7	10
35-49	168	4.3	5	2	2	4	6	6	8	10
50-64										
65+										
GRAND TOTAL	**1867**	**4.3**	**11**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2		1	1	2	3	3	3	3
20-34	177	2.7	6	1	1	2	3	4	4	7
35-49	16	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	349	4.4	1	3	3	4	5	6	6	7
20-34	6394	4.4	1	3	3	4	5	6	6	7
35-49	379	4.6	1	3	4	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	5	1	1	3	4	7	9	9
20-34	103	3.0	2	1	1	3	3	5	6	7
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.6	1	3	4	5	5	6	6	8
20-34	9263	4.8	3	3	3	5	5	6	7	9
35-49	995	5.0	4	3	4	5	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	2.7	5	1	1	2	3	4	4	7
B. *Operated*	7122	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	120	3.0	2	1	1	3	3	5	6	8
B. *Operated*	10593	4.8	3	3	3	5	5	6	7	9
1. SINGLE DX	7328	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	10713	4.8	3	3	3	5	5	6	7	9
A. NOT OPERATED	326	2.8	4	1	1	3	3	4	5	7
B. OPERATED	17715	4.7	2	3	3	5	5	6	6	8
TOTAL 0-19 YRS	707	4.5	1	3	3	4	5	6	6	7
20-34	15937	4.6	2	3	3	5	5	6	6	8
35-49	1397	4.8	3	3	4	5	5	6	7	10
50-64										
65+										
GRAND TOTAL	**18041**	**4.6**	**2**	**3**	**3**	**5**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.6	1	1	2	2	3	4	4	6
20-34	973	2.8	2	1	2	3	3	4	4	6
35-49	52	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	147	2.9	1	1	2	3	3	4	5	7
20-34	933	3.0	7	2	2	3	3	4	5	6
35-49	53	3.3	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	3.5	17	1	2	3	4	5	6	19
20-34	917	3.3	4	2	2	3	4	5	6	11
35-49	72	3.2	3	1	2	3	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	519	4.1	9	2	2	3	5	6	9	16
20-34	3662	4.0	7	2	2	3	5	6	7	14
35-49	314	4.2	7	2	2	4	5	7	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1179	2.8	2	1	2	3	3	4	4	6
B. *Operated*	1133	3.0	6	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1169	3.3	6	1	2	3	4	5	6	12
B. *Operated*	4495	4.0	7	2	2	3	5	6	7	14
1. SINGLE DX	2312	2.9	4	2	2	3	3	4	4	6
2. MULTIPLE DX	5664	3.9	7	2	2	3	5	6	7	13
A. NOT OPERATED	2348	3.0	4	1	2	3	3	4	5	8
B. OPERATED	5628	3.8	7	2	2	3	4	6	7	13
TOTAL 0-19 YRS	1000	3.6	8	2	2	3	4	5	7	13
20-34	6485	3.6	6	2	2	3	4	5	6	12
35-49	491	3.8	6	2	2	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**7976**	**3.6**	**6**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.4	1	1	1	2	3	3	3	4
20-34	5161	2.5	1	1	2	2	3	3	4	4
35-49	310	2.6	1	1	2	3	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	332	2.4	1	1	2	2	3	3	4	5
20-34	2461	2.7	2	1	2	3	3	4	4	5
35-49	131	2.8	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.5	1	1	2	2	3	4	4	6
20-34	1495	2.6	1	1	2	3	3	4	4	6
35-49	112	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	411	2.9	2	1	2	3	4	4	5	8
20-34	3789	3.0	2	2	2	3	3	4	5	7
35-49	299	3.1	2	1	2	3	4	5	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6139	2.5	1	1	2	2	3	3	4	4
B. *Operated*	2924	2.6	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1847	2.6	1	1	2	3	3	4	4	6
B. *Operated*	4499	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	9063	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	6346	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	7986	2.5	1	1	2	2	3	3	4	5
B. OPERATED	7423	2.8	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	1651	2.5	1	1	2	2	3	4	4	6
20-34	12906	2.7	1	1	2	3	3	4	4	6
35-49	852	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**15409**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.4	1	1	1	2	3	3	4	4
20-34	732	2.2	1	1	1	2	3	3	3	4
35-49	36	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1072	2.3	1	1	1	2	3	3	4	4
20-34	8143	2.3	1	1	1	2	3	3	4	4
35-49	663	2.5	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	1	1	2	2	3	3	4	4
20-34	304	2.3	1	1	1	2	3	3	4	5
35-49	19	1.9	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	634	2.6	2	1	2	2	3	4	4	6
20-34	5752	2.7	1	1	2	3	3	4	4	6
35-49	557	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	896	2.3	1	1	1	2	3	3	4	4
B. *Operated*	9878	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	390	2.3	1	1	1	2	3	3	4	5
B. *Operated*	6943	2.7	1	1	2	3	3	4	4	6
1. SINGLE DX	10774	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	7333	2.7	1	1	2	3	3	4	4	6
A. NOT OPERATED	1286	2.3	1	1	1	2	3	3	4	4
B. OPERATED	16821	2.5	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1901	2.4	1	1	1	2	3	3	4	5
20-34	14931	2.5	1	1	1	2	3	3	4	5
35-49	1275	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**18107**	**2.5**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.5	1	1	2	2	3	3	4	4
20-34	230	2.6	1	1	2	3	3	3	4	5
35-49	8	2.4	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1049	2.6	1	1	2	3	3	4	4	5
20-34	4393	2.7	1	1	2	3	3	4	4	5
35-49	132	2.7	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	3	2	2	3	3	4	7	10
20-34	105	3.0	2	2	2	3	3	4	5	11
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	863	3.0	4	2	2	3	3	4	5	8
20-34	3558	3.0	1	2	2	3	3	4	5	7
35-49	166	3.0	1	2	2	3	4	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.5	1	1	2	3	3	3	4	4
B. *Operated*	5574	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	153	3.0	2	2	2	3	3	4	5	10
B. *Operated*	4587	3.0	2	2	2	3	3	4	5	7
1. SINGLE DX	5876	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4740	3.0	2	2	2	3	3	4	5	7
A. NOT OPERATED	455	2.7	1	1	2	3	3	4	4	9
B. OPERATED	10161	2.8	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	2020	2.8	2	2	2	3	3	4	4	6
20-34	8286	2.8	1	2	2	3	3	4	4	6
35-49	310	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**10616**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	1	1	1	2	3	3	4	4
20-34	369	2.3	1	1	1	2	3	3	4	5
35-49	11	2.7		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	442	2.4	1	1	2	2	3	3	4	4
20-34	2007	2.5	1	1	2	2	3	3	4	5
35-49	78	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.8	2	2	2	2	3	4	7	7
20-34	153	2.4	1	1	1	2	3	3	4	5
35-49	10	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	408	2.7	1	1	2	3	3	4	5	7
20-34	1946	2.9	2	1	2	3	3	4	5	7
35-49	99	3.2	2	2	2	3	3	5	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2527	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	212	2.5	1	1	1	2	3	4	4	7
B. *Operated*	2453	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	2986	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX	2665	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	671	2.4	1	1	1	2	3	3	4	5
B. OPERATED	4980	2.7	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	978	2.5	1	1	2	2	3	4	4	6
20-34	4475	2.6	1	1	2	3	3	4	4	6
35-49	198	3.0	2	2	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**5651**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1158	2.6	2	1	1	2	3	4	5	7
20-34	5440	2.5	1	1	1	2	3	4	4	6
35-49	349	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1887	3.1	2	1	2	3	4	5	6	9
20-34	9660	3.1	4	2	2	3	4	5	5	7
35-49	559	3.1	2	1	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	948	2.8	2	1	1	3	3	4	5	8
20-34	4557	2.7	5	1	1	2	3	4	5	8
35-49	336	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3997	4.0	8	2	2	3	5	6	8	14
20-34	22411	4.0	10	2	2	3	5	6	8	15
35-49	1957	4.2	7	2	2	4	5	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6947	2.5	2	1	1	2	3	4	4	6
B. *Operated*	12106	3.1	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	5841	2.7	4	1	1	3	3	4	5	8
B. *Operated*	28365	4.0	9	2	2	3	5	6	8	15
1. SINGLE DX	19053	2.9	3	1	2	3	3	4	5	7
2. MULTIPLE DX	34206	3.8	9	1	2	3	4	6	7	14
A. NOT OPERATED	12788	2.6	3	1	1	2	3	4	4	7
B. OPERATED	40471	3.7	8	2	2	3	4	6	7	13
TOTAL 0-19 YRS	7990	3.4	6	1	2	3	4	6	7	12
20-34	42068	3.4	7	1	2	3	4	5	6	12
35-49	3201	3.7	6	1	2	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**53259**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	2	2	2	3	4	5	6	6
20-34	167	3.4	2	2	2	3	4	6	6	8
35-49	7	3.1	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	11	3.5	2	1	2	3	4	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	7	2	2	4	5	7	8	15
20-34	118	3.8	3	2	2	4	4	6	7	9
35-49	8	4.8	16	2	2	3	5	12	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.4	6	1	1	4	7	8	8	8
20-34	33	6.5	14	1	2	6	9	12	13	15
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.4	2	2	2	3	4	6	6	8
B. *Operated*	13	3.4	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	158	4.0	4	2	2	4	4	6	8	14
B. *Operated*	44	6.0	13	1	2	5	8	11	12	15
1. SINGLE DX	230	3.4	2	2	2	3	4	6	6	7
2. MULTIPLE DX	202	4.4	7	2	2	4	5	8	10	14
A. NOT OPERATED	375	3.6	3	2	2	3	4	6	7	10
B. OPERATED	57	5.4	11	1	2	5	7	11	12	15
TOTAL 0-19 YRS	88	3.7	4	2	2	3	4	6	8	12
20-34	329	3.9	4	2	2	3	5	6	8	12
35-49	15	4.0	10	2	2	3	5	6	12	14
50-64										
65+										
GRAND TOTAL	**432**	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**8**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	<1	<1	2	2	3	4	4
20-34	67	1.5	1	<1	<1	1	2	3	3	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.5	1	<1	<1	1	2	2	3	5
20-34	174	1.4	1	<1	<1	1	2	3	3	5
35-49	10	1.7	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	53	1.8	1	<1	1	2	2	3	3	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.1	2	<1	1	2	3	4	5	6
20-34	185	2.6	5	<1	1	2	3	5	7	17
35-49	14	2.6	3	<1	1	2	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	214	1.4	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	61	1.9	1	<1	1	2	2	3	4	4
B. *Operated*	235	2.5	5	<1	1	2	3	5	6	12
1. SINGLE DX	297	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	296	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	144	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	449	2.0	3	<1	1	1	2	4	5	8
TOTAL 0-19 YRS	84	1.9	1	<1	1	2	2	3	4	6
20-34	479	1.9	3	<1	<1	1	2	4	5	8
35-49	30	2.2	2	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**593**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	13	1	1	3	5	10	12	12
20-34	96	3.7	5	1	1	3	4	8	9	12
35-49	7	2.9	4	1	1	3	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.6	29	1	1	2	3	5	14	29
20-34	156	3.2	9	<1	1	2	3	6	10	18
35-49	6	4.2	13	1	1	3	5	10	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	20	1	1	2	4	13	16	16
20-34	100	5.0	39	1	1	4	6	9	11	39
35-49	10	5.1	12	1	1	4	6	10	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.6	25	1	1	3	5	14	18	20
20-34	152	4.4	20	1	1	3	5	9	13	20
35-49	20	7.0	28	2	2	5	11	14	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	6	1	1	3	4	8	9	12
B. *Operated*	190	3.3	12	1	1	2	3	6	11	19
2. MULTIPLE DX										
A. *Not Operated*	129	4.8	34	1	1	3	6	9	12	29
B. *Operated*	198	4.7	21	1	1	3	5	10	15	20
1. SINGLE DX	303	3.4	10	1	1	3	4	7	9	16
2. MULTIPLE DX	327	4.8	26	1	1	3	6	10	14	20
A. NOT OPERATED	242	4.3	21	1	1	3	5	9	10	16
B. OPERATED	388	4.0	17	1	1	3	5	9	12	20
TOTAL 0-19 YRS	83	4.1	23	1	1	2	4	10	16	26
20-34	504	4.0	18	1	1	3	4	8	10	19
35-49	43	5.5	20	1	2	3	7	12	14	19
50-64										
65+										
GRAND TOTAL	**630**	**4.1**	**19**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	559	3.6	5	1	2	3	4	6	8	11
20-34	558	3.8	4	1	2	3	5	6	8	10
35-49	372	4.5	10	2	2	4	5	8	10	18
50-64	262	4.8	8	2	2	4	6	8	10	15
65+	200	6.0	17	2	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	229	4.6	8	1	2	4	6	8	9	13
20-34	262	5.1	16	1	1	4	7	10	12	19
35-49	202	5.1	14	1	1	4	7	9	12	19
50-64	111	6.3	27	1	2	5	9	12	16	26
65+	63	7.3	27	1	2	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	847	4.2	6	2	2	4	5	7	9	13
20-34	1167	5.5	14	2	2	5	7	10	12	19
35-49	1303	6.2	16	2	3	5	8	11	14	21
50-64	1685	6.9	19	2	3	6	8	12	15	23
65+	3062	8.0	27	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	345	6.3	27	2	2	5	8	13	15	23
20-34	756	8.5	59	2	2	6	10	16	23	41
35-49	835	9.3	63	2	3	7	12	20	25	44
50-64	863	11.3	101	3	3	8	14	22	31	53
65+	1216	12.9	103	3	4	10	16	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1951	4.2	8	2	2	4	5	7	9	14
B. *Operated*	867	5.3	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	8064	6.7	21	2	3	6	8	12	15	23
B. *Operated*	4015	10.4	84	2	3	8	13	21	28	48
1. SINGLE DX	2818	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	12079	8.0	45	2	3	6	10	15	20	36
A. NOT OPERATED	10015	6.2	19	2	2	5	8	11	14	22
B. OPERATED	4882	9.5	76	2	3	7	12	19	26	46
TOTAL 0-19 YRS	1980	4.5	10	1	2	4	5	8	10	15
20-34	2743	5.9	27	2	2	5	7	11	15	28
35-49	2712	6.9	32	2	2	5	8	13	18	29
50-64	2921	8.0	47	2	3	6	9	15	19	39
65+	4541	9.2	52	3	3	7	11	17	22	40
GRAND TOTAL	**14897**	**7.3**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	6	1	2	3	5	7	9	11
20-34	81	3.9	5	1	1	3	5	7	8	11
35-49	42	3.8	3	1	2	3	5	7	7	7
50-64	21	6.5	9	3	3	6	8	11	12	12
65+	22	5.8	15	1	2	5	7	9	14	19
B. *Operated*										
0-19 YRS	87	4.3	15	1	1	4	5	8	9	25
20-34	63	3.8	5	1	1	4	5	7	8	11
35-49	42	4.4	15	<1	1	4	5	10	11	21
50-64	18	7.1	26	1	2	5	9	16	19	20
65+	17	6.8	31	1	1	5	12	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.0	5	1	2	3	5	7	8	12
20-34	159	5.1	59	2	2	4	6	8	10	36
35-49	121	5.8	18	2	2	5	7	11	14	27
50-64	196	7.4	32	2	3	6	9	13	16	34
65+	270	7.6	27	3	3	7	9	13	16	31
B. *Operated*										
0-19 YRS	127	5.8	17	1	2	5	8	12	15	19
20-34	153	6.3	49	1	2	5	7	13	17	30
35-49	158	9.0	93	2	2	6	10	19	26	51
50-64	173	9.4	72	2	3	7	11	20	28	41
65+	226	9.6	51	2	3	8	12	18	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	4.2	6	1	2	4	5	7	9	12
B. *Operated*	227	4.6	15	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	1049	5.9	28	2	2	5	7	11	14	26
B. *Operated*	837	8.2	60	1	2	6	10	17	22	41
1. SINGLE DX	570	4.4	10	1	1	4	5	8	10	16
2. MULTIPLE DX	1886	7.0	43	2	2	5	8	13	18	33
A. NOT OPERATED	1392	5.5	23	2	2	4	7	10	12	24
B. OPERATED	1064	7.5	52	1	2	5	9	15	20	39
TOTAL 0-19 YRS	694	4.4	9	1	2	4	5	8	9	16
20-34	456	5.1	39	1	2	4	6	9	12	26
35-49	363	6.8	53	1	2	5	7	13	20	43
50-64	408	8.2	48	2	3	6	10	15	21	41
65+	535	8.3	38	2	3	7	10	15	20	30
GRAND TOTAL	**2456**	**6.4**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	1	1	2	5	7	7	7
20-34	5	2.4	4	1	1	1	4	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	393	2.2	2	1	1	2	3	4	5	8
20-34	683	2.3	3	1	1	2	3	4	5	10
35-49	131	2.2	2	1	1	2	3	4	5	9
50-64	33	2.2	1	1	1	2	3	3	4	6
65+	6	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	<1	3	3	3	3
20-34	9	2.6	1	<1	<1	3	3	4	4	4
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	7.0	43	1	1	6	12	14	14	14
B. *Operated*										
0-19 YRS	72	3.2	5	1	1	3	4	5	7	14
20-34	139	2.7	3	1	1	2	3	5	6	10
35-49	51	4.6	16	1	1	3	6	12	13	16
50-64	29	4.4	12	1	1	4	5	11	12	14
65+	11	10.3	354	<1	<1	2	7	40	61	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*	1246	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	22	3.7	13	<1	<1	3	4	9	13	14
B. *Operated*	302	3.6	21	1	1	3	4	6	10	15
1. SINGLE DX	1257	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	324	3.6	20	1	1	3	4	7	10	15
A. NOT OPERATED	33	3.4	10	<1	<1	3	4	7	11	14
B. OPERATED	1548	2.5	6	1	1	2	3	4	6	12
TOTAL 0-19 YRS	477	2.4	3	1	1	2	3	4	5	8
20-34	836	2.4	3	1	1	2	3	4	5	10
35-49	184	2.9	8	1	1	2	3	6	9	14
50-64	64	3.3	7	1	1	2	4	6	10	14
65+	20	7.3	205	<1	<1	2	6	19	44	63
GRAND TOTAL	**1581**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	25	1.4		<1	<1	1	2	3	3	3
20-34	35	2.0	2	<1	<1	1	2	5	6	6
35-49	22	2.3	7	<1	<1	1	2	6	10	12
50-64	22	1.9	2	<1	<1	2	2	4	5	5
65+	6	3.5	8	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	2.8	4	1	1	3	4	6	6	6
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	27	2.8	4	<1	<1	2	4	6	7	8
35-49	29	4.1	11	<1	1	3	5	8	10	16
50-64	21	4.3	12	<1	1	3	5	9	12	15
65+	22	4.0	6	<1	1	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	110	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.7	5	<1	1	3	6	7	7	7
B. *Operated*	107	3.6	8	<1	1	3	5	8	9	15
1. SINGLE DX	112	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	120	3.6	8	<1	1	3	5	7	9	15
A. NOT OPERATED	15	3.5	5	<1	1	3	5	7	7	7
B. OPERATED	217	2.8	6	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	36	1.8	2	<1	<1	1	2	3	4	7
20-34	63	2.3	3	<1	<1	1	3	5	6	8
35-49	56	3.3	9	<1	<1	2	4	8	9	16
50-64	46	3.2	8	<1	1	2	4	7	8	15
65+	31	3.9	6	<1	1	3	6	8	9	9
GRAND TOTAL	**232**	**2.8**	**6**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	5.0	37	1	1	3	5	13	18	27
20-34	182	9.3	94	1	1	5	14	23	31	41
35-49	144	8.6	89	1	1	4	13	25	28	38
50-64	89	10.1	95	1	2	6	15	27	31	37
65+	68	8.6	60	2	2	7	12	18	22	44
B. *Operated*										
0-19 YRS	164	3.8	28	<1	1	2	4	9	14	25
20-34	263	5.6	56	1	1	3	6	13	19	40
35-49	222	4.5	27	1	1	2	6	12	15	24
50-64	177	3.9	39	1	1	2	4	9	13	39
65+	146	6.6	59	1	1	3	8	16	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	482	4.4	24	1	1	3	5	8	12	26
20-34	433	7.8	73	1	1	5	9	18	25	49
35-49	464	9.3	77	1	2	6	12	23	28	40
50-64	575	10.1	81	2	2	7	14	23	28	44
65+	1455	9.7	57	2	3	8	12	19	24	40
B. *Operated*										
0-19 YRS	253	7.8	146	1	1	3	8	22	41	75
20-34	616	12.9	237	1	2	7	18	33	49	99+
35-49	758	12.7	231	1	1	7	16	31	44	84
50-64	955	13.2	222	1	1	8	18	34	46	84
65+	1941	16.9	189	2	3	14	22	34	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	7.6	72	1	1	4	10	20	27	38
B. *Operated*	972	4.9	43	1	1	2	5	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	3409	8.7	65	1	2	6	11	19	25	41
B. *Operated*	4523	14.3	213	1	2	10	20	33	46	82
1. SINGLE DX	1752	6.1	58	1	1	3	7	16	23	37
2. MULTIPLE DX	7932	11.9	157	1	2	8	16	27	38	69
A. NOT OPERATED	4189	8.5	66	1	2	6	11	19	25	40
B. OPERATED	5495	12.7	196	1	1	8	18	30	43	78
TOTAL 0-19 YRS	1196	5.2	55	1	1	3	5	11	18	45
20-34	1494	9.7	148	1	1	5	12	24	35	79
35-49	1588	10.2	152	1	1	6	14	25	34	71
50-64	1796	11.1	160	1	1	7	15	28	38	66
65+	3610	13.4	142	2	3	10	17	28	38	65
GRAND TOTAL	**9684**	**10.9**	**144**	**1**	**2**	**7**	**14**	**26**	**35**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	8	1	1	3	6	8	10	10
20-34	45	3.5	8	1	1	3	4	8	9	15
35-49	28	5.9	53	1	2	4	5	11	16	40
50-64	15	4.3	8	1	1	4	5	10	10	10
65+	9	7.8	36	3	3	6	8	18	23	23
B. *Operated*										
0-19 YRS	17	4.8	22	1	1	2	7	13	14	15
20-34	16	8.4	195	1	1	4	7	18	46	58
35-49	17	4.5	19	1	1	3	7	12	14	15
50-64	10	8.9	56	2	2	6	15	21	23	23
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.9	46	1	1	4	9	15	22	34
20-34	192	6.3	67	1	2	4	7	11	14	60
35-49	173	6.3	27	2	2	5	8	11	16	28
50-64	135	8.3	56	2	2	6	11	17	23	39
65+	131	8.4	48	2	3	7	10	16	18	62
B. *Operated*										
0-19 YRS	22	15.9	396	2	3	8	20	48	69	77
20-34	96	11.0	110	1	2	8	14	26	32	53
35-49	116	12.9	135	1	2	10	16	30	37	75
50-64	82	15.4	271	2	3	10	16	37	52	87
65+	99	14.5	104	3	5	12	17	29	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.6	22	1	1	4	5	9	11	29
B. *Operated*	61	6.4	72	1	1	3	8	15	19	54
2. MULTIPLE DX										
A. *Not Operated*	698	7.2	50	1	2	5	9	13	18	39
B. *Operated*	415	13.5	163	2	3	10	16	30	42	65
1. SINGLE DX	177	5.2	40	1	1	4	6	10	15	35
2. MULTIPLE DX	1113	9.5	102	1	2	7	11	19	29	57
A. NOT OPERATED	814	6.8	47	1	2	5	8	13	17	38
B. OPERATED	476	12.6	157	1	2	9	15	28	41	63
TOTAL 0-19 YRS	125	7.7	111	1	1	4	9	15	23	66
20-34	349	7.4	83	1	2	5	9	15	21	56
35-49	334	8.5	77	1	2	6	11	17	28	54
50-64	242	10.5	138	1	2	7	11	21	32	58
65+	240	10.9	79	3	3	9	13	22	31	47
GRAND TOTAL	**1290**	**8.9**	**95**	**1**	**2**	**6**	**11**	**18**	**28**	**56**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	5.4	18	2	2	4	7	11	14	23
20-34	28	5.6	11	2	3	5	7	11	14	15
35-49	57	5.6	7	2	3	5	8	9	10	15
50-64	75	6.1	10	2	3	5	9	11	12	14
65+	47	6.6	12	1	3	6	8	10	12	20
B. *Operated*										
0-19 YRS	10	5.4	14	1	1	4	8	11	11	11
20-34	53	5.2	11	1	2	4	7	10	11	14
35-49	137	6.3	17	2	2	5	9	12	13	24
50-64	294	6.7	17	1	2	6	10	12	15	17
65+	201	7.4	20	2	2	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.5	16	1	2	4	8	11	13	19
20-34	58	6.4	42	1	2	5	8	10	15	46
35-49	141	6.5	19	1	2	5	8	12	16	25
50-64	304	7.4	26	1	2	6	10	13	16	26
65+	461	7.8	37	2	2	6	10	14	18	30
B. *Operated*										
0-19 YRS	23	8.7	56	1	2	5	16	18	22	28
20-34	80	8.1	66	1	1	6	10	18	23	47
35-49	186	6.9	45	1	2	5	10	13	16	31
50-64	545	8.5	64	1	2	7	11	16	21	47
65+	513	10.1	54	2	3	9	13	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	5.9	12	2	2	5	8	10	12	15
B. *Operated*	695	6.7	18	1	2	6	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	1022	7.3	30	1	2	6	9	13	16	26
B. *Operated*	1347	8.9	59	1	2	7	12	17	21	43
1. SINGLE DX	969	6.4	16	2	2	5	9	12	14	18
2. MULTIPLE DX	2369	8.2	47	1	2	7	11	15	19	35
A. NOT OPERATED	1296	7.0	27	2	2	6	9	13	16	25
B. OPERATED	2042	8.1	46	1	2	7	11	15	19	33
TOTAL 0-19 YRS	158	5.9	23	1	2	4	8	12	16	25
20-34	219	6.6	40	1	2	5	8	12	18	33
35-49	521	6.5	27	1	2	5	9	12	15	24
50-64	1218	7.6	40	1	2	6	10	14	17	30
65+	1222	8.6	42	2	3	7	11	15	19	33
GRAND TOTAL	**3338**	**7.7**	**39**	**1**	**2**	**6**	**10**	**14**	**18**	**30**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.2	2	1	1	2	3	4	4	4
35-49	11	3.8	9	<1	<1	3	5	9	11	11
50-64	25	3.8	8	<1	1	3	4	10	10	11
65+	60	5.1	16	1	2	4	7	9	11	25
B. *Operated*										
0-19 YRS	11	3.6	10	1	1	2	5	9	10	10
20-34	123	4.3	11	1	1	3	6	9	11	14
35-49	383	5.3	15	1	1	4	8	10	12	19
50-64	1528	8.4	18	2	2	9	11	13	15	19
65+	2260	10.7	13	4	7	11	13	15	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	10	3.9	8	1	1	3	6	8	8	8
35-49	47	5.2	11	1	1	5	7	10	11	16
50-64	189	4.6	13	<1	1	4	7	9	12	16
65+	816	5.3	18	1	1	4	7	11	13	19
B. *Operated*										
0-19 YRS	13	6.3	32	1	1	5	6	17	18	18
20-34	136	6.7	28	1	1	5	10	13	16	24
35-49	443	6.5	38	1	1	5	9	13	16	28
50-64	2352	9.7	28	2	3	10	12	15	18	26
65+	6052	12.3	34	5	7	12	15	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	13	<1	1	3	6	9	11	19
B. *Operated*	4305	9.2	19	2	3	9	12	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	1065	5.2	17	1	1	4	7	10	12	19
B. *Operated*	8996	11.3	35	2	4	11	14	17	20	30
1. SINGLE DX	4407	9.1	19	2	3	9	12	14	16	20
2. MULTIPLE DX	10061	10.6	37	2	3	10	13	17	20	29
A. NOT OPERATED	1167	5.1	17	1	1	4	7	10	12	19
B. OPERATED	13301	10.6	31	2	4	10	13	16	19	27
TOTAL 0-19 YRS	27	5.1	20	1	1	3	6	10	17	18
20-34	275	5.4	21	1	1	4	8	11	14	22
35-49	884	5.9	27	1	1	4	8	12	14	23
50-64	4094	9.0	25	1	2	9	12	14	17	24
65+	9188	11.3	32	3	5	11	14	17	19	29
GRAND TOTAL	**14468**	**10.2**	**32**	**2**	**3**	**10**	**13**	**16**	**18**	**27**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.8	19	1	2	4	7	13	15	20
20-34	49	6.0	24	1	2	4	8	12	19	22
35-49	31	4.3	9	1	1	4	5	9	11	13
50-64	29	5.6	15	1	1	5	8	9	10	19
65+	28	5.1	15	2	2	4	7	10	13	18
B. *Operated*										
0-19 YRS	71	9.7	41	2	3	8	14	19	22	28
20-34	144	5.8	50	1	1	3	7	12	17	37
35-49	161	5.2	26	1	1	4	7	10	12	29
50-64	173	5.5	26	1	1	4	8	11	13	20
65+	104	8.9	29	2	2	9	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	7.0	31	1	2	5	10	14	19	25
20-34	79	5.9	28	1	2	4	7	12	18	26
35-49	114	6.6	34	1	2	5	8	13	17	32
50-64	137	7.5	30	1	2	6	10	14	20	26
65+	309	7.7	39	2	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	88	12.6	51	2	3	11	17	23	28	30
20-34	171	10.1	105	1	2	7	12	25	38	54
35-49	223	8.7	93	1	1	5	10	24	31	50
50-64	303	10.9	119	1	2	8	14	23	30	56
65+	324	14.5	99	3	4	13	18	25	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	5.5	18	1	2	4	7	11	14	21
B. *Operated*	653	6.5	36	1	1	5	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	746	7.2	34	1	2	5	9	14	19	29
B. *Operated*	1109	11.5	105	1	2	9	15	24	30	51
1. SINGLE DX	869	6.2	32	1	1	4	9	13	16	26
2. MULTIPLE DX	1855	9.8	81	1	2	7	13	21	27	46
A. NOT OPERATED	962	6.8	31	1	2	5	9	14	18	28
B. OPERATED	1762	9.6	85	1	2	7	13	21	27	48
TOTAL 0-19 YRS	345	8.7	42	2	2	7	12	18	22	29
20-34	443	7.5	68	1	1	5	9	16	24	44
35-49	529	6.9	58	1	1	5	8	15	25	41
50-64	642	8.5	76	1	2	6	11	17	23	46
65+	765	10.6	73	2	3	9	14	21	26	42
GRAND TOTAL	**2724**	**8.6**	**68**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	7	2.6	4	<1	<1	2	4	6	6	6
35-49	4	7.0	49	1	1	5	12	16	16	16
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	184	2.5	2	<1	<1	2	3	5	6	7
20-34	331	2.7	3	<1	1	2	4	5	5	10
35-49	211	2.3	3	<1	<1	2	3	5	6	9
50-64	66	2.0	3	<1	<1	1	2	5	6	8
65+	29	2.8	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	18	2.2	3	<1	<1	2	2	5	7	8
35-49	11	6.2	63	<1	<1	3	7	20	25	26
50-64	10	5.2	51	<1	<1	2	5	18	20	20
65+	9	3.4	1	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	227	2.8	5	<1	1	2	4	5	7	12
20-34	541	2.9	5	<1	1	2	4	5	7	10
35-49	335	2.9	11	<1	1	2	3	5	8	19
50-64	262	2.5	5	<1	1	2	3	6	7	9
65+	168	3.3	13	1	1	2	4	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	11	<1	1	2	4	6	11	16
B. *Operated*	821	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	52	3.8	26	<1	<1	2	4	8	17	26
B. *Operated*	1533	2.8	7	<1	1	2	4	5	7	14
1. SINGLE DX	845	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	1585	2.9	8	<1	1	2	4	6	7	16
A. NOT OPERATED	76	3.6	21	<1	<1	2	4	8	16	24
B. OPERATED	2354	2.7	6	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	419	2.6	4	<1	1	2	4	5	6	10
20-34	897	2.8	4	<1	1	2	4	5	6	10
35-49	561	2.8	10	<1	<1	2	3	5	8	18
50-64	341	2.5	6	<1	<1	2	3	5	7	13
65+	212	3.2	11	<1	1	2	3	7	11	18
GRAND TOTAL	**2430**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.9	3	1	1	2	4	6	6	8
20-34	46	3.4	5	1	1	3	4	6	8	12
35-49	23	4.3	13	1	1	3	6	9	12	16
50-64	36	3.2	5	1	1	3	4	5	8	11
65+	29	3.5	7	1	1	2	5	7	8	13
B. *Operated*										
0-19 YRS	697	2.6	5	1	1	2	3	4	6	11
20-34	1041	2.7	4	1	1	2	3	5	6	9
35-49	356	3.0	5	1	1	2	4	6	8	13
50-64	122	3.2	8	1	1	2	4	5	10	17
65+	67	5.4	17	1	1	4	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.1	7	<1	1	2	4	7	8	14
20-34	104	3.6	14	<1	1	3	5	8	10	21
35-49	112	4.8	32	1	1	3	6	11	13	30
50-64	140	4.5	16	1	1	3	6	9	12	20
65+	342	5.6	16	1	2	5	7	10	12	22
B. *Operated*										
0-19 YRS	459	3.6	15	1	1	3	4	7	10	18
20-34	651	3.8	17	1	1	3	5	7	9	21
35-49	403	3.9	17	1	1	3	5	8	11	20
50-64	304	5.3	32	1	1	3	7	11	17	29
65+	236	7.4	40	1	1	6	10	16	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.3	6	1	1	3	4	6	8	12
B. *Operated*	2283	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	814	4.7	17	1	1	4	6	10	12	20
B. *Operated*	2053	4.4	23	1	1	3	5	9	13	23
1. SINGLE DX	2500	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX	2867	4.5	21	1	1	3	6	9	13	22
A. NOT OPERATED	1031	4.4	15	1	1	3	6	9	11	19
B. OPERATED	4336	3.6	14	1	1	3	4	7	10	19
TOTAL 0-19 YRS	1355	3.0	8	1	1	2	4	5	7	16
20-34	1842	3.1	9	1	1	2	4	6	7	14
35-49	894	3.6	14	1	1	3	4	7	10	17
50-64	602	4.6	22	1	1	3	6	10	14	24
65+	674	6.1	25	1	1	5	8	12	16	23
GRAND TOTAL	**5367**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.8	4	3	3	4	6	8	8	8
35-49	13	8.1	36	2	3	6	11	15	22	24
50-64	9	11.8	171	2	2	7	13	34	44	44
65+	10	7.3	25	2	2	6	9	15	19	19
B. *Operated*										
0-19 YRS										
20-34	8	4.9	5	2	2	5	7	7	7	7
35-49	11	10.9	97	1	2	9	12	26	36	37
50-64	9	10.0	16	6	6	8	14	16	17	17
65+	10	17.3	102	5	5	17	23	32	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	2	2	2	3	4	5	5	5
B. *Operated*	3	6.3	21	1	1	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	40	8.1	58	2	3	6	10	15	21	44
B. *Operated*	38	11.1	75	2	3	8	14	22	33	37
1. SINGLE DX	10	4.1	8	1	1	3	5	9	9	9
2. MULTIPLE DX	78	9.5	68	2	3	7	12	19	26	42
A. NOT OPERATED	47	7.3	53	2	2	5	9	13	20	44
B. OPERATED	41	10.8	72	1	2	8	14	22	31	37
TOTAL 0-19 YRS										
20-34	18	4.9	5	2	2	5	7	8	9	9
35-49	27	8.6	61	1	2	7	11	17	26	37
50-64	22	9.6	81	2	2	7	12	17	28	44
65+	21	12.0	84	3	4	9	18	25	31	37
GRAND TOTAL	**88**	**8.9**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**41**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	23	1	1	6	10	11	11	11
20-34	15	8.8	70	1	3	6	11	20	30	34
35-49	74	5.0	15	1	1	4	6	8	12	24
50-64	91	5.2	14	1	1	4	6	11	14	18
65+	69	5.7	12	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	69	4.4	12	1	1	4	7	8	10	17
35-49	361	4.4	14	1	1	3	6	10	12	16
50-64	416	4.4	19	1	1	3	6	9	12	20
65+	205	5.7	36	1	1	3	8	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	38	5.9	35	<1	1	5	7	11	17	33
35-49	202	6.4	20	1	2	5	8	11	14	26
50-64	455	6.2	21	1	2	5	8	11	13	21
65+	980	6.6	18	2	2	6	9	12	14	23
B. *Operated*										
0-19 YRS	5	12.4	316	2	2	6	16	44	44	44
20-34	82	6.4	67	1	1	5	8	10	15	55
35-49	394	6.2	25	1	1	5	8	12	16	23
50-64	856	6.6	42	1	1	5	9	13	17	30
65+	800	9.1	69	1	1	8	12	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.5	17	1	1	5	7	10	13	20
B. *Operated*	1052	4.6	21	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1677	6.4	19	2	2	5	8	12	14	24
B. *Operated*	2137	7.5	52	1	1	6	10	15	20	35
1. SINGLE DX	1305	4.8	20	1	1	4	7	10	13	20
2. MULTIPLE DX	3814	7.0	38	1	2	6	9	13	17	30
A. NOT OPERATED	1930	6.3	19	1	2	5	8	11	14	23
B. OPERATED	3189	6.5	43	1	1	5	9	14	18	30
TOTAL 0-19 YRS	12	7.6	142	1	1	3	8	21	41	44
20-34	204	5.8	44	1	1	4	8	10	15	33
35-49	1031	5.5	20	1	1	5	7	11	14	22
50-64	1818	5.9	31	1	1	5	8	12	15	26
65+	2054	7.5	41	1	2	6	10	15	19	30
GRAND TOTAL	**5119**	**6.5**	**34**	**1**	**1**	**5**	**8**	**13**	**16**	**27**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	5.7	16	<1	1	5	8	10	14	20
20-34	693	5.7	13	1	1	5	7	10	12	18
35-49	1069	5.7	11	1	1	5	8	10	11	15
50-64	513	5.8	12	1	1	5	8	10	12	15
65+	128	6.1	11	1	2	6	8	10	12	17
B. *Operated*										
0-19 YRS	122	4.6	14	1	1	4	6	9	12	20
20-34	3558	5.1	15	1	1	4	7	10	12	17
35-49	5009	5.5	17	1	1	5	7	11	13	20
50-64	2201	5.8	18	1	1	5	8	12	14	19
65+	478	6.1	24	1	1	5	8	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.0	10	1	2	6	8	9	12	14
20-34	549	6.3	14	1	2	6	8	11	13	20
35-49	1095	6.9	22	1	2	6	9	12	15	23
50-64	971	7.2	19	2	3	7	9	12	15	24
65+	885	7.6	22	2	3	7	10	13	16	24
B. *Operated*										
0-19 YRS	34	6.2	19	1	1	5	8	11	16	21
20-34	1307	7.2	26	1	2	6	9	14	17	24
35-49	2617	7.8	37	1	2	7	10	15	19	30
50-64	2276	8.1	35	1	2	7	11	15	18	28
65+	1340	9.7	50	1	2	9	13	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2442	5.7	12	1	1	5	8	10	12	16
B. *Operated*	11368	5.4	17	1	1	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	3518	7.0	20	1	2	6	9	12	15	23
B. *Operated*	7574	8.1	37	1	2	7	10	16	19	30
1. SINGLE DX	13810	5.5	16	1	1	5	7	11	13	19
2. MULTIPLE DX	11092	7.8	32	1	2	7	10	15	18	28
A. NOT OPERATED	5960	6.5	17	1	2	6	8	11	14	20
B. OPERATED	18942	6.5	27	1	1	5	9	13	16	24
TOTAL 0-19 YRS	213	5.2	15	1	1	4	7	10	13	20
20-34	6107	5.7	18	1	1	5	8	11	13	20
35-49	9790	6.3	23	1	1	5	8	12	15	23
50-64	5961	6.9	25	1	1	6	9	13	16	24
65+	2831	8.3	38	1	2	7	11	16	19	31
GRAND TOTAL	**24902**	**6.5**	**25**	**1**	**1**	**6**	**9**	**12**	**16**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	6	1	2	5	7	8	8	8
20-34	67	4.9	12	1	1	4	7	10	12	15
35-49	117	5.1	13	<1	1	5	8	10	12	14
50-64	64	5.5	15	1	1	4	8	12	14	16
65+	14	4.6	11	1	1	4	6	10	11	11
B. *Operated*										
0-19 YRS	5	13.8	262	4	4	5	20	42	42	42
20-34	323	4.7	12	1	1	4	6	9	11	16
35-49	905	4.7	11	1	1	4	6	9	11	16
50-64	422	4.9	13	1	1	4	6	9	11	19
65+	67	5.1	14	1	1	4	7	10	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	50	5.2	10	<1	1	5	7	10	11	13
35-49	181	5.8	15	1	1	5	8	11	13	19
50-64	192	6.6	13	1	2	6	8	12	14	18
65+	127	6.9	18	2	2	6	9	12	15	22
B. *Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	151	5.2	13	1	1	5	7	10	12	16
35-49	641	6.6	37	1	1	5	9	12	16	26
50-64	526	6.7	28	1	1	6	9	13	16	28
65+	138	8.9	64	1	1	7	12	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	5.1	13	1	1	4	7	10	12	15
B. *Operated*	1722	4.8	13	1	1	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	553	6.3	15	1	2	6	8	11	14	19
B. *Operated*	1458	6.7	34	1	1	6	9	13	16	26
1. SINGLE DX	1992	4.8	13	1	1	4	6	9	12	16
2. MULTIPLE DX	2011	6.6	29	1	1	6	9	13	16	24
A. NOT OPERATED	823	5.9	14	1	1	5	8	11	13	18
B. OPERATED	3180	5.7	24	1	1	5	7	11	14	22
TOTAL 0-19 YRS	18	8.3	82	2	3	6	8	14	31	42
20-34	591	4.9	12	1	1	4	7	9	12	16
35-49	1844	5.5	22	1	1	5	7	11	13	20
50-64	1204	6.0	20	1	1	5	8	11	14	22
65+	346	7.2	37	1	2	6	9	15	18	26
GRAND TOTAL	**4003**	**5.7**	**22**	**1**	**1**	**5**	**7**	**11**	**14**	**21**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	51	5.2	9	1	1	5	7	10	11	13
35-49	85	6.0	14	1	1	5	8	12	13	17
50-64	46	5.0	12	1	1	5	7	10	13	14
65+	7	5.1	19	<1	<1	5	7	12	13	13
B. *Operated*										
0-19 YRS	5	6.2	91	1	1	1	9	23	23	23
20-34	79	3.7	16	1	1	2	5	9	11	22
35-49	119	3.3	9	1	1	2	4	8	9	14
50-64	32	3.1	8	1	1	2	4	7	8	12
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.2	14	4	4	7	11	13	13	13
20-34	121	6.3	10	2	3	6	8	10	13	16
35-49	180	7.1	17	2	3	6	9	12	14	23
50-64	118	7.7	15	2	3	7	10	13	14	20
65+	61	6.8	15	2	2	6	9	13	14	18
B. *Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	84	7.1	20	1	1	7	10	12	14	21
35-49	147	6.7	22	1	1	6	9	12	14	28
50-64	62	6.1	14	1	1	6	8	11	13	15
65+	10	11.6	100	1	1	11	19	25	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	5.4	12	1	1	5	7	10	12	15
B. *Operated*	236	3.5	13	1	1	2	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	485	7.0	15	2	3	6	9	12	14	20
B. *Operated*	306	6.8	23	1	1	6	10	12	15	25
1. SINGLE DX	431	4.4	13	1	1	4	7	9	12	15
2. MULTIPLE DX	791	6.9	18	1	2	6	9	12	14	21
A. NOT OPERATED	680	6.6	14	1	2	6	8	12	13	19
B. OPERATED	542	5.4	21	1	1	4	8	11	14	22
TOTAL 0-19 YRS	19	5.4	31	1	1	4	7	12	18	23
20-34	335	5.7	15	1	1	5	8	11	13	19
35-49	531	6.0	18	1	1	5	8	12	14	21
50-64	258	6.2	16	1	1	6	8	12	14	18
65+	79	7.2	28	1	2	6	10	14	17	28
GRAND TOTAL	**1222**	**6.0**	**18**	**1**	**1**	**5**	**8**	**12**	**14**	**20**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	42	5.0	9	1	2	4	6	9	10	15
35-49	84	6.3	14	2	2	6	8	11	14	17
50-64	59	5.3	11	1	2	4	7	10	12	16
65+	19	6.9	54	3	3	5	7	10	25	36
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	52	3.0	12	1	1	1	3	8	13	14
35-49	78	4.2	22	1	1	2	6	11	15	20
50-64	42	3.4	14	1	1	2	4	8	13	17
65+	13	3.2	16	1	1	2	4	7	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	69	6.4	25	2	2	5	7	13	17	27
35-49	104	6.9	23	2	3	6	9	11	13	32
50-64	132	7.3	15	2	3	7	9	12	15	21
65+	195	7.3	17	3	3	6	10	12	14	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	38	6.1	16	1	1	6	9	12	13	15
35-49	55	7.1	26	1	1	7	9	14	16	28
50-64	54	7.5	32	1	1	6	12	15	16	23
65+	44	8.7	50	1	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	5.8	16	1	2	5	8	10	12	17
B. *Operated*	188	3.6	17	1	1	2	4	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	502	7.1	19	2	3	6	9	12	14	22
B. *Operated*	192	7.4	32	1	1	7	10	14	16	29
1. SINGLE DX	395	4.7	18	1	1	4	7	10	13	18
2. MULTIPLE DX	694	7.2	22	1	2	6	9	13	15	25
A. NOT OPERATED	709	6.7	18	2	3	6	8	12	14	21
B. OPERATED	380	5.5	28	1	1	4	8	13	15	23
TOTAL 0-19 YRS	9	4.0	13	1	1	2	7	9	11	11
20-34	201	5.2	18	1	1	4	7	11	14	20
35-49	321	6.1	22	1	1	5	8	11	14	22
50-64	287	6.4	19	1	1	6	9	12	15	21
65+	271	7.3	26	2	3	6	10	13	16	32
GRAND TOTAL	**1089**	**6.3**	**22**	**1**	**1**	**5**	**8**	**12**	**15**	**22**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.7	7	1	1	3	5	7	9	12
20-34	673	4.8	17	1	1	4	6	9	12	19
35-49	931	5.0	14	1	1	4	7	9	12	18
50-64	436	5.0	13	1	1	4	7	10	12	18
65+	148	4.9	12	1	1	4	8	9	11	15
B. *Operated*										
0-19 YRS	43	3.1	16	<1	1	1	3	8	13	20
20-34	755	3.3	11	1	1	2	4	8	10	17
35-49	1198	3.6	12	1	1	2	5	8	10	17
50-64	826	4.5	17	1	1	3	7	10	13	19
65+	508	6.2	24	1	1	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.9	9	1	1	3	5	7	9	18
20-34	970	6.2	27	1	1	5	8	12	17	25
35-49	1590	6.5	27	1	2	5	8	12	16	25
50-64	1334	6.3	20	1	2	5	8	12	14	21
65+	1437	6.6	19	1	2	6	9	12	15	21
B. *Operated*										
0-19 YRS	41	6.0	45	1	1	4	8	14	20	32
20-34	682	5.7	36	1	1	3	8	13	17	28
35-49	1351	5.8	39	1	1	4	8	12	16	32
50-64	1456	7.1	38	1	1	6	10	14	18	27
65+	1436	9.4	58	1	2	8	13	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	4.9	14	1	1	4	7	9	12	19
B. *Operated*	3330	4.2	16	1	1	2	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	5444	6.4	23	1	2	5	8	12	15	24
B. *Operated*	4966	7.2	46	1	1	6	10	15	19	30
1. SINGLE DX	5577	4.5	16	1	1	3	6	9	12	18
2. MULTIPLE DX	10410	6.8	34	1	1	5	9	13	17	27
A. NOT OPERATED	7691	6.0	21	1	1	5	8	11	14	22
B. OPERATED	8296	6.0	36	1	1	4	8	13	17	27
TOTAL 0-19 YRS	256	4.1	16	1	1	3	5	8	11	22
20-34	3080	5.0	24	1	1	4	7	11	14	25
35-49	5070	5.4	26	1	1	4	7	11	14	24
50-64	4052	6.1	26	1	1	5	8	12	15	24
65+	3529	7.6	38	1	1	7	10	15	18	28
GRAND TOTAL	**15987**	**6.0**	**29**	**1**	**1**	**5**	**8**	**12**	**16**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.1	4	1	1	3	4	5	6	11
20-34	66	3.6	4	1	1	3	5	6	7	9
35-49	68	3.2	4	1	1	3	4	6	7	9
50-64	54	3.2	5	<1	1	3	4	5	7	12
65+	33	3.6	3	1	1	4	5	6	7	9
B. *Operated*										
0-19 YRS	107	2.5	4	<1	1	2	3	5	7	10
20-34	392	2.5	4	<1	1	2	3	5	7	11
35-49	621	2.3	3	1	1	2	3	4	5	9
50-64	459	2.8	4	1	1	2	3	5	7	10
65+	139	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.5	3	1	2	3	4	6	7	9
20-34	101	4.3	6	1	1	4	6	8	9	12
35-49	154	4.7	11	1	1	4	6	9	11	19
50-64	194	4.6	8	1	1	4	6	8	10	14
65+	225	5.6	15	1	2	4	8	11	13	18
B. *Operated*										
0-19 YRS	75	3.0	10	<1	1	2	4	7	7	17
20-34	313	3.6	13	1	1	2	4	8	11	20
35-49	636	3.1	7	1	1	2	4	6	9	14
50-64	631	3.7	11	1	1	3	4	7	10	17
65+	336	5.1	18	1	1	4	7	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.2	4	1	1	3	4	5	7	10
B. *Operated*	1718	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	758	4.8	10	1	2	4	6	9	11	16
B. *Operated*	1991	3.7	12	1	1	3	4	8	11	19
1. SINGLE DX	2112	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2749	4.0	12	1	1	3	5	8	11	18
A. NOT OPERATED	1152	4.3	9	1	1	4	5	8	10	15
B. OPERATED	3709	3.2	8	1	1	2	4	6	9	15
TOTAL 0-19 YRS	439	3.0	5	1	1	3	4	6	7	11
20-34	872	3.2	8	1	1	2	4	7	9	14
35-49	1479	3.0	6	1	1	2	4	5	8	13
50-64	1338	3.5	8	1	1	3	4	7	9	15
65+	733	4.7	15	1	1	4	6	10	12	19
GRAND TOTAL	**4861**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	171	2.0	1	1	1	2	3	4	4	5
20-34	304	2.1	1	<1	1	2	3	3	4	6
35-49	427	2.3	2	1	1	2	3	4	5	6
50-64	426	2.4	1	1	1	2	3	4	5	6
65+	187	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	4	5.0	27	<1	<1	3	9	12	12	12
35-49	8	1.9	2	<1	<1	1	3	4	4	4
50-64	13	1.4	1	<1	<1	1	1	3	4	4
65+	14	2.6	9	<1	<1	1	3	8	10	11
B. *Operated*										
0-19 YRS	212	2.4	2	1	1	2	3	4	5	7
20-34	563	2.6	3	1	1	2	3	4	5	7
35-49	982	2.7	2	1	1	2	3	4	5	8
50-64	1695	2.8	3	1	1	3	3	5	5	8
65+	1148	3.3	5	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	1515	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	42	2.2	7	<1	<1	1	2	5	9	12
B. *Operated*	4600	2.9	3	1	1	3	4	5	6	8
1. SINGLE DX	1523	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	4642	2.8	3	1	1	3	4	5	6	8
A. NOT OPERATED	50	2.2	6	<1	<1	1	3	4	8	12
B. OPERATED	6115	2.7	3	1	1	2	3	5	5	8
TOTAL 0-19 YRS	386	2.2	1	1	1	2	3	4	4	6
20-34	873	2.4	2	1	1	2	3	4	5	7
35-49	1419	2.5	2	1	1	2	3	4	5	7
50-64	2137	2.7	2	1	1	2	3	5	5	8
65+	1350	3.2	5	1	1	3	4	5	7	11
GRAND TOTAL	**6165**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	3.0	16	<1	<1	1	5	9	9	9
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	3	4	7
20-34	77	1.6	1	<1	<1	1	2	3	3	4
35-49	78	1.9	3	<1	<1	1	2	4	4	11
50-64	83	2.0	1	<1	1	2	3	3	4	6
65+	35	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	3.8	5	<1	<1	3	4	8	8	8
50-64	11	3.8	6	1	1	4	6	7	9	9
65+	16	4.6	14	1	1	3	6	11	13	14
B. *Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	3	3
20-34	33	2.2	3	<1	<1	2	3	4	5	10
35-49	61	3.8	28	<1	1	2	4	7	11	35
50-64	97	3.5	11	1	1	3	4	7	9	20
65+	80	4.4	12	1	1	3	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	6	<1	<1	2	3	7	9	9
B. *Operated*	322	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	4.1	9	1	1	3	6	8	10	14
B. *Operated*	285	3.5	14	<1	1	2	4	7	9	16
1. SINGLE DX	331	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	320	3.6	13	<1	1	3	5	8	9	16
A. NOT OPERATED	44	3.8	9	<1	1	3	5	8	10	14
B. OPERATED	607	2.7	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	63	1.6	1	<1	<1	1	2	3	4	7
20-34	113	1.8	1	<1	<1	1	2	3	4	7
35-49	147	2.8	14	<1	<1	2	3	5	8	16
50-64	195	2.8	7	<1	1	2	3	5	7	12
65+	133	4.0	10	1	1	3	5	8	11	15
GRAND TOTAL	**651**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	11.0	66	2	4	9	14	23	28	42
20-34	23	6.9	26	1	2	7	9	14	18	21
35-49	25	7.9	45	1	2	6	11	14	19	33
50-64	19	7.6	33	1	2	7	10	17	19	19
65+	13	11.2	56	<1	2	10	16	22	24	25
B. *Operated*										
0-19 YRS	68	11.5	99	1	2	8	15	26	32	42
20-34	81	9.3	63	2	3	7	11	19	25	44
35-49	56	10.0	79	1	3	8	14	24	36	96
50-64	62	9.6	85	1	2	6	12	25	32	37
65+	44	9.2	131	1	2	7	10	15	31	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	11.0	64	3	3	9	15	22	29	35
20-34	51	10.5	90	1	3	7	14	22	32	45
35-49	106	12.2	91	3	3	9	15	27	31	45
50-64	132	12.0	87	1	3	9	14	26	29	47
65+	207	13.7	123	3	5	11	16	27	38	59
B. *Operated*										
0-19 YRS	119	18.7	291	3	5	14	23	43	53	88
20-34	208	17.1	236	3	4	12	22	37	53	87
35-49	290	19.0	230	2	4	15	26	42	51	62
50-64	406	16.5	192	3	4	12	21	35	44	74
65+	500	18.0	182	3	5	15	23	39	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	9.2	51	1	2	7	12	19	24	35
B. *Operated*	311	9.9	87	1	2	7	12	24	30	45
2. MULTIPLE DX										
A. *Not Operated*	572	12.4	99	3	4	9	15	25	33	49
B. *Operated*	1523	17.7	210	3	4	14	23	39	47	72
1. SINGLE DX	442	9.7	76	1	2	7	12	21	28	42
2. MULTIPLE DX	2095	16.3	185	3	4	12	21	35	45	65
A. NOT OPERATED	703	11.8	91	2	3	9	14	24	30	48
B. OPERATED	1834	16.4	198	2	4	12	21	36	46	72
TOTAL 0-19 YRS	314	14.0	170	2	3	10	18	28	40	69
20-34	363	13.8	178	2	3	9	17	31	42	71
35-49	477	15.8	187	2	3	12	21	36	46	60
50-64	619	14.6	162	2	4	11	19	32	41	68
65+	764	16.2	168	3	5	12	20	34	45	61
GRAND TOTAL	**2537**	**15.1**	**172**	**2**	**4**	**11**	**20**	**32**	**43**	**62**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	5.4	22	1	1	4	7	12	15	21
20-34	78	2.7	4	<1	1	2	3	5	7	12
35-49	111	2.9	3	1	1	3	3	5	6	11
50-64	87	3.4	5	1	1	3	5	6	8	11
65+	127	5.5	10	1	2	5	8	11	12	14
B. *Operated*										
0-19 YRS	642	4.2	16	1	1	3	5	9	11	22
20-34	634	3.4	7	1	1	3	4	7	8	12
35-49	376	3.9	12	1	1	3	5	8	10	19
50-64	277	5.3	16	1	1	4	8	11	13	18
65+	184	8.1	28	2	2	8	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.1	29	1	1	3	7	11	17	29
20-34	202	3.5	11	1	1	3	4	7	9	15
35-49	382	4.5	18	1	1	3	5	9	12	25
50-64	548	5.6	23	1	1	4	7	12	15	23
65+	2608	7.7	26	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	308	5.6	41	1	1	3	7	12	16	34
20-34	576	5.2	26	1	1	4	7	11	13	23
35-49	525	7.0	48	1	1	5	9	14	19	35
50-64	718	9.6	71	1	2	8	12	19	25	45
65+	1225	12.5	68	3	4	11	16	23	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	503	4.1	11	1	1	3	5	9	11	15
B. *Operated*	2113	4.4	15	1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3832	6.8	26	1	2	6	9	13	16	25
B. *Operated*	3352	9.1	64	1	2	7	12	19	24	38
1. SINGLE DX	2616	4.3	14	1	1	3	6	9	12	18
2. MULTIPLE DX	7184	7.9	45	1	2	6	10	16	20	34
A. NOT OPERATED	4335	6.5	25	1	2	5	9	12	16	24
B. OPERATED	5465	7.3	51	1	1	5	10	16	21	35
TOTAL 0-19 YRS	1142	4.7	25	1	1	3	6	10	14	27
20-34	1490	4.1	15	1	1	3	5	8	11	19
35-49	1394	5.1	29	1	1	3	6	11	14	29
50-64	1630	7.2	47	1	1	5	10	15	20	35
65+	4144	9.1	43	2	3	8	12	17	21	33
GRAND TOTAL	**9800**	**6.9**	**39**	**1**	**1**	**5**	**9**	**14**	**18**	**31**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	166	3.1	3	1	1	3	4	6	7	8
20-34	58	3.6	9	<1	1	3	5	6	8	18
35-49	50	3.1	6	1	1	2	4	6	9	12
50-64	30	3.2	3	1	2	3	4	5	6	9
65+	5	7.0	35	1	1	6	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	9	<1	<1	1	3	5	10	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	12.3	136	2	2	10	21	25	25	25
65+	17	17.8	438	1	2	11	20	57	70	74
B. *Operated*										
0-19 YRS	341	4.0	12	1	1	3	5	6	9	19
20-34	119	4.1	13	1	1	3	5	8	10	23
35-49	105	4.2	18	1	1	3	5	8	11	25
50-64	139	5.4	22	1	2	4	6	11	18	22
65+	85	6.1	25	1	2	4	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	309	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	39	9.9	250	<1	1	3	12	24	49	74
B. *Operated*	789	4.5	17	1	1	3	5	9	12	22
1. SINGLE DX	313	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	828	4.8	29	1	1	3	5	9	13	24
A. NOT OPERATED	43	9.4	229	<1	1	4	11	23	42	74
B. OPERATED	1098	4.2	14	1	1	3	5	8	10	20
TOTAL 0-19 YRS	524	3.7	9	1	1	3	4	6	8	18
20-34	179	3.9	12	1	1	3	5	7	10	20
35-49	158	3.8	14	1	1	3	5	7	10	19
50-64	172	5.1	22	1	2	4	6	10	18	23
65+	108	8.0	105	1	2	5	9	17	20	68
GRAND TOTAL	**1141**	**4.4**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	5.5	42	<1	1	3	8	12	22	26
35-49	14	7.7	191	<1	1	2	9	18	45	53
50-64	8	4.8	4	2	2	5	6	7	7	7
65+	3	4.3	33	<1	<1	1	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	15	2.4	14	1	1	1	2	2	13	16
35-49	28	2.5	5	<1	1	1	3	7	8	8
50-64	23	3.2	4	1	1	3	5	6	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.7	9	<1	1	4	6	10	12	12
35-49	37	6.6	21	1	2	5	8	12	18	20
50-64	40	5.7	15	1	2	5	7	11	13	18
65+	56	6.3	14	1	2	6	8	11	14	18
B. *Operated*										
0-19 YRS										
20-34	7	7.9	17	3	3	6	10	14	15	15
35-49	18	7.4	34	1	1	6	11	15	19	21
50-64	25	6.9	35	1	1	5	11	15	20	20
65+	13	10.5	84	1	2	7	16	22	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.0	80	<1	1	3	7	12	19	53
B. *Operated*	67	2.7	7	1	1	2	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	152	6.0	16	1	2	5	8	11	14	20
B. *Operated*	63	7.9	43	1	1	6	12	16	20	32
1. SINGLE DX	109	4.0	37	1	1	2	5	8	12	37
2. MULTIPLE DX	215	6.6	24	1	2	5	9	13	17	21
A. NOT OPERATED	194	6.0	29	1	1	5	8	12	14	23
B. OPERATED	130	5.2	31	1	1	3	7	14	16	24
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	56	4.7	23	1	1	3	6	11	14	25
35-49	97	5.7	46	1	1	4	8	13	15	38
50-64	96	5.3	18	1	1	4	7	12	14	20
65+	73	6.9	29	1	1	6	9	13	18	31
GRAND TOTAL	**324**	**5.7**	**30**	**1**	**1**	**4**	**7**	**12**	**15**	**22**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.5	4	1	1	2	3	5	7	11
20-34	189	4.1	15	1	1	3	5	8	9	21
35-49	211	4.4	23	1	1	3	5	9	12	30
50-64	107	3.8	17	1	1	3	4	8	11	26
65+	50	4.0	6	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	376	5.6	18	1	1	6	8	11	12	17
20-34	392	4.1	17	1	1	2	6	9	11	20
35-49	415	3.6	16	1	1	2	4	8	10	22
50-64	373	3.3	15	1	1	2	4	7	10	17
65+	188	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.1	26	<1	1	2	5	9	14	17
20-34	382	5.1	25	1	1	4	6	9	13	24
35-49	583	5.2	18	1	1	4	7	10	12	25
50-64	561	4.9	14	1	2	4	7	9	11	19
65+	621	5.7	31	1	2	4	7	11	14	32
B. *Operated*										
0-19 YRS	606	6.2	75	1	1	3	8	13	23	47
20-34	678	4.6	34	1	1	2	5	11	16	28
35-49	760	5.1	39	1	1	3	6	11	17	33
50-64	758	5.8	48	1	1	3	8	13	18	36
65+	581	6.9	66	1	1	4	9	15	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.9	16	1	1	3	5	8	10	23
B. *Operated*	1744	4.0	16	1	1	2	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	2304	5.2	22	1	1	4	7	10	13	24
B. *Operated*	3383	5.7	52	1	1	3	7	13	19	36
1. SINGLE DX	2394	4.0	16	1	1	3	5	9	11	20
2. MULTIPLE DX	5687	5.5	40	1	1	4	7	11	16	33
A. NOT OPERATED	2954	4.9	21	1	1	4	6	9	12	23
B. OPERATED	5127	5.1	40	1	1	3	7	11	16	31
TOTAL 0-19 YRS	1232	5.5	47	1	1	3	8	11	16	37
20-34	1641	4.5	26	1	1	3	6	10	13	26
35-49	1969	4.7	26	1	1	3	6	10	13	27
50-64	1799	4.9	30	1	1	3	6	10	14	27
65+	1440	5.8	43	1	1	4	7	12	16	32
GRAND TOTAL	**8081**	**5.0**	**33**	**1**	**1**	**3**	**7**	**11**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	4.9	16	1	1	3	7	11	13	13
35-49	13	4.2	5	<1	1	5	6	6	7	7
50-64	3	5.7	5	3	3	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.6	3	1	1	2	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	5	90	99+	99+
20-34	48	4.8	9	1	2	4	7	9	10	14
35-49	76	4.5	7	1	2	4	6	8	10	14
50-64	33	3.8	4	2	2	3	5	7	8	9
65+	16	4.8	8	2	2	4	7	9	10	10
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	4.1	5	1	1	4	6	7	7	7
35-49	7	4.3	11	1	1	4	5	10	11	11
50-64	7	4.7	5	2	2	5	7	8	8	8
65+	2	12.5	85	6	6	12	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.6	8	1	1	5	6	7	9	13
B. *Operated*	12	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	178	4.4	7	1	2	4	5	8	10	14
B. *Operated*	26	5.3	16	1	2	5	7	11	13	19
1. SINGLE DX	37	3.8	7	1	1	3	6	7	7	13
2. MULTIPLE DX	204	4.5	8	1	2	4	6	9	10	16
A. NOT OPERATED	203	4.4	7	1	2	4	6	8	10	14
B. OPERATED	38	4.3	13	1	1	3	5	8	12	19
TOTAL 0-19 YRS	7	4.1	14	1	1	4	8	74	99+	99+
20-34	72	4.5	9	1	1	4	6	9	10	14
35-49	100	4.3	7	1	2	4	6	7	10	13
50-64	44	4.0	4	1	2	3	5	7	8	9
65+	18	5.7	18	2	2	4	9	10	15	19
GRAND TOTAL	**241**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.9	2	<1	<1	1	2	4	4	8
20-34	4	5.3	13	2	2	4	8	10	10	10
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	58	4.0	9	1	1	4	5	8	13	92
20-34	10	4.9	8	2	2	4	6	9	10	10
35-49	11	6.5	15	1	2	6	9	12	13	13
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.5	53	<1	1	2	4	9	22	39
20-34	10	6.2	23	<1	<1	4	11	13	14	14
35-49	5	8.2	126	1	1	4	11	28	28	28
50-64	4	5.8	35	<1	<1	4	10	14	14	14
65+	11	8.9	58	1	1	8	13	19	25	26
B. *Operated*										
0-19 YRS	139	9.2	141	1	1	6	11	23	31	86
20-34	15	10.9	46	1	2	10	18	22	77	99+
35-49	21	11.0	158	1	1	6	15	25	41	53
50-64	12	14.2	177	1	3	12	15	28	49	53
65+	8	5.9	25	2	2	4	7	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.3	4	<1	<1	1	3	4	7	10
B. *Operated*	83	4.5	11	1	1	4	6	9	13	71
2. MULTIPLE DX										
A. *Not Operated*	139	5.1	53	<1	1	2	5	13	24	34
B. *Operated*	195	9.7	133	1	1	6	12	22	32	92
1. SINGLE DX	124	3.8	10	<1	1	3	5	8	12	36
2. MULTIPLE DX	334	7.8	105	1	1	4	10	20	27	78
A. NOT OPERATED	180	4.5	44	<1	1	2	4	11	18	31
B. OPERATED	278	8.2	102	1	1	5	10	19	27	95
TOTAL 0-19 YRS	342	6.1	83	1	1	3	6	15	25	77
20-34	39	7.6	33	1	2	6	11	18	21	99+
35-49	37	9.3	110	1	1	6	12	20	31	53
50-64	19	10.7	137	<1	1	10	14	17	37	53
65+	21	7.7	43	1	2	5	12	16	21	26
GRAND TOTAL	**458**	**6.7**	**82**	**1**	**1**	**4**	**8**	**17**	**25**	**74**

319: Congenital ancmaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	223	1.8	2	<1	1	1	2	4	5	8
20-34	81	2.0	1	1	1	2	2	4	5	6
35-49	35	1.9	3	<1	1	1	2	4	6	8
50-64	22	1.9	1	1	1	2	2	4	5	5
65+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	12	1	1	2	3	8	12	13
20-34	4	5.8		5	5	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	135	2.2	7	<1	1	1	2	4	5	15
20-34	36	2.5	4	1	1	2	3	5	7	9
35-49	26	2.3	2	1	1	2	3	4	5	7
50-64	19	2.5	7	1	1	2	3	5	9	12
65+	19	3.4	40	1	1	2	3	4	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	11	<1	<1	2	6	8	11	11
B. *Operated*	365	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.1	10	<1	<1	2	5	6	10	13
B. *Operated*	235	2.4	8	1	1	2	3	4	6	15
1. SINGLE DX	376	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	255	2.4	8	1	1	2	3	5	6	14
A. NOT OPERATED	31	3.2	10	<1	<1	2	5	6	11	13
B. OPERATED	600	2.1	4	1	1	1	2	4	5	9
TOTAL 0-19 YRS	376	2.0	4	<1	1	1	2	4	5	9
20-34	123	2.4	3	1	1	2	3	5	6	10
35-49	65	2.2	3	<1	1	2	3	5	6	8
50-64	43	2.1	4	1	1	2	2	5	5	12
65+	24	3.0	32	1	1	2	3	4	12	29
GRAND TOTAL	**631**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	7	1	1	2	4	6	9	13
20-34	5	3.0	7	<1	<1	3	5	8	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	6.0	3	4	4	7	7	7	7	7
B. *Operated*										
0-19 YRS	405	4.1	9	1	1	3	6	8	10	15
20-34	75	4.7	16	1	1	3	7	10	12	20
35-49	40	4.7	20	1	1	2	8	9	16	17
50-64	30	4.2	18	1	1	2	7	10	11	19
65+	7	7.4	58	1	1	3	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.4	59	<1	1	3	5	8	10	49
20-34	26	4.4	15	1	1	3	5	9	11	20
35-49	19	3.9	7	<1	1	3	6	8	10	10
50-64	29	3.5	8	1	1	3	4	6	7	15
65+	37	5.9	15	1	2	5	9	12	14	16
B. *Operated*										
0-19 YRS	1217	7.3	97	1	1	5	9	15	21	59
20-34	158	7.3	57	1	1	6	9	16	22	42
35-49	101	8.6	79	1	1	8	11	17	22	49
50-64	122	8.7	106	1	1	7	10	17	24	68
65+	87	10.0	64	1	2	9	14	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.4	7	1	1	3	4	7	8	13
B. *Operated*	557	4.3	12	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	309	4.4	42	<1	1	3	5	9	11	23
B. *Operated*	1685	7.6	91	1	1	5	10	16	22	54
1. SINGLE DX	592	4.2	12	1	1	3	6	9	11	16
2. MULTIPLE DX	1994	7.1	85	1	1	5	9	15	21	54
A. NOT OPERATED	344	4.3	38	<1	1	3	5	9	11	20
B. OPERATED	2242	6.8	74	1	1	5	8	14	20	50
TOTAL 0-19 YRS	1843	6.2	75	1	1	4	7	13	18	54
20-34	264	6.2	42	1	1	5	8	12	19	32
35-49	163	7.0	59	1	1	5	10	15	18	42
50-64	182	7.1	81	1	1	4	10	15	20	55
65+	134	8.7	52	1	2	7	13	19	23	35
GRAND TOTAL	**2586**	**6.5**	**70**	**1**	**1**	**4**	**8**	**14**	**19**	**47**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	385	2.9	2	1	1	3	4	5	6	8
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.7	3	<1	<1	1	1	4	5	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	468	3.1	5	1	1	3	4	5	6	13
20-34	11	2.8	5	1	1	2	4	6	8	8
35-49	8	3.4	1	2	2	3	4	5	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	398	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	38	1.7	3	<1	<1	1	1	4	5	10
B. *Operated*	490	3.1	4	1	1	3	4	5	6	12
1. SINGLE DX	400	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX	528	3.0	5	1	1	3	4	5	6	12
A. NOT OPERATED	40	1.6	3	<1	<1	1	1	3	5	10
B. OPERATED	888	3.0	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	893	3.0	4	1	1	3	4	5	6	11
20-34	19	2.6	3	1	1	2	4	5	7	8
35-49	12	2.9	2	1	1	3	4	5	5	5
50-64	4	2.5	2	1	1	2	3	4	4	4
65+										
GRAND TOTAL	**928**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	<1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	357	3.2	2	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	1	1	2	4	5	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	161	4.7	10	2	2	4	5	7	9	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	1	2	3	4	4	4
B. *Operated*	357	3.2	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	3	1	1	2	4	5	7	7
B. *Operated*	161	4.7	10	2	2	4	5	7	9	19
1. SINGLE DX	372	3.1	2	1	1	3	4	5	6	9
2. MULTIPLE DX	175	4.6	10	2	2	4	5	7	9	18
A. NOT OPERATED	29	2.4	2	1	1	2	3	4	5	7
B. OPERATED	518	3.7	5	1	2	3	4	6	7	12
TOTAL 0-19 YRS	547	3.6	5	1	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**547**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	7	<1	1	2	3	6	6	15
20-34	2	6.0		6	6	6	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	159	4.9	26	1	1	3	7	9	12	30
20-34	36	4.3	6	1	1	4	6	9	9	10
35-49	18	4.8	10	1	1	4	7	9	11	12
50-64	5	4.2	9	1	1	6	6	7	7	7
65+	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	6.2	78	1	1	3	7	12	23	52
20-34	6	6.0	18	2	2	5	9	13	13	13
35-49	7	4.6	11	1	1	5	7	9	10	10
50-64	14	4.9	10	1	2	4	6	10	10	10
65+	21	4.6	7	1	2	4	5	7	11	14
B. *Operated*										
0-19 YRS	357	8.8	127	1	1	5	10	20	31	83
20-34	63	7.1	69	1	1	6	8	11	16	58
35-49	51	7.4	40	1	2	6	9	18	19	35
50-64	37	8.3	34	1	1	8	12	16	17	25
65+	37	11.1	77	2	3	8	13	18	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	7	<1	1	2	4	6	6	15
B. *Operated*	221	4.8	20	1	1	4	7	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	148	5.7	56	1	1	4	6	11	18	46
B. *Operated*	545	8.6	103	1	1	6	10	18	28	72
1. SINGLE DX	256	4.5	19	1	1	3	6	9	10	25
2. MULTIPLE DX	693	8.0	94	1	1	5	9	17	26	62
A. NOT OPERATED	183	5.2	48	1	1	3	6	10	15	42
B. OPERATED	766	7.5	82	1	1	5	9	16	24	59
TOTAL 0-19 YRS	647	7.1	92	1	1	4	8	17	26	60
20-34	107	6.1	45	1	1	5	8	9	14	38
35-49	77	6.5	31	1	1	5	8	13	18	31
50-64	57	7.0	28	1	1	6	10	15	17	24
65+	61	8.6	59	2	3	7	11	15	22	42
GRAND TOTAL	**949**	**7.0**	**76**	**1**	**1**	**5**	**8**	**15**	**22**	**53**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	271	1.5	1	<1	1	1	2	3	4	5
20-34	28	2.3	3	<1	1	2	3	5	6	9
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	298	1.9	3	1	1	1	2	3	5	8
20-34	34	2.9	6	1	1	2	4	5	9	10
35-49	20	2.2	2	1	1	2	3	4	5	5
50-64	6	3.0	2	1	1	3	4	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	312	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	361	2.0	3	1	1	1	2	4	5	9
1. SINGLE DX	315	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	374	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	16	1.0		<1	<1	1	1	1	1	1
B. OPERATED	673	1.8	2	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	585	1.7	2	<1	1	1	2	3	4	6
20-34	62	2.6	5	1	1	2	3	5	8	10
35-49	30	2.2	1	1	1	2	3	4	4	5
50-64	8	2.6	2	1	1	2	4	5	5	5
65+	4	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**689**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	12	<1	<1	1	2	7	12	12
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	411	3.8	9	1	1	3	5	8	10	13
20-34	82	4.1	8	1	1	4	5	8	11	13
35-49	35	4.0	4	<1	1	4	5	7	7	9
50-64	20	6.2	24	1	1	5	8	13	16	19
65+	6	3.0	2	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	3	<1	<1	2	4	6	6	7
20-34	22	3.4	5	1	1	3	4	8	8	8
35-49	25	3.5	5	1	1	3	5	6	8	11
50-64	22	5.8	18	1	2	5	7	12	16	19
65+	19	6.7	13	1	3	6	8	13	14	15
B. *Operated*										
0-19 YRS	366	4.9	16	1	1	4	7	10	13	19
20-34	130	5.4	16	1	1	5	6	10	13	24
35-49	82	7.2	35	2	3	6	9	13	18	35
50-64	48	7.5	37	2	2	6	9	17	20	27
65+	44	8.4	53	1	2	7	10	17	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.5	8	<1	1	1	3	6	10	12
B. *Operated*	554	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	117	4.3	10	1	1	3	6	8	11	16
B. *Operated*	670	5.7	24	1	1	5	7	11	16	26
1. SINGLE DX	570	3.9	9	1	1	3	5	8	10	13
2. MULTIPLE DX	787	5.5	22	1	1	4	7	11	15	26
A. NOT OPERATED	133	4.1	10	1	1	3	5	8	11	16
B. OPERATED	1224	4.9	18	1	1	4	7	10	12	20
TOTAL 0-19 YRS	816	4.3	12	1	1	3	6	9	11	17
20-34	238	4.7	13	1	1	4	6	9	11	18
35-49	142	5.8	25	1	2	5	7	10	15	26
50-64	91	6.8	29	1	2	5	8	15	19	27
65+	70	7.4	39	1	1	6	9	14	19	32
GRAND TOTAL	**1357**	**4.8**	**17**	**1**	**1**	**4**	**6**	**10**	**12**	**19**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	389	2.5	1	1	1	2	3	4	4	7
20-34	16	3.3	5	1	1	3	5	7	8	8
35-49	5	2.6	3	1	1	3	4	5	5	5
50-64	13	2.8	3	1	1	3	4	5	7	7
65+	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	284	2.9	2	1	1	3	4	4	5	7
20-34	42	3.1	3	1	1	3	4	5	7	8
35-49	44	3.1	4	1	1	3	4	6	7	9
50-64	62	3.0	3	1	1	3	3	6	7	8
65+	18	3.5	5	1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	427	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	450	3.0	3	1	1	3	4	5	6	8
1. SINGLE DX	429	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	463	3.0	3	1	1	3	4	5	6	8
A. NOT OPERATED	15	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	877	2.8	2	1	1	3	3	4	5	8
TOTAL 0-19 YRS	688	2.6	2	1	1	3	3	4	5	7
20-34	58	3.2	3	1	1	3	4	6	7	8
35-49	49	3.1	4	1	1	3	4	6	7	9
50-64	75	2.9	3	1	1	3	3	6	7	8
65+	22	3.3	4	1	1	3	4	7	8	8
GRAND TOTAL	**892**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.7	6	<1	1	2	4	7	9	12
20-34	20	7.2	68	1	1	4	8	22	27	28
35-49	12	4.3	10	1	2	3	5	9	12	13
50-64	8	4.3	14	1	1	3	6	10	12	12
65+	5	5.6	13	3	3	4	7	12	12	12
B. *Operated*										
0-19 YRS	979	3.6	13	1	1	2	4	7	10	19
20-34	238	3.7	11	1	1	2	5	9	10	13
35-49	142	4.1	13	1	1	2	7	10	11	15
50-64	54	4.6	21	1	1	3	7	10	16	20
65+	20	4.4	18	1	1	3	6	9	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.9	42	<1	<1	2	5	12	19	36
20-34	48	6.1	33	1	1	4	8	15	18	29
35-49	45	6.6	31	2	2	5	9	12	14	35
50-64	48	6.3	41	1	3	5	6	9	15	36
65+	51	6.8	39	2	3	6	8	9	15	44
B. *Operated*										
0-19 YRS	690	5.9	54	1	1	4	7	12	17	31
20-34	205	6.6	78	1	1	4	9	13	16	40
35-49	174	5.7	25	1	1	4	9	11	14	22
50-64	163	7.8	43	1	1	7	11	15	20	33
65+	71	8.9	41	1	2	8	13	17	25	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.8	20	<1	1	2	4	8	12	27
B. *Operated*	1433	3.7	13	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	349	5.7	39	<1	1	4	7	11	17	36
B. *Operated*	1303	6.4	53	1	1	4	8	13	18	31
1. SINGLE DX	1557	3.7	13	1	1	2	5	8	11	18
2. MULTIPLE DX	1652	6.3	50	1	1	4	8	13	18	33
A. NOT OPERATED	473	5.2	35	<1	1	3	6	11	15	35
B. OPERATED	2736	5.0	34	1	1	3	7	11	14	26
TOTAL 0-19 YRS	1905	4.5	31	1	1	3	5	9	14	26
20-34	511	5.2	44	1	1	3	8	11	14	27
35-49	373	5.2	21	1	1	3	8	11	13	21
50-64	273	6.8	39	1	1	5	9	13	18	33
65+	147	7.4	38	1	2	6	9	15	18	28
GRAND TOTAL	**3209**	**5.0**	**34**	**1**	**1**	**3**	**7**	**11**	**14**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1902	2.8	7	1	1	2	3	5	7	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.0	22	<1	1	2	4	9	15	22
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1485	8.4	123	1	2	4	10	22	31	63
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	101	17.1	228	2	3	12	26	47	61	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1902	2.8	7	1	1	2	3	5	7	15
B. *Operated*	22	4.0	22	<1	1	2	4	9	15	22
2. MULTIPLE DX										
A. *Not Operated*	1485	8.4	123	1	2	4	10	22	31	63
B. *Operated*	101	17.1	228	2	3	12	26	47	61	99+
1. SINGLE DX	1924	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX	1586	9.0	134	1	2	4	10	24	34	74
A. NOT OPERATED	3387	5.3	66	1	1	3	5	12	21	44
B. OPERATED	123	14.7	216	1	2	10	22	45	52	99+
TOTAL 0-19 YRS	3510	5.6	74	1	1	3	5	13	23	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3510**	**5.6**	**74**	**1**	**1**	**3**	**5**	**13**	**23**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1298	2.5	4	1	1	2	3	4	5	10
20-34	476	2.7	4	1	1	2	3	5	7	10
35-49	261	2.9	3	1	1	3	4	5	6	11
50-64	142	3.0	3	1	1	3	4	5	6	10
65+	112	4.0	16	1	1	3	5	7	8	22
B. *Operated*										
0-19 YRS	18	3.5	6	1	2	3	5	6	9	11
20-34	17	2.9	3	1	1	2	4	5	6	6
35-49	16	3.2	4	1	1	3	4	7	8	8
50-64	6	5.0	10	1	1	5	6	10	10	10
65+	8	3.8	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3097	2.9	5	1	1	2	3	5	6	11
20-34	936	3.8	8	1	1	3	5	8	10	14
35-49	929	4.5	15	1	1	4	6	8	10	21
50-64	1045	5.2	18	1	2	4	6	10	12	20
65+	1798	6.0	18	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	58	6.5	37	1	2	4	7	12	22	29
20-34	80	6.7	55	1	1	5	8	12	16	48
35-49	80	6.8	40	1	2	5	9	13	16	37
50-64	126	10.8	123	2	2	7	14	23	33	66
65+	164	10.3	67	2	3	8	13	19	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2289	2.7	4	1	1	2	3	5	6	10
B. *Operated*	65	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	7805	4.2	13	1	1	3	5	8	11	18
B. *Operated*	508	8.9	74	1	2	7	11	18	23	53
1. SINGLE DX	2354	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	8313	4.5	18	1	1	3	5	9	12	20
A. NOT OPERATED	10094	3.9	11	1	1	3	5	7	10	16
B. OPERATED	573	8.3	70	1	2	6	10	17	22	51
TOTAL 0-19 YRS	4471	2.8	5	1	1	2	3	5	6	12
20-34	1509	3.6	10	1	1	3	4	7	10	14
35-49	1286	4.3	15	1	1	3	5	8	10	20
50-64	1319	5.5	30	1	2	4	6	10	14	28
65+	2082	6.2	23	2	2	5	8	12	15	25
GRAND TOTAL	**10667**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.7	2	1	1	2	3	4	5	7
20-34	43	3.4	5	1	1	3	5	6	8	10
35-49	35	3.8	5	1	1	3	5	7	9	11
50-64	38	4.6	10	<1	1	3	6	9	11	14
65+	38	4.7	8	1	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	6	4.7	5	2	2	5	6	7	7	7
35-49	4	5.5	10	2	2	5	8	9	9	9
50-64	4	6.0	9	3	3	6	8	9	9	9
65+	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1341	3.3	8	1	1	3	4	5	7	13
20-34	268	4.5	9	1	2	4	6	8	10	17
35-49	239	5.5	35	2	2	4	6	9	12	38
50-64	383	6.0	18	2	2	5	7	11	13	24
65+	693	6.6	22	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	46	7.7	72	1	2	5	10	16	22	49
20-34	42	9.5	63	1	2	8	11	17	26	43
35-49	43	10.2	50	2	3	9	14	21	24	30
50-64	101	10.2	40	2	3	10	13	18	22	31
65+	145	12.4	79	3	4	11	16	22	26	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	3.0	4	1	1	3	4	5	6	10
B. *Operated*	21	5.1	9	2	2	4	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	2924	4.7	17	1	2	4	6	9	12	21
B. *Operated*	377	10.7	64	2	3	9	14	20	25	46
1. SINGLE DX	635	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	3301	5.4	26	1	2	4	7	11	15	24
A. NOT OPERATED	3538	4.4	15	1	2	3	5	8	11	20
B. OPERATED	398	10.4	63	2	3	9	14	20	24	45
TOTAL 0-19 YRS	1852	3.2	9	1	1	3	4	5	7	14
20-34	359	4.9	18	1	2	4	6	9	11	25
35-49	321	6.0	36	1	2	4	7	11	16	32
50-64	526	6.7	24	2	2	5	8	12	16	27
65+	878	7.5	35	2	2	6	9	15	19	27
GRAND TOTAL	**3936**	**5.0**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.3	2	<1	1	2	3	4	5	7
20-34	257	3.0	3	1	1	3	4	5	6	9
35-49	143	3.3	9	1	1	3	4	6	8	19
50-64	54	3.1	7	<1	1	3	4	6	7	17
65+	23	3.4	4	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	5	2.8	6	1	1	2	4	7	7	7
20-34	56	2.7	4	1	1	2	4	6	8	9
35-49	37	3.2	12	1	1	2	4	6	7	21
50-64	31	3.2	7	1	1	2	4	7	10	10
65+	6	2.7	3	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	3.1	6	1	1	2	4	6	8	11
20-34	554	4.3	11	1	1	3	5	9	11	18
35-49	460	4.6	16	1	1	4	6	9	12	19
50-64	304	4.6	16	1	1	3	6	9	12	20
65+	249	4.5	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	12	2.7	3	<1	<1	2	4	5	6	6
20-34	73	5.6	16	1	1	5	7	12	14	19
35-49	78	5.3	17	1	1	4	7	10	15	19
50-64	81	6.0	17	1	2	5	8	13	14	18
65+	53	7.6	61	2	3	6	9	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	3.0	5	1	1	3	4	5	7	10
B. *Operated*	135	3.0	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1820	4.3	13	1	1	3	5	8	11	18
B. *Operated*	297	5.9	25	1	1	5	7	12	15	20
1. SINGLE DX	728	3.0	5	1	1	2	4	6	7	10
2. MULTIPLE DX	2117	4.5	15	1	1	3	6	9	12	18
A. NOT OPERATED	2413	4.0	11	1	1	3	5	8	10	17
B. OPERATED	432	5.0	21	1	1	4	6	10	14	19
TOTAL 0-19 YRS	386	2.8	4	<1	1	2	3	5	7	11
20-34	940	4.0	10	1	1	3	5	8	10	18
35-49	718	4.3	15	1	1	3	5	9	11	19
50-64	470	4.6	15	1	1	3	6	9	12	18
65+	331	4.9	19	1	2	4	6	9	12	18
GRAND TOTAL	**2845**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	3
20-34	22	2.3	3	<1	<1	2	3	4	6	7
35-49	33	2.5	2	<1	<1	2	3	5	5	6
50-64	72	2.6	3	<1	1	2	4	5	6	8
65+	75	2.7	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	10	2.6	6	<1	<1	2	4	6	8	8
20-34	41	3.7	6	1	1	3	5	8	9	10
35-49	79	3.6	5	1	1	3	4	6	7	12
50-64	83	3.8	5	<1	1	4	6	7	8	11
65+	92	4.4	8	1	1	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.6	4	<1	1	2	3	5	7	10
20-34	35	2.7	4	<1	1	2	4	5	5	10
35-49	97	3.5	6	1	1	3	4	6	8	14
50-64	239	3.8	8	1	1	3	5	6	8	14
65+	463	3.7	12	1	1	3	5	6	8	20
B. *Operated*										
0-19 YRS	19	2.2	6	<1	1	1	2	5	8	11
20-34	47	4.6	18	1	1	4	5	8	8	29
35-49	85	5.1	19	1	1	4	6	10	13	25
50-64	226	5.3	17	1	2	5	6	10	13	25
65+	387	5.1	18	1	1	4	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.5	2	<1	1	2	3	5	6	7
B. *Operated*	305	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	873	3.6	10	1	1	3	5	6	8	17
B. *Operated*	764	5.1	18	1	1	4	6	9	13	25
1. SINGLE DX	525	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1637	4.3	14	1	1	3	5	8	10	21
A. NOT OPERATED	1093	3.4	8	1	1	3	4	6	7	13
B. OPERATED	1069	4.7	15	1	1	4	6	8	11	24
TOTAL 0-19 YRS	86	2.2	4	<1	1	1	3	5	6	11
20-34	145	3.6	9	<1	1	3	5	7	8	11
35-49	294	3.9	10	1	1	3	4	7	10	18
50-64	620	4.2	11	1	1	4	5	7	9	16
65+	1017	4.2	14	1	1	3	5	8	10	20
GRAND TOTAL	**2162**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.2	9	1	1	3	5	8	11	14
20-34	21	2.3	3	<1	1	2	3	5	6	6
35-49	16	2.6	3	1	1	2	3	5	6	6
50-64	12	2.3	3	<1	<1	2	3	5	6	6
65+	10	2.1	3	<1	<1	2	2	5	7	7
B. *Operated*										
0-19 YRS	58	1.9	4	<1	<1	1	2	4	7	12
20-34	70	1.9	3	<1	<1	1	2	4	5	11
35-49	43	1.8	2	<1	<1	1	2	4	6	7
50-64	28	2.4	3	<1	1	2	3	4	7	9
65+	20	2.3	8	<1	1	2	2	3	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	26	<1	1	3	5	8	10	28
20-34	69	3.6	9	1	1	2	4	8	10	16
35-49	84	5.4	45	<1	1	3	6	11	15	39
50-64	155	5.6	26	1	1	4	6	12	16	25
65+	322	7.0	36	1	2	5	9	14	18	30
B. *Operated*										
0-19 YRS	33	4.4	24	1	1	3	5	9	14	26
20-34	70	3.3	10	1	1	2	4	8	9	15
35-49	56	7.7	127	1	1	3	9	19	30	61
50-64	86	8.0	98	1	1	5	10	18	31	51
65+	127	11.2	110	1	1	9	15	27	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.9	5	1	1	2	4	6	7	12
B. *Operated*	219	2.0	4	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	682	6.0	33	1	1	4	8	12	17	29
B. *Operated*	372	7.9	91	1	1	4	10	18	29	48
1. SINGLE DX	299	2.2	4	<1	<1	1	3	4	6	12
2. MULTIPLE DX	1054	6.6	54	1	1	4	9	15	20	40
A. NOT OPERATED	762	5.6	31	1	1	4	7	12	16	28
B. OPERATED	591	5.7	67	<1	1	2	7	14	21	43
TOTAL 0-19 YRS	164	3.5	17	<1	1	2	4	7	10	26
20-34	230	2.9	7	<1	1	2	3	6	8	15
35-49	199	5.0	60	1	1	2	5	10	17	41
50-64	281	5.9	47	1	1	4	7	13	18	39
65+	479	7.8	59	1	2	5	10	17	21	42
GRAND TOTAL	**1353**	**5.7**	**46**	**1**	**1**	**3**	**7**	**13**	**18**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+	7	14.4	357	1	1	3	23	47	52	52
B. *Operated*										
0-19 YRS	6	3.7	10	1	1	2	6	9	9	9
20-34	13	5.8	28	1	1	5	7	16	17	17
35-49	16	4.4	9	1	1	5	6	10	11	11
50-64	23	8.5	39	2	3	7	12	16	21	27
65+	56	11.1	90	3	3	9	13	21	24	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	3	3	3	5	6	8	9	9
35-49	12	6.4	41	1	2	4	6	15	24	25
50-64	39	7.2	15	2	3	7	10	12	14	19
65+	147	8.8	45	2	2	7	11	19	24	32
B. *Operated*										
0-19 YRS	12	8.6	73	1	1	5	14	22	27	28
20-34	56	11.4	170	1	2	8	14	24	36	80
35-49	117	13.5	140	2	3	10	18	30	34	59
50-64	324	17.0	154	3	5	14	22	32	41	60
65+	1065	16.0	131	4	5	13	20	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.6	300	<1	<1	3	17	42	52	52
B. *Operated*	114	8.6	64	1	2	7	11	18	22	40
2. MULTIPLE DX										
A. *Not Operated*	205	8.2	38	2	2	7	10	17	22	31
B. *Operated*	1574	15.8	139	3	5	13	20	30	39	63
1. SINGLE DX	123	8.8	79	1	2	7	11	19	24	55
2. MULTIPLE DX	1779	14.9	133	3	4	12	19	29	36	60
A. NOT OPERATED	214	8.4	48	1	2	7	10	18	24	32
B. OPERATED	1688	15.3	137	3	4	13	20	29	37	62
TOTAL 0-19 YRS	18	6.9	56	1	1	4	9	18	24	28
20-34	78	9.7	134	1	1	6	13	18	27	71
35-49	145	11.9	128	1	2	9	15	28	33	52
50-64	386	15.5	145	3	4	13	20	31	38	56
65+	1275	15.0	126	3	5	12	19	28	36	60
GRAND TOTAL	**1902**	**14.5**	**132**	**3**	**4**	**12**	**19**	**28**	**35**	**60**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.1	2	<1	1	2	3	4	5	9
20-34	642	2.3	2	1	1	2	3	4	5	8
35-49	1851	2.4	3	1	1	2	3	4	5	7
50-64	1234	2.6	5	1	1	2	3	5	5	9
65+	408	2.7	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	89	2.4	3	1	1	2	3	5	6	9
35-49	678	2.3	3	1	1	2	2	4	5	9
50-64	880	2.0	2	1	1	2	2	3	5	7
65+	266	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.7	3	1	1	2	3	5	6	9
20-34	1382	2.9	3	1	1	2	4	5	6	9
35-49	4849	3.1	4	1	1	3	4	5	7	10
50-64	5820	3.3	5	1	1	3	4	6	7	10
65+	4586	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	5	4.8	13	2	2	4	6	11	11	11
20-34	165	3.9	10	1	1	3	5	8	9	18
35-49	1233	3.6	8	1	1	2	5	8	9	13
50-64	2086	3.7	13	1	1	2	5	8	10	17
65+	1156	4.5	18	1	1	3	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4201	2.5	4	1	1	2	3	4	5	8
B. *Operated*	1917	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	16786	3.3	5	1	1	3	4	6	7	11
B. *Operated*	4645	3.9	13	1	1	3	5	8	10	17
1. SINGLE DX	6118	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	21431	3.5	7	1	1	3	4	6	8	13
A. NOT OPERATED	20987	3.2	5	1	1	3	4	6	7	11
B. OPERATED	6562	3.4	11	1	1	2	4	7	9	16
TOTAL 0-19 YRS	224	2.5	3	1	1	2	3	5	6	10
20-34	2278	2.7	4	1	1	2	3	5	6	9
35-49	8611	2.9	4	1	1	2	4	5	7	10
50-64	10020	3.2	7	1	1	3	4	6	7	12
65+	6416	3.8	9	1	1	3	5	7	9	15
GRAND TOTAL	**27549**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.8	3	1	1	2	3	5	6	9
20-34	23	2.3	4	<1	<1	1	4	6	7	8
35-49	39	1.7	1	1	1	2	2	3	4	4
50-64	35	2.5	5	<1	1	2	3	5	7	13
65+	30	4.0	12	<1	1	3	5	10	12	13
B. *Operated*										
0-19 YRS	15	3.3	6	1	1	3	5	7	8	9
20-34	21	3.0	6	<1	1	2	5	8	8	8
35-49	49	4.1	13	<1	1	3	5	9	12	18
50-64	62	3.2	5	1	1	2	4	7	8	11
65+	27	3.5	11	<1	1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	861	3.6	10	1	1	3	4	7	8	17
20-34	119	3.3	8	1	1	2	4	7	9	15
35-49	216	4.4	22	1	1	3	5	8	12	27
50-64	435	5.1	24	1	1	4	6	9	12	24
65+	833	5.4	17	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	57	8.5	178	1	1	4	9	27	37	98
20-34	66	5.1	27	1	1	3	6	11	17	27
35-49	132	5.2	27	1	1	3	6	13	17	23
50-64	281	5.9	33	1	1	4	7	12	17	32
65+	302	6.7	39	1	1	5	9	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	2.7	4	1	1	2	3	5	6	11
B. *Operated*	174	3.5	9	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2464	4.5	16	1	1	3	6	9	12	21
B. *Operated*	838	6.2	44	1	1	4	8	14	18	34
1. SINGLE DX	670	2.9	5	1	1	2	3	6	8	12
2. MULTIPLE DX	3302	4.9	24	1	1	4	6	10	13	27
A. NOT OPERATED	2960	4.2	15	1	1	3	5	8	11	18
B. OPERATED	1012	5.7	39	1	1	4	7	13	18	34
TOTAL 0-19 YRS	1302	3.6	17	1	1	3	4	6	8	22
20-34	229	3.7	14	1	1	3	5	8	10	21
35-49	436	4.4	21	1	1	3	5	9	13	22
50-64	813	5.1	26	1	1	4	6	10	13	27
65+	1192	5.6	23	1	1	4	7	11	15	27
GRAND TOTAL	**3972**	**4.6**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.1	3	<1	1	2	3	3	6	99+
20-34	136	1.7	1	<1	<1	1	2	3	4	5
35-49	162	1.7	1	<1	<1	1	2	3	4	5
50-64	97	1.9	1	<1	<1	2	2	3	5	7
65+	56	2.1	1	1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	31	2.7	5	<1	<1	2	4	5	8	11
20-34	36	3.8	4	1	2	3	5	7	8	10
35-49	31	4.2	6	1	1	4	6	8	10	10
50-64	26	4.4	9	1	1	4	6	8	11	13
65+	37	4.6	8	1	2	4	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	10	1	1	2	3	6	9	17
20-34	213	2.7	4	1	1	2	3	5	7	10
35-49	295	2.7	3	1	1	2	4	5	7	9
50-64	302	3.2	8	1	1	3	4	6	8	18
65+	577	4.6	12	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	57	4.6	21	<1	1	3	7	11	15	20
20-34	67	5.0	16	1	1	4	7	9	11	22
35-49	130	5.4	11	1	2	5	7	9	13	16
50-64	222	6.2	16	1	2	5	8	11	14	20
65+	538	8.0	38	1	2	7	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	161	4.0	7	1	1	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	1448	3.6	9	1	1	3	5	7	9	16
B. *Operated*	1014	6.9	29	1	2	6	9	13	17	24
1. SINGLE DX	658	2.3	3	<1	1	2	3	5	6	11
2. MULTIPLE DX	2462	4.9	20	1	1	4	6	10	13	21
A. NOT OPERATED	1945	3.1	8	1	1	2	4	6	8	15
B. OPERATED	1175	6.5	27	1	2	5	9	13	16	23
TOTAL 0-19 YRS	195	3.2	11	<1	1	2	3	8	11	19
20-34	452	2.8	6	<1	1	2	3	6	7	11
35-49	618	3.1	6	<1	1	2	4	6	8	13
50-64	647	4.1	12	1	1	3	5	9	11	17
65+	1208	6.0	26	1	1	5	8	12	15	23
GRAND TOTAL	**3120**	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1382	2.0	2	<1	1	2	2	3	4	7
20-34	1320	2.3	3	<1	1	2	3	4	5	9
35-49	710	2.7	4	<1	1	2	4	5	7	10
50-64	310	2.8	4	<1	1	2	4	5	6	9
65+	187	3.1	5	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	161	3.6	4	1	2	3	4	6	8	11
20-34	236	3.6	4	1	1	3	5	6	7	12
35-49	78	4.0	8	1	1	3	5	9	10	13
50-64	35	3.8	6	1	1	4	5	7	8	9
65+	23	4.4	10	<1	1	3	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1325	2.4	3	1	1	2	3	4	6	9
20-34	1884	3.2	8	1	1	2	4	6	7	13
35-49	1303	3.7	7	1	1	3	5	7	8	14
50-64	1215	4.1	8	1	1	3	5	7	9	15
65+	1786	4.8	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	163	3.9	5	1	1	4	5	6	8	11
20-34	404	5.2	18	1	1	4	7	10	12	23
35-49	293	6.6	24	2	2	5	8	12	15	23
50-64	253	7.0	32	2	2	5	9	13	17	34
65+	311	8.5	43	1	2	7	11	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3909	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	533	3.7	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	7513	3.7	9	1	1	3	5	7	9	14
B. *Operated*	1424	6.4	28	1	2	5	8	12	17	25
1. SINGLE DX	4442	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	8937	4.1	13	1	1	3	5	8	10	18
A. NOT OPERATED	11422	3.2	7	1	1	2	4	6	8	13
B. OPERATED	1957	5.7	23	1	2	4	7	11	14	23
TOTAL 0-19 YRS	3031	2.3	3	<1	1	2	3	4	5	9
20-34	3844	3.1	8	1	1	2	4	6	8	12
35-49	2384	3.8	10	1	1	3	5	7	9	16
50-64	1813	4.2	12	1	1	3	5	8	10	18
65+	2307	5.2	19	1	2	4	7	10	13	22
GRAND TOTAL	**13379**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.4	3	1	1	2	3	4	6	8
20-34	56	2.3	3	<1	1	2	3	4	5	9
35-49	49	3.2	9	1	1	2	4	6	7	20
50-64	24	3.1	5	<1	1	3	4	7	8	9
65+	41	3.5	10	<1	1	3	4	9	11	13
B. *Operated*										
0-19 YRS	12	6.1	25	1	1	5	8	15	16	16
20-34	21	3.4	8	<1	1	3	5	7	9	11
35-49	26	4.6	14	<1	1	3	6	10	13	15
50-64	23	5.1	12	1	1	5	7	8	11	17
65+	6	5.2	11	1	1	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	3.0	9	1	1	2	4	6	7	14
20-34	269	3.9	15	1	1	3	5	7	9	17
35-49	279	4.1	11	1	1	3	5	9	11	17
50-64	473	5.3	23	1	1	4	6	10	13	23
65+	973	5.5	15	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	86	4.1	87	1	1	1	4	8	19	58
20-34	153	4.0	29	1	1	2	5	8	14	31
35-49	157	4.6	22	1	1	3	7	11	15	93
50-64	185	7.3	79	1	1	5	10	17	25	48
65+	309	8.4	66	1	1	7	11	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	2.7	5	1	1	2	4	5	7	11
B. *Operated*	88	4.7	13	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	2582	4.6	16	1	1	4	6	9	12	20
B. *Operated*	890	6.3	60	1	1	4	8	14	21	40
1. SINGLE DX	399	3.1	7	1	1	2	4	7	8	15
2. MULTIPLE DX	3472	5.0	28	1	1	4	6	10	14	25
A. NOT OPERATED	2893	4.4	15	1	1	3	6	9	11	20
B. OPERATED	978	6.2	56	1	1	4	8	14	19	38
TOTAL 0-19 YRS	827	3.1	16	1	1	2	4	6	7	16
20-34	499	3.7	18	1	1	3	5	7	9	22
35-49	511	4.2	14	1	1	3	6	9	12	21
50-64	705	5.7	38	1	1	4	7	12	17	29
65+	1329	6.1	29	1	2	5	8	12	15	25
GRAND TOTAL	**3871**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	978	2.8	5	1	1	2	3	5	6	11
20-34	392	3.1	12	<1	1	2	4	6	8	15
35-49	409	2.8	5	<1	1	2	3	5	7	12
50-64	444	3.1	8	1	1	2	4	6	7	15
65+	447	3.7	11	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	66	2.6	7	<1	<1	2	3	5	8	15
20-34	102	2.5	6	<1	1	2	3	6	7	13
35-49	133	2.3	4	1	1	2	3	4	7	12
50-64	145	2.8	8	1	1	2	3	6	8	19
65+	86	3.7	10	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2277	4.1	18	1	1	3	5	8	11	22
20-34	1283	4.1	32	1	1	3	5	7	10	31
35-49	1842	4.1	15	1	1	3	5	7	10	19
50-64	3691	5.2	19	1	1	4	6	10	14	22
65+	8990	5.6	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	170	8.4	130	1	1	4	11	20	32	70
20-34	261	5.1	65	1	1	3	6	12	17	97
35-49	414	5.6	49	1	1	3	7	12	16	38
50-64	911	9.1	143	1	1	5	11	21	32	77
65+	1525	9.8	109	1	2	7	12	20	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2670	3.0	8	1	1	2	4	6	7	13
B. *Operated*	532	2.7	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	18083	5.1	22	1	1	4	6	10	13	23
B. *Operated*	3281	8.6	111	1	1	6	11	19	29	63
1. SINGLE DX	3202	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	21364	5.6	37	1	1	4	7	11	15	32
A. NOT OPERATED	20753	4.8	20	1	1	4	6	9	13	22
B. OPERATED	3813	7.8	101	1	1	5	10	17	26	61
TOTAL 0-19 YRS	3491	3.9	21	1	1	3	5	8	11	23
20-34	2038	4.0	32	1	1	3	5	7	10	30
35-49	2798	4.1	19	1	1	3	5	8	11	22
50-64	5191	5.6	43	1	1	4	7	11	16	32
65+	11048	6.1	36	1	2	5	7	12	16	31
GRAND TOTAL	**24566**	**5.3**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	335	1.9	3	1	1	1	2	3	4	10
20-34	22	3.4	24	<1	<1	2	4	6	14	24
35-49	9	7.1	44	3	3	5	8	18	24	24
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	3.4	6	<1	<1	3	6	6	6	6
B. *Operated*										
0-19 YRS	48	4.9	24	1	2	4	6	8	11	30
20-34	22	5.2	12	<1	1	5	8	10	11	11
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	4	8.0	26	3	3	7	11	15	15	15
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	3.4	19	1	1	2	4	7	10	20
20-34	76	4.6	13	1	1	3	7	10	11	17
35-49	34	4.9	11	<1	<1	5	7	9	11	13
50-64	29	6.7	30	1	2	5	9	16	18	23
65+	23	8.7	32	2	2	9	11	16	21	25
B. *Operated*										
0-19 YRS	100	11.3	219	1	2	5	13	32	53	90
20-34	113	13.5	280	1	2	8	16	42	59	99+
35-49	49	14.2	334	1	2	8	17	42	82	99+
50-64	27	16.9	132	3	4	13	27	32	35	47
65+	28	21.8	438	1	2	15	31	50	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	2.1	5	1	1	1	2	4	5	10
B. *Operated*	80	5.1	20	1	1	4	7	10	11	27
2. MULTIPLE DX										
A. *Not Operated*	467	4.2	20	1	1	3	5	9	11	21
B. *Operated*	317	13.9	276	1	2	8	17	39	53	99+
1. SINGLE DX	454	2.6	9	1	1	2	3	6	8	15
2. MULTIPLE DX	784	8.1	146	1	1	4	9	19	34	81
A. NOT OPERATED	841	3.3	15	1	1	2	4	7	10	18
B. OPERATED	397	12.1	237	1	2	6	14	34	50	94
TOTAL 0-19 YRS	788	3.8	46	1	1	2	4	7	12	45
20-34	233	8.9	163	1	1	5	10	18	42	90
35-49	97	9.7	196	<1	1	5	9	25	43	91
50-64	63	10.9	99	1	2	8	15	28	31	45
65+	57	14.7	276	1	2	9	19	38	49	87
GRAND TOTAL	**1238**	**6.1**	**103**	**1**	**1**	**3**	**6**	**13**	**25**	**62**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.3	3	<1	1	2	3	5	6	8
20-34	42	4.0	16	<1	1	3	5	8	11	23
35-49	15	3.9	10	<1	1	3	5	7	12	14
50-64	6	4.3	11	1	1	3	6	10	10	10
65+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	8	6.6	7	3	3	7	9	10	10	10
20-34	18	6.6	21	1	1	6	11	14	14	14
35-49	7	8.4	95	1	1	3	12	25	28	28
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	4.1	19	1	1	3	5	9	12	19
20-34	122	5.0	18	1	1	4	6	10	14	22
35-49	44	6.3	32	1	2	4	8	13	18	30
50-64	39	7.3	24	1	1	7	10	14	16	20
65+	47	8.0	35	2	2	7	11	15	20	30
B. *Operated*										
0-19 YRS	85	11.3	168	1	2	7	14	30	41	94
20-34	115	13.3	262	1	2	7	15	36	52	77
35-49	45	16.6	376	1	1	10	20	49	60	93
50-64	25	18.0	491	1	2	8	27	45	66	92
65+	30	15.3	166	1	2	13	20	36	41	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.8	7	<1	1	2	3	6	7	14
B. *Operated*	37	6.8	31	1	1	6	10	14	14	28
2. MULTIPLE DX										
A. *Not Operated*	462	5.2	24	1	1	4	7	12	14	22
B. *Operated*	300	13.8	263	1	2	8	17	35	50	88
1. SINGLE DX	258	3.4	12	<1	1	2	4	7	10	14
2. MULTIPLE DX	762	8.6	136	1	1	5	10	19	33	63
A. NOT OPERATED	683	4.4	20	1	1	3	6	10	13	21
B. OPERATED	337	13.0	242	1	2	7	16	34	48	85
TOTAL 0-19 YRS	457	4.9	51	1	1	3	6	10	16	42
20-34	297	8.2	129	1	1	5	9	17	30	64
35-49	111	10.3	198	1	1	5	12	25	39	73
50-64	72	10.6	210	1	2	6	12	25	39	84
65+	83	10.4	95	1	2	8	14	22	33	44
GRAND TOTAL	**1020**	**7.3**	**109**	**1**	**1**	**4**	**8**	**16**	**26**	**59**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	9	<1	<1	1	2	7	9	14
20-34	35	2.5	5	<1	<1	1	3	5	9	10
35-49	15	2.2	9	<1	<1	1	1	5	10	12
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	297	1.9	1	<1	1	1	3	4	4	6
20-34	603	2.3	3	1	1	2	3	4	5	9
35-49	169	2.0	2	1	1	2	2	4	5	7
50-64	53	2.1	2	1	1	2	3	4	5	7
65+	18	2.9	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.0	2	<1	<1	1	2	4	5	6
20-34	163	2.4	3	<1	<1	2	3	5	6	9
35-49	57	3.1	5	<1	1	2	4	7	8	11
50-64	45	2.9	6	<1	1	2	3	7	8	13
65+	84	5.0	11	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	649	3.3	15	1	1	2	4	6	8	18
20-34	1206	3.9	18	1	1	3	5	8	11	21
35-49	442	4.4	17	1	1	3	6	10	13	22
50-64	192	5.2	30	1	1	3	6	11	16	26
65+	138	6.2	20	1	2	5	9	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.4	7	<1	<1	1	3	5	9	13
B. *Operated*	1140	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	440	3.0	6	<1	1	2	4	6	8	13
B. *Operated*	2627	4.1	18	1	1	3	5	8	11	21
1. SINGLE DX	1221	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3067	3.9	17	1	1	3	5	8	11	20
A. NOT OPERATED	521	2.9	6	<1	1	2	4	6	8	13
B. OPERATED	3767	3.5	14	1	1	2	4	7	10	18
TOTAL 0-19 YRS	1063	2.8	10	1	1	2	3	5	7	16
20-34	2007	3.3	13	1	1	2	4	7	9	17
35-49	683	3.7	13	1	1	2	5	8	11	18
50-64	293	4.2	23	1	1	3	5	8	11	22
65+	242	5.5	16	1	2	4	8	11	14	20
GRAND TOTAL	**4288**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.3	7	1	1	3	4	6	7	12
20-34	283	4.2	14	1	1	3	6	7	10	16
35-49	176	4.5	11	1	2	4	6	8	10	19
50-64	127	5.0	7	1	2	5	7	9	10	12
65+	164	6.4	15	2	2	6	8	12	13	19
B. *Operated*										
0-19 YRS	26	9.5	48	2	3	7	14	15	25	31
20-34	65	8.5	19	2	3	8	12	14	15	24
35-49	20	9.5	31	1	2	9	13	17	19	20
50-64	9	11.7	163	1	2	8	12	33	43	43
65+	5	9.6	24	2	2	11	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	4.5	19	1	1	3	6	10	12	34
20-34	427	5.1	18	1	1	4	6	10	12	25
35-49	290	5.8	16	1	2	5	8	11	13	21
50-64	428	7.4	39	1	2	6	9	14	16	28
65+	2076	8.2	23	3	3	7	10	14	18	25
B. *Operated*										
0-19 YRS	62	9.9	70	2	3	7	12	21	28	43
20-34	202	11.0	91	2	3	8	14	24	33	45
35-49	111	12.1	93	2	3	10	16	22	32	48
50-64	92	14.6	206	1	2	10	18	31	40	79
65+	248	14.7	124	3	5	12	19	26	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	4.6	12	1	1	4	6	9	11	17
B. *Operated*	125	9.2	36	2	3	8	12	15	18	34
2. MULTIPLE DX										
A. *Not Operated*	3405	7.3	25	2	2	6	9	13	16	25
B. *Operated*	715	12.8	118	2	3	10	16	26	34	59
1. SINGLE DX	1053	5.1	17	1	1	4	7	10	13	19
2. MULTIPLE DX	4120	8.3	46	2	2	7	10	15	20	34
A. NOT OPERATED	4333	6.7	24	1	2	6	9	12	16	24
B. OPERATED	840	12.3	108	2	3	10	15	24	32	55
TOTAL 0-19 YRS	450	5.1	28	1	1	3	6	11	15	31
20-34	977	6.3	38	1	1	5	8	12	17	34
35-49	597	6.7	37	1	2	5	9	14	18	31
50-64	656	8.0	66	1	2	6	9	14	20	43
65+	2493	8.8	37	2	3	7	11	15	20	31
GRAND TOTAL	**5173**	**7.6**	**42**	**1**	**2**	**6**	**10**	**14**	**19**	**32**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.8	1	1	1	1	3	3	3	3
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	6	13.2	17	9	9	12	16	20	20	20
20-34	16	12.8	38	5	6	12	17	23	23	23
35-49	4	16.0	53	6	6	17	21	23	23	23
50-64	1	31.0		31	31	31	31	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	296	2	2	6	18	43	49	49
20-34	15	9.8	134	1	1	5	16	28	37	40
35-49	8	15.4	832	<1	<1	5	11	63	86	86
50-64	6	7.0	22	1	1	8	10	13	13	13
65+	17	8.5	25	2	4	8	11	14	20	23
B. *Operated*										
0-19 YRS	23	35.1	682	9	10	28	69	99	99+	99+
20-34	59	31.8	410	6	13	29	45	90	99+	99+
35-49	19	22.8	178	9	11	18	28	46	55	55
50-64	11	24.5	328	4	10	25	48	99+	99+	99+
65+	12	22.0	248	7	8	16	38	66	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.0	6	1	1	2	4	7	8	9
B. *Operated*	27	14.0	44	6	6	13	19	23	24	31
2. MULTIPLE DX										
A. *Not Operated*	53	10.3	199	1	1	6	11	21	38	85
B. *Operated*	124	29.4	413	7	11	24	45	89	99+	99+
1. SINGLE DX	45	9.6	58	1	1	8	15	21	23	31
2. MULTIPLE DX	177	23.7	425	2	4	19	38	72	99+	99+
A. NOT OPERATED	71	8.5	160	1	1	5	9	19	28	78
B. OPERATED	151	26.7	381	6	9	21	41	75	99+	99+
TOTAL 0-19 YRS	38	25.8	598	2	3	18	50	86	99+	99+
20-34	99	22.7	399	1	3	19	37	72	99+	99+
35-49	34	18.6	310	1	2	14	23	37	55	86
50-64	21	16.9	266	1	2	13	30	74	99+	99+
65+	30	13.9	153	4	5	11	16	39	57	99+
GRAND TOTAL	**222**	**20.9**	**382**	**1**	**3**	**16**	**33**	**66**	**98**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	1	1	2	2	3	4	4
20-34	29	2.3	6	<1	1	2	2	4	7	13
35-49	56	2.9	4	<1	1	2	4	5	7	9
50-64	61	3.2	7	1	1	3	4	6	8	15
65+	52	3.7	5	1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	3.7	3	2	2	3	5	6	6	6
35-49	5	6.0	34	2	2	4	8	16	16	16
50-64	2	8.5	113	1	1	8	16	16	16	16
65+	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	21	1	1	2	4	5	8	33
20-34	296	3.3	5	1	1	3	4	6	8	11
35-49	368	4.4	12	1	1	4	6	9	11	17
50-64	463	5.2	13	1	2	4	7	10	13	19
65+	1096	6.2	19	1	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	26	6.9	18	1	1	6	10	14	15	17
20-34	121	7.5	93	1	2	6	9	13	15	53
35-49	125	8.2	114	1	2	5	10	15	31	59
50-64	130	10.1	82	2	3	8	11	19	26	44
65+	170	11.5	75	3	3	9	15	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.0	5	1	1	2	4	6	8	12
B. *Operated*	16	5.7	21	1	2	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	2290	5.3	16	1	1	4	7	10	13	20
B. *Operated*	572	9.4	88	2	2	7	11	18	26	51
1. SINGLE DX	227	3.2	7	1	1	2	4	6	8	16
2. MULTIPLE DX	2862	6.1	33	1	2	5	8	12	15	31
A. NOT OPERATED	2501	5.1	15	1	1	4	7	10	12	20
B. OPERATED	588	9.3	87	2	2	7	11	18	26	50
TOTAL 0-19 YRS	107	4.1	21	1	1	3	5	8	11	26
20-34	452	4.4	32	1	1	3	5	9	11	22
35-49	554	5.1	37	1	1	4	6	10	12	31
50-64	656	6.0	31	1	2	5	7	11	16	26
65+	1320	6.8	29	1	2	5	9	13	17	30
GRAND TOTAL	**3089**	**5.9**	**32**	**1**	**1**	**5**	**7**	**11**	**15**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.4	27	1	1	3	5	8	11	32
20-34	70	6.0	42	1	2	5	7	10	11	45
35-49	56	6.8	23	2	2	6	8	11	14	33
50-64	54	8.6	92	2	3	7	9	14	21	65
65+	193	7.2	16	2	3	7	9	13	15	20
B. *Operated*										
0-19 YRS	6	5.8	11	2	2	6	8	10	10	10
20-34	8	15.8	111	2	2	14	25	29	30	30
35-49	6	32.8	577	9	10	25	44	72	75	75
50-64	7	16.1	84	9	9	13	18	32	35	35
65+	4	23.5	647	3	3	15	40	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	6.7	30	1	2	6	8	13	18	22
20-34	168	9.9	94	2	3	7	12	17	31	49
35-49	137	9.5	82	2	3	7	11	17	25	56
50-64	183	10.8	72	3	3	9	13	20	28	44
65+	1497	9.3	35	3	4	8	12	16	20	32
B. *Operated*										
0-19 YRS	84	14.1	157	2	3	10	18	33	41	54
20-34	172	19.4	254	3	5	14	27	44	59	73
35-49	76	21.1	306	5	5	15	31	47	53	83
50-64	90	26.3	411	6	7	20	37	54	70	85
65+	181	18.2	134	5	7	15	22	37	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	6.7	33	1	2	6	8	12	14	30
B. *Operated*	31	18.2	285	2	3	13	23	39	59	75
2. MULTIPLE DX										
A. *Not Operated*	2139	9.3	46	2	3	8	11	16	21	41
B. *Operated*	603	19.5	244	4	5	14	27	43	53	81
1. SINGLE DX	482	7.4	57	1	2	6	9	13	18	41
2. MULTIPLE DX	2742	11.5	108	3	4	9	13	22	33	58
A. NOT OPERATED	2590	8.8	45	2	3	7	11	15	20	39
B. OPERATED	634	19.5	246	3	5	14	26	43	54	81
TOTAL 0-19 YRS	322	8.0	75	1	2	5	9	17	29	45
20-34	418	13.3	180	2	3	8	16	30	44	68
35-49	275	12.7	180	2	3	8	14	32	44	71
50-64	334	14.7	216	3	3	10	16	33	48	76
65+	1875	9.9	52	3	4	8	12	18	23	43
GRAND TOTAL	**3224**	**10.9**	**102**	**2**	**3**	**8**	**13**	**21**	**31**	**57**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.9	18	<1	<1	1	2	8	15	18
20-34	28	2.4	2	<1	1	2	3	5	5	7
35-49	18	2.3	2	<1	1	2	3	4	5	5
50-64	38	2.5	3	<1	1	2	3	5	6	8
65+	126	3.0	3	1	1	3	4	5	7	9
B. *Operated*										
0-19 YRS	1013	3.0	17	1	1	2	3	6	14	21
20-34	142	3.2	8	1	1	2	4	7	8	14
35-49	91	3.0	3	1	1	3	4	5	6	10
50-64	122	3.8	7	1	1	3	5	7	9	15
65+	181	4.7	11	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.5	19	1	1	2	3	8	15	20
20-34	33	4.7	25	<1	1	3	6	9	15	26
35-49	57	5.2	26	1	1	3	6	13	15	24
50-64	114	4.9	17	1	2	4	6	8	11	23
65+	658	5.9	26	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	326	5.3	60	1	1	3	5	13	19	35
20-34	178	8.8	102	1	2	5	11	21	30	50
35-49	122	6.3	36	1	2	4	7	14	19	31
50-64	257	7.0	47	1	2	5	8	14	19	40
65+	682	8.2	57	1	2	6	11	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	2.8	8	<1	1	2	3	5	8	17
B. *Operated*	1549	3.3	14	1	1	2	4	7	12	20
2. MULTIPLE DX										
A. *Not Operated*	932	5.5	25	1	1	4	7	11	15	25
B. *Operated*	1565	7.3	61	1	1	5	9	15	20	38
1. SINGLE DX	1877	3.2	13	1	1	2	4	7	12	20
2. MULTIPLE DX	2497	6.6	48	1	1	5	8	14	19	35
A. NOT OPERATED	1260	4.8	22	1	1	3	6	10	14	24
B. OPERATED	3114	5.3	42	1	1	3	7	12	17	29
TOTAL 0-19 YRS	1527	3.5	27	1	1	2	3	8	15	22
20-34	381	5.9	61	1	1	4	7	13	20	42
35-49	288	4.8	24	1	1	3	5	11	14	26
50-64	531	5.5	30	1	2	4	6	11	15	29
65+	1647	6.5	38	1	2	5	8	12	17	28
GRAND TOTAL	**4374**	**5.2**	**36**	**1**	**1**	**3**	**6**	**12**	**16**	**26**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	4	<1	1	1	2	3	3	14
20-34	31	2.1	1	<1	<1	2	3	4	4	5
35-49	10	1.3		<1	<1	1	1	2	3	3
50-64	10	3.0	3	1	1	2	5	6	6	6
65+	13	2.8	15	<1	<1	1	2	9	13	14
B. *Operated*										
0-19 YRS	1653	1.5	1	<1	1	1	2	3	3	6
20-34	430	2.6	3	1	1	2	3	5	6	10
35-49	343	2.4	4	1	1	2	3	4	6	9
50-64	368	2.3	3	1	1	2	3	4	5	7
65+	386	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	2	<1	1	2	3	4	6	6
20-34	53	3.2	5	1	1	3	5	7	8	9
35-49	35	3.5	11	<1	1	3	4	9	11	15
50-64	42	4.8	18	<1	1	3	7	11	14	19
65+	153	6.1	47	1	1	4	6	13	17	34
B. *Operated*										
0-19 YRS	427	3.5	23	1	1	2	4	8	12	27
20-34	436	5.4	32	1	1	4	7	11	13	27
35-49	306	4.7	21	1	1	3	6	10	14	25
50-64	350	4.9	38	1	1	3	5	9	15	41
65+	719	5.4	27	1	1	4	6	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.0	4	<1	<1	1	2	3	5	14
B. *Operated*	3180	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	319	4.7	29	1	1	3	6	9	15	30
B. *Operated*	2238	4.9	29	1	1	3	6	10	14	27
1. SINGLE DX	3298	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	2557	4.8	29	1	1	3	6	10	14	27
A. NOT OPERATED	437	4.0	24	<1	1	2	5	8	13	26
B. OPERATED	5418	3.2	15	1	1	2	4	6	10	20
TOTAL 0-19 YRS	2170	1.9	6	<1	1	1	2	3	5	13
20-34	950	3.9	19	1	1	3	4	8	11	22
35-49	694	3.5	13	1	1	2	4	7	10	21
50-64	770	3.6	21	1	1	2	4	6	9	21
65+	1271	4.6	24	1	1	3	5	10	13	27
GRAND TOTAL	**5855**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.0	9	1	1	2	4	7	11	12
20-34	28	2.8	3	<1	1	3	3	6	6	7
35-49	15	2.1	1	1	1	2	3	3	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	240	1.6	1	<1	<1	1	2	3	4	9
20-34	331	1.7	1	<1	<1	1	2	3	4	6
35-49	132	1.7	1	<1	1	1	2	3	3	5
50-64	87	2.1	4	1	1	1	2	5	6	10
65+	31	2.5	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	70	1	1	2	3	4	14	44
20-34	30	2.4	4	<1	<1	2	3	5	6	10
35-49	19	3.3	4	1	1	3	4	7	8	8
50-64	11	4.4	16	<1	<1	3	6	10	14	14
65+	15	6.3	141	1	1	3	4	12	39	48
B. *Operated*										
0-19 YRS	179	2.7	6	<1	1	2	3	6	7	11
20-34	429	3.0	9	1	1	2	3	6	8	15
35-49	221	3.5	20	1	1	2	4	7	9	21
50-64	138	2.9	6	1	1	2	4	6	8	12
65+	106	4.2	31	1	1	3	4	8	12	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.6	4	1	1	2	3	5	6	11
B. *Operated*	821	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	101	3.7	42	1	1	2	4	6	9	46
B. *Operated*	1073	3.1	13	1	1	2	4	7	9	15
1. SINGLE DX	885	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	1174	3.2	15	1	1	2	4	7	9	16
A. NOT OPERATED	165	3.3	27	1	1	2	4	6	7	39
B. OPERATED	1894	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	460	2.2	8	<1	1	1	2	4	6	11
20-34	818	2.4	6	<1	1	2	3	5	7	12
35-49	387	2.8	12	1	1	2	3	6	8	15
50-64	237	2.7	6	1	1	2	3	6	8	12
65+	157	4.0	36	1	1	2	4	8	11	46
GRAND TOTAL	**2059**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	8.8	76	<1	1	5	14	24	25	27
20-34	8	3.9	5	<1	<1	4	6	7	7	7
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	16	6.5	21	1	2	5	9	14	16	17
65+	97	7.2	40	1	2	6	9	15	21	32
B. *Operated*										
0-19 YRS	87	9.6	81	2	3	6	11	23	29	45
20-34	44	8.3	29	3	4	7	10	14	17	35
35-49	83	8.2	9	4	5	8	10	12	13	16
50-64	272	9.8	18	4	5	9	12	15	18	25
65+	1759	11.2	17	6	7	11	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	10.7	192	1	1	3	21	33	42	45
20-34	14	5.4	15	1	2	5	6	11	15	16
35-49	18	12.2	239	<1	1	8	11	43	51	52
50-64	57	7.4	35	1	2	6	9	15	19	29
65+	736	9.3	53	2	3	8	12	17	22	45
B. *Operated*										
0-19 YRS	97	16.6	204	3	3	11	23	36	43	70
20-34	156	15.5	116	5	7	12	17	32	40	50
35-49	169	13.6	87	5	6	12	15	23	30	52
50-64	833	13.3	61	6	7	12	15	21	27	46
65+	10489	13.8	48	7	8	13	16	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	7.1	41	1	1	5	9	16	23	31
B. *Operated*	2245	10.8	20	5	6	10	13	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	848	9.2	59	2	3	7	11	17	22	47
B. *Operated*	11744	13.8	51	6	8	12	16	21	27	42
1. SINGLE DX	2399	10.6	22	4	5	10	13	16	18	27
2. MULTIPLE DX	12592	13.5	53	6	7	12	16	21	26	42
A. NOT OPERATED	1002	8.9	57	1	2	7	11	17	23	45
B. OPERATED	13989	13.4	48	6	7	12	15	20	25	40
TOTAL 0-19 YRS	233	12.5	153	1	2	8	17	31	37	55
20-34	222	13.0	104	3	5	10	15	27	38	49
35-49	277	11.7	78	4	5	10	13	19	27	51
50-64	1178	12.1	53	5	6	11	14	19	24	41
65+	13081	13.2	46	6	7	12	15	20	25	39
GRAND TOTAL	**14991**	**13.1**	**49**	**5**	**7**	**12**	**15**	**20**	**25**	**41**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	16.2	134	1	1	17	23	30	37	52
20-34	10	10.3	96	3	3	7	9	27	34	34
35-49	12	17.2	239	2	2	11	32	38	41	41
50-64	8	21.1	401	3	3	12	39	51	54	54
65+	41	8.5	132	1	1	5	9	19	28	65
B. *Operated*										
0-19 YRS	425	11.4	112	1	2	8	18	26	32	45
20-34	108	10.7	75	2	4	9	13	17	23	52
35-49	40	10.1	32	3	4	9	13	18	22	27
50-64	34	11.0	53	4	5	9	13	19	25	38
65+	75	14.3	95	5	6	13	17	22	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	17.5	235	1	1	16	25	34	43	83
20-34	31	15.0	430	<1	1	5	12	46	58	83
35-49	18	14.2	269	1	3	7	12	41	52	60
50-64	36	15.8	318	2	4	8	14	48	63	71
65+	275	13.9	208	2	3	8	16	38	47	65
B. *Operated*										
0-19 YRS	429	17.9	223	2	3	14	24	36	48	81
20-34	381	18.0	205	4	6	14	22	37	52	86
35-49	129	19.5	283	4	6	14	23	45	61	90
50-64	152	18.7	226	6	7	14	21	43	52	90
65+	660	16.4	120	5	7	14	19	29	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	15.3	146	1	2	15	23	31	38	54
B. *Operated*	682	11.5	97	1	2	9	16	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	537	15.3	240	1	2	9	21	38	47	83
B. *Operated*	1751	17.5	186	3	6	14	21	34	47	83
1. SINGLE DX	1067	12.9	118	1	2	10	19	27	34	50
2. MULTIPLE DX	2288	17.0	199	3	4	13	21	35	47	83
A. NOT OPERATED	922	15.3	200	1	2	11	22	34	43	65
B. OPERATED	2433	15.8	168	2	4	13	20	32	43	71
TOTAL 0-19 YRS	1345	15.4	176	1	2	13	22	31	39	62
20-34	530	16.2	198	3	5	12	20	34	47	81
35-49	199	17.0	240	3	4	12	20	40	53	86
50-64	230	17.2	226	4	6	12	19	40	52	84
65+	1051	15.3	145	3	5	12	18	30	41	65
GRAND TOTAL	**3355**	**15.7**	**177**	**2**	**3**	**12**	**21**	**33**	**43**	**69**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.9	1	1	1	2	2	3	4	6
20-34	92	3.9	93	1	1	2	3	6	9	59
35-49	64	3.4	12	<1	1	3	4	6	8	24
50-64	56	4.1	8	1	1	3	6	8	10	12
65+	64	5.2	10	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	664	3.3	9	1	1	3	4	6	8	13
20-34	536	4.9	16	1	1	4	6	9	13	20
35-49	350	5.5	16	1	2	5	7	10	13	19
50-64	211	7.0	60	2	2	5	8	12	16	55
65+	106	8.3	20	2	3	8	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.5	6	1	1	3	5	8	8	10
20-34	102	4.5	21	1	1	3	5	9	13	26
35-49	77	5.8	39	1	1	4	7	13	16	37
50-64	105	5.6	18	1	2	5	7	12	14	20
65+	307	7.4	46	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	406	7.1	58	1	1	5	8	16	23	39
20-34	549	10.5	121	2	3	7	12	23	32	56
35-49	390	9.3	79	2	3	7	12	17	26	51
50-64	350	10.9	107	2	3	8	13	21	27	60
65+	376	12.0	114	2	3	9	14	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.1	23	1	1	2	4	6	8	13
B. *Operated*	1867	4.9	21	1	1	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	670	6.0	34	1	1	5	8	12	15	22
B. *Operated*	2071	9.9	99	2	2	7	12	20	28	54
1. SINGLE DX	2362	4.5	22	1	1	3	5	9	11	20
2. MULTIPLE DX	2741	9.0	86	1	2	6	11	18	25	49
A. NOT OPERATED	1165	4.8	31	1	1	3	6	10	13	20
B. OPERATED	3938	7.5	69	1	2	5	9	15	22	45
TOTAL 0-19 YRS	1368	4.2	26	1	1	3	5	8	12	28
20-34	1279	7.2	75	1	2	5	8	15	22	45
35-49	881	7.1	50	1	2	5	9	14	18	37
50-64	722	8.5	79	1	2	6	10	15	22	51
65+	853	9.4	75	2	3	7	11	17	23	52
GRAND TOTAL	**5103**	**6.9**	**61**	**1**	**1**	**5**	**8**	**14**	**20**	**42**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	1	1	2	3	4	5	7
20-34	131	2.8	15	<1	1	2	3	4	5	18
35-49	94	2.9	4	1	1	2	4	6	7	10
50-64	75	3.3	4	1	1	3	4	6	7	12
65+	71	3.6	5	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	866	2.7	3	1	1	2	3	5	6	10
20-34	1392	3.5	5	1	1	3	4	6	7	11
35-49	1033	4.1	11	1	2	3	5	7	9	14
50-64	791	4.6	6	1	2	4	6	8	9	13
65+	433	5.9	17	2	3	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.9	4	<1	1	2	4	6	7	12
20-34	145	3.5	8	1	1	3	5	6	9	14
35-49	127	4.0	8	1	1	3	5	9	10	13
50-64	142	5.3	53	1	1	4	6	9	11	28
65+	326	6.1	41	1	2	5	7	12	15	22
B. *Operated*										
0-19 YRS	468	5.2	40	1	1	4	6	10	16	34
20-34	1059	5.7	37	1	2	4	6	10	14	33
35-49	803	5.8	24	1	2	5	7	10	14	27
50-64	934	6.9	41	2	3	5	8	12	15	33
65+	1032	8.0	30	2	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	2.9	7	1	1	2	4	5	7	10
B. *Operated*	4515	3.9	8	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	807	4.9	30	1	1	4	6	9	12	20
B. *Operated*	4296	6.5	35	1	2	5	8	12	16	29
1. SINGLE DX	4979	3.8	8	1	1	3	5	7	8	13
2. MULTIPLE DX	5103	6.2	35	1	2	5	7	11	15	28
A. NOT OPERATED	1271	4.1	23	1	1	3	5	8	10	19
B. OPERATED	8811	5.1	23	1	2	4	6	9	12	23
TOTAL 0-19 YRS	1494	3.4	16	1	1	3	4	6	8	19
20-34	2727	4.3	19	1	1	3	5	7	10	21
35-49	2057	4.7	16	1	2	4	6	8	11	20
50-64	1942	5.7	28	1	2	5	7	10	13	21
65+	1862	7.0	29	2	3	6	8	12	16	27
GRAND TOTAL	**10082**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	13	2.1	1	1	1	2	3	4	4	4
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	4	3.5	9	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	26	1.7	1	<1	1	1	2	3	4	5
20-34	38	2.2	2	<1	1	2	3	4	5	7
35-49	16	1.6	1	1	1	1	2	3	3	3
50-64	6	2.5	4	1	1	2	3	6	6	6
65+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	6	<1	1	2	3	6	8	12
20-34	123	3.0	4	<1	1	2	4	6	7	9
35-49	76	3.7	8	1	1	3	5	7	11	14
50-64	64	4.7	13	1	1	4	5	10	11	20
65+	126	6.0	16	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	45	5.7	112	<1	1	2	6	9	23	66
20-34	54	4.6	48	1	1	3	6	8	12	48
35-49	27	4.8	11	1	1	4	7	10	11	14
50-64	26	6.3	30	1	2	4	6	15	19	22
65+	28	6.0	22	1	1	4	9	13	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	89	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	468	4.1	11	1	1	3	5	9	11	14
B. *Operated*	180	5.4	51	1	1	3	6	12	14	43
1. SINGLE DX	124	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	648	4.5	23	1	1	3	6	9	12	22
A. NOT OPERATED	503	4.0	11	1	1	3	5	8	11	14
B. OPERATED	269	4.3	37	1	1	3	5	9	12	26
TOTAL 0-19 YRS	160	3.3	36	<1	1	2	3	6	10	26
20-34	228	3.2	14	1	1	2	4	6	7	12
35-49	124	3.6	8	1	1	3	5	7	10	14
50-64	99	4.9	17	1	1	4	5	11	14	22
65+	161	5.9	17	1	2	5	8	12	14	22
GRAND TOTAL	**772**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	4	1	1	1	4	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	4	5.8	30	1	1	4	10	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	25.0		25	25	25	25	25	25	25
65+	5	8.4	14	3	3	9	11	13	13	13
B. *Operated*										
0-19 YRS	10	23.5	522	4	4	20	27	60	79	79
20-34	11	11.0	88	2	2	8	16	27	30	30
35-49	2	17.0	8	15	15	17	19	19	19	19
50-64	4	25.8	864	3	3	16	45	68	68	68
65+	6	33.3	995	4	4	23	72	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	3	1	1	2	4	5	5	5
B. *Operated*	8	5.1	18	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	13	7.2	49	1	1	7	11	16	23	25
B. *Operated*	33	21.0	480	2	3	14	26	69	72	79
1. SINGLE DX	17	3.7	11	1	1	3	5	9	12	13
2. MULTIPLE DX	46	17.1	393	1	2	9	23	40	72	79
A. NOT OPERATED	22	5.3	35	1	1	3	7	13	18	25
B. OPERATED	41	17.9	427	2	2	9	23	52	72	79
TOTAL 0-19 YRS	23	12.0	325	1	1	5	16	30	54	79
20-34	19	8.6	68	1	1	7	13	22	28	30
35-49	4	10.0	68	3	3	9	17	19	19	19
50-64	5	25.6	648	3	3	23	36	68	68	68
65+	12	20.3	645	2	3	9	23	72	72	72
GRAND TOTAL	**53**	**13.5**	**324**	**1**	**1**	**7**	**16**	**30**	**69**	**78**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	83	1.9	1	<1	1	2	2	3	3	6
20-34	327	1.9	1	1	1	2	2	3	4	5
35-49	114	2.2	1	1	1	2	3	4	4	5
50-64	33	2.4	4	<1	<1	2	3	5	8	9
65+	33	2.3	5	<1	<1	1	2	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	3	<1	<1	3	3	5	6	6
20-34	20	2.9	4	<1	<1	3	3	6	7	7
35-49	15	2.1	2	<1	<1	2	2	4	5	5
50-64	8	2.5	12	<1	<1	1	2	9	11	11
65+	24	4.5	22	1	1	3	5	9	15	22
B. *Operated*										
0-19 YRS	17	3.2	25	1	1	2	3	4	16	22
20-34	86	3.3	11	<1	1	2	4	6	9	18
35-49	51	3.3	6	<1	1	3	4	7	9	11
50-64	47	3.2	8	1	1	3	4	7	9	15
65+	89	4.6	21	1	1	3	6	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*	590	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	76	3.2	10	<1	<1	2	4	7	9	19
B. *Operated*	290	3.7	13	1	1	3	4	8	11	18
1. SINGLE DX	601	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	366	3.6	13	<1	1	3	4	8	11	19
A. NOT OPERATED	87	3.0	9	<1	<1	2	3	6	8	18
B. OPERATED	880	2.6	6	<1	1	2	3	4	7	14
TOTAL 0-19 YRS	110	2.2	5	1	1	2	3	3	4	13
20-34	440	2.2	3	<1	1	2	3	4	5	9
35-49	182	2.5	3	<1	1	2	3	4	5	10
50-64	89	2.9	7	<1	1	2	3	6	9	14
65+	146	4.0	18	<1	1	2	5	10	14	20
GRAND TOTAL	**967**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	5	3.8	15	<1	<1	1	8	8	8	8
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	5	3.6	5	2	2	2	5	7	7	7
65+	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	187	2.1	2	<1	1	2	3	4	5	6
20-34	332	2.3	3	<1	1	2	3	4	5	8
35-49	176	2.3	3	<1	1	2	3	4	5	10
50-64	81	2.6	7	<1	1	2	3	5	7	18
65+	36	2.8	6	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	15	2.9	6	<1	1	2	5	6	8	9
35-49	8	3.3	14	<1	<1	1	5	10	11	11
50-64	7	2.7	3	<1	<1	2	3	5	6	6
65+	10	5.4	30	1	1	4	6	13	20	20
B. *Operated*										
0-19 YRS	242	2.9	13	<1	1	2	4	5	7	16
20-34	406	3.2	12	<1	1	2	4	6	8	12
35-49	224	2.8	8	<1	1	2	4	6	8	14
50-64	207	2.9	7	1	1	2	4	6	9	14
65+	120	3.7	13	1	1	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.9	5	<1	<1	2	4	7	8	8
B. *Operated*	812	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	11	<1	1	2	4	6	9	20
B. *Operated*	1199	3.1	10	1	1	2	4	6	8	15
1. SINGLE DX	837	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1248	3.1	11	1	1	2	4	6	8	15
A. NOT OPERATED	74	3.1	9	<1	1	2	4	6	8	18
B. OPERATED	2011	2.7	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	446	2.5	8	<1	1	2	3	5	5	13
20-34	758	2.8	8	<1	1	2	4	5	7	11
35-49	411	2.6	6	<1	1	2	3	5	7	12
50-64	300	2.9	7	1	1	2	4	6	8	14
65+	170	3.6	12	1	1	2	5	7	10	19
GRAND TOTAL	**2085**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	4	<1	<1	1	3	6	7	8
20-34	30	3.9	14	1	1	3	5	8	10	19
35-49	19	4.9	18	<1	<1	4	7	12	14	14
50-64	9	3.8	11	<1	<1	3	5	9	11	11
65+	5	7.8	27	1	1	6	12	14	14	14
B. *Operated*										
0-19 YRS	144	3.1	14	<1	1	2	3	7	13	19
20-34	170	3.5	19	1	1	2	4	7	12	21
35-49	78	4.8	28	<1	1	3	7	12	16	26
50-64	52	4.0	17	1	1	3	5	12	15	15
65+	35	3.5	19	1	1	2	4	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	12	<1	1	3	4	6	12	17
20-34	26	6.0	20	1	2	5	7	11	15	21
35-49	19	6.5	56	1	2	3	8	14	25	33
50-64	26	7.0	16	2	2	6	9	14	14	15
65+	49	6.0	17	2	2	5	8	13	16	16
B. *Operated*										
0-19 YRS	101	6.9	85	1	1	5	8	14	18	53
20-34	199	7.6	63	1	1	5	9	20	23	35
35-49	106	7.6	80	1	1	5	10	15	20	55
50-64	117	9.9	179	1	2	5	10	22	30	69
65+	105	9.0	93	1	1	5	11	20	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.9	14	<1	<1	3	6	9	12	17
B. *Operated*	479	3.7	19	<1	1	2	4	9	14	20
2. MULTIPLE DX										
A. *Not Operated*	142	5.9	22	1	2	4	8	13	15	22
B. *Operated*	628	8.1	97	1	1	5	10	19	24	56
1. SINGLE DX	563	3.7	18	<1	1	2	4	9	13	20
2. MULTIPLE DX	770	7.7	84	1	1	5	10	17	23	53
A. NOT OPERATED	226	5.2	20	1	1	4	7	11	14	19
B. OPERATED	1107	6.2	68	1	1	3	8	15	21	43
TOTAL 0-19 YRS	288	4.4	41	<1	1	2	5	10	15	24
20-34	425	5.6	43	1	1	3	7	13	20	30
35-49	222	6.3	55	1	1	4	8	14	17	41
50-64	204	7.8	116	1	1	4	9	16	25	64
65+	194	7.2	63	1	1	5	10	16	21	43
GRAND TOTAL	**1333**	**6.0**	**60**	**1**	**1**	**3**	**7**	**14**	**20**	**38**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	7	<1	1	3	4	5	8	14
20-34	20	1.9	1	<1	<1	2	2	4	4	4
35-49	8	3.3	1	2	2	3	4	5	5	5
50-64	18	2.3	1	1	1	2	3	4	5	5
65+	11	4.2	5	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	195	3.0	3	<1	1	3	4	5	7	8
20-34	294	3.3	5	1	1	3	4	6	7	9
35-49	95	3.2	4	1	1	3	4	6	7	10
50-64	39	3.3	6	<1	1	3	4	5	7	14
65+	17	4.9	9	1	1	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	6	1	1	1	3	5	9	11
20-34	35	3.4	9	<1	<1	2	4	8	10	13
35-49	26	3.5	8	<1	1	3	4	7	9	13
50-64	48	4.9	10	1	1	4	6	9	13	13
65+	92	5.1	11	2	2	4	6	9	13	18
B. *Operated*										
0-19 YRS	337	3.4	3	1	1	3	4	6	6	10
20-34	482	4.0	7	1	1	4	5	7	9	15
35-49	220	3.9	6	1	1	4	5	6	8	13
50-64	76	4.4	8	1	2	4	5	8	9	17
65+	53	8.4	115	2	2	5	10	15	24	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	4	<1	1	2	4	5	6	12
B. *Operated*	640	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	220	4.4	10	1	1	4	6	8	12	15
B. *Operated*	1168	4.0	12	1	1	4	5	7	9	15
1. SINGLE DX	721	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1388	4.1	11	1	1	4	5	7	9	15
A. NOT OPERATED	301	3.9	9	1	1	3	5	7	10	14
B. OPERATED	1808	3.7	9	1	1	3	5	6	8	14
TOTAL 0-19 YRS	575	3.2	3	1	1	3	4	5	6	10
20-34	831	3.7	7	1	1	3	5	7	8	13
35-49	349	3.7	5	1	1	3	5	6	8	12
50-64	181	4.1	8	1	1	3	5	7	9	14
65+	173	6.0	44	2	2	4	7	11	15	27
GRAND TOTAL	**2109**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	6	1	1	3	5	7	9	11
20-34	628	5.0	8	1	2	4	6	8	11	14
35-49	645	5.5	10	1	2	5	7	10	12	16
50-64	208	5.2	8	2	2	5	7	9	11	14
65+	50	5.2	6	1	2	5	7	8	9	14
B. *Operated*										
0-19 YRS	8	3.4	9	1	1	2	5	8	9	9
20-34	131	5.4	25	1	1	3	9	13	15	22
35-49	118	5.0	22	1	1	3	7	12	15	22
50-64	26	5.8	44	1	1	2	11	14	22	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.5	10	<1	1	3	6	9	11	15
20-34	769	6.0	16	2	2	5	7	11	13	19
35-49	1047	6.4	14	2	3	5	8	11	13	19
50-64	825	6.4	13	2	3	6	8	11	13	19
65+	563	6.5	15	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	127	7.3	34	1	1	6	11	15	17	26
35-49	169	8.7	58	1	1	7	11	16	22	33
50-64	96	8.3	32	1	2	8	11	15	18	31
65+	41	11.4	61	3	4	9	16	21	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	5.2	9	1	2	5	7	9	11	14
B. *Operated*	283	5.2	25	1	1	3	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	3267	6.3	14	2	3	5	8	11	13	19
B. *Operated*	436	8.4	46	1	1	7	11	16	21	32
1. SINGLE DX	1870	5.2	11	1	2	5	7	9	12	16
2. MULTIPLE DX	3703	6.5	19	2	2	6	8	12	14	22
A. NOT OPERATED	4854	5.9	13	2	2	5	7	10	12	17
B. OPERATED	719	7.2	40	1	1	6	10	15	18	27
TOTAL 0-19 YRS	130	4.0	8	1	1	3	5	8	10	14
20-34	1655	5.6	15	1	2	5	7	10	13	19
35-49	1979	6.2	18	1	2	5	8	11	14	21
50-64	1155	6.3	15	2	2	6	8	11	14	19
65+	654	6.7	19	2	3	6	8	12	14	22
GRAND TOTAL	**5573**	**6.1**	**17**	**1**	**2**	**5**	**8**	**11**	**14**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	4	<1	1	2	3	5	7	10
20-34	495	4.3	9	1	1	4	6	8	10	14
35-49	403	4.6	9	1	1	4	6	9	11	14
50-64	150	5.0	9	1	1	4	7	9	10	14
65+	29	4.3	7	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	7	4.6	37	<1	<1	3	5	15	18	18
20-34	162	3.8	14	1	1	2	6	9	11	16
35-49	119	4.3	17	1	1	3	7	10	12	18
50-64	24	2.7	5	<1	1	2	3	6	8	10
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.1	6	<1	1	2	4	6	9	11
20-34	1206	5.1	12	1	2	4	6	9	11	18
35-49	1155	5.9	13	2	2	5	7	10	13	19
50-64	667	6.0	15	1	2	5	8	11	13	22
65+	477	5.7	14	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	19	2.7	7	<1	<1	2	3	8	10	10
20-34	217	5.6	26	1	1	4	8	11	14	29
35-49	218	5.0	21	1	1	4	7	11	15	22
50-64	94	8.1	51	1	2	6	10	16	20	41
65+	35	7.9	25	1	2	7	10	16	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	4.3	9	1	1	4	6	8	10	14
B. *Operated*	313	3.9	15	1	1	2	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3725	5.5	13	1	2	5	7	10	12	19
B. *Operated*	583	5.8	29	1	1	4	8	12	16	27
1. SINGLE DX	1517	4.2	10	1	1	3	6	9	10	14
2. MULTIPLE DX	4308	5.5	15	1	2	5	7	10	13	20
A. NOT OPERATED	4929	5.2	12	1	2	4	7	9	12	18
B. OPERATED	896	5.2	25	1	1	4	7	11	15	24
TOTAL 0-19 YRS	373	2.9	6	<1	1	2	4	6	8	11
20-34	2080	4.9	13	1	1	4	6	9	11	18
35-49	1895	5.4	14	1	1	5	7	10	12	19
50-64	935	5.9	18	1	2	5	8	11	13	22
65+	542	5.8	15	1	2	5	7	10	13	22
GRAND TOTAL	**5825**	**5.2**	**14**	**1**	**1**	**4**	**7**	**10**	**12**	**19**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.1	2	<1	<1	2	3	4	5	6
20-34	70	2.2	2	<1	<1	2	3	4	5	8
35-49	43	2.2	2	<1	<1	2	3	4	5	6
50-64	20	3.4	16	1	1	2	4	7	13	18
65+	17	2.8	4	1	1	3	4	5	7	8
B. *Operated*										
0-19 YRS	79	1.7	1	<1	1	1	2	3	4	5
20-34	317	2.2	2	1	1	2	3	4	5	6
35-49	420	2.7	3	1	1	2	3	4	5	8
50-64	450	3.3	3	1	1	3	4	5	6	8
65+	148	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.7	3	<1	1	2	4	5	7	7
20-34	96	3.0	5	1	1	2	4	6	8	11
35-49	111	3.3	7	<1	1	3	4	6	9	14
50-64	111	4.1	10	<1	1	3	5	8	11	16
65+	192	5.5	17	1	2	4	6	11	13	24
B. *Operated*										
0-19 YRS	42	2.7	5	1	1	2	3	6	8	11
20-34	124	3.3	8	1	1	3	4	6	9	18
35-49	190	3.5	7	1	1	3	4	6	8	17
50-64	431	3.8	7	1	2	3	5	6	8	14
65+	278	5.3	12	1	2	5	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.4	4	<1	1	2	3	4	6	8
B. *Operated*	1414	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	552	4.1	12	1	1	3	5	8	11	16
B. *Operated*	1065	4.0	9	1	1	3	5	7	9	16
1. SINGLE DX	1608	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1617	4.1	10	1	1	3	5	7	10	16
A. NOT OPERATED	746	3.7	10	<1	1	3	5	7	10	16
B. OPERATED	2479	3.4	6	1	1	3	4	6	7	13
TOTAL 0-19 YRS	207	2.2	2	<1	1	2	3	4	5	8
20-34	607	2.6	4	1	1	2	3	5	6	10
35-49	764	2.9	5	1	1	2	4	5	6	12
50-64	1012	3.6	6	1	1	3	4	6	8	13
65+	635	5.0	12	1	2	4	6	9	11	19
GRAND TOTAL	**3225**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1419	1.4	1	<1	1	1	2	2	3	5
20-34	396	1.8	2	<1	<1	1	2	3	4	9
35-49	127	2.2	5	1	1	1	3	5	6	10
50-64	60	2.1	2	1	1	2	3	4	5	7
65+	31	2.2	2	1	1	1	3	4	5	6
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2102	1.8	3	<1	1	1	2	3	4	8
20-34	1557	2.6	6	<1	1	2	3	5	7	11
35-49	715	3.1	8	1	1	2	4	6	8	14
50-64	482	3.4	7	1	1	3	4	7	8	14
65+	660	4.5	14	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	483	2.5	8	<1	1	2	3	5	6	14
20-34	590	3.1	10	<1	1	2	4	6	10	16
35-49	219	3.6	17	1	1	2	4	8	10	28
50-64	142	5.0	32	1	1	3	6	11	18	29
65+	246	5.1	23	1	1	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	1.5	1	<1	1	1	2	3	4	6
B. *Operated*	8	2.8	5	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	5516	2.7	7	<1	1	2	3	5	7	13
B. *Operated*	1680	3.4	15	1	1	2	4	7	11	19
1. SINGLE DX	2041	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	7196	2.8	9	<1	1	2	3	6	8	15
A. NOT OPERATED	7549	2.4	6	<1	1	2	3	5	7	12
B. OPERATED	1688	3.4	15	1	1	2	4	7	11	19
TOTAL 0-19 YRS	4006	1.8	3	<1	1	1	2	3	4	8
20-34	2545	2.6	6	<1	1	2	3	5	7	12
35-49	1063	3.1	9	1	1	2	4	6	8	15
50-64	686	3.6	12	1	1	3	4	7	9	19
65+	937	4.6	16	<1	1	3	6	9	12	21
GRAND TOTAL	**9237**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	742	1.7	15	<1	1	1	2	2	4	10
20-34	211	2.7	15	<1	<1	2	3	5	8	24
35-49	73	2.5	5	1	1	2	3	5	8	12
50-64	23	3.0	4	1	1	3	3	5	8	10
65+	31	3.5	10	1	1	2	5	9	10	11
B. *Operated*										
0-19 YRS	34	6.7	63	1	2	5	8	9	11	49
20-34	27	8.8	162	<1	2	7	9	12	23	70
35-49	21	8.7	37	2	4	7	11	18	23	25
50-64	15	10.1	81	2	3	7	13	23	33	36
65+	25	13.3	245	1	3	10	15	22	39	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1256	2.8	34	<1	1	1	2	5	8	33
20-34	761	3.9	57	<1	1	2	4	7	12	45
35-49	376	3.9	29	1	1	3	5	8	11	27
50-64	277	5.2	34	1	1	3	6	12	17	29
65+	521	6.2	31	1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	356	10.8	246	1	1	4	14	34	52	99+
20-34	377	9.8	202	1	1	4	11	32	53	99+
35-49	157	12.9	252	1	1	6	17	39	59	99+
50-64	143	11.7	176	1	1	7	16	29	39	79
65+	339	13.1	168	1	2	9	18	31	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	2.0	14	<1	1	1	2	4	6	12
B. *Operated*	122	9.3	122	1	2	7	10	16	24	73
2. MULTIPLE DX										
A. *Not Operated*	3191	4.0	40	<1	1	2	4	8	13	30
B. *Operated*	1372	11.4	209	1	1	6	15	33	47	99+
1. SINGLE DX	1202	2.8	30	<1	1	1	2	6	9	24
2. MULTIPLE DX	4563	6.2	102	1	1	3	6	15	27	69
A. NOT OPERATED	4271	3.5	34	<1	1	2	4	7	11	28
B. OPERATED	1494	11.2	202	1	1	6	15	32	46	99+
TOTAL 0-19 YRS	2388	3.7	70	<1	1	1	3	7	14	54
20-34	1376	5.4	100	<1	1	2	5	12	25	81
35-49	627	6.2	98	1	1	3	6	14	28	79
50-64	458	7.3	88	1	1	4	8	18	27	40
65+	916	8.8	98	1	1	6	11	20	28	49
GRAND TOTAL	**5765**	**5.5**	**89**	**<1**	**1**	**2**	**5**	**13**	**23**	**61**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	2	<1	1	2	3	4	6	7
20-34	37	2.5	3	<1	1	2	4	5	6	7
35-49	8	4.1	8	<1	<1	4	5	9	10	10
50-64	6	3.5	7	<1	<1	3	5	8	8	8
65+	6	4.2	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	25	4.8	7	2	2	4	7	10	10	10
20-34	78	4.5	4	2	2	4	6	7	8	10
35-49	21	5.4	8	2	2	6	6	9	12	13
50-64	7	6.1	8	4	4	5	8	11	11	11
65+	7	12.7	36	6	6	12	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.8	28	1	1	3	4	7	9	35
20-34	175	4.3	11	1	1	4	6	8	10	15
35-49	136	4.3	12	1	1	3	6	8	9	15
50-64	91	5.2	12	1	2	4	7	10	12	16
65+	134	6.9	33	1	2	5	9	13	19	31
B. *Operated*										
0-19 YRS	143	7.8	54	2	3	6	9	15	19	42
20-34	400	8.7	86	2	3	6	10	16	23	54
35-49	197	9.1	61	2	3	7	10	17	27	40
50-64	130	10.5	67	3	3	8	14	22	26	43
65+	146	13.3	135	3	4	10	17	26	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	138	5.2	10	2	2	5	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	618	4.9	19	1	1	4	6	9	12	23
B. *Operated*	1016	9.6	84	2	3	7	11	19	25	51
1. SINGLE DX	215	4.4	9	1	1	4	6	8	10	16
2. MULTIPLE DX	1634	7.8	64	1	2	5	9	16	22	43
A. NOT OPERATED	695	4.7	18	1	1	4	6	9	11	22
B. OPERATED	1154	9.0	77	2	3	6	11	17	24	49
TOTAL 0-19 YRS	270	5.9	42	1	1	4	7	11	16	38
20-34	690	6.8	58	1	2	5	8	13	17	44
35-49	362	7.0	44	1	2	5	8	14	19	37
50-64	234	8.1	49	1	2	6	10	17	22	36
65+	293	10.2	93	2	2	8	13	20	28	52
GRAND TOTAL	**1849**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	3.4	8	1	1	2	5	7	9	13
20-34	93	2.8	4	<1	1	2	4	6	7	10
35-49	28	3.3	11	1	1	2	3	10	11	13
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	74	6.2	15	2	2	6	8	9	10	28
20-34	86	6.1	11	2	3	6	7	9	11	22
35-49	25	7.0	12	2	4	7	8	10	14	18
50-64	7	5.7	10	2	2	6	8	10	10	10
65+	7	8.0	23	1	1	9	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	3.5	8	1	1	2	5	8	10	12
20-34	256	3.6	7	1	1	3	4	7	9	14
35-49	109	4.2	15	1	1	3	5	9	10	21
50-64	64	4.9	12	1	1	4	7	10	11	15
65+	90	6.2	34	1	2	5	8	12	15	35
B. *Operated*										
0-19 YRS	349	10.6	101	3	4	8	12	20	26	52
20-34	627	11.5	117	3	4	8	13	23	33	68
35-49	197	11.8	98	4	5	9	14	26	31	57
50-64	122	12.8	93	3	5	10	15	32	41	99+
65+	137	17.2	260	2	3	12	22	37	54	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.2	7	1	1	2	4	7	9	13
B. *Operated*	199	6.3	13	2	3	6	8	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	835	4.0	13	1	1	3	5	9	11	15
B. *Operated*	1432	12.0	125	3	4	8	14	24	34	69
1. SINGLE DX	497	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	2267	9.0	99	1	2	7	10	18	28	56
A. NOT OPERATED	1133	3.8	11	1	1	3	5	8	10	14
B. OPERATED	1631	11.3	115	2	4	8	12	23	33	66
TOTAL 0-19 YRS	909	6.4	56	1	1	5	8	12	17	35
20-34	1062	8.4	87	1	1	6	9	16	25	55
35-49	359	8.5	74	1	1	6	10	17	27	44
50-64	198	9.7	77	1	2	8	12	20	33	73
65+	236	12.7	193	2	2	8	15	31	39	73
GRAND TOTAL	**2764**	**8.2**	**86**	**1**	**1**	**6**	**10**	**16**	**25**	**53**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	1	1	1	1	4	5	5
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	151	2.3	4	<1	1	2	3	4	5	10
20-34	99	2.8	3	<1	1	2	4	5	6	9
35-49	54	3.1	6	1	1	3	4	5	7	15
50-64	18	2.7	2	<1	1	3	4	5	6	6
65+	6	4.0	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	<1	1	3	5	6	8	9
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	5	4.6	19	2	2	2	7	12	12	12
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	199	3.5	8	1	1	3	5	7	8	14
20-34	223	3.8	10	1	1	3	5	7	9	16
35-49	96	4.1	8	1	1	3	6	8	10	14
50-64	50	3.9	5	1	1	4	5	7	9	10
65+	43	5.3	80	1	1	3	5	9	13	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.3	4	1	1	1	3	6	7	7
B. *Operated*	328	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	3.2	6	<1	1	2	4	6	8	12
B. *Operated*	611	3.9	14	1	1	3	5	7	9	15
1. SINGLE DX	345	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	654	3.8	13	1	1	3	5	7	9	14
A. NOT OPERATED	60	3.0	5	<1	1	2	4	6	8	12
B. OPERATED	939	3.5	11	1	1	3	5	6	8	14
TOTAL 0-19 YRS	379	3.0	7	<1	1	2	4	6	7	14
20-34	337	3.5	8	1	1	3	5	6	8	14
35-49	157	3.8	8	1	1	3	5	7	9	14
50-64	73	3.5	4	1	1	3	5	6	7	10
65+	53	5.1	65	1	1	3	5	8	11	58
GRAND TOTAL	**999**	**3.4**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	1	1	2	3	3	4
20-34	45	2.0	1	<1	<1	2	3	4	4	5
35-49	13	1.8	2	<1	<1	1	2	4	5	5
50-64	7	3.1	5	1	1	2	5	7	7	7
65+	5	1.6	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	261	1.6	2	<1	<1	1	2	3	5	7
20-34	140	2.0	4	<1	<1	1	2	4	5	8
35-49	28	1.5	1	<1	<1	1	2	2	4	5
50-64	16	2.1	2	<1	<1	2	3	5	5	5
65+	16	2.6	5	1	1	2	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.5	6	<1	<1	2	3	4	6	15
20-34	210	2.5	3	<1	<1	2	3	5	6	9
35-49	77	3.1	7	1	1	2	4	7	8	14
50-64	50	3.5	31	<1	1	2	4	6	9	36
65+	77	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	549	2.5	5	1	1	2	3	5	7	10
20-34	707	3.2	20	<1	1	2	3	7	9	17
35-49	281	4.2	54	<1	1	2	4	8	12	32
50-64	171	3.7	15	1	1	2	5	7	10	22
65+	229	4.6	23	1	1	3	5	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	1.9	1	<1	<1	1	2	4	4	6
B. *Operated*	461	1.8	3	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	559	2.9	8	<1	1	2	4	6	7	15
B. *Operated*	1937	3.3	21	<1	1	2	4	7	10	22
1. SINGLE DX	580	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	2496	3.2	18	<1	1	2	4	6	9	20
A. NOT OPERATED	678	2.7	7	<1	1	2	3	5	7	14
B. OPERATED	2398	3.0	18	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1004	2.2	5	<1	1	2	3	4	6	10
20-34	1102	2.8	14	<1	1	2	3	6	8	15
35-49	399	3.7	40	<1	1	2	4	7	10	28
50-64	244	3.5	17	1	1	2	4	7	10	24
65+	327	4.3	19	1	1	3	5	9	13	24
GRAND TOTAL	**3076**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.9	1	<1	1	2	2	3	4	7
20-34	171	1.8	2	<1	<1	1	2	3	4	7
35-49	45	1.9	2	<1	<1	1	2	4	5	9
50-64	13	2.0	2	1	1	1	3	4	6	6
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	136	2.1	3	<1	<1	1	3	4	5	10
20-34	137	3.2	7	<1	1	2	5	6	8	13
35-49	40	2.4	4	<1	1	2	3	5	7	10
50-64	8	2.8	5	<1	<1	2	4	6	7	7
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.3	2	<1	<1	2	3	5	6	8
20-34	184	2.5	5	<1	<1	2	3	5	6	12
35-49	72	2.6	5	<1	<1	2	3	6	7	11
50-64	22	3.3	6	<1	1	3	4	8	9	9
65+	12	5.3	15	<1	1	5	8	11	11	11
B. *Operated*										
0-19 YRS	169	4.5	18	1	1	3	6	9	12	23
20-34	341	6.1	56	1	1	4	8	11	17	34
35-49	139	7.3	68	1	1	5	9	15	20	57
50-64	36	8.1	61	<1	1	6	10	20	21	36
65+	22	5.7	21	<1	1	4	9	11	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	323	2.6	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	364	2.6	5	<1	<1	2	3	5	7	11
B. *Operated*	707	6.0	49	1	1	4	8	12	17	33
1. SINGLE DX	648	2.2	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1071	4.9	37	<1	1	3	6	10	14	29
A. NOT OPERATED	689	2.2	4	<1	<1	2	3	4	6	10
B. OPERATED	1030	5.0	38	<1	1	3	6	10	14	30
TOTAL 0-19 YRS	473	2.9	9	<1	1	2	3	6	8	14
20-34	833	3.9	29	<1	1	2	5	8	11	22
35-49	296	4.7	40	<1	1	3	6	10	15	28
50-64	79	5.2	37	<1	1	3	7	13	20	32
65+	38	5.2	18	<1	1	3	8	11	13	18
GRAND TOTAL	**1719**	**3.9**	**26**	**<1**	**1**	**2**	**5**	**8**	**11**	**22**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	3	<1	1	3	3	5	6	10
20-34	171	2.6	3	<1	1	2	3	5	6	8
35-49	53	3.2	4	1	1	3	4	6	8	8
50-64	22	2.4	2	1	1	2	3	4	5	7
65+	10	2.6	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	519	1.9	4	<1	<1	1	2	4	5	10
20-34	917	2.2	4	<1	<1	1	2	5	7	11
35-49	391	2.2	4	<1	1	1	3	4	6	12
50-64	171	2.1	5	<1	1	1	2	5	5	11
65+	63	2.1	3	1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.4	23	1	1	3	4	6	6	27
20-34	204	3.5	20	<1	1	2	4	6	9	27
35-49	98	3.5	8	<1	1	3	4	6	10	15
50-64	53	4.2	10	1	1	3	6	8	11	17
65+	37	5.5	29	1	1	4	7	11	11	32
B. *Operated*										
0-19 YRS	553	2.9	12	<1	1	2	3	6	9	18
20-34	1027	3.1	13	<1	1	2	3	7	9	20
35-49	456	3.5	23	<1	1	2	4	8	11	30
50-64	285	3.7	34	1	1	2	4	7	11	36
65+	182	5.0	51	1	1	3	6	10	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2061	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	510	3.7	18	1	1	3	4	6	9	18
B. *Operated*	2503	3.3	20	1	1	2	4	7	10	24
1. SINGLE DX	2434	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX	3013	3.4	20	1	1	2	4	7	10	23
A. NOT OPERATED	883	3.3	12	<1	1	3	4	6	8	16
B. OPERATED	4564	2.8	13	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	1307	2.5	9	<1	1	2	3	5	7	15
20-34	2319	2.7	10	<1	1	2	3	6	8	15
35-49	998	3.0	14	<1	1	2	3	6	8	19
50-64	531	3.2	21	1	1	2	3	6	9	19
65+	292	4.4	38	1	1	2	5	9	12	33
GRAND TOTAL	**5447**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.7	3	<1	1	2	4	5	6	9
20-34	144	2.8	4	<1	1	2	4	6	7	9
35-49	40	2.5	2	<1	1	2	3	5	6	7
50-64	15	3.0	4	<1	<1	3	5	6	7	7
65+	5	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	422	3.1	11	<1	1	2	4	6	7	19
20-34	357	3.8	19	<1	1	2	4	8	12	24
35-49	114	4.0	22	<1	1	3	5	9	11	56
50-64	51	4.8	32	1	1	3	5	12	21	27
65+	16	7.0	98	<1	1	4	9	13	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.2	10	1	1	3	5	7	10	17
20-34	118	3.8	7	1	1	3	5	7	9	14
35-49	41	5.4	19	1	1	4	7	10	15	21
50-64	35	5.6	16	1	2	4	6	12	12	20
65+	48	6.5	28	1	2	5	7	13	20	24
B. *Operated*										
0-19 YRS	287	5.9	35	1	1	4	8	13	19	28
20-34	382	6.9	71	1	1	4	8	16	25	40
35-49	157	8.0	115	1	1	5	9	16	30	60
50-64	113	9.5	80	1	2	7	13	19	26	72
65+	117	10.0	104	2	2	6	14	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	2.7	3	<1	1	2	4	5	7	9
B. *Operated*	960	3.6	18	<1	1	2	4	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	348	4.7	14	1	1	4	6	9	12	20
B. *Operated*	1056	7.4	74	1	1	5	9	16	25	48
1. SINGLE DX	1286	3.4	14	<1	1	2	4	7	9	22
2. MULTIPLE DX	1404	6.7	60	1	1	4	8	14	20	41
A. NOT OPERATED	674	3.7	10	1	1	3	5	7	9	17
B. OPERATED	2016	5.6	51	1	1	3	6	13	18	39
TOTAL 0-19 YRS	937	4.0	19	1	1	3	5	8	12	21
20-34	1001	4.8	38	1	1	3	5	10	15	32
35-49	352	5.8	65	1	1	4	7	12	18	59
50-64	214	7.3	58	1	1	5	10	16	22	54
65+	186	8.6	84	1	2	6	11	18	27	48
GRAND TOTAL	**2690**	**5.1**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.4	7	<1	1	1	2	8	9	9
20-34	34	4.0	14	1	1	2	5	10	12	14
35-49	12	3.3	6	1	1	3	4	7	9	9
50-64	3	3.0	12	1	1	1	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	3.3	11	<1	<1	2	4	9	10	10
35-49	8	4.4	7	1	1	4	6	8	9	9
50-64	4	5.3	62	1	1	2	9	17	17	17
65+	4	8.5	28	3	3	8	13	14	14	14
B. *Operated*										
0-19 YRS	57	8.7	164	<1	1	4	9	23	42	98
20-34	158	6.2	74	<1	1	3	8	15	21	52
35-49	57	9.3	119	1	1	5	13	23	31	51
50-64	31	8.3	264	1	1	3	8	16	26	90
65+	19	9.8	231	1	2	5	9	25	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	72	1	1	7	13	13	13	13
B. *Operated*	65	3.4	11	1	1	2	5	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	25	4.8	19	<1	1	3	6	12	15	17
B. *Operated*	322	7.6	125	<1	1	4	9	17	27	67
1. SINGLE DX	67	3.5	12	1	1	2	5	9	11	14
2. MULTIPLE DX	347	7.4	118	<1	1	4	9	17	25	65
A. NOT OPERATED	27	5.0	21	<1	1	3	7	13	14	17
B. OPERATED	387	6.9	108	<1	1	3	8	16	24	61
TOTAL 0-19 YRS	75	7.2	132	<1	1	3	8	20	38	93
20-34	200	5.7	62	<1	1	3	8	13	18	51
35-49	78	7.7	95	1	1	4	11	17	25	50
50-64	38	7.6	223	1	1	3	8	15	25	90
65+	23	9.6	194	1	2	5	11	18	44	65
GRAND TOTAL	**414**	**6.8**	**103**	**<1**	**1**	**3**	**8**	**15**	**23**	**58**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	3.7	3	2	2	3	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.2	11	<1	1	2	4	8	9	17
20-34	70	3.9	13	1	1	3	4	9	12	19
35-49	40	3.2	9	1	1	2	4	7	9	15
50-64	14	3.1	3	1	1	3	5	5	6	6
65+	9	6.0	32	1	1	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	22	1	1	5	9	13	16	16
20-34	20	3.4	8	<1	<1	2	5	8	9	9
35-49	7	6.4	45	<1	<1	5	7	18	21	21
50-64	8	8.3	19	4	4	7	11	15	15	15
65+	18	4.3	14	1	1	3	7	9	12	14
B. *Operated*										
0-19 YRS	32	2.7	6	<1	<1	2	4	6	7	11
20-34	65	4.7	29	1	1	3	5	10	12	36
35-49	39	5.8	36	1	1	3	7	15	21	23
50-64	36	8.1	128	<1	1	4	10	18	23	64
65+	31	9.3	162	1	1	5	9	21	24	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	4	1	1	3	5	7	7	7
B. *Operated*	177	3.6	12	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	62	5.0	19	<1	1	4	7	9	15	20
B. *Operated*	203	5.9	68	1	1	3	7	12	19	51
1. SINGLE DX	186	3.6	11	1	1	3	5	8	11	16
2. MULTIPLE DX	265	5.7	56	1	1	4	7	12	19	38
A. NOT OPERATED	71	4.8	17	1	1	4	7	9	15	20
B. OPERATED	380	4.8	43	1	1	3	6	11	15	24
TOTAL 0-19 YRS	87	3.3	11	<1	1	2	5	8	9	17
20-34	161	4.1	19	1	1	3	5	9	12	19
35-49	87	4.6	25	1	1	3	6	12	16	23
50-64	58	6.9	86	1	1	4	8	15	19	61
65+	58	7.3	99	1	1	5	9	15	21	65
GRAND TOTAL	**451**	**4.8**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**24**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.5	3	1	1	3	5	5	6	10
20-34	73	3.4	3	1	1	3	5	6	6	8
35-49	27	3.9	4	1	1	4	5	6	7	10
50-64	6	1.8	2	<1	<1	1	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	10.3	24	7	7	8	14	16	16	16
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.6	4	1	1	3	5	6	7	9
20-34	90	3.8	11	1	1	3	5	6	9	20
35-49	33	4.5	9	1	1	5	6	7	9	16
50-64	18	4.4	3	<1	1	5	5	7	7	7
65+	32	3.7	8	1	1	3	5	7	11	12
B. *Operated*										
0-19 YRS	24	4.7	5	1	1	5	6	8	9	9
20-34	28	3.3	4	<1	1	3	5	6	7	10
35-49	13	3.2	3	1	1	3	5	6	6	6
50-64	7	4.6	20	1	1	3	5	12	14	14
65+	6	6.7	30	2	2	4	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.5	3	1	1	3	5	6	6	10
B. *Operated*	11	5.1	19	1	1	4	7	11	16	16
2. MULTIPLE DX										
A. *Not Operated*	316	3.8	7	1	1	4	5	6	7	13
B. *Operated*	78	4.1	8	1	1	4	5	7	10	15
1. SINGLE DX	296	3.5	4	1	1	3	5	6	6	10
2. MULTIPLE DX	394	3.9	7	1	1	4	5	6	8	14
A. NOT OPERATED	601	3.7	5	1	1	3	5	6	7	12
B. OPERATED	89	4.2	9	1	1	4	5	8	10	16
TOTAL 0-19 YRS	348	3.7	4	1	1	3	5	6	7	11
20-34	195	3.6	7	1	1	3	5	6	7	12
35-49	73	4.1	6	1	1	4	5	6	8	15
50-64	33	3.9	7	<1	1	4	5	6	7	14
65+	41	4.1	11	1	1	3	5	9	12	15
GRAND TOTAL	**690**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	1.8	2	<1	1	1	2	3	4	7
20-34	347	2.1	3	<1	1	2	3	4	5	10
35-49	155	2.5	4	1	1	2	3	5	6	10
50-64	36	2.6	5	<1	1	2	3	5	6	13
65+	107	3.4	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	65	3.4	16	<1	1	2	4	9	11	22
20-34	61	2.9	7	1	1	2	3	6	9	13
35-49	36	3.6	9	1	1	3	5	7	11	12
50-64	16	4.3	14	1	1	3	7	10	12	13
65+	16	7.1	29	2	2	5	10	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	899	2.0	2	<1	1	1	2	4	5	8
20-34	1073	2.6	6	<1	1	2	3	5	7	13
35-49	641	3.3	12	<1	1	2	4	7	8	14
50-64	539	4.0	16	1	1	3	5	8	12	20
65+	1408	5.0	14	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	145	3.6	19	1	1	2	4	7	11	21
20-34	217	4.0	16	1	1	3	5	8	12	20
35-49	113	6.0	63	1	1	3	7	14	23	45
50-64	115	6.1	30	1	1	5	8	13	18	56
65+	213	9.0	70	2	3	7	11	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	194	3.6	14	1	1	2	4	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	4560	3.5	11	1	1	2	4	7	10	15
B. *Operated*	803	5.8	44	1	1	4	7	12	17	38
1. SINGLE DX	1299	2.4	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	5363	3.9	17	1	1	3	5	8	11	19
A. NOT OPERATED	5665	3.3	10	<1	1	2	4	7	9	15
B. OPERATED	997	5.4	39	1	1	3	7	12	16	35
TOTAL 0-19 YRS	1519	2.1	5	<1	1	2	2	4	6	11
20-34	1698	2.7	7	<1	1	2	3	5	7	14
35-49	945	3.5	17	<1	1	2	4	7	10	18
50-64	756	4.2	17	1	1	3	5	9	12	22
65+	1744	5.5	23	1	1	4	7	11	13	22
GRAND TOTAL	**6662**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**10**	**18**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	3	<1	1	1	2	4	4	12
20-34	39	2.2	2	1	1	2	3	5	6	6
35-49	9	3.2	10	1	1	2	4	8	11	11
50-64	8	2.6	4	1	1	2	3	6	7	7
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	19	2.8	8	<1	1	2	4	6	10	12
20-34	62	4.8	44	1	1	3	6	11	15	42
35-49	33	5.4	37	1	1	2	9	13	20	24
50-64	11	3.5	7	1	1	3	6	7	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	3	1	1	2	3	5	6	8
20-34	48	3.2	6	1	1	2	5	7	9	10
35-49	25	3.4	9	<1	1	3	4	6	11	13
50-64	15	3.7	8	1	1	2	6	8	9	9
65+	8	7.4	45	2	2	4	11	18	19	19
B. *Operated*										
0-19 YRS	52	4.6	32	1	1	2	7	10	16	33
20-34	124	7.5	90	1	1	4	8	23	28	44
35-49	64	5.2	58	1	1	3	6	9	13	48
50-64	52	8.3	174	1	1	3	9	25	41	99
65+	17	9.9	164	1	1	3	13	33	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.2	4	1	1	1	3	4	6	11
B. *Operated*	127	4.5	33	1	1	2	5	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	138	3.3	9	1	1	2	4	6	9	17
B. *Operated*	309	6.8	93	1	1	3	8	17	27	52
1. SINGLE DX	233	3.4	21	1	1	2	4	8	12	22
2. MULTIPLE DX	447	5.7	69	1	1	3	6	13	24	45
A. NOT OPERATED	244	2.8	7	1	1	2	4	6	8	13
B. OPERATED	436	6.1	77	1	1	3	7	15	25	47
TOTAL 0-19 YRS	161	3.0	14	1	1	2	3	7	9	18
20-34	273	5.4	56	1	1	3	6	10	23	39
35-49	131	4.8	40	1	1	3	6	10	13	39
50-64	86	6.3	113	1	1	3	7	16	27	92
65+	29	8.3	111	1	1	4	11	18	37	45
GRAND TOTAL	**680**	**5.0**	**54**	**1**	**1**	**2**	**5**	**10**	**17**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*	10	1.8	2	<1	<1	1	2	4	5	5
1. SINGLE DX	9	1.9	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX	15	2.1	2	<1	<1	2	3	5	5	5
A. NOT OPERATED	10	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	14	2.1	2	<1	<1	2	3	4	5	5
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	3	4	4
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**24**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.3	1	<1	<1	1	1	2	3	5
20-34	81	1.6	2	<1	<1	1	2	3	5	6
35-49	51	1.4	1	<1	<1	1	2	2	3	5
50-64	42	1.2		<1	<1	1	1	2	2	3
65+	37	1.6	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	114	1.7	2	<1	<1	1	2	3	4	7
20-34	18	2.6	4	<1	<1	2	3	5	7	8
35-49	15	2.7	8	<1	1	1	4	6	10	11
50-64	9	2.8	7	<1	<1	1	5	7	8	8
65+	8	4.1	11	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	2.1	3	<1	1	2	3	4	5	9
20-34	70	3.1	10	<1	1	2	5	7	11	82
35-49	61	2.9	10	<1	<1	2	3	7	9	19
50-64	95	2.9	9	<1	1	2	4	7	11	14
65+	223	4.5	17	1	1	3	6	10	14	21
B. *Operated*										
0-19 YRS	85	3.9	28	1	1	2	4	13	15	28
20-34	43	6.0	33	1	1	4	8	14	19	22
35-49	41	6.6	63	<1	1	4	8	13	21	44
50-64	57	6.0	50	<1	1	3	8	14	21	36
65+	148	5.7	35	1	1	4	8	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	164	2.0	4	<1	1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	617	3.3	11	<1	1	2	4	8	11	18
B. *Operated*	374	5.5	39	1	1	3	7	13	18	31
1. SINGLE DX	692	1.5	2	<1	<1	1	1	3	4	7
2. MULTIPLE DX	991	4.1	23	1	1	2	5	10	14	25
A. NOT OPERATED	1145	2.4	7	<1	<1	1	3	5	8	15
B. OPERATED	538	4.4	31	<1	1	2	5	11	15	28
TOTAL 0-19 YRS	684	1.9	5	<1	<1	1	2	3	5	13
20-34	212	3.1	13	<1	<1	1	4	7	11	21
35-49	168	3.3	24	<1	1	1	4	8	10	27
50-64	203	3.4	21	<1	<1	1	4	8	13	25
65+	416	4.7	23	1	1	3	6	11	15	25
GRAND TOTAL	**1683**	**3.0**	**16**	**<1**	**1**	**1**	**3**	**7**	**11**	**20**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	16	<1	<1	2	5	10	14	16
20-34	14	2.0	2	<1	1	2	2	4	5	5
35-49	7	4.7	6	2	2	4	6	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	49	5.3	30	1	1	3	8	10	20	29
20-34	51	6.4	23	1	1	5	10	13	17	20
35-49	32	5.8	16	1	1	5	9	11	12	17
50-64	7	6.3	22	2	2	5	7	14	16	16
65+	14	9.1	43	1	2	9	12	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.6	104	1	1	5	8	11	13	71
20-34	55	6.5	27	1	1	5	10	14	16	20
35-49	37	6.4	46	1	1	4	9	15	17	34
50-64	23	7.3	45	1	1	6	10	14	24	29
65+	35	10.5	103	2	4	7	12	17	33	55
B. *Operated*										
0-19 YRS	175	14.8	160	2	4	11	19	30	47	95
20-34	140	14.4	127	2	3	12	19	30	38	61
35-49	104	19.1	308	2	4	14	27	50	74	99+
50-64	87	18.2	308	2	3	12	22	47	57	83
65+	82	22.4	266	5	6	18	34	53	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	10	<1	1	2	4	7	10	16
B. *Operated*	153	6.2	26	1	1	5	9	12	18	22
2. MULTIPLE DX										
A. *Not Operated*	224	7.2	70	1	1	6	10	14	17	41
B. *Operated*	588	17.0	222	2	4	13	22	39	56	99+
1. SINGLE DX	193	5.6	24	1	1	4	8	11	17	21
2. MULTIPLE DX	812	14.3	199	1	2	10	19	34	52	99+
A. NOT OPERATED	264	6.6	63	1	1	5	9	13	16	36
B. OPERATED	741	14.8	200	2	2	10	20	34	53	99+
TOTAL 0-19 YRS	315	10.8	139	1	2	8	14	24	33	84
20-34	260	10.5	97	1	2	8	15	23	31	54
35-49	180	13.5	232	1	1	9	18	34	57	99+
50-64	118	15.2	261	2	2	10	19	35	55	76
65+	132	17.7	232	3	4	12	23	45	60	99+
GRAND TOTAL	**1005**	**12.6**	**177**	**1**	**2**	**9**	**17**	**29**	**43**	**88**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 94[illegible] without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	3.8	12	1	1	3	5	8	11	15
20-34	116	3.7	13	1	1	2	5	10	12	18
35-49	45	3.4	10	<1	1	2	4	9	10	14
50-64	18	2.2	4	<1	<1	1	3	6	7	7
65+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
0-19 YRS	44	6.3	48	1	1	4	8	15	21	33
20-34	30	6.1	28	1	1	5	8	11	19	25
35-49	23	5.7	37	<1	1	3	6	16	19	23
50-64	11	12.2	468	1	1	5	10	40	73	76
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	4.7	24	1	1	3	6	10	14	27
20-34	357	3.8	15	<1	1	2	5	8	11	20
35-49	193	4.9	28	1	1	3	6	12	16	27
50-64	114	7.0	63	1	1	4	9	18	20	46
65+	69	6.2	20	1	2	5	9	11	15	24
B. *Operated*										
0-19 YRS	181	7.9	53	1	2	6	10	18	21	47
20-34	141	8.7	59	1	1	7	12	18	25	37
35-49	90	10.9	62	1	2	9	16	23	26	74
50-64	56	10.6	88	1	1	9	17	23	25	46
65+	41	15.2	350	2	3	9	15	50	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	3.7	12	1	1	2	5	8	11	16
B. *Operated*	109	6.7	81	1	1	4	8	15	20	51
2. MULTIPLE DX										
A. *Not Operated*	1353	4.8	26	1	1	3	6	11	14	26
B. *Operated*	509	9.6	87	1	2	7	13	21	26	55
1. SINGLE DX	482	4.4	29	1	1	3	5	10	12	24
2. MULTIPLE DX	1862	6.1	47	1	1	4	8	14	19	33
A. NOT OPERATED	1726	4.5	23	1	1	3	6	10	13	25
B. OPERATED	618	9.1	87	1	2	7	12	20	25	55
TOTAL 0-19 YRS	1037	5.2	29	1	1	3	7	11	16	28
20-34	644	5.0	29	1	1	3	7	11	14	29
35-49	351	6.3	42	1	1	4	9	16	20	32
50-64	199	7.8	91	1	1	4	10	19	23	49
65+	113	9.5	156	2	2	6	10	16	42	96
GRAND TOTAL	**2344**	**5.7**	**44**	**1**	**1**	**4**	**7**	**13**	**18**	**32**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	7
20-34	37	3.5	29	<1	<1	2	4	7	8	33
35-49	13	2.9	3	1	1	3	4	5	6	6
50-64	6	2.7	5	<1	<1	2	5	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	34	2.6	25	<1	1	1	3	4	4	30
20-34	88	2.3	11	1	1	2	3	4	5	22
35-49	28	2.9	9	<1	1	2	3	6	9	15
50-64	7	2.6	7	1	1	1	3	7	8	8
65+	4	4.5	3	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.7	13	1	1	2	5	9	12	16
20-34	52	5.2	52	1	1	3	6	11	14	46
35-49	29	6.4	140	<1	1	3	6	12	22	64
50-64	28	7.0	30	2	2	5	10	18	27	99+
65+	43	6.9	42	1	1	5	9	16	20	29
B. *Operated*										
0-19 YRS	74	2.8	14	1	1	2	3	6	11	80
20-34	155	3.7	38	1	1	2	4	7	11	58
35-49	78	4.6	45	<1	1	2	6	10	22	82
50-64	37	9.2	340	1	1	3	8	13	49	98
65+	20	13.1	283	1	1	6	17	36	52	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.9	15	<1	1	2	4	6	7	25
B. *Operated*	161	2.6	13	1	1	2	3	4	7	27
2. MULTIPLE DX										
A. *Not Operated*	184	5.8	54	1	1	4	7	14	18	58
B. *Operated*	364	4.8	84	1	1	2	5	9	21	93
1. SINGLE DX	251	2.7	13	<1	1	2	3	5	7	28
2. MULTIPLE DX	548	5.1	74	1	1	2	6	11	20	67
A. NOT OPERATED	274	4.8	43	1	1	3	6	11	16	43
B. OPERATED	525	4.1	63	1	1	2	4	8	14	62
TOTAL 0-19 YRS	173	2.8	14	1	1	2	3	5	9	28
20-34	332	3.5	32	1	1	2	4	7	11	35
35-49	148	4.5	53	<1	1	2	5	9	18	64
50-64	78	7.3	176	1	1	4	8	14	36	99+
65+	68	8.6	116	1	1	5	11	20	30	62
GRAND TOTAL	**799**	**4.3**	**56**	**1**	**1**	**2**	**4**	**9**	**15**	**55**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	1.8	3	<1	1	1	2	3	4	10
20-34	200	2.9	15	<1	1	2	3	5	8	20
35-49	76	2.8	6	1	1	2	3	6	9	12
50-64	25	2.5	2	<1	1	2	3	4	5	7
65+	28	5.6	52	1	1	4	6	11	18	38
B. *Operated*										
0-19 YRS	35	4.3	14	<1	1	3	7	10	12	13
20-34	70	4.3	28	<1	1	2	5	11	16	29
35-49	37	5.2	34	<1	1	4	6	11	17	31
50-64	19	5.6	29	1	1	3	8	15	18	19
65+	11	6.3	33	<1	<1	6	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	2.7	5	<1	1	2	3	5	7	12
20-34	406	3.2	8	<1	1	2	4	7	9	13
35-49	226	4.0	16	1	1	3	5	8	11	22
50-64	156	4.6	14	1	1	4	6	9	11	21
65+	296	6.1	25	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	104	8.0	119	1	1	4	8	18	30	59
20-34	218	6.8	57	1	1	4	8	15	25	38
35-49	97	8.6	150	1	1	4	8	22	36	67
50-64	63	12.2	178	1	2	7	16	26	40	66
65+	75	10.5	95	2	3	8	13	22	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.6	11	<1	1	2	3	5	7	15
B. *Operated*	172	4.8	27	<1	1	3	6	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	1381	4.0	14	1	1	3	5	8	11	18
B. *Operated*	557	8.4	106	1	1	5	10	19	29	55
1. SINGLE DX	713	3.1	15	<1	1	2	3	7	10	19
2. MULTIPLE DX	1938	5.3	45	1	1	3	6	11	16	37
A. NOT OPERATED	1922	3.6	14	1	1	2	4	8	10	18
B. OPERATED	729	7.6	90	1	1	4	9	17	26	46
TOTAL 0-19 YRS	648	3.3	27	<1	1	2	3	7	10	26
20-34	894	4.1	25	1	1	2	5	9	12	29
35-49	436	4.9	50	1	1	3	5	10	16	40
50-64	263	6.3	64	1	1	4	7	13	19	44
65+	410	6.8	42	1	2	5	9	14	17	36
GRAND TOTAL	**2651**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	1.6	9	<1	<1	1	2	2	3	5
20-34	542	1.8	4	<1	<1	1	2	3	5	9
35-49	230	2.1	3	<1	<1	2	2	3	5	9
50-64	59	2.1	3	<1	<1	2	3	4	5	11
65+	33	3.2	7	1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	5	3.6	5	1	1	3	5	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	7.0	50	1	1	4	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2476	3.3	34	<1	1	2	3	6	10	33
20-34	3198	3.5	24	<1	1	2	4	7	11	26
35-49	1711	4.0	31	1	1	2	4	8	14	26
50-64	787	5.2	35	1	1	3	6	10	15	30
65+	1039	5.7	20	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	35	6.6	157	<1	<1	3	7	12	28	70
20-34	97	8.2	95	1	1	4	10	23	39	99+
35-49	80	10.9	110	2	2	7	14	25	30	55
50-64	48	11.8	166	2	2	8	14	25	27	84
65+	92	10.1	51	2	4	8	13	20	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2222	1.7	7	<1	<1	1	2	3	4	7
B. *Operated*	15	4.3	21	<1	1	3	6	10	16	18
2. MULTIPLE DX										
A. *Not Operated*	9211	3.9	29	<1	1	2	4	8	13	28
B. *Operated*	352	9.6	104	1	2	6	12	22	28	70
1. SINGLE DX	2237	1.7	7	<1	<1	1	2	3	4	7
2. MULTIPLE DX	9563	4.1	33	<1	1	2	4	9	14	29
A. NOT OPERATED	11433	3.5	26	<1	1	2	4	7	11	25
B. OPERATED	367	9.4	101	1	1	6	12	22	27	68
TOTAL 0-19 YRS	3874	2.7	27	<1	1	2	3	5	7	27
20-34	3838	3.4	24	<1	1	2	3	7	11	27
35-49	2024	4.1	33	<1	1	2	4	9	14	27
50-64	895	5.4	42	1	1	3	6	11	16	30
65+	1169	6.0	24	1	1	5	7	12	15	26
GRAND TOTAL	**11800**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	601	1.8	3	<1	<1	1	2	5	5	6
20-34	194	1.5	1	<1	<1	1	2	2	3	6
35-49	122	1.8	3	<1	1	1	2	3	5	12
50-64	69	1.6	1	<1	1	1	2	3	3	6
65+	36	1.5	1	1	1	1	2	2	3	4
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	3	4	6	7	7
20-34	5	4.2	12	1	1	4	7	9	9	9
35-49	4	5.0	19	1	1	4	8	11	11	11
50-64	5	5.8	29	1	1	4	7	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	2.6	9	<1	1	2	3	5	7	13
20-34	400	2.9	12	<1	1	2	3	6	8	20
35-49	278	2.6	8	<1	1	2	3	5	8	13
50-64	202	3.5	21	<1	1	2	4	8	11	24
65+	183	4.6	26	1	1	3	6	9	14	28
B. *Operated*										
0-19 YRS	19	9.1	420	1	1	2	4	64	91	99+
20-34	23	5.9	32	<1	1	3	8	15	17	20
35-49	19	14.5	283	1	1	7	18	45	52	55
50-64	19	12.0	251	1	2	10	13	22	50	72
65+	14	11.2	97	<1	1	9	12	23	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	1.7	2	<1	<1	1	2	4	5	6
B. *Operated*	21	4.4	13	1	1	4	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	1502	3.0	14	<1	1	2	3	6	9	20
B. *Operated*	94	10.3	215	1	1	5	12	23	48	92
1. SINGLE DX	1043	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	1596	3.5	28	<1	1	2	4	7	11	27
A. NOT OPERATED	2524	2.5	9	<1	1	1	3	5	7	16
B. OPERATED	115	9.2	183	1	1	4	11	21	43	89
TOTAL 0-19 YRS	1066	2.3	13	<1	1	1	2	5	6	12
20-34	622	2.6	10	<1	1	1	3	5	8	19
35-49	423	3.0	25	<1	1	2	3	6	9	27
50-64	295	3.6	36	<1	1	2	3	8	12	26
65+	233	4.5	30	1	1	2	6	10	15	32
GRAND TOTAL	**2639**	**2.8**	**19**	**<1**	**1**	**1**	**3**	**6**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	2.3	10	1	1	1	3	4	6	12
20-34	228	2.0	4	<1	1	1	2	4	5	11
35-49	154	2.1	2	1	1	2	3	4	5	7
50-64	111	2.1	2	1	1	2	3	4	4	10
65+	59	2.4	4	<1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	5	12.6	514	<1	<1	2	18	53	53	53
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	6	7.3	43	1	1	6	9	18	19	19
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	416	3.2	11	1	1	2	4	7	8	12
20-34	413	3.3	10	1	1	2	4	7	9	18
35-49	452	3.2	8	1	1	2	4	6	8	14
50-64	590	4.6	20	1	1	3	6	9	12	27
65+	1315	5.7	23	1	2	4	7	11	14	21
B. *Operated*										
0-19 YRS	34	6.4	177	1	1	2	6	9	31	72
20-34	63	5.5	43	<1	1	3	7	13	19	31
35-49	61	8.0	173	1	1	3	8	19	43	63
50-64	61	9.1	235	1	1	4	11	26	40	99+
65+	179	9.3	112	1	1	7	12	20	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	2.2	5	<1	1	1	3	4	5	11
B. *Operated*	21	7.0	134	<1	1	3	8	16	34	53
2. MULTIPLE DX										
A. *Not Operated*	3186	4.5	18	1	1	3	6	9	12	20
B. *Operated*	398	8.2	135	1	1	5	10	20	31	68
1. SINGLE DX	859	2.3	9	<1	1	2	3	4	6	11
2. MULTIPLE DX	3584	4.9	33	1	1	3	6	10	13	28
A. NOT OPERATED	4024	4.0	17	1	1	3	5	8	11	19
B. OPERATED	419	8.2	135	1	1	4	10	19	31	66
TOTAL 0-19 YRS	742	3.0	19	1	1	2	3	6	8	14
20-34	709	3.2	15	<1	1	2	4	7	9	19
35-49	669	3.4	24	1	1	2	4	6	9	21
50-64	768	4.6	37	1	1	3	6	9	13	31
65+	1555	6.0	34	1	1	4	8	12	15	28
GRAND TOTAL	**4443**	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	23	1	1	2	4	5	9	29
20-34	33	4.1	16	<1	1	2	5	10	15	17
35-49	30	4.3	8	<1	1	4	6	8	11	11
50-64	38	4.9	14	1	1	4	7	9	13	18
65+	59	5.8	50	1	1	3	7	15	20	39
B. *Operated*										
0-19 YRS	238	4.5	21	1	1	3	5	8	14	26
20-34	277	4.8	25	1	1	3	6	11	15	25
35-49	329	5.3	30	1	1	3	8	11	14	21
50-64	553	7.0	47	1	1	6	10	14	17	30
65+	856	7.0	48	1	1	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.7	20	1	1	3	6	10	14	26
20-34	165	5.5	24	1	1	4	7	11	15	26
35-49	201	6.0	27	1	1	5	8	12	16	24
50-64	307	6.4	56	1	1	5	7	14	17	35
65+	594	6.8	37	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	944	7.0	70	1	1	4	8	16	25	45
20-34	869	7.8	71	1	1	5	10	17	23	45
35-49	1147	8.5	79	1	1	6	11	19	27	46
50-64	2219	9.1	87	1	2	7	12	19	25	47
65+	4170	10.8	109	1	2	8	14	22	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	4.7	26	1	1	3	6	10	15	26
B. *Operated*	2253	6.2	41	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1424	6.2	36	1	1	5	8	13	16	29
B. *Operated*	9349	9.5	94	1	2	7	12	20	28	50
1. SINGLE DX	2449	6.1	40	1	1	4	9	13	17	26
2. MULTIPLE DX	10773	9.0	88	1	2	6	12	19	27	48
A. NOT OPERATED	1620	6.0	35	1	1	4	8	12	16	29
B. OPERATED	11602	8.8	86	1	1	6	12	18	26	48
TOTAL 0-19 YRS	1375	6.2	56	1	1	4	7	14	20	40
20-34	1344	6.8	56	1	1	4	9	15	21	39
35-49	1707	7.5	64	1	1	5	10	16	24	43
50-64	3117	8.4	77	1	1	6	11	17	23	43
65+	5679	9.8	95	1	2	7	13	19	28	50
GRAND TOTAL	**13222**	**8.5**	**80**	**1**	**1**	**6**	**11**	**18**	**24**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	1.5	2	<1	<1	1	2	3	3	6
20-34	170	2.1	3	<1	1	1	3	4	5	9
35-49	119	2.2	2	<1	1	2	3	4	6	8
50-64	131	2.5	2	1	1	2	3	5	6	8
65+	164	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	228	1.7	2	<1	<1	1	2	3	4	9
20-34	204	2.3	4	<1	1	1	3	5	7	10
35-49	104	2.7	9	<1	1	2	3	5	7	19
50-64	72	2.9	8	1	1	2	3	5	10	16
65+	69	3.8	20	1	1	2	4	8	10	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	1.7	2	<1	1	1	2	3	5	7
20-34	125	2.9	8	1	1	2	3	5	8	17
35-49	133	3.3	13	1	1	2	4	6	8	21
50-64	228	3.6	7	1	1	3	4	7	9	14
65+	473	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	206	1.7	7	1	1	1	1	3	4	15
20-34	308	2.6	8	1	1	2	3	5	8	17
35-49	235	3.2	13	1	1	2	4	8	10	16
50-64	313	3.4	16	1	1	2	4	7	11	15
65+	686	4.7	31	1	1	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	677	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1037	3.6	9	1	1	3	5	7	10	15
B. *Operated*	1748	3.5	20	1	1	2	4	8	12	22
1. SINGLE DX	1476	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	2785	3.6	16	1	1	2	4	8	11	19
A. NOT OPERATED	1836	3.0	7	1	1	2	4	6	8	13
B. OPERATED	2425	3.2	17	1	1	2	4	7	11	19
TOTAL 0-19 YRS	727	1.6	3	<1	1	1	2	3	4	8
20-34	807	2.5	6	1	1	2	3	5	7	14
35-49	591	2.9	10	1	1	2	4	6	8	16
50-64	744	3.3	10	1	1	2	4	6	9	15
65+	1392	4.3	20	1	1	3	5	9	12	24
GRAND TOTAL	**4261**	**3.1**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.4	7	1	2	4	6	7	10	13
20-34	127	4.8	11	1	2	4	6	9	12	17
35-49	110	5.2	9	2	2	5	6	8	11	17
50-64	73	6.2	18	2	2	5	8	11	14	25
65+	71	7.2	31	2	3	6	9	13	15	35
B. *Operated*										
0-19 YRS	64	7.0	40	1	2	5	9	14	19	35
20-34	111	6.8	50	1	2	5	9	13	14	46
35-49	81	7.2	62	1	2	4	8	18	23	45
50-64	89	9.9	99	1	2	8	13	19	23	63
65+	63	8.8	58	1	2	6	11	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.0	27	1	1	5	7	10	16	32
20-34	234	5.8	21	2	2	5	7	10	13	22
35-49	224	6.6	24	2	2	6	8	12	15	30
50-64	286	7.9	32	2	3	6	10	14	20	32
65+	421	8.2	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	99	10.5	149	1	2	8	12	19	31	71
20-34	234	9.8	113	2	2	7	12	19	30	72
35-49	271	12.2	132	2	3	9	16	27	38	75
50-64	368	13.6	142	2	3	10	18	27	36	60
65+	476	14.8	157	3	4	11	19	30	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	5.4	15	2	2	4	7	10	13	18
B. *Operated*	408	7.9	64	1	2	6	10	16	22	47
2. MULTIPLE DX										
A. *Not Operated*	1281	7.2	28	2	3	6	9	13	17	30
B. *Operated*	1448	12.9	144	2	3	10	17	27	36	79
1. SINGLE DX	866	6.6	39	1	2	5	8	13	16	32
2. MULTIPLE DX	2729	10.2	98	2	3	7	13	21	29	58
A. NOT OPERATED	1739	6.7	25	2	2	5	8	12	16	29
B. OPERATED	1856	11.8	131	2	3	8	15	25	34	67
TOTAL 0-19 YRS	356	7.1	64	1	2	5	8	13	19	40
20-34	706	7.1	58	1	2	5	8	13	17	42
35-49	686	8.7	77	2	2	6	10	18	26	53
50-64	816	10.5	96	2	3	8	13	21	28	55
65+	1031	11.2	101	2	3	8	14	23	31	60
GRAND TOTAL	**3595**	**9.4**	**86**	**2**	**2**	**7**	**11**	**19**	**27**	**53**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.4	3	1	1	2	3	5	6	9
20-34	84	3.1	6	1	1	2	4	7	9	10
35-49	101	3.7	6	1	1	3	6	7	8	13
50-64	67	4.6	15	1	1	4	6	9	13	20
65+	52	4.2	11	1	1	3	6	9	11	14
B. *Operated*										
0-19 YRS	49	3.5	6	1	1	3	5	7	8	10
20-34	117	4.4	18	1	1	3	6	8	11	28
35-49	131	6.1	40	1	1	5	8	12	14	31
50-64	113	5.8	25	1	1	4	8	11	16	25
65+	114	5.2	23	1	1	4	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	2.3	4	1	1	2	3	5	7	10
20-34	446	3.2	11	1	1	2	4	7	9	16
35-49	524	3.9	28	1	1	2	5	9	11	18
50-64	543	5.0	24	1	1	4	6	10	13	27
65+	781	5.5	22	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	552	2.8	28	1	1	1	2	6	11	32
20-34	808	3.8	29	1	1	1	5	9	13	29
35-49	934	5.4	59	1	1	2	7	13	20	49
50-64	1063	7.4	105	1	1	4	10	18	27	51
65+	1722	7.4	78	1	1	4	10	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	3.7	9	1	1	3	5	8	9	14
B. *Operated*	524	5.2	26	1	1	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	2596	4.3	21	1	1	3	6	9	12	20
B. *Operated*	5079	6.0	70	1	1	3	8	15	22	42
1. SINGLE DX	873	4.6	19	1	1	3	6	9	12	23
2. MULTIPLE DX	7675	5.4	54	1	1	3	7	13	18	37
A. NOT OPERATED	2945	4.2	19	1	1	3	6	9	12	19
B. OPERATED	5603	5.9	66	1	1	3	8	14	21	41
TOTAL 0-19 YRS	948	2.6	18	1	1	1	2	5	9	26
20-34	1455	3.6	21	1	1	2	4	8	11	24
35-49	1690	4.9	45	1	1	3	6	11	16	41
50-64	1786	6.5	73	1	1	4	8	14	23	42
65+	2669	6.7	59	1	1	4	9	15	21	35
GRAND TOTAL	**8548**	**5.3**	**50**	**1**	**1**	**3**	**7**	**12**	**18**	**35**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.9	1	1	1	2	3	3	4	6
20-34	9	3.2	2	1	1	3	4	5	5	5
35-49	11	2.8	2	1	1	3	4	5	5	5
50-64	3	2.3		2	2	2	3	3	3	3
65+	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.7	9	1	1	3	4	8	11	12
20-34	42	5.2	15	1	1	4	6	13	14	15
35-49	45	5.5	20	1	2	4	6	14	15	22
50-64	62	4.6	34	1	1	3	5	9	15	32
65+	70	4.4	13	1	1	4	5	9	12	17
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	11	12.0	156	4	4	7	20	60	94	99+
35-49	9	6.0	17	1	1	6	8	12	14	14
50-64	18	8.4	60	1	2	6	13	15	26	33
65+	26	11.2	134	1	1	7	12	31	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.4	2	1	1	2	3	5	5	6
B. *Operated*	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	265	4.6	19	1	1	4	6	10	13	21
B. *Operated*	67	9.5	99	1	2	7	11	26	43	90
1. SINGLE DX	65	2.4	2	1	1	2	3	5	5	7
2. MULTIPLE DX	332	5.6	38	1	1	4	7	12	16	43
A. NOT OPERATED	327	4.2	16	1	1	3	5	8	13	19
B. OPERATED	70	9.2	96	1	1	7	10	22	42	88
TOTAL 0-19 YRS	85	2.9	6	1	1	2	3	6	9	12
20-34	63	6.1	43	1	2	5	7	13	19	92
35-49	65	5.1	17	1	1	4	6	10	15	21
50-64	84	5.4	40	1	1	3	6	13	17	33
65+	100	6.1	52	1	1	4	7	12	17	43
GRAND TOTAL	**397**	**5.1**	**34**	**1**	**1**	**4**	**6**	**11**	**15**	**38**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	400	1.6	1	<1	<1	1	2	3	4	5
35-49	169	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	4	1	1	3	4	7	7	7
20-34	451	2.1	2	1	1	2	3	4	5	7
35-49	207	1.9	2	<1	1	1	2	4	5	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	570	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	670	2.1	2	<1	1	2	3	4	5	7
1. SINGLE DX	570	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	678	2.1	2	<1	1	2	3	4	5	7
A. NOT OPERATED	8	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	1240	1.8	2	<1	<1	1	2	4	4	6
TOTAL 0-19 YRS	10	3.1	4	1	1	3	4	6	7	7
20-34	858	1.8	2	<1	<1	1	2	4	4	6
35-49	377	1.7	1	<1	<1	1	2	3	4	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
GRAND TOTAL	**1248**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	1410	3.0	3	1	2	3	4	5	5	8
2500+	119128	2.7	1	1	2	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	45	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	45	67.9	230	46	52	67	81	88	91	94
1000-1499	247	40.0	244	18	23	37	50	65	69	99+
1500-1749	403	24.2	91	11	13	23	29	37	43	54
1750-2499	6156	6.8	35	2	2	5	9	15	19	28
2500+	81199	3.4	4	2	2	3	4	5	6	10
B. *Operated*										
1-999 G	98	74.9	317	46	55	91	99+	99+	99+	99+
1000-1499	244	51.9	331	26	32	51	66	81	91	99+
1500-1749	143	34.5	184	18	21	33	42	57	72	99+
1750-2499	560	17.6	152	2	5	15	23	31	39	60
2500+	1543	8.4	106	2	2	6	10	15	23	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120540	2.7	1	1	2	2	3	4	5	6
B. *Operated*	46	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	88050	3.9	15	2	2	3	4	6	8	20
B. *Operated*	2588	18.5	450	2	3	10	26	58	82	99+
1. SINGLE DX	120586	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX	90638	4.3	34	2	2	3	5	6	10	31
A. NOT OPERATED	208590	3.2	8	1	2	3	4	5	6	12
B. OPERATED	2634	18.2	446	2	3	10	26	57	81	99+
TOTAL 1-999 G	143	72.7	298	46	52	85	99+	99+	99+	99+
1000-1499	492	46.0	322	21	25	43	60	74	83	99+
1500-1749	547	26.9	136	11	14	25	33	42	49	95
1750-2499	8127	6.9	48	2	2	4	8	16	21	32
2500+	201915	3.0	3	1	2	3	4	5	5	9
GRAND TOTAL	**211224**	**3.4**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	215	4.6	4	2	2	4	5	6	8	12
2500+	1085	4.2	2	2	2	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	6	75.5	198	48	54	78	86	97	99+	99+
1000-1499	75	38.4	230	16	21	35	46	57	69	90
1500-1749	119	24.3	63	13	14	25	30	34	39	44
1750-2499	1148	8.8	45	3	3	6	12	18	23	32
2500+	1191	5.0	8	2	3	5	6	7	9	15
B. *Operated*										
1-999 G	18	78.3	352	47	60	92	99+	99+	99+	99+
1000-1499	54	50.4	415	25	28	52	75	97	99+	99+
1500-1749	43	30.1	101	12	14	33	37	42	49	99+
1750-2499	77	18.9	158	4	6	16	26	35	49	90
2500+	44	18.8	307	2	4	10	31	37	41	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1304	4.3	3	2	2	4	5	6	7	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2539	8.8	89	2	3	5	9	20	29	48
B. *Operated*	236	32.7	575	5	8	30	48	88	99+	99+
1. SINGLE DX	1304	4.3	3	2	2	4	5	6	7	10
2. MULTIPLE DX	2775	10.8	174	3	3	6	12	27	38	86
A. NOT OPERATED	3843	7.3	64	2	3	5	7	15	24	41
B. OPERATED	236	32.7	575	5	8	30	48	88	99+	99+
TOTAL 1-999 G	24	77.6	305	48	57	88	99	99+	99+	99+
1000-1499	131	43.1	343	18	24	41	55	77	96	99+
1500-1749	164	25.8	79	13	14	26	31	38	41	51
1750-2499	1440	8.7	53	2	3	6	11	18	25	34
2500+	2320	4.9	15	2	3	4	5	7	8	21
GRAND TOTAL	**4079**	**8.7**	**129**	**2**	**3**	**5**	**8**	**20**	**32**	**76**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	12	2.5	1	1	1	2	3	4	4	4
2500+	302	2.3	1	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	34.0		34	34	34	34	34	34	34
1500-1749	3	31.3	46	26	26	29	36	39	39	39
1750-2499	70	8.3	67	2	2	6	10	20	21	47
2500+	210	3.4	5	1	1	3	4	6	8	10
B. *Operated*										
1-999 G	1	71.0		71	71	85	99+	99+	99+	99+
1000-1499	3	67.7	432	44	44	79	91	99+	99+	99+
1500-1749										
1750-2499	6	10.7	181	1	1	3	27	29	29	29
2500+	8	4.9	5	1	2	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.3	1	1	1	2	3	4	5	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	284	5.0	35	1	2	3	5	9	18	32
B. *Operated*	18	20.9	798	1	1	6	57	91	99+	99+
1. SINGLE DX	314	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX	302	6.0	92	1	2	3	6	10	22	79
A. NOT OPERATED	598	3.6	19	1	1	2	4	6	9	24
B. OPERATED	18	20.9	798	1	1	6	57	91	99+	99+
TOTAL 1-999 G	1	71.0		71	71	85	99+	99+	99+	99+
1000-1499	4	59.3	572	34	34	76	87	99+	99+	99+
1500-1749	3	31.3	46	26	26	29	36	39	39	39
1750-2499	88	7.7	68	1	2	5	9	20	22	44
2500+	520	2.8	3	1	1	2	3	5	7	9
GRAND TOTAL	**616**	**4.1**	**49**	**1**	**1**	**2**	**4**	**7**	**10**	**47**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	3.8	22	1	1	2	5	12	12	12
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	33.5	2113	1	1	33	66	66	66	66
B. *Operated*										
0-19 YRS	396	1.9	2	<1	1	1	2	3	4	7
20-34	436	1.9	2	<1	1	1	2	3	4	7
35-49	219	2.2	3	<1	1	2	3	4	5	10
50-64	131	2.1	2	<1	1	2	3	4	5	7
65+	111	2.7	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.1		<1	<1	<1	1	2	2	2
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64	3	3.7	14	<1	<1	2	6	8	8	8
65+	8	1.9	2	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	196	2.7	4	<1	1	2	4	5	6	12
20-34	143	3.9	34	1	1	2	4	8	13	25
35-49	85	3.3	30	1	1	2	4	5	7	36
50-64	95	3.2	8	1	1	2	4	7	9	16
65+	105	4.2	32	1	1	3	5	8	10	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.9	297	1	1	2	3	17	55	66
B. *Operated*	1293	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	624	3.4	20	1	1	2	4	6	9	19
1. SINGLE DX	1307	2.1	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	649	3.3	19	1	1	2	4	6	9	18
A. NOT OPERATED	39	3.7	110	<1	<1	1	3	5	10	66
B. OPERATED	1917	2.5	9	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	596	2.2	3	<1	1	2	3	4	5	10
20-34	593	2.4	10	<1	1	2	3	4	6	16
35-49	310	2.5	11	1	1	2	3	5	5	10
50-64	231	2.6	5	<1	1	2	3	5	7	12
65+	226	3.6	35	1	1	2	4	6	10	28
GRAND TOTAL	**1956**	**2.5**	**11**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	4	1	1	1	1	3	7	8
20-34	19	1.5		1	1	1	2	2	2	2
35-49	24	1.6	3	<1	1	1	2	2	5	9
50-64	69	1.8	1	1	1	2	2	2	3	7
65+	94	1.5	1	1	1	1	2	2	3	8
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
20-34	50	2.2	4	<1	<1	1	2	4	8	11
35-49	37	3.2	6	<1	<1	3	5	7	9	10
50-64	42	4.6	57	<1	<1	2	4	12	20	42
65+	60	4.2	28	<1	<1	3	5	7	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	219	1.6	1	1	1	1	2	2	3	8
B. *Operated*	194	3.5	24	<1	<1	2	4	7	10	25
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	413	2.5	13	<1	<1	1	2	5	8	21
A. NOT OPERATED	220	1.6	1	1	1	1	2	2	3	8
B. OPERATED	194	3.5	24	<1	<1	2	4	7	10	25
TOTAL 0-19 YRS	18	1.5	3	<1	<1	1	1	3	6	8
20-34	69	2.0	3	<1	<1	1	2	4	6	10
35-49	61	2.6	5	<1	<1	1	3	6	8	10
50-64	112	2.8	24	<1	<1	2	2	4	8	30
65+	154	2.6	13	<1	1	1	2	5	7	23
GRAND TOTAL	**414**	**2.5**	**13**	**<1**	**<1**	**1**	**2**	**5**	**8**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V5[illegible]-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	2.8	31	<1	<1	2	3	4	6	23
20-34	642	2.5	29	<1	<1	1	2	4	8	70
35-49	230	2.6	47	<1	<1	1	2	4	8	99+
50-64	256	2.6	25	<1	<1	1	3	5	7	59
65+	283	7.3	136	<1	1	3	7	20	30	77
B. *Operated*										
0-19 YRS	179	3.9	18	<1	1	2	6	9	11	17
20-34	554	3.5	11	<1	1	3	5	7	9	13
35-49	364	4.0	11	<1	1	3	6	8	10	15
50-64	260	4.5	11	1	1	3	7	9	10	13
65+	165	6.4	22	1	1	6	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2359	4.3	58	1	1	2	4	7	14	43
20-34	2120	4.4	58	1	1	2	5	7	16	55
35-49	3888	4.1	43	1	1	2	5	7	11	39
50-64	10036	4.2	46	1	1	2	5	6	11	42
65+	10509	7.0	104	1	1	3	6	19	30	52
B. *Operated*										
0-19 YRS	647	4.2	45	<1	1	2	5	9	13	55
20-34	1214	5.0	74	1	1	3	5	10	17	62
35-49	1534	5.2	48	1	1	3	6	10	16	38
50-64	2222	6.3	77	1	1	4	8	12	20	49
65+	2734	8.2	130	1	1	5	9	19	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1845	3.3	50	<1	<1	1	3	6	13	68
B. *Operated*	1522	4.2	14	<1	1	3	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	28912	5.2	70	1	1	3	5	10	22	47
B. *Operated*	8351	6.4	88	1	1	3	7	13	23	57
1. SINGLE DX	3367	3.7	34	<1	<1	2	4	8	11	33
2. MULTIPLE DX	37263	5.5	75	1	1	3	5	11	22	49
A. NOT OPERATED	30757	5.1	69	1	1	3	5	10	21	48
B. OPERATED	9873	6.0	77	1	1	3	7	12	21	53
TOTAL 0-19 YRS	3619	4.1	51	<1	1	2	4	7	13	42
20-34	4530	4.2	53	<1	1	2	4	8	13	50
35-49	6016	4.3	43	1	1	3	5	8	12	39
50-64	12774	4.5	51	1	1	3	5	8	14	43
65+	13691	7.2	109	1	1	4	7	19	30	55
GRAND TOTAL	**40630**	**5.3**	**71**	**1**	**1**	**3**	**5**	**11**	**21**	**49**

Operation Groups

Length of Stay Tables
Operation Groups

505 Hospitals, North Central Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75430	3.1	16	1	1	2	3	5	7	21
20-34	173376	3.1	8	1	1	3	4	5	7	13
35-49	63856	4.1	16	1	1	3	5	8	10	19
50-64	50491	4.6	19	1	1	3	6	9	12	20
65+	39329	5.8	25	1	1	4	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	93730	5.6	78	1	1	3	6	11	20	54
20-34	198338	5.0	32	1	1	4	5	9	13	31
35-49	148194	6.5	46	1	2	5	7	12	18	36
50-64	203053	7.7	59	1	2	6	10	15	21	40
65+	373284	9.3	65	2	2	7	12	18	24	42
TOT. SINGLE DX	402482	3.7	14	1	1	3	4	7	10	18
" MULTIPLE DX	1016599	7.4	59	1	2	5	9	15	21	40
TOTAL 0-19 YRS	169160	4.5	52	1	1	3	4	8	14	42
20-34	371714	4.1	22	1	1	3	5	7	10	25
35-49	212050	5.7	38	1	1	4	7	11	16	32
50-64	253544	7.1	52	1	1	5	9	14	19	38
65+	412613	8.9	63	1	2	7	11	17	23	41
GRAND TOTAL	**1419081**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	7.3	22	2	2	7	9	12	17	27
20-34	117	9.1	39	1	3	8	11	16	19	38
35-49	133	9.4	31	2	4	9	12	16	20	28
50-64	139	12.0	99	3	5	10	14	19	24	58
65+	129	12.5	124	2	4	10	15	20	33	66
2. MULTIPLE DX										
0-19 YRS	220	15.8	278	2	3	11	19	39	57	99+
20-34	174	16.8	211	4	5	12	21	37	57	99+
35-49	263	16.7	157	5	6	13	19	32	46	81
50-64	502	17.8	192	5	6	13	21	35	50	75
65+	737	20.2	184	6	8	16	26	39	51	77
TOT. SINGLE DX	610	10.3	70	2	3	9	12	17	22	46
" MULTIPLE DX	1896	18.3	198	5	6	14	23	36	51	91
TOTAL 0-19 YRS	312	13.3	217	2	2	9	16	30	47	99+
20-34	291	13.7	156	3	4	10	16	31	46	99+
35-49	396	14.3	127	4	5	11	17	28	38	70
50-64	641	16.5	177	5	6	13	20	32	44	74
65+	866	19.1	183	5	7	15	24	36	50	76
GRAND TOTAL	**2506**	**16.3**	**179**	**3**	**5**	**12**	**20**	**34**	**46**	**84**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	6.3	26	2	3	5	7	14	17	29
20-34	47	9.0	19	3	4	8	11	14	17	26
35-49	27	8.0	29	2	3	7	10	15	22	24
50-64	43	9.0	13	3	5	8	12	15	16	16
65+	38	9.9	36	4	5	8	12	21	23	25
2. MULTIPLE DX										
0-19 YRS	81	14.5	253	2	3	8	18	34	48	81
20-34	81	18.3	353	4	4	11	24	50	67	97
35-49	83	20.0	295	4	6	15	27	50	67	99+
50-64	118	18.0	234	4	5	13	23	37	51	84
65+	175	21.1	205	7	8	18	26	39	50	73
TOT. SINGLE DX	222	8.2	26	2	3	7	11	15	20	25
" MULTIPLE DX	538	18.8	258	4	5	14	24	39	56	91
TOTAL 0-19 YRS	148	10.8	167	2	3	6	12	23	35	80
20-34	128	14.9	250	3	4	10	15	35	59	93
35-49	110	17.1	256	3	4	12	22	40	59	99+
50-64	161	15.6	191	4	5	11	18	31	40	75
65+	213	19.1	194	5	7	16	24	35	46	71
GRAND TOTAL	**760**	**15.7**	**214**	**3**	**4**	**11**	**20**	**33**	**48**	**82**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	4.8	14	2	2	4	6	9	10	23
20-34	41	5.1	9	1	2	5	7	9	11	15
35-49	15	5.5	9	1	1	6	7	9	11	12
50-64	5	5.4	2	3	3	6	6	7	7	7
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	125	9.2	109	3	3	6	10	20	28	95
20-34	77	9.6	139	2	3	6	9	18	40	90
35-49	37	9.4	154	2	3	5	8	21	39	61
50-64	19	17.2	212	3	4	13	29	40	46	47
65+	23	15.6	237	2	3	10	18	35	58	62
TOT. SINGLE DX	211	4.9	12	2	2	4	6	9	10	21
" MULTIPLE DX	281	10.4	145	2	3	7	11	26	36	84
TOTAL 0-19 YRS	273	6.8	62	2	2	5	7	12	22	37
20-34	118	8.1	98	2	2	5	9	15	33	77
35-49	52	8.3	115	1	2	5	7	18	22	61
50-64	24	14.7	191	3	4	7	26	34	46	47
65+	25	14.7	227	2	3	9	17	30	57	62
GRAND TOTAL	**492**	**8.1**	**95**	**2**	**2**	**5**	**8**	**17**	**28**	**62**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	5.4	14	1	2	4	7	9	12	22
20-34	23	6.5	13	2	3	6	9	12	14	15
35-49	13	6.4	12	3	3	5	8	12	14	15
50-64	13	9.8	62	3	3	7	13	21	29	31
65+	28	10.8	37	5	6	9	13	16	23	34
2. MULTIPLE DX										
0-19 YRS	160	12.3	232	2	2	6	14	38	50	99+
20-34	32	14.3	308	4	4	9	15	33	90	99+
35-49	44	15.6	244	4	5	11	21	34	73	99+
50-64	68	19.2	206	5	6	15	27	38	46	75
65+	185	20.7	185	6	8	18	26	39	48	78
TOT. SINGLE DX	139	7.2	27	2	3	6	9	14	16	31
" MULTIPLE DX	489	16.9	229	3	4	12	22	38	49	99
TOTAL 0-19 YRS	222	10.4	181	2	2	6	10	30	47	98
20-34	55	11.1	197	3	4	8	13	21	42	99+
35-49	57	13.5	206	4	4	9	16	28	62	98
50-64	81	17.7	194	4	5	13	24	36	43	72
65+	213	19.4	177	6	8	16	25	34	46	77
GRAND TOTAL	**628**	**14.7**	**200**	**2**	**3**	**10**	**19**	**32**	**46**	**97**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	5.3	34	1	2	3	6	9	17	30
20-34	25	5.9	15	1	1	5	9	11	14	14
35-49	18	14.6	310	3	4	7	15	50	59	59
50-64	17	6.8	45	1	2	4	8	20	24	24
65+	11	6.6	21	1	1	8	11	12	13	13
2. MULTIPLE DX										
0-19 YRS	611	7.8	117	1	2	4	8	19	31	79
20-34	129	13.8	239	2	3	8	19	37	52	99+
35-49	85	17.5	252	3	4	12	22	42	48	81
50-64	91	16.6	144	2	5	14	21	35	40	59
65+	91	17.9	122	4	6	15	23	37	42	44
TOT. SINGLE DX	242	6.2	58	1	2	4	7	11	20	50
" MULTIPLE DX	1007	11.1	165	1	2	6	14	28	40	79
TOTAL 0-19 YRS	782	7.3	101	1	2	4	8	17	27	66
20-34	154	12.5	211	1	2	8	14	33	47	99
35-49	103	17.0	261	3	4	11	22	42	50	75
50-64	108	15.1	142	2	4	12	21	31	40	57
65+	102	16.6	123	3	5	14	23	36	42	44
GRAND TOTAL	**1249**	**10.2**	**148**	**1**	**2**	**5**	**12**	**26**	**37**	**72**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	8.2	17	1	3	8	10	15	17	18
20-34	136	7.6	23	3	3	7	9	13	16	28
35-49	355	7.2	14	3	4	6	9	13	15	20
50-64	349	8.0	19	4	4	7	9	13	17	23
65+	293	9.4	21	4	5	9	11	15	18	24
2. MULTIPLE DX										
0-19 YRS	69	13.2	144	4	5	8	16	34	46	93
20-34	186	12.2	103	4	5	9	14	24	34	65
35-49	461	10.4	75	3	4	8	11	19	24	46
50-64	834	11.8	96	4	5	9	14	20	29	55
65+	996	14.3	90	5	7	11	17	25	32	57
TOT. SINGLE DX	1153	8.1	19	3	4	7	10	14	16	23
" MULTIPLE DX	2546	12.6	94	4	5	10	15	23	31	57
TOTAL 0-19 YRS	89	12.1	120	4	5	8	14	29	38	86
20-34	322	10.3	75	3	4	8	11	19	28	52
35-49	816	9.0	52	3	4	7	10	15	20	42
50-64	1183	10.7	77	4	4	8	12	18	25	51
65+	1289	13.1	79	5	6	11	16	23	30	51
GRAND TOTAL	**3699**	**11.2**	**75**	**4**	**4**	**9**	**13**	**20**	**27**	**49**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	8.5	34	2	2	7	13	17	26	99+
20-34	91	5.2	29	1	1	3	7	12	17	25
35-49	123	5.8	22	1	1	4	8	12	15	23
50-64	37	6.9	23	1	2	6	10	14	17	20
65+	20	8.5	121	1	1	7	9	11	33	53
2. MULTIPLE DX										
0-19 YRS	94	13.0	196	2	3	8	15	28	45	69
20-34	172	10.3	125	2	2	7	12	22	31	63
35-49	257	10.3	108	2	2	7	13	22	27	61
50-64	234	12.7	157	2	3	9	15	28	35	70
65+	187	16.5	156	2	4	14	21	33	45	56
TOT. SINGLE DX	304	6.2	33	1	1	5	9	13	16	26
" MULTIPLE DX	944	12.4	147	2	3	9	15	27	35	66
TOTAL 0-19 YRS	127	11.8	158	2	2	8	14	27	36	76
20-34	263	8.5	98	1	1	6	11	18	27	41
35-49	380	8.8	85	1	2	6	11	19	23	51
50-64	271	11.9	143	2	3	9	14	25	34	68
65+	207	15.7	158	2	3	12	20	32	45	56
GRAND TOTAL	**1248**	**10.9**	**126**	**1**	**2**	**8**	**13**	**24**	**32**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.8	3	<1	1	2	3	4	7	10
20-34	69	3.8	31	1	1	2	4	8	9	39
35-49	101	3.6	11	1	1	2	5	8	10	17
50-64	92	3.1	7	1	1	2	4	7	8	13
65+	76	3.3	8	1	1	2	5	8	8	16
2. MULTIPLE DX										
0-19 YRS	19	4.9	46	<1	1	3	5	12	23	30
20-34	71	5.0	32	1	1	3	6	11	16	30
35-49	90	5.2	39	1	1	3	6	11	18	36
50-64	116	5.2	37	1	1	3	7	12	14	34
65+	113	7.9	71	1	1	4	10	21	25	39
TOT. SINGLE DX	359	3.4	13	1	1	2	4	8	9	16
" MULTIPLE DX	409	5.9	48	1	1	3	8	14	21	36
TOTAL 0-19 YRS	40	3.8	24	<1	1	3	4	7	12	30
20-34	140	4.4	32	1	1	3	5	9	12	31
35-49	191	4.3	25	1	1	2	6	9	14	27
50-64	208	4.3	25	1	1	2	6	9	13	30
65+	189	6.1	51	1	1	3	8	15	22	36
GRAND TOTAL	**768**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.1	1	<1	1	2	3	4	5	7
20-34	261	1.9	2	<1	1	1	2	3	4	10
35-49	328	2.1	3	<1	1	2	2	4	5	9
50-64	257	2.2	3	<1	1	2	2	5	6	10
65+	122	2.1	3	<1	1	2	3	3	5	11
2. MULTIPLE DX										
0-19 YRS	113	3.3	34	1	1	2	3	6	9	35
20-34	350	3.2	16	1	1	2	3	7	10	27
35-49	411	3.5	13	1	1	2	4	8	10	19
50-64	412	3.8	30	1	1	2	4	9	12	23
65+	299	5.0	33	1	1	3	7	11	14	32
TOT. SINGLE DX	1028	2.1	3	<1	1	2	2	4	5	9
" MULTIPLE DX	1585	3.8	24	1	1	2	4	9	12	26
TOTAL 0-19 YRS	173	2.9	23	1	1	2	3	5	6	27
20-34	611	2.6	11	<1	1	2	3	5	9	17
35-49	739	2.9	9	<1	1	2	3	6	9	18
50-64	669	3.2	21	1	1	2	3	7	10	17
65+	421	4.2	27	1	1	2	5	10	13	28
GRAND TOTAL	**2613**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**7**	**10**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.6	3	1	1	4	5	6	6	6
20-34	26	5.4	9	2	2	5	6	9	13	15
35-49	26	4.4	6	1	1	4	6	8	10	11
50-64	15	8.1	23	3	4	7	10	12	20	22
65+	14	8.7	26	3	3	7	14	15	18	19
2. MULTIPLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	28	7.0	53	2	3	5	7	13	18	40
35-49	32	6.3	9	2	3	6	8	11	12	13
50-64	46	11.2	66	3	4	9	13	21	34	36
65+	105	12.9	77	4	5	11	15	27	29	48
TOT. SINGLE DX	88	5.9	16	2	2	5	7	12	14	21
" MULTIPLE DX	213	10.7	68	3	4	8	13	21	29	38
TOTAL 0-19 YRS	9	3.7	2	1	1	4	5	6	6	6
20-34	54	6.2	32	2	3	5	7	12	15	39
35-49	58	5.5	9	1	2	5	7	11	11	13
50-64	61	10.5	57	3	4	9	12	21	27	36
65+	119	12.4	73	3	5	10	15	24	29	44
GRAND TOTAL	**301**	**9.3**	**57**	**2**	**3**	**7**	**12**	**18**	**26**	**37**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.4	21	<1	<1	4	6	12	14	14
20-34	21	5.6	15	1	2	5	7	10	15	18
35-49	31	4.2	15	<1	1	3	6	9	10	19
50-64	26	4.2	9	1	1	4	7	8	9	11
65+	10	6.0	30	1	1	4	10	14	18	18
2. MULTIPLE DX										
0-19 YRS	13	7.4	226	1	1	2	6	22	50	56
20-34	55	7.3	70	1	1	4	10	15	22	45
35-49	92	7.1	73	1	1	5	9	16	22	50
50-64	78	6.5	49	1	1	4	8	14	17	40
65+	66	7.3	42	1	1	6	10	16	21	33
TOT. SINGLE DX	95	4.7	16	1	1	4	7	10	12	19
" MULTIPLE DX	304	7.0	65	1	1	5	9	15	21	44
TOTAL 0-19 YRS	20	6.4	152	<1	1	2	5	13	35	56
20-34	76	6.8	55	1	1	5	9	15	20	43
35-49	123	6.3	60	1	1	4	8	14	20	37
50-64	104	5.9	40	1	1	4	7	13	16	38
65+	76	7.2	40	1	1	6	10	16	19	32
GRAND TOTAL	**399**	**6.5**	**54**	**1**	**1**	**4**	**8**	**14**	**19**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.6	1	1	1	2	4	4	4	5
20-34	481	2.8	2	1	1	3	3	4	5	8
35-49	594	2.9	2	1	1	3	4	4	5	9
50-64	394	3.2	4	1	2	3	4	5	5	10
65+	155	3.7	3	1	2	3	5	5	6	11
2. MULTIPLE DX										
0-19 YRS	36	5.2	51	1	2	4	5	7	15	43
20-34	265	3.7	8	1	2	3	4	6	8	17
35-49	428	3.7	8	1	2	3	4	6	7	14
50-64	500	4.6	33	1	2	3	5	7	10	28
65+	413	6.6	51	2	2	4	7	13	18	38
TOT. SINGLE DX	1699	3.0	3	1	1	3	4	5	5	9
" MULTIPLE DX	1642	4.7	29	1	2	4	5	8	12	27
TOTAL 0-19 YRS	111	3.4	19	1	1	3	4	5	5	26
20-34	746	3.1	4	1	1	3	4	5	6	11
35-49	1022	3.2	5	1	1	3	4	5	6	12
50-64	894	4.0	21	1	2	3	4	6	8	19
65+	568	5.8	40	2	2	4	6	11	16	31
GRAND TOTAL	**3341**	**3.8**	**16**	**1**	**2**	**3**	**4**	**6**	**8**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.7	1	1	1	1	2	3	3	7
20-34	78	2.3	2	1	1	2	3	4	5	8
35-49	76	2.6	2	1	1	2	3	5	5	10
50-64	69	3.2	3	1	1	3	4	5	6	11
65+	39	3.5	2	1	2	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	39	3.3	9	<1	1	2	4	7	11	14
20-34	57	5.3	22	1	1	4	7	10	15	23
35-49	107	6.2	38	1	2	4	7	13	21	31
50-64	180	7.7	93	1	2	4	8	15	25	56
65+	243	8.3	59	2	2	5	10	19	26	39
TOT. SINGLE DX	391	2.4	3	1	1	2	3	4	5	8
" MULTIPLE DX	626	7.2	61	1	2	4	8	15	24	40
TOTAL 0-19 YRS	168	2.0	3	1	1	1	2	4	5	11
20-34	135	3.5	13	1	1	2	4	8	10	23
35-49	183	4.7	27	1	1	3	5	10	14	30
50-64	249	6.4	73	1	2	4	6	13	23	51
65+	282	7.6	54	2	2	5	8	17	25	37
GRAND TOTAL	**1017**	**5.3**	**44**	**1**	**1**	**3**	**6**	**11**	**18**	**31**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	6.2	25	1	1	5	9	14	15	15
20-34	22	7.0	6	3	4	7	8	9	12	15
35-49	21	7.4	7	4	4	7	9	11	13	15
50-64	25	7.2	6	3	4	7	9	10	11	13
65+	20	9.0	18	3	5	8	10	15	18	21
2. MULTIPLE DX										
0-19 YRS	23	10.0	32	4	5	9	12	16	24	28
20-34	59	8.9	18	5	5	8	10	13	19	26
35-49	60	11.8	76	4	5	9	15	21	26	55
50-64	99	13.1	139	4	5	10	15	21	48	84
65+	82	14.8	150	4	6	11	18	25	46	62
TOT. SINGLE DX	97	7.5	11	2	4	7	9	11	14	19
" MULTIPLE DX	323	12.3	104	4	5	9	14	22	28	63
TOTAL 0-19 YRS	32	8.9	32	1	3	8	12	14	21	28
20-34	81	8.4	16	4	5	7	10	12	18	25
35-49	81	10.7	62	4	5	8	12	19	23	50
50-64	124	11.9	118	4	5	9	14	19	35	77
65+	102	13.6	130	4	5	10	15	23	41	61
GRAND TOTAL	**420**	**11.2**	**87**	**4**	**5**	**9**	**13**	**19**	**24**	**61**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.6		<1	<1	1	2	3	3	3
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	7	1.6		<1	<1	2	2	2	2	2
50-64	8	1.4		<1	<1	1	2	3	3	3
65+	13	2.0	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	6	2.7	5	1	1	2	3	7	7	7
20-34	4	6.5	41	2	2	4	10	16	16	16
35-49	15	8.6	67	1	1	6	13	19	27	30
50-64	23	6.7	68	1	1	5	10	13	25	38
65+	50	7.2	53	1	1	4	10	17	24	33
TOT. SINGLE DX	40	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	98	7.0	56	1	1	4	10	17	22	36
TOTAL 0-19 YRS	14	2.1	3	<1	<1	2	3	4	6	7
20-34	8	3.8	27	<1	<1	2	4	13	16	16
35-49	22	6.4	56	<1	1	3	7	17	23	30
50-64	31	5.3	56	1	1	2	6	12	18	38
65+	63	6.1	48	1	1	3	8	16	21	32
GRAND TOTAL	**138**	**5.4**	**46**	**<1**	**1**	**2**	**6**	**15**	**18**	**34**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	107	1.4	1	<1	1	1	2	2	3	7
20-34	39	1.8	2	<1	<1	1	2	4	5	8
35-49	32	1.7		<1	1	1	2	3	3	4
50-64	38	1.8	1	<1	1	1	2	4	5	7
65+	32	1.5		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	247	2.9	14	<1	1	2	3	5	8	24
20-34	299	3.3	16	<1	1	2	4	7	10	25
35-49	170	3.5	22	1	1	2	4	8	11	29
50-64	179	4.3	47	1	1	2	4	12	18	41
65+	276	6.6	67	1	1	4	9	16	22	42
TOT. SINGLE DX	248	1.6	1	<1	1	1	2	3	4	7
" MULTIPLE DX	1171	4.2	35	1	1	2	5	10	16	32
TOTAL 0-19 YRS	354	2.5	11	<1	1	1	3	5	7	16
20-34	338	3.2	15	<1	1	2	4	6	10	23
35-49	202	3.2	19	1	1	2	3	7	10	25
50-64	217	3.9	40	1	1	2	3	9	17	41
65+	308	6.1	63	1	1	3	8	15	20	41
GRAND TOTAL	**1419**	**3.7**	**30**	**1**	**1**	**2**	**4**	**9**	**13**	**30**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.7	2	<1	1	1	2	5	5	5
20-34	29	1.3		<1	<1	1	2	2	2	2
35-49	20	1.4		<1	1	1	2	2	3	3
50-64	25	1.5		1	1	1	2	2	3	4
65+	58	1.7	5	1	1	1	2	3	3	17
2. MULTIPLE DX										
0-19 YRS	18	2.1	2	<1	<1	2	3	4	5	6
20-34	25	4.1	114	1	1	2	2	5	18	55
35-49	24	1.8	1	1	1	2	3	3	4	5
50-64	41	2.1	4	1	1	2	2	3	6	13
65+	97	2.4	7	1	1	2	2	4	7	16
TOT. SINGLE DX	147	1.5	2	<1	1	1	2	2	3	6
" MULTIPLE DX	205	2.5	18	1	1	2	2	4	6	16
TOTAL 0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	6
20-34	54	2.6	54	<1	1	1	2	3	5	53
35-49	44	1.6	1	1	1	1	2	3	3	5
50-64	66	1.9	3	1	1	1	2	3	4	12
65+	155	2.2	7	1	1	2	2	3	6	18
GRAND TOTAL	**352**	**2.1**	**12**	**1**	**1**	**1**	**2**	**3**	**5**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.8	8	<1	<1	1	4	8	8	8
20-34										
35-49	5	1.6		1	1	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	9	11.2	581	1	1	2	7	49	75	75
20-34	5	14.2	273	4	4	4	23	42	42	42
35-49	6	5.5	16	2	2	5	6	12	13	13
50-64	5	8.8	59	2	2	5	16	19	19	19
65+	11	7.5	67	1	1	5	12	20	27	28
TOT. SINGLE DX	17	2.9	9	<1	1	2	3	8	10	11
" MULTIPLE DX	36	9.2	200	1	1	4	11	19	38	75
TOTAL 0-19 YRS	17	7.2	313	<1	1	2	6	10	52	75
20-34	5	14.2	273	4	4	4	23	42	42	42
35-49	11	3.7	13	1	1	2	5	9	13	13
50-64	6	9.2	48	2	2	8	15	19	19	19
65+	14	6.5	57	1	1	4	9	15	25	28
GRAND TOTAL	**53**	**7.2**	**147**	**1**	**1**	**3**	**7**	**15**	**27**	**74**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.7	1	1	1	2	2	3	4	5
20-34	68	1.8		1	1	2	2	3	4	5
35-49	73	2.0	1	1	1	2	2	3	4	6
50-64	83	2.1	3	1	1	2	2	4	5	12
65+	289	2.4	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	1.7		1	1	2	2	3	3	3
20-34	29	3.3	7	1	1	3	4	6	7	15
35-49	39	2.6	2	1	1	2	3	5	6	7
50-64	119	2.7	3	1	1	2	3	5	6	12
65+	751	2.8	4	1	1	2	3	5	6	10
TOT. SINGLE DX	531	2.2	2	1	1	2	3	4	5	6
" MULTIPLE DX	957	2.7	4	1	1	2	3	5	6	11
TOTAL 0-19 YRS	37	1.7	1	1	1	2	2	3	3	5
20-34	97	2.3	3	1	1	2	3	4	5	11
35-49	112	2.2	2	1	1	2	3	4	5	7
50-64	202	2.4	4	1	1	2	3	4	5	12
65+	1040	2.7	4	1	1	2	3	4	5	9
GRAND TOTAL	**1488**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.1	5	1	1	3	4	6	7	14
20-34	41	2.9	1	<1	1	3	4	5	5	5
35-49	32	2.6	3	1	1	2	4	5	5	10
50-64	10	2.9	3	1	1	3	4	6	7	7
65+	24	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	59	3.8	4	1	1	3	5	6	8	11
20-34	60	3.6	4	1	1	3	5	7	8	10
35-49	42	4.7	17	1	1	3	6	8	11	24
50-64	37	5.6	23	1	1	4	8	12	16	24
65+	65	5.9	36	1	1	4	8	14	18	30
TOT. SINGLE DX	164	2.8	4	1	1	3	4	5	6	10
" MULTIPLE DX	263	4.7	18	1	1	3	6	9	13	24
TOTAL 0-19 YRS	116	3.5	5	1	1	3	5	6	7	12
20-34	101	3.3	4	1	1	3	4	6	7	9
35-49	74	3.8	12	1	1	3	5	8	9	22
50-64	47	5.0	21	1	1	4	7	10	15	24
65+	89	4.9	30	1	1	3	6	12	15	28
GRAND TOTAL	**427**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.6		1	1	1	2	3	4	4
20-34	16	2.2	1	1	1	2	3	4	4	4
35-49	41	3.0	5	1	1	3	4	5	8	11
50-64	80	2.5	1	1	1	3	3	4	4	5
65+	158	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	25	2.2	3	1	1	1	3	4	6	9
20-34	31	3.4	6	1	1	3	4	8	9	9
35-49	56	4.8	88	1	1	3	4	7	9	68
50-64	119	3.1	4	1	1	3	4	5	8	12
65+	472	3.4	15	1	1	2	4	6	8	19
TOT. SINGLE DX	319	2.5	3	1	1	2	3	4	5	9
" MULTIPLE DX	703	3.4	19	1	1	2	4	6	8	16
TOTAL 0-19 YRS	49	1.9	2	1	1	1	2	3	4	9
20-34	47	3.0	5	1	1	2	4	7	8	9
35-49	97	4.0	53	1	1	3	4	7	9	43
50-64	199	2.8	3	1	1	3	3	5	6	11
65+	630	3.2	13	1	1	2	4	5	8	16
GRAND TOTAL	**1022**	**3.1**	**14**	**1**	**1**	**2**	**4**	**5**	**8**	**12**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	9	1	1	2	4	5	10	16
20-34	24	3.0	2	<1	1	3	4	6	6	6
35-49	25	2.8	3	<1	1	2	4	5	6	7
50-64	34	2.6	3	1	1	2	3	5	5	10
65+	52	2.3	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	26	4.9	12	1	2	5	6	8	10	19
20-34	37	4.1	7	1	1	3	6	7	9	13
35-49	23	5.3	37	1	1	3	7	11	22	25
50-64	51	3.2	6	1	1	3	4	6	6	15
65+	176	4.8	23	1	1	3	6	11	15	27
TOT. SINGLE DX	161	2.7	4	1	1	2	3	5	6	10
" MULTIPLE DX	313	4.5	19	1	1	3	5	8	14	23
TOTAL 0-19 YRS	52	4.1	12	1	1	3	5	7	8	19
20-34	61	3.6	6	1	1	3	5	7	8	13
35-49	48	4.0	21	1	1	3	4	8	10	25
50-64	85	2.9	5	1	1	2	4	5	6	13
65+	228	4.2	20	1	1	3	5	9	14	23
GRAND TOTAL	**474**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**11**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.8	4	1	1	2	4	6	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	7	2.1	2	1	1	2	3	5	5	5
50-64	34	1.9	2	1	1	2	2	3	4	10
65+	122	1.6		1	1	2	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	18	4.0	10	1	1	3	6	9	10	10
20-34	21	4.7	6	1	1	5	7	8	9	10
35-49	31	4.3	8	1	1	4	6	7	11	13
50-64	60	3.2	7	1	1	2	4	7	8	15
65+	372	3.2	14	1	1	2	4	6	11	21
TOT. SINGLE DX	178	1.8	1	1	1	2	2	3	4	7
" MULTIPLE DX	502	3.4	13	1	1	2	4	7	10	20
TOTAL 0-19 YRS	31	3.5	8	1	1	2	6	8	9	10
20-34	23	4.5	6	1	1	4	7	8	9	10
35-49	38	3.9	8	1	1	3	5	6	10	13
50-64	94	2.7	6	1	1	2	3	6	7	13
65+	494	2.8	11	1	1	2	3	5	8	20
GRAND TOTAL	**680**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.5	3	<1	1	1	1	2	4	10
20-34	4	1.3		1	1	1	2	2	2	2
35-49	37	1.9	2	<1	<1	2	2	2	5	9
50-64	171	1.5	1	<1	<1	1	2	2	3	5
65+	635	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	16	5.1	52	<1	1	4	4	14	25	29
35-49	80	2.5	7	1	1	2	2	5	7	17
50-64	397	2.5	10	1	1	2	2	5	7	16
65+	1969	2.5	9	1	1	2	2	4	7	16
TOT. SINGLE DX	872	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2472	2.5	10	1	1	2	2	4	7	16
TOTAL 0-19 YRS	35	1.7	3	1	1	1	2	3	4	10
20-34	20	4.3	44	<1	1	2	4	10	22	29
35-49	117	2.3	6	<1	1	2	2	4	7	16
50-64	568	2.2	8	<1	<1	2	2	3	6	14
65+	2604	2.2	8	<1	<1	2	2	3	6	15
GRAND TOTAL	**3344**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**3**	**6**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	16	1.3		<1	<1	1	2	2	2	2
65+	41	1.5		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	10	1.9	1	1	1	1	3	4	4	4
50-64	32	2.3	3	1	1	2	2	6	7	8
65+	124	2.2	2	1	1	2	2	3	7	9
TOT. SINGLE DX	61	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	168	2.2	3	1	1	2	2	4	7	8
TOTAL 0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	12	1.9	1	1	1	2	3	4	4	4
50-64	48	2.0	3	<1	1	1	2	5	6	8
65+	165	2.0	2	1	1	2	2	3	5	8
GRAND TOTAL	**229**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.8	2	1	1	2	4	5	6	7
20-34	97	2.7	4	1	1	2	3	6	8	12
35-49	108	2.6	4	1	1	2	3	5	7	14
50-64	309	2.4	2	1	1	2	3	4	5	8
65+	336	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	46	3.4	5	1	1	3	5	7	8	99+
20-34	145	3.9	9	1	1	3	5	7	9	14
35-49	177	3.8	10	1	1	3	5	7	9	15
50-64	369	3.2	5	1	1	3	4	6	8	13
65+	568	3.3	5	1	1	3	4	6	7	11
TOT. SINGLE DX	893	2.5	3	1	1	2	3	4	6	9
" MULTIPLE DX	1305	3.4	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	89	3.1	4	1	1	3	4	6	7	66
20-34	242	3.4	8	1	1	3	5	7	9	13
35-49	285	3.3	8	1	1	3	4	7	9	14
50-64	678	2.8	4	1	1	2	3	5	6	11
65+	904	3.0	4	1	1	3	4	5	7	10
GRAND TOTAL	**2198**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.6	2	1	1	2	4	5	6	6
20-34	18	3.4	4	<1	1	3	4	6	8	9
35-49	24	2.3	3	<1	1	2	3	5	7	9
50-64	51	2.5	2	1	1	2	3	5	6	7
65+	92	2.6	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	40	3.2	6	1	1	3	4	6	7	14
20-34	172	3.4	10	1	1	3	4	6	8	20
35-49	138	3.1	4	1	1	2	4	6	8	11
50-64	223	3.5	16	1	1	3	4	6	9	26
65+	378	4.1	35	1	1	2	4	8	12	30
TOT. SINGLE DX	206	2.6	4	1	1	2	3	5	7	10
" MULTIPLE DX	951	3.6	21	1	1	2	4	7	10	25
TOTAL 0-19 YRS	61	3.0	5	1	1	3	4	6	7	13
20-34	190	3.4	10	1	1	3	4	6	8	20
35-49	162	2.9	5	1	1	2	3	6	8	10
50-64	274	3.3	14	1	1	2	4	6	8	20
65+	470	3.8	29	1	1	2	4	7	11	28
GRAND TOTAL	**1157**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	1.1		<1	<1	1	1	2	2	2
20-34	42	1.1		<1	<1	1	1	2	2	3
35-49	28	1.3		<1	<1	1	1	2	3	5
50-64	11	1.3		<1	<1	1	2	2	2	2
65+	7	1.7	1	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	81	1.2		<1	<1	1	1	2	2	3
20-34	26	1.3		<1	1	1	1	2	3	4
35-49	25	1.3		<1	1	1	2	2	3	3
50-64	30	1.4	2	<1	<1	1	1	2	2	9
65+	11	1.9	1	1	1	2	2	4	5	5
TOT. SINGLE DX	290	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	173	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	283	1.1		<1	<1	1	1	2	2	2
20-34	68	1.2		<1	<1	1	1	2	2	4
35-49	53	1.3		<1	<1	1	1	2	2	5
50-64	41	1.3	2	<1	<1	1	1	2	2	9
65+	18	1.8	1	<1	1	2	2	3	4	5
GRAND TOTAL	**463**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
TOT. SINGLE DX	5	1.6	2	1	1	1	2	4	4	4
" MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL 0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**1.5**	**2**	**1**	**1**	**1**	**1**	**4**	**4**	**4**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.6	4	<1	<1	2	3	6	7	9
20-34	59	2.8	3	1	1	2	4	5	7	8
35-49	39	3.0	8	1	1	2	3	6	9	16
50-64	42	3.5	19	1	1	2	4	6	12	23
65+	42	2.8	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	78	4.1	10	1	1	3	6	8	10	14
20-34	105	4.6	27	1	1	3	5	10	14	31
35-49	91	4.2	19	1	1	3	5	8	14	23
50-64	90	3.9	14	1	1	3	5	7	13	21
65+	193	5.6	53	1	1	3	7	11	17	40
TOT. SINGLE DX	233	2.9	8	1	1	2	4	6	8	17
" MULTIPLE DX	557	4.7	31	1	1	3	6	10	14	31
TOTAL 0-19 YRS	129	3.5	8	1	1	2	5	7	9	14
20-34	164	4.0	19	1	1	3	4	8	11	26
35-49	130	3.9	16	1	1	3	5	7	12	22
50-64	132	3.8	16	1	1	3	4	7	13	23
65+	235	5.1	45	1	1	3	6	11	15	36
GRAND TOTAL	**790**	**4.2**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	2.0	2	<1	<1	1	2	4	5	8
20-34	40	2.0	2	<1	1	1	2	4	6	7
35-49	16	2.1	6	<1	<1	1	2	5	9	11
50-64	11	1.7	2	<1	<1	1	2	4	6	6
65+	19	2.7	9	1	1	2	3	6	11	14
2. MULTIPLE DX										
0-19 YRS	220	4.3	73	<1	1	3	4	5	12	49
20-34	118	4.6	32	<1	1	3	5	10	17	30
35-49	53	5.0	36	<1	1	3	5	16	20	23
50-64	47	6.1	48	1	1	3	8	14	22	33
65+	120	7.0	63	1	1	4	8	16	27	39
TOT. SINGLE DX	209	2.1	3	<1	1	1	2	4	5	9
" MULTIPLE DX	558	5.1	58	1	1	3	5	11	20	38
TOTAL 0-19 YRS	343	3.5	49	<1	1	2	3	5	8	42
20-34	158	3.9	26	<1	1	2	4	8	13	28
35-49	69	4.3	31	<1	1	2	4	14	20	23
50-64	58	5.3	42	1	1	2	7	13	19	33
65+	139	6.4	58	1	1	4	7	15	27	39
GRAND TOTAL	**767**	**4.3**	**45**	**<1**	**1**	**2**	**4**	**9**	**16**	**35**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4		1	1	1	2	2	2	2
20-34	182	1.5		1	1	1	2	3	3	3
35-49	315	1.7	2	1	1	1	2	3	3	4
50-64	245	1.6		1	1	1	2	3	3	4
65+	107	1.9		1	1	2	3	3	3	4
2. MULTIPLE DX										
0-19 YRS	45	1.3		<1	1	1	2	2	3	3
20-34	77	1.4		1	1	1	2	2	3	5
35-49	124	1.5		1	1	1	2	3	3	4
50-64	107	1.7	1	1	1	1	2	3	3	6
65+	103	2.2	3	1	1	2	3	3	3	12
TOT. SINGLE DX	886	1.7	2	1	1	1	2	3	3	4
" MULTIPLE DX	456	1.7	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	82	1.4		<1	1	1	2	2	2	3
20-34	259	1.5	1	1	1	1	2	3	3	3
35-49	439	1.6	2	1	1	1	2	3	3	4
50-64	352	1.6	1	1	1	1	2	3	3	4
65+	210	2.0	2	1	1	2	3	3	3	5
GRAND TOTAL	**1342**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	387	1.2	2	1	1	1	1	2	2	3
20-34	254	1.3		1	1	1	1	2	2	3
35-49	192	1.2		1	1	1	1	2	2	3
50-64	181	1.3		1	1	1	2	2	2	4
65+	63	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	371	1.3	3	<1	1	1	1	2	2	3
20-34	244	1.7	13	1	1	1	1	2	4	14
35-49	215	1.4	1	1	1	1	2	2	3	6
50-64	231	1.5	1	1	1	1	2	2	3	8
65+	107	2.2	13	1	1	1	2	3	5	24
TOT. SINGLE DX	1077	1.3	1	1	1	1	1	2	2	3
" MULTIPLE DX	1168	1.5	6	1	1	1	2	2	3	9
TOTAL 0-19 YRS	758	1.3	3	1	1	1	1	2	2	3
20-34	498	1.5	7	1	1	1	1	2	3	10
35-49	407	1.3	1	1	1	1	1	2	2	4
50-64	412	1.4	1	1	1	1	2	2	3	6
65+	170	1.9	9	1	1	1	2	2	4	14
GRAND TOTAL	**2245**	**1.4**	**4**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.6	2	<1	<1	1	1	3	4	11
20-34	16	1.8	5	1	1	1	1	3	8	10
35-49	19	1.4	1	<1	1	1	1	2	4	6
50-64	14	4.0	49	<1	1	1	2	10	23	27
65+	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	975	2.4	21	<1	1	1	2	6	8	17
20-34	49	3.8	62	<1	1	1	3	10	14	52
35-49	36	3.2	12	1	1	2	4	9	12	15
50-64	41	7.6	126	<1	1	4	9	15	32	57
65+	45	8.1	54	<1	1	6	12	16	24	32
TOT. SINGLE DX	153	1.8	7	<1	<1	1	1	3	6	14
" MULTIPLE DX	1146	2.9	30	<1	1	1	3	7	11	20
TOTAL 0-19 YRS	1074	2.3	20	<1	1	1	2	5	7	16
20-34	65	3.3	49	<1	1	1	2	8	12	47
35-49	55	2.6	9	1	1	1	2	6	10	15
50-64	55	6.7	108	<1	1	2	8	14	26	56
65+	50	7.5	53	<1	1	5	11	16	23	32
GRAND TOTAL	**1299**	**2.8**	**28**	**<1**	**1**	**1**	**2**	**6**	**10**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	1.6	5	1	1	1	2	2	3	10
20-34	116	1.5		1	1	1	2	2	4	5
35-49	93	1.5		1	1	1	2	3	3	3
50-64	72	1.9	2	1	1	1	2	3	5	10
65+	40	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	331	1.9	11	1	1	1	2	2	5	16
20-34	236	1.7	6	1	1	1	2	2	4	11
35-49	184	1.9	3	1	1	1	2	3	6	9
50-64	214	1.9	2	1	1	1	2	3	5	9
65+	132	2.5	7	1	1	2	3	4	8	17
TOT. SINGLE DX	479	1.6	3	1	1	1	2	3	3	7
" MULTIPLE DX	1097	1.9	7	1	1	1	2	3	5	12
TOTAL 0-19 YRS	489	1.8	9	1	1	1	2	2	4	14
20-34	352	1.6	5	1	1	1	2	2	4	11
35-49	277	1.8	3	1	1	1	2	3	4	9
50-64	286	1.9	3	1	1	1	2	3	5	10
65+	172	2.3	6	1	1	2	2	4	7	15
GRAND TOTAL	**1576**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**4**	**11**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	1.7	2	<1	1	1	2	3	4	10
20-34	88	1.7	1	1	1	1	2	3	4	7
35-49	119	1.8	1	1	1	2	2	3	4	6
50-64	109	1.8		1	1	2	2	3	3	5
65+	47	2.1	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	139	2.3	30	<1	1	1	2	4	7	19
20-34	96	2.0	4	1	1	1	2	4	7	13
35-49	100	2.4	6	1	1	1	2	5	8	14
50-64	115	2.2	4	1	1	2	2	4	6	12
65+	84	4.7	132	1	1	2	4	8	13	77
TOT. SINGLE DX	437	1.8	1	1	1	1	2	3	4	6
" MULTIPLE DX	534	2.6	32	1	1	1	2	5	8	14
TOTAL 0-19 YRS	213	2.1	21	<1	1	1	2	4	6	12
20-34	184	1.8	3	1	1	1	2	3	5	10
35-49	219	2.1	4	1	1	1	2	4	5	12
50-64	224	2.0	3	1	1	2	2	3	4	10
65+	131	3.8	87	1	1	2	3	6	11	53
GRAND TOTAL	**971**	**2.3**	**19**	**1**	**1**	**1**	**2**	**4**	**5**	**13**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.4		1	1	1	2	2	3	6
20-34	122	1.4		1	1	1	2	2	2	4
35-49	89	1.5		1	1	1	2	2	3	4
50-64	37	1.5		1	1	1	2	3	3	3
65+	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	252	1.7	1	1	1	1	2	3	3	5
20-34	660	1.8	8	1	1	1	2	3	3	8
35-49	541	1.8	7	1	1	1	2	3	3	6
50-64	322	2.0	4	1	1	2	2	3	4	10
65+	110	2.2	1	1	1	2	3	4	4	9
TOT. SINGLE DX	307	1.5	1	1	1	1	2	2	3	4
" MULTIPLE DX	1885	1.9	6	1	1	1	2	3	4	8
TOTAL 0-19 YRS	305	1.6	1	1	1	1	2	3	3	6
20-34	782	1.8	7	1	1	1	2	3	3	8
35-49	630	1.7	6	1	1	1	2	3	3	6
50-64	359	2.0	4	1	1	2	2	3	4	10
65+	116	2.2	2	1	1	2	3	4	4	9
GRAND TOTAL	**2192**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**3**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	1.5	1	1	1	1	2	2	3	6
20-34	431	1.5	1	1	1	1	2	2	4	6
35-49	262	1.5		1	1	1	2	2	3	6
50-64	105	1.6	1	1	1	1	2	3	4	7
65+	42	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	622	1.7	7	1	1	1	2	3	3	11
20-34	1215	1.7	4	1	1	1	2	3	4	9
35-49	905	1.8	2	1	1	1	2	3	4	8
50-64	479	2.1	4	1	1	1	2	3	5	13
65+	252	3.2	14	1	1	2	4	7	10	21
TOT. SINGLE DX	1093	1.5	1	1	1	1	2	2	3	6
" MULTIPLE DX	3473	1.9	5	1	1	1	2	3	5	12
TOTAL 0-19 YRS	875	1.7	5	1	1	1	2	3	3	8
20-34	1646	1.7	4	1	1	1	2	3	4	8
35-49	1167	1.7	2	1	1	1	2	3	4	7
50-64	584	2.0	4	1	1	1	2	3	5	13
65+	294	3.0	13	1	1	2	3	6	8	21
GRAND TOTAL	**4566**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.1	2	1	1	1	3	5	5	6
20-34	54	2.0	1	1	1	2	2	3	5	7
35-49	50	1.6	1	1	1	1	2	3	4	6
50-64	46	1.8		1	1	2	2	3	3	4
65+	60	2.0	5	1	1	1	2	3	4	18
2. MULTIPLE DX										
0-19 YRS	140	2.0	5	1	1	1	2	4	6	16
20-34	270	1.6	2	1	1	1	2	3	4	9
35-49	291	2.4	21	1	1	1	2	4	6	31
50-64	265	2.4	8	1	1	1	3	5	9	15
65+	253	4.6	29	1	1	2	6	11	15	25
TOT. SINGLE DX	247	1.9	3	1	1	1	2	3	4	6
" MULTIPLE DX	1219	2.7	15	1	1	1	2	6	10	21
TOTAL 0-19 YRS	177	2.0	5	1	1	1	2	4	6	14
20-34	324	1.7	2	1	1	1	2	3	4	9
35-49	341	2.3	19	1	1	1	2	4	6	31
50-64	311	2.3	7	1	1	1	2	5	8	14
65+	313	4.1	26	1	1	2	5	10	15	24
GRAND TOTAL	**1466**	**2.5**	**13**	**1**	**1**	**1**	**2**	**5**	**9**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.4		<1	<1	1	1	3	3	5
20-34	158	2.1	3	1	1	1	3	5	6	9
35-49	102	2.9	4	1	1	3	4	5	6	10
50-64	84	3.7	5	1	1	3	5	6	8	11
65+	88	4.1	6	1	1	4	6	8	8	13
2. MULTIPLE DX										
0-19 YRS	276	3.2	41	1	1	2	3	5	9	36
20-34	402	3.1	12	1	1	2	4	7	10	22
35-49	230	3.5	10	1	1	2	4	8	9	15
50-64	284	5.1	25	1	1	4	6	9	13	23
65+	444	5.5	26	1	2	4	7	10	14	25
TOT. SINGLE DX	532	2.7	5	1	1	2	4	6	7	10
" MULTIPLE DX	1636	4.2	24	1	1	3	5	8	12	24
TOTAL 0-19 YRS	376	2.7	31	<1	1	1	2	5	7	30
20-34	560	2.8	10	1	1	2	3	6	9	15
35-49	332	3.3	8	1	1	2	4	7	9	14
50-64	368	4.8	21	1	1	4	6	8	12	22
65+	532	5.3	23	1	2	4	7	10	13	25
GRAND TOTAL	**2168**	**3.8**	**20**	**1**	**1**	**2**	**5**	**8**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.2	6	1	1	1	3	3	8	12
20-34	77	2.1	4	1	1	1	2	3	5	13
35-49	105	2.0	3	1	1	1	2	3	5	10
50-64	75	1.9	3	1	1	1	2	3	5	12
65+	31	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	58	4.4	122	1	1	1	2	6	19	70
20-34	142	2.5	6	1	1	2	3	4	8	13
35-49	192	2.7	11	1	1	2	3	5	9	22
50-64	181	3.7	32	1	1	2	3	8	12	36
65+	140	3.8	17	1	1	2	4	9	13	21
TOT. SINGLE DX	307	2.0	4	1	1	1	2	3	5	12
" MULTIPLE DX	713	3.3	26	1	1	2	3	7	11	23
TOTAL 0-19 YRS	77	3.9	94	1	1	1	2	5	18	64
20-34	219	2.4	6	1	1	2	3	4	7	13
35-49	297	2.5	9	1	1	2	2	4	8	20
50-64	256	3.2	24	1	1	2	3	7	11	28
65+	171	3.5	15	1	1	2	4	8	12	20
GRAND TOTAL	**1020**	**2.9**	**20**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.7	7	1	1	1	4	6	8	16
20-34	90	2.4	5	1	1	1	3	6	7	12
35-49	84	2.0	2	1	1	1	2	4	5	11
50-64	68	2.6	8	<1	1	2	3	6	7	19
65+	33	2.6	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	139	5.4	35	1	1	3	7	14	17	28
20-34	255	3.7	29	1	1	2	4	8	13	33
35-49	291	3.7	30	1	1	2	4	9	13	30
50-64	282	4.1	54	1	1	2	5	9	13	27
65+	219	5.3	39	1	1	3	7	12	20	31
TOT. SINGLE DX	323	2.4	6	1	1	1	3	5	7	13
" MULTIPLE DX	1186	4.3	39	1	1	2	5	10	14	29
TOTAL 0-19 YRS	187	4.7	30	1	1	2	6	13	16	28
20-34	345	3.3	24	1	1	2	4	7	11	24
35-49	375	3.3	24	1	1	2	3	8	12	26
50-64	350	3.8	46	1	1	2	4	8	11	26
65+	252	5.0	36	1	1	3	6	11	19	30
GRAND TOTAL	**1509**	**3.9**	**32**	**1**	**1**	**2**	**4**	**9**	**13**	**27**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	1.3		<1	<1	1	1	2	3	4
20-34	58	2.9	26	<1	<1	2	2	4	8	29
35-49	33	2.4	10	1	1	2	2	3	5	20
50-64	15	1.7	1	1	1	1	2	2	5	6
65+	10	3.3	23	<1	<1	2	2	10	17	17
2. MULTIPLE DX										
0-19 YRS	232	3.9	61	1	1	2	3	6	15	42
20-34	265	6.6	128	1	1	2	6	20	29	62
35-49	213	7.1	113	1	1	3	8	17	31	54
50-64	257	5.4	63	1	1	2	6	11	22	42
65+	319	7.7	118	1	1	3	9	18	29	56
TOT. SINGLE DX	182	2.2	12	<1	<1	1	2	3	5	25
" MULTIPLE DX	1286	6.2	100	1	1	2	6	15	27	54
TOTAL 0-19 YRS	298	3.3	49	<1	1	2	3	5	11	40
20-34	323	5.9	112	1	1	2	4	17	28	54
35-49	246	6.5	102	1	1	2	7	17	26	54
50-64	272	5.2	61	1	1	2	6	11	22	42
65+	329	7.6	116	1	1	3	9	18	29	55
GRAND TOTAL	**1468**	**5.7**	**91**	**1**	**1**	**2**	**6**	**14**	**25**	**53**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	2	<1	<1	1	1	5	5	5
20-34	11	5.0	29	1	1	4	5	13	19	20
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	9	2.0	1	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	89	3.4	54	<1	<1	1	2	6	12	43
20-34	20	3.6	10	<1	<1	2	5	9	11	12
35-49	12	12.4	495	1	1	3	10	46	73	77
50-64	8	2.8	1	2	2	3	3	4	5	5
65+	3	22.3	620	6	6	10	41	51	51	51
TOT. SINGLE DX	35	2.8	12	<1	1	2	4	5	7	20
" MULTIPLE DX	132	4.6	103	<1	<1	2	3	10	26	56
TOTAL 0-19 YRS	101	3.2	48	<1	<1	1	2	6	11	40
20-34	31	4.1	17	<1	1	2	5	9	12	20
35-49	14	10.9	435	<1	1	3	8	37	68	77
50-64	17	2.4	1	1	1	2	3	4	5	5
65+	4	17.0	527	1	1	8	30	51	51	51
GRAND TOTAL	**167**	**4.2**	**85**	**<1**	**<1**	**2**	**3**	**8**	**14**	**52**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	1.9		<1	<1	2	3	3	3	4
20-34	18	2.5	2	1	1	2	3	5	6	6
35-49	36	1.9	1	<1	1	2	2	3	5	6
50-64	59	2.1	1	1	1	2	3	3	4	5
65+	19	2.6	2	1	1	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	92	3.3	23	1	1	2	3	7	9	76
20-34	68	4.3	36	1	1	2	4	14	20	29
35-49	81	4.6	76	1	1	2	4	9	18	55
50-64	119	2.5	5	1	1	2	3	4	6	16
65+	95	5.5	68	1	1	2	5	14	18	52
TOT. SINGLE DX	160	2.1	1	1	1	2	3	3	5	6
" MULTIPLE DX	455	3.9	40	1	1	2	3	8	15	44
TOTAL 0-19 YRS	120	2.9	19	1	1	2	3	6	8	61
20-34	86	3.9	30	1	1	2	3	8	18	27
35-49	117	3.8	55	1	1	2	3	6	13	42
50-64	178	2.3	4	1	1	2	3	4	5	13
65+	114	5.0	58	1	1	2	4	13	17	49
GRAND TOTAL	**615**	**3.4**	**31**	**1**	**1**	**2**	**3**	**6**	**12**	**29**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	2.0	3	<1	<1	1	2	4	5	11
20-34	235	2.2	2	1	1	2	3	3	4	11
35-49	282	2.1	1	1	1	2	3	4	4	7
50-64	299	2.3	2	1	1	2	3	4	4	8
65+	184	2.7	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	44	3.7	12	1	1	2	4	10	12	14
20-34	102	3.0	12	1	1	2	3	5	7	23
35-49	165	3.0	5	1	1	2	3	6	8	14
50-64	283	3.6	12	1	1	3	4	7	9	27
65+	396	4.9	42	1	1	3	5	10	14	25
TOT. SINGLE DX	1065	2.3	2	1	1	2	3	4	5	9
" MULTIPLE DX	990	3.9	24	1	1	3	4	7	11	21
TOTAL 0-19 YRS	109	2.7	7	<1	1	2	3	6	10	13
20-34	337	2.4	6	1	1	2	3	4	5	15
35-49	447	2.4	3	1	1	2	3	4	5	10
50-64	582	2.9	8	1	1	2	3	5	7	16
65+	580	4.2	31	1	1	3	4	8	12	21
GRAND TOTAL	**2055**	**3.1**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	229	2.8	2	1	1	3	4	5	5	8
20-34	10	2.1	1	1	1	2	3	4	5	5
35-49	8	2.6	1	1	1	3	4	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	279	3.3	4	1	2	3	4	5	6	13
20-34	19	2.2	2	1	1	2	3	5	6	6
35-49	30	3.2	12	1	1	2	4	6	8	19
50-64	25	3.8	19	1	1	2	4	12	15	18
65+	10	3.3	10	1	1	2	3	9	11	11
TOT. SINGLE DX	251	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	363	3.3	6	1	1	3	4	5	7	14
TOTAL 0-19 YRS	508	3.1	3	1	1	3	4	5	6	10
20-34	29	2.2	2	1	1	2	3	5	6	6
35-49	38	3.1	10	1	1	2	4	5	7	19
50-64	28	3.7	18	1	1	2	4	10	14	18
65+	11	3.3	9	1	1	2	3	9	11	11
GRAND TOTAL	**614**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	308	2.8	5	1	1	2	3	5	7	10
20-34	88	4.1	10	<1	1	3	6	8	9	18
35-49	75	3.5	11	1	1	2	4	8	9	18
50-64	114	3.6	15	1	1	2	4	7	13	20
65+	101	3.0	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	442	3.6	21	1	1	2	4	7	10	29
20-34	302	4.2	20	<1	1	3	5	9	11	31
35-49	239	5.8	49	1	1	3	7	14	20	38
50-64	332	8.0	98	1	1	5	10	18	27	50
65+	399	7.2	73	1	1	4	9	17	23	44
TOT. SINGLE DX	686	3.2	9	1	1	2	4	7	8	17
" MULTIPLE DX	1714	5.7	55	1	1	3	7	13	20	38
TOTAL 0-19 YRS	750	3.3	15	1	1	2	4	6	9	21
20-34	390	4.2	18	<1	1	3	5	8	11	30
35-49	314	5.2	42	1	1	3	7	12	18	34
50-64	446	6.9	81	1	1	4	8	16	24	47
65+	500	6.3	63	1	1	4	8	15	21	41
GRAND TOTAL	**2400**	**5.0**	**43**	**1**	**1**	**3**	**6**	**11**	**17**	**34**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3143	1.2		1	1	1	1	2	2	3
20-34	1825	1.2		1	1	1	1	2	2	4
35-49	196	1.3		1	1	1	2	2	2	4
50-64	40	1.7	1	1	1	1	2	3	4	5
65+	11	2.8	14	1	1	2	3	8	13	14
2. MULTIPLE DX										
0-19 YRS	1188	1.4	2	1	1	1	1	2	3	7
20-34	612	1.6	3	1	1	1	2	3	4	7
35-49	113	1.9	3	1	1	1	2	4	7	9
50-64	36	1.9	1	1	1	2	2	3	5	7
65+	21	2.4	3	<1	1	2	3	6	7	7
TOT. SINGLE DX	5215	1.2	1	1	1	1	1	2	2	4
" MULTIPLE DX	1970	1.5	3	1	1	1	2	2	3	7
TOTAL 0-19 YRS	4331	1.2	1	1	1	1	1	2	2	5
20-34	2437	1.3	2	1	1	1	1	2	3	5
35-49	309	1.5	2	1	1	1	2	2	3	8
50-64	76	1.8	1	1	1	2	2	3	5	7
65+	32	2.5	7	1	1	2	3	6	7	14
GRAND TOTAL	**7185**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5482	1.1		<1	1	1	1	2	2	2
20-34	138	1.3		1	1	1	1	2	3	3
35-49	6	1.3		1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	4932	1.2		1	1	1	1	2	2	4
20-34	68	1.4		1	1	1	1	2	2	7
35-49	12	3.6	17	1	1	2	5	9	14	15
50-64	4	2.0		1	1	2	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	5629	1.1	1	<1	1	1	1	2	2	3
" MULTIPLE DX	5018	1.2	1	1	1	1	1	2	2	4
TOTAL 0-19 YRS	10414	1.2	1	<1	1	1	1	2	2	3
20-34	206	1.3		1	1	1	1	2	3	4
35-49	18	2.8	12	1	1	2	3	7	12	15
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**10647**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	1	1	1	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	307	1.4	2	<1	1	1	1	2	3	10
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	105	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	315	1.4	3	<1	1	1	1	2	3	10
TOTAL 0-19 YRS	406	1.3	2	<1	<1	1	1	2	2	9
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**420**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**9**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	395	2.0	2	<1	1	1	2	4	5	9
20-34	272	2.1	2	<1	1	2	3	4	5	8
35-49	95	3.0	25	<1	1	2	4	5	6	32
50-64	70	3.0	9	1	1	2	3	7	10	15
65+	36	3.5	6	1	1	2	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	181	2.9	7	1	1	2	4	5	7	16
20-34	176	3.6	21	1	1	3	4	6	11	17
35-49	118	4.7	47	1	1	2	5	9	18	37
50-64	156	6.9	114	1	1	3	8	17	27	67
65+	134	9.8	122	1	1	6	13	23	33	55
TOT. SINGLE DX	868	2.3	6	<1	1	2	3	4	6	9
" MULTIPLE DX	765	5.3	65	1	1	3	5	12	20	47
TOTAL 0-19 YRS	576	2.3	4	<1	1	2	3	4	5	9
20-34	448	2.7	10	<1	1	2	3	5	7	13
35-49	213	4.0	39	1	1	2	4	7	12	38
50-64	226	5.7	85	1	1	2	6	13	20	55
65+	170	8.5	105	1	1	5	10	20	29	53
GRAND TOTAL	**1633**	**3.7**	**36**	**1**	**1**	**2**	**4**	**7**	**12**	**32**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.3	2	<1	1	2	3	4	6	6
20-34	23	2.3	2	<1	<1	2	3	5	6	6
35-49	20	3.2	7	<1	<1	3	4	5	9	13
50-64	25	2.6	3	<1	1	2	3	6	8	8
65+	25	3.0	8	1	1	2	4	5	8	15
2. MULTIPLE DX										
0-19 YRS	171	3.6	11	1	1	3	4	5	7	29
20-34	29	3.4	5	1	1	3	4	8	8	10
35-49	54	5.3	22	1	1	4	6	12	18	20
50-64	91	5.0	24	1	1	4	6	10	12	31
65+	249	5.9	53	1	1	4	6	11	21	41
TOT. SINGLE DX	114	2.7	5	<1	1	2	3	5	6	14
" MULTIPLE DX	594	4.9	33	1	1	3	5	9	14	36
TOTAL 0-19 YRS	192	3.5	11	1	1	3	4	5	6	28
20-34	52	2.9	5	<1	1	2	4	6	8	10
35-49	74	4.7	19	1	1	3	5	10	16	20
50-64	116	4.5	21	1	1	3	5	9	12	26
65+	274	5.6	50	1	1	3	6	11	19	40
GRAND TOTAL	**708**	**4.6**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**35**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.7	4	1	1	1	1	3	6	12
20-34	23	1.6		<1	<1	1	2	3	4	4
35-49	47	1.3		<1	1	1	1	2	3	6
50-64	97	1.5	1	<1	<1	1	1	3	3	7
65+	54	2.4	19	1	1	1	2	2	14	24
2. MULTIPLE DX										
0-19 YRS	57	3.5	42	<1	1	1	3	7	18	38
20-34	31	4.0	40	1	1	1	3	9	19	30
35-49	82	5.8	95	1	1	1	5	16	29	49
50-64	207	4.1	26	1	1	2	6	10	15	24
65+	178	5.6	80	1	1	2	5	16	27	50
TOT. SINGLE DX	264	1.7	5	<1	1	1	1	2	4	15
" MULTIPLE DX	555	4.8	57	1	1	2	5	12	22	33
TOTAL 0-19 YRS	100	2.8	27	1	1	1	2	5	9	31
20-34	54	3.0	25	1	1	1	2	8	10	30
35-49	129	4.2	65	1	1	1	2	13	18	48
50-64	304	3.3	20	<1	1	1	3	9	12	24
65+	232	4.9	68	1	1	2	4	12	24	37
GRAND TOTAL	**819**	**3.8**	**42**	**1**	**1**	**1**	**3**	**9**	**16**	**31**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.5	19	1	1	2	6	10	10	10
20-34	7	6.0	21	1	1	6	9	12	13	13
35-49	9	5.0	24	1	1	2	8	13	15	15
50-64	18	8.6	80	1	2	6	9	15	31	41
65+	17	7.9	39	1	1	6	14	17	18	19
2. MULTIPLE DX										
0-19 YRS	11	6.9	129	1	1	3	7	22	38	40
20-34	7	11.0	281	<1	<1	3	17	40	45	45
35-49	16	7.8	26	1	1	8	12	14	15	16
50-64	71	9.3	106	1	1	7	12	19	22	65
65+	64	13.4	149	2	3	11	16	22	38	70
TOT. SINGLE DX	55	7.1	47	1	1	6	10	15	17	40
" MULTIPLE DX	169	10.6	126	1	1	8	14	21	28	69
TOTAL 0-19 YRS	15	6.0	99	1	1	2	7	10	33	40
20-34	14	8.5	146	<1	1	4	9	24	40	45
35-49	25	6.8	26	1	1	6	11	14	15	16
50-64	89	9.2	100	1	1	6	12	18	22	62
65+	81	12.2	131	1	2	10	15	21	34	67
GRAND TOTAL	**224**	**9.8**	**108**	**1**	**1**	**7**	**13**	**18**	**24**	**59**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	15.0	41	10	10	12	21	25	25	25
50-64	43	12.2	18	6	8	11	14	17	21	27
65+	20	12.6	23	8	8	11	15	20	24	25
2. MULTIPLE DX										
0-19 YRS										
20-34	3	23.7	134	13	13	22	32	36	36	36
35-49	28	20.2	133	8	8	17	25	38	45	51
50-64	152	18.2	93	9	10	15	21	32	40	46
65+	130	20.0	176	9	10	16	24	35	51	97
TOT. SINGLE DX	70	12.5	21	7	8	11	14	19	23	27
" MULTIPLE DX	313	19.2	132	9	10	16	23	34	42	70
TOTAL 0-19 YRS										
20-34	4	20.0	143	9	9	17	29	36	36	36
35-49	34	19.3	119	8	9	17	24	37	43	51
50-64	195	16.8	83	8	9	14	20	30	38	46
65+	150	19.0	162	9	9	15	24	32	48	96
GRAND TOTAL	**383**	**17.9**	**118**	**9**	**9**	**15**	**21**	**32**	**39**	**62**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64	10	11.3	98	4	4	6	15	28	33	33
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	16	37.6	455	10	17	33	59	75	92	99+
20-34	15	26.3	587	2	3	22	51	96	99+	99+
35-49	40	24.0	348	5	8	19	30	63	75	99+
50-64	101	31.0	506	2	5	27	51	68	94	99+
65+	172	35.6	437	7	10	35	57	84	99+	99+
TOT. SINGLE DX	17	9.7	64	2	4	7	12	21	29	33
" MULTIPLE DX	344	32.6	466	4	8	31	53	78	99+	99+
TOTAL 0-19 YRS	17	35.9	475	8	11	32	57	75	90	99+
20-34	17	23.6	572	1	2	15	50	92	99+	99+
35-49	42	23.4	339	5	9	19	29	63	73	99+
50-64	111	29.2	501	2	4	26	49	67	92	99+
65+	174	35.2	442	7	9	35	56	83	99+	99+
GRAND TOTAL	**361**	**31.5**	**470**	**4**	**7**	**30**	**52**	**78**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	3.5	18	1	1	2	5	8	13	19
20-34	9	7.0	128	1	1	4	5	25	37	37
35-49	5	5.4	24	1	1	4	10	12	12	12
50-64	18	8.8	433	<1	1	3	8	12	60	91
65+	15	3.2	28	1	1	1	3	5	18	22
2. MULTIPLE DX										
0-19 YRS	83	19.4	504	1	1	14	35	84	99+	99+
20-34	55	23.3	456	1	3	22	47	99+	99+	99+
35-49	72	19.0	283	1	2	17	34	54	99+	99+
50-64	258	24.7	506	1	1	21	42	67	89	99+
65+	275	27.1	439	1	2	24	43	60	73	99+
TOT. SINGLE DX	69	5.4	142	1	1	2	5	9	19	81
" MULTIPLE DX	743	24.3	462	1	2	21	41	67	99+	99+
TOTAL 0-19 YRS	105	16.1	443	1	1	8	24	64	99	99+
20-34	64	21.0	440	1	2	19	37	92	99+	99+
35-49	77	18.2	277	1	2	16	33	53	99+	99+
50-64	276	23.7	515	1	1	18	40	67	89	99+
65+	290	25.9	446	1	2	23	42	60	72	99+
GRAND TOTAL	**812**	**22.7**	**462**	**1**	**1**	**18**	**40**	**64**	**91**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.9	12	1	2	6	9	12	12	12
20-34	52	5.6	18	1	1	5	8	12	12	20
35-49	65	5.2	17	1	1	4	7	12	14	21
50-64	151	6.7	24	1	1	6	10	13	16	20
65+	126	7.1	26	1	2	6	9	14	19	23
2. MULTIPLE DX										
0-19 YRS	27	10.4	57	1	3	7	16	23	24	29
20-34	207	11.0	70	2	3	9	14	24	29	41
35-49	494	10.6	71	2	2	8	14	22	27	40
50-64	1592	10.9	75	2	3	9	14	21	26	44
65+	2823	12.2	79	2	4	10	16	23	29	46
TOT. SINGLE DX	401	6.5	23	1	1	5	9	13	16	21
" MULTIPLE DX	5143	11.6	77	2	3	10	15	22	28	44
TOTAL 0-19 YRS	34	9.6	49	1	3	7	13	22	23	29
20-34	259	9.9	64	1	2	8	13	20	27	40
35-49	559	9.9	68	1	2	8	13	21	26	39
50-64	1743	10.6	73	2	3	9	14	20	25	43
65+	2949	12.0	78	2	3	10	15	22	28	45
GRAND TOTAL	**5544**	**11.2**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	4.3	8	1	1	6	6	6	6	6
TOT. SINGLE DX										
" MULTIPLE DX	11	6.7	30	1	1	6	10	15	19	19
TOTAL 0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	4.3	8	1	1	6	6	6	6	6
GRAND TOTAL	**11**	**6.7**	**30**	**1**	**1**	**6**	**10**	**15**	**19**	**19**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	7.4	16	2	3	7	10	12	16	17
20-34	61	7.4	17	1	2	7	9	14	16	19
35-49	102	7.4	23	2	3	6	8	15	19	24
50-64	192	7.3-	24	1	1	7	9	13	17	21
65+	148	6.5	21	1	1	6	9	13	15	19
2. MULTIPLE DX										
0-19 YRS	55	14.7	238	5	5	11	17	26	39	96
20-34	174	12.6	71	4	5	10	16	24	29	44
35-49	303	11.5	100	2	4	9	15	24	34	69
50-64	916	11.4	79	2	3	9	14	21	28	45
65+	1373	12.6	108	1	3	10	16	24	32	52
TOT. SINGLE DX	517	7.1	22	1	1	7	9	13	17	22
" MULTIPLE DX	2821	12.2	99	2	3	10	15	23	31	52
TOTAL 0-19 YRS	69	13.2	201	4	5	10	15	22	33	92
20-34	235	11.3	63	3	4	9	14	21	28	43
35-49	405	10.6	85	2	3	8	13	21	28	63
50-64	1108	10.7	72	1	3	9	13	20	25	42
65+	1521	12.0	103	1	2	10	15	23	31	50
GRAND TOTAL	**3338**	**11.4**	**90**	**1**	**3**	**9**	**15**	**22**	**29**	**49**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	12.4	70	5	6	9	16	27	30	30
35-49	27	11.4	68	6	7	9	12	18	26	48
50-64	102	10.6	23	5	6	9	12	17	22	27
65+	77	10.7	15	6	7	9	12	18	19	22
2. MULTIPLE DX										
0-19 YRS	14	10.1	30	4	5	8	14	18	22	23
20-34	25	15.7	294	6	7	10	15	55	82	99+
35-49	116	13.9	80	5	6	11	17	27	34	66
50-64	571	14.7	86	7	7	12	18	26	32	55
65+	629	16.1	90	7	8	13	19	29	35	55
TOT. SINGLE DX	215	10.8	28	5	7	9	12	18	21	28
" MULTIPLE DX	1355	15.2	92	7	7	12	18	27	34	57
TOTAL 0-19 YRS	15	10.0	29	4	5	8	13	18	22	23
20-34	33	14.9	238	6	7	10	15	39	74	99+
35-49	143	13.4	79	6	7	10	16	25	34	53
50-64	673	14.1	79	6	7	11	17	25	30	53
65+	706	15.5	85	7	7	13	19	27	34	53
GRAND TOTAL	**1570**	**14.6**	**85**	**7**	**7**	**12**	**18**	**26**	**33**	**55**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	2.6	5	1	1	2	3	6	8	12
20-34	55	6.0	29	1	1	5	8	14	15	25
35-49	63	6.3	39	<1	1	5	8	13	18	34
50-64	108	6.4	27	1	1	5	9	14	17	24
65+	77	7.9	56	1	1	7	11	14	15	48
2. MULTIPLE DX										
0-19 YRS	328	8.2	100	1	1	5	10	19	27	47
20-34	234	10.4	93	2	2	8	15	23	28	94
35-49	476	9.8	86	1	2	7	12	21	27	53
50-64	1187	11.1	87	2	3	9	14	22	29	46
65+	1872	13.0	100	2	4	10	17	25	31	52
TOT. SINGLE DX	451	5.3	31	1	1	3	8	12	15	24
" MULTIPLE DX	4097	11.6	97	2	2	9	15	24	30	51
TOTAL 0-19 YRS	476	6.4	78	1	1	3	8	15	23	37
20-34	289	9.6	84	1	2	7	13	22	26	72
35-49	539	9.4	82	1	2	7	12	20	26	51
50-64	1295	10.7	84	2	2	8	14	21	29	45
65+	1949	12.8	99	2	3	10	17	25	31	52
GRAND TOTAL	**4548**	**10.9**	**94**	**1**	**2**	**8**	**15**	**23**	**29**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	4.1	10	2	2	3	4	8	13	14
20-34	24	4.9	10	2	3	4	5	7	13	17
35-49	16	5.2	9	1	2	5	6	11	12	12
50-64	8	4.9	22	1	1	3	6	13	15	15
65+	4	20.8	621	6	6	9	34	58	58	58
2. MULTIPLE DX										
0-19 YRS	23	7.5	20	1	3	7	10	14	16	17
20-34	40	12.2	144	2	3	8	15	26	39	58
35-49	47	10.8	33	2	4	10	15	20	21	23
50-64	53	14.8	323	2	4	10	17	24	68	94
65+	69	13.8	164	1	4	10	16	29	36	74
TOT. SINGLE DX	65	5.8	55	1	2	4	6	11	14	52
" MULTIPLE DX	232	12.5	159	2	3	9	15	23	32	77
TOTAL 0-19 YRS	36	6.3	19	2	2	4	9	13	15	17
20-34	64	9.4	106	2	3	6	11	19	28	57
35-49	63	9.4	33	2	3	9	14	18	20	23
50-64	61	13.5	294	1	2	9	15	22	51	93
65+	73	14.2	184	1	4	10	16	30	40	75
GRAND TOTAL	**297**	**11.0**	**144**	**2**	**3**	**8**	**14**	**21**	**29**	**75**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	5.7	16	2	2	4	7	11	14	21
20-34	454	5.1	11	2	2	4	6	9	11	23
35-49	166	6.2	16	2	3	5	7	12	14	22
50-64	81	7.3	37	2	3	5	9	12	16	40
65+	55	8.7	31	2	3	8	12	20	20	25
2. MULTIPLE DX										
0-19 YRS	266	13.4	229	3	3	8	14	35	49	85
20-34	538	8.9	79	2	3	6	10	18	23	50
35-49	483	9.9	67	3	3	8	12	19	27	43
50-64	779	10.9	65	3	3	9	14	21	27	38
65+	1212	12.9	89	3	4	10	16	25	31	52
TOT. SINGLE DX	869	5.8	18	2	2	5	7	11	13	22
" MULTIPLE DX	3278	11.4	93	3	4	9	14	23	30	52
TOTAL 0-19 YRS	379	11.1	178	2	3	6	12	27	42	73
20-34	992	7.1	52	2	3	5	8	13	19	38
35-49	649	9.0	57	3	3	7	11	18	23	39
50-64	860	10.6	64	3	3	8	13	21	26	38
65+	1267	12.7	88	3	4	10	16	25	31	52
GRAND TOTAL	**4147**	**10.2**	**82**	**2**	**3**	**8**	**12**	**21**	**28**	**49**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	4.4	9	1	1	4	6	8	10	15
20-34	113	5.0	16	1	1	4	7	10	13	18
35-49	94	4.8	17	1	1	4	7	11	13	19
50-64	102	5.3	24	1	1	4	8	12	15	22
65+	54	5.6	21	1	1	4	8	11	13	25
2. MULTIPLE DX										
0-19 YRS	72	9.9	78	1	3	7	13	26	39	99+
20-34	185	11.0	100	1	2	8	14	26	31	55
35-49	254	11.5	140	1	2	8	14	25	36	57
50-64	508	11.3	112	1	2	8	15	23	32	53
65+	798	12.4	110	2	2	10	16	25	32	51
TOT. SINGLE DX	487	4.9	17	1	1	4	7	10	13	21
" MULTIPLE DX	1817	11.7	113	1	2	9	15	25	32	53
TOTAL 0-19 YRS	196	6.4	42	1	1	5	7	13	23	73
20-34	298	8.7	77	1	1	6	11	18	27	45
35-49	348	9.7	115	1	1	7	12	23	31	54
50-64	610	10.3	103	1	1	8	14	21	29	52
65+	852	12.0	108	1	2	9	16	24	31	51
GRAND TOTAL	**2304**	**10.3**	**101**	**1**	**1**	**8**	**13**	**22**	**30**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	6.6	7	4	4	6	8	10	12	15
20-34	48	8.7	6	5	6	8	10	12	13	16
35-49	60	9.8	10	6	7	9	11	14	15	24
50-64	94	11.2	20	7	8	10	12	16	19	31
65+	56	14.0	123	7	8	12	16	19	21	82
2. MULTIPLE DX										
0-19 YRS	450	12.5	154	5	5	8	14	22	34	68
20-34	141	14.9	103	6	7	11	17	31	39	47
35-49	288	17.3	161	7	8	13	20	30	42	86
50-64	698	16.8	139	8	8	13	19	30	44	80
65+	966	18.5	118	8	9	15	23	32	40	58
TOT. SINGLE DX	378	9.6	34	4	5	9	11	15	16	29
" MULTIPLE DX	2543	16.6	139	6	7	13	20	30	40	70
TOTAL 0-19 YRS	570	11.3	130	4	5	8	11	20	28	67
20-34	189	13.3	86	6	7	10	14	28	37	46
35-49	348	16.0	143	7	8	12	19	28	38	85
50-64	792	16.1	128	7	8	13	18	29	40	77
65+	1022	18.2	119	8	9	15	22	31	40	58
GRAND TOTAL	**2921**	**15.7**	**131**	**5**	**7**	**12**	**19**	**29**	**39**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.0		12	12	12	12	12	12	12
35-49	108	9.4	8	5	6	9	11	14	16	17
50-64	395	10.4	12	6	7	10	12	15	17	22
65+	269	12.8	21	8	8	12	15	19	23	29
2. MULTIPLE DX										
0-19 YRS	2	17.5	145	9	9	17	26	26	26	26
20-34	30	12.5	39	7	7	10	15	23	29	30
35-49	1118	11.7	36	7	7	10	13	17	22	39
50-64	4617	13.0	50	7	8	11	15	20	25	44
65+	4102	15.6	85	8	8	13	18	25	32	58
TOT. SINGLE DX	774	11.1	17	6	7	10	13	16	19	27
" MULTIPLE DX	9869	13.9	66	7	8	12	16	22	28	51
TOTAL 0-19 YRS	2	17.5	145	9	9	17	26	26	26	26
20-34	32	12.5	37	7	7	11	14	23	28	30
35-49	1226	11.5	34	7	7	10	13	17	21	39
50-64	5012	12.8	48	7	8	11	14	20	25	44
65+	4371	15.5	82	8	8	13	18	25	32	56
GRAND TOTAL	**10643**	**13.7**	**63**	**7**	**8**	**12**	**16**	**22**	**28**	**49**

505 Hospitals, North Central Region, January-December 1986, by Operation

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	2.2	2	1	1	2	2	2	5	11
20-34	266	2.8	4	1	1	2	3	6	8	10
35-49	1707	2.6	5	1	1	2	2	6	8	11
50-64	3042	2.4	4	1	1	2	2	5	7	11
65+	1182	2.6	5	1	1	2	2	5	8	12
2. MULTIPLE DX										
0-19 YRS	712	3.2	33	1	1	2	2	5	10	25
20-34	613	4.7	22	1	1	3	7	10	13	27
35-49	5439	4.1	16	1	1	2	6	9	12	18
50-64	14574	4.3	20	1	1	2	6	10	13	20
65+	10137	5.3	28	1	1	3	7	12	15	26
TOT. SINGLE DX	6432	2.5	5	1	1	2	2	5	8	11
" MULTIPLE DX	31475	4.6	23	1	1	2	6	10	13	22
TOTAL 0-19 YRS	947	2.9	26	1	1	2	2	5	9	23
20-34	879	4.1	18	1	1	2	6	9	12	24
35-49	7146	3.8	14	1	1	2	5	9	11	17
50-64	17616	3.9	18	1	1	2	5	9	12	19
65+	11319	5.0	27	1	1	3	7	11	15	25
GRAND TOTAL	**37907**	**4.2**	**21**	**1**	**1**	**2**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8: 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	3.1	2	1	2	3	4	6	6	6
20-34	13	3.5	3	1	1	3	5	6	7	7
35-49	33	3.9	9	1	1	3	5	9	11	12
50-64	107	4.3	11	1	1	3	6	9	11	18
65+	412	4.0	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	50	6.0	20	2	2	5	7	13	17	21
20-34	42	5.9	21	1	2	4	8	10	14	26
35-49	180	8.9	45	2	2	7	12	17	24	30
50-64	903	9.9	55	2	3	8	13	18	22	38
65+	5514	9.7	52	2	3	8	13	18	23	37
TOT. SINGLE DX	583	4.0	10	1	1	3	5	8	10	15
" MULTIPLE DX	6689	9.7	52	2	3	8	13	18	22	37
TOTAL 0-19 YRS	68	5.2	17	2	2	4	6	10	15	21
20-34	55	5.3	18	1	1	4	7	10	11	26
35-49	213	8.2	43	1	2	7	10	16	23	30
50-64	1010	9.3	54	2	3	8	12	18	22	37
65+	5926	9.3	51	2	3	8	12	18	22	36
GRAND TOTAL	**7272**	**9.2**	**51**	**2**	**3**	**8**	**12**	**18**	**22**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.7	6	1	1	5	6	8	9	9
20-34	44	5.6	7	1	2	6	8	9	10	10
35-49	392	4.3	7	2	2	3	6	8	10	12
50-64	855	4.0	7	2	2	3	5	8	9	13
65+	392	4.7	10	2	2	3	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	79	9.5	100	1	2	6	12	17	29	58
20-34	117	9.3	79	2	2	7	12	20	29	48
35-49	1514	6.2	30	2	2	4	8	12	15	26
50-64	3697	6.1	27	2	2	4	8	12	15	25
65+	2430	7.9	50	2	2	6	10	16	21	36
TOT. SINGLE DX	1704	4.3	8	2	2	3	6	8	10	13
" MULTIPLE DX	7837	6.8	38	2	2	5	9	13	17	32
TOTAL 0-19 YRS	100	8.5	85	1	2	6	11	16	23	55
20-34	161	8.3	63	2	2	6	9	17	26	45
35-49	1906	5.8	27	2	2	4	7	11	14	23
50-64	4552	5.7	25	2	2	4	7	11	14	24
65+	2822	7.5	46	2	2	5	10	15	20	35
GRAND TOTAL	**9541**	**6.3**	**33**	**2**	**2**	**4**	**8**	**12**	**16**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	157	2.9	7	<1	1	2	4	6	8	15
20-34	61	3.5	9	<1	<1	2	5	8	11	12
35-49	66	3.7	11	<1	1	2	6	8	10	15
50-64	93	3.6	13	<1	1	2	5	9	11	17
65+	86	5.0	23	1	1	3	6	12	14	25
2. MULTIPLE DX										
0-19 YRS	1416	4.8	60	1	2	3	5	9	15	49
20-34	245	9.0	63	1	2	7	12	19	25	36
35-49	439	9.0	71	1	2	7	12	19	25	46
50-64	1074	9.1	72	1	2	7	12	20	25	45
65+	2811	11.3	72	2	3	9	15	22	27	42
TOT. SINGLE DX	463	3.6	13	<1	1	2	5	8	12	16
" MULTIPLE DX	5985	9.1	75	1	2	7	12	19	25	44
TOTAL 0-19 YRS	1573	4.6	55	1	1	3	4	8	14	42
20-34	306	7.9	57	1	1	6	11	17	24	35
35-49	505	8.3	67	1	1	6	11	18	24	43
50-64	1167	8.7	70	1	1	7	11	19	24	45
65+	2897	11.1	72	2	3	9	15	22	27	41
GRAND TOTAL	**6448**	**8.7**	**73**	**1**	**2**	**6**	**12**	**19**	**25**	**42**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.9	5	1	1	2	5	7	7	7
20-34	372	2.4	2	1	1	2	3	4	5	7
35-49	580	2.5	1	1	1	2	3	4	5	7
50-64	357	3.1	5	1	1	3	4	5	6	11
65+	102	3.5	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	10	4.1	11	1	1	3	5	9	13	13
20-34	127	3.5	9	1	1	3	4	6	10	18
35-49	283	3.7	11	1	1	3	4	6	9	20
50-64	304	5.3	34	1	1	4	6	11	17	34
65+	159	6.4	74	1	1	4	6	15	19	44
TOT. SINGLE DX	1422	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	883	4.7	31	1	1	3	5	9	14	31
TOTAL 0-19 YRS	21	3.5	8	1	1	2	5	7	10	13
20-34	499	2.6	4	1	1	2	3	4	6	12
35-49	863	2.9	5	1	1	2	4	5	6	13
50-64	661	4.1	20	1	1	3	4	7	11	27
65+	261	5.2	50	1	1	3	6	11	15	43
GRAND TOTAL	**2305**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	5.7	8	1	2	5	7	10	12	12
20-34	15	6.4	21	<1	1	6	9	13	16	17
35-49	82	8.4	20	3	4	8	10	12	15	30
50-64	285	8.3	11	4	5	8	10	12	14	18
65+	212	9.1	14	4	5	9	11	13	17	22
2. MULTIPLE DX										
0-19 YRS	90	12.6	185	3	4	9	13	23	38	87
20-34	173	10.8	117	1	2	8	13	24	32	64
35-49	543	12.7	130	2	3	9	14	28	36	63
50-64	2060	12.6	85	4	5	10	15	23	30	52
65+	3219	15.2	118	5	6	12	18	28	37	63
TOT. SINGLE DX	605	8.5	14	3	4	8	10	13	14	20
" MULTIPLE DX	6085	13.9	111	4	5	11	17	26	34	60
TOTAL 0-19 YRS	101	11.9	171	2	4	8	13	22	32	85
20-34	188	10.5	111	1	2	8	13	23	32	62
35-49	625	12.2	118	2	3	9	13	25	34	62
50-64	2345	12.1	78	4	5	10	14	22	29	48
65+	3431	14.8	114	5	6	12	18	27	36	61
GRAND TOTAL	**6690**	**13.4**	**105**	**4**	**5**	**11**	**16**	**25**	**33**	**58**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	1	23.0		23	23	23	23	23	23	23
" MULTIPLE DX	4	7.8	25	4	4	6	11	15	15	15
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	19.0	32	15	15	19	23	23	23	23
GRAND TOTAL	**5**	**10.8**	**65**	**4**	**4**	**7**	**17**	**23**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	2.5	2	1	1	2	4	5	5	5
35-49	8	6.8	53	1	1	2	14	17	18	18
50-64	5	3.4	8	1	1	3	5	8	8	8
65+	4	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	34	6.4	119	<1	<1	3	6	14	20	62
20-34	379	5.4	35	<1	1	4	7	11	17	31
35-49	471	5.8	30	1	1	4	7	12	17	29
50-64	732	6.2	32	1	2	5	8	13	17	30
65+	926	7.0	45	1	2	5	9	14	19	32
TOT. SINGLE DX	28	3.9	20	1	1	2	4	11	16	18
" MULTIPLE DX	2542	6.3	39	1	1	4	8	13	17	31
TOTAL 0-19 YRS	34	6.4	120	<1	<1	3	6	14	20	62
20-34	390	5.3	35	<1	1	4	7	10	17	31
35-49	479	5.8	31	1	1	4	7	12	17	29
50-64	737	6.2	33	1	2	5	8	13	17	30
65+	930	7.0	45	1	2	5	9	14	19	32
GRAND TOTAL	**2570**	**6.3**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	5.0	13	1	1	4	7	10	11	21
20-34	167	5.8	54	1	1	4	7	13	15	26
35-49	263	5.3	21	1	1	4	7	11	15	22
50-64	788	5.8	21	1	1	5	8	11	13	25
65+	1060	6.0	20	1	2	5	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	2042	20.0	462	2	3	11	29	61	82	99+
20-34	768	9.2	102	1	1	6	12	21	28	54
35-49	1338	10.1	115	1	2	7	12	22	32	52
50-64	4705	9.9	82	2	3	8	12	20	26	50
65+	9552	11.3	96	2	3	9	14	22	30	54
TOT. SINGLE DX	2447	5.8	23	1	1	5	8	11	14	21
" MULTIPLE DX	18405	11.7	144	2	3	8	14	24	35	77
TOTAL 0-19 YRS	2211	18.8	444	1	3	10	26	58	81	99+
20-34	935	8.6	96	1	1	5	11	20	25	53
35-49	1601	9.3	103	1	1	6	11	20	29	51
50-64	5493	9.3	76	1	2	7	11	18	25	48
65+	10612	10.8	92	2	3	8	13	21	29	52
GRAND TOTAL	**20852**	**11.0**	**134**	**1**	**2**	**8**	**13**	**23**	**33**	**74**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	3.2	11	<1	1	2	4	7	9	17
20-34	175	3.8	29	<1	1	2	4	8	12	32
35-49	174	4.0	16	1	1	3	5	8	10	18
50-64	198	4.3	12	1	1	3	6	9	11	16
65+	146	4.9	21	<1	1	4	7	9	13	24
2. MULTIPLE DX										
0-19 YRS	192	5.7	38	1	1	4	7	10	13	53
20-34	273	7.4	61	1	1	6	9	14	19	47
35-49	289	6.9	49	1	1	5	9	15	21	38
50-64	607	8.3	60	1	1	6	11	16	23	39
65+	841	9.4	68	1	2	7	12	19	25	38
TOT. SINGLE DX	857	4.0	18	<1	1	3	5	8	11	21
" MULTIPLE DX	2202	8.2	62	1	1	6	11	17	22	39
TOTAL 0-19 YRS	356	4.5	27	1	1	3	6	9	12	26
20-34	448	6.0	52	1	1	4	8	12	18	46
35-49	463	5.8	39	1	1	4	7	12	17	35
50-64	805	7.3	51	1	1	5	9	15	20	36
65+	987	8.7	64	1	1	7	11	18	24	36
GRAND TOTAL	**3059**	**7.0**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**37**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.9	17	<1	1	3	9	11	12	12
20-34	21	4.9	31	1	1	3	7	9	17	26
35-49	48	5.0	18	1	1	4	5	11	14	22
50-64	57	5.8	13	1	1	5	7	11	13	20
65+	63	6.0	16	2	2	5	7	11	16	21
2. MULTIPLE DX										
0-19 YRS	11	8.5	44	1	1	7	11	19	23	23
20-34	50	8.6	39	1	2	7	11	17	23	29
35-49	104	9.1	89	2	3	6	10	17	25	57
50-64	287	9.1	93	1	2	6	10	19	26	55
65+	296	9.7	74	2	3	7	12	19	25	50
TOT. SINGLE DX	198	5.5	18	1	1	5	7	11	14	22
" MULTIPLE DX	748	9.3	81	2	3	7	11	19	25	54
TOTAL 0-19 YRS	20	6.9	34	<1	1	6	10	15	20	23
20-34	71	7.5	40	1	1	6	10	16	23	28
35-49	152	7.8	70	1	2	5	9	15	22	41
50-64	344	8.6	82	1	2	6	10	18	24	54
65+	359	9.1	66	2	3	7	11	18	23	44
GRAND TOTAL	**946**	**8.5**	**70**	**1**	**2**	**6**	**10**	**18**	**23**	**42**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	5	3.4	3	1	1	4	5	5	5	5
TOT. SINGLE DX	5	4.4	6	1	1	4	6	8	8	8
" MULTIPLE DX	11	4.2	8	1	1	4	5	8	11	11
TOTAL 0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	3	6.7	14	4	4	5	9	11	11	11
35-49										
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	6	3.5	3	1	1	4	5	5	5	5
GRAND TOTAL	**16**	**4.3**	**7**	**1**	**1**	**4**	**5**	**8**	**10**	**11**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	14	40.5	270	25	28	36	42	55	84	92
20-34	27	36.8	211	5	13	36	50	53	54	55
35-49	20	39.1	279	8	19	36	51	60	67	72
50-64	5	30.8	362	1	1	33	40	54	54	54
65+										
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	66	37.8	249	6	23	36	49	54	59	89
TOTAL 0-19 YRS	14	40.5	271	25	28	36	42	55	84	92
20-34	27	36.8	211	5	13	36	50	53	54	55
35-49	21	37.3	331	3	9	36	50	60	67	72
50-64	5	30.8	362	1	1	33	40	54	54	54
65+										
GRAND TOTAL	**67**	**37.3**	**264**	**4**	**15**	**36**	**49**	**54**	**59**	**89**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	5.1	14	1	1	4	6	9	12	20
20-34	178	6.5	23	2	2	6	7	11	18	29
35-49	133	6.8	31	2	2	6	8	11	20	33
50-64	153	6.3	21	2	2	5	8	11	17	23
65+	108	8.3	80	1	2	6	10	14	27	53
2. MULTIPLE DX										
0-19 YRS	505	9.3	86	2	2	6	10	20	28	49
20-34	666	10.9	135	2	3	7	12	23	32	68
35-49	731	11.0	120	2	3	7	13	24	31	62
50-64	1384	11.1	96	2	3	8	14	22	29	50
65+	3570	11.1	72	3	4	9	14	21	27	45
TOT. SINGLE DX	811	6.3	30	1	2	5	7	11	16	31
" MULTIPLE DX	6856	10.9	90	2	3	8	13	21	28	51
TOTAL 0-19 YRS	744	7.9	67	1	2	6	9	15	24	42
20-34	844	10.0	115	2	3	7	11	20	29	64
35-49	864	10.3	109	2	3	7	12	22	31	58
50-64	1537	10.6	91	2	3	8	13	21	28	49
65+	3678	11.0	73	3	4	9	14	21	27	46
GRAND TOTAL	**7667**	**10.4**	**85**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	8.0	62	1	2	6	9	19	28	37
20-34	60	8.0	50	1	1	6	12	17	22	35
35-49	60	7.5	63	1	1	6	10	17	23	43
50-64	49	8.9	95	1	1	5	11	23	27	46
65+	40	8.2	112	1	1	6	9	15	26	61
2. MULTIPLE DX										
0-19 YRS	359	14.7	198	1	2	11	21	33	46	97
20-34	611	13.8	145	2	3	10	17	29	37	61
35-49	832	12.8	142	2	2	9	17	29	39	63
50-64	1428	13.0	144	2	3	9	17	29	38	57
65+	1803	15.1	138	2	4	12	20	32	41	55
TOT. SINGLE DX	279	8.1	72	1	1	6	10	18	25	42
" MULTIPLE DX	5033	13.9	147	2	3	10	18	30	40	58
TOTAL 0-19 YRS	429	13.6	182	1	2	9	20	32	44	83
20-34	671	13.3	139	2	3	10	17	28	37	59
35-49	892	12.4	139	1	2	8	16	28	38	62
50-64	1477	12.9	143	2	2	9	17	29	38	57
65+	1843	15.0	138	2	4	12	20	31	40	55
GRAND TOTAL	**5312**	**13.6**	**144**	**2**	**3**	**10**	**18**	**29**	**39**	**58**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.0	29	<1	1	2	5	8	12	30
20-34	34	4.4	6	<1	1	5	6	7	8	9
35-49	53	4.4	10	1	1	3	7	10	10	12
50-64	95	6.0	56	1	1	5	8	12	14	48
65+	87	5.0	24	1	1	4	7	11	12	29
2. MULTIPLE DX										
0-19 YRS	102	7.2	93	1	1	3	9	18	29	47
20-34	159	8.7	73	1	2	6	10	18	28	60
35-49	387	8.7	99	1	2	6	10	18	27	55
50-64	753	9.7	93	1	2	7	12	19	27	60
65+	1504	9.8	75	1	2	7	12	20	27	48
TOT. SINGLE DX	302	5.0	31	1	1	4	7	10	12	31
" MULTIPLE DX	2905	9.5	84	1	2	7	12	19	27	51
TOTAL 0-19 YRS	135	6.4	79	1	1	3	8	15	27	43
20-34	193	7.9	65	1	1	6	10	16	24	55
35-49	440	8.2	90	1	2	6	10	16	24	52
50-64	848	9.3	90	1	1	7	12	18	27	60
65+	1591	9.6	74	1	2	7	12	20	27	47
GRAND TOTAL	**3207**	**9.1**	**81**	**1**	**2**	**7**	**11**	**18**	**27**	**48**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	398	3.2	2	1	2	3	4	5	6	9
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	7.7	6	5	5	8	9	10	10	10
50-64	4	13.3	3	11	11	13	14	15	15	15
65+	3	9.3	44	5	5	6	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	195	5.5	37	2	2	4	6	8	10	38
20-34	6	7.3	41	3	3	5	7	19	20	20
35-49	15	13.0	44	5	7	11	16	24	28	29
50-64	29	17.4	188	6	7	15	21	27	36	79
65+	43	21.4	224	7	9	14	28	43	53	64
TOT. SINGLE DX	410	3.4	4	1	2	3	4	5	6	13
" MULTIPLE DX	288	9.5	119	2	3	5	11	21	29	63
TOTAL 0-19 YRS	593	4.0	15	1	2	3	4	6	7	18
20-34	8	7.1	30	3	3	6	7	16	20	20
35-49	18	12.1	41	4	6	10	15	22	27	29
50-64	33	16.9	167	6	8	14	19	26	33	79
65+	46	20.6	221	6	8	14	27	43	51	64
GRAND TOTAL	**698**	**5.9**	**60**	**1**	**2**	**4**	**6**	**12**	**18**	**44**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	8	6.8	20	3	3	5	11	13	14	14
65+	27	11.4	187	2	2	7	13	24	35	69
2. MULTIPLE DX										
0-19 YRS	64	15.7	282	1	3	11	21	35	65	99
20-34	36	16.3	245	2	3	12	23	45	65	99+
35-49	61	20.5	334	3	5	15	28	53	67	98
50-64	240	19.5	258	3	4	15	28	44	57	99+
65+	1362	17.6	180	3	5	14	22	36	45	70
TOT. SINGLE DX	41	9.3	135	1	2	5	12	21	26	69
" MULTIPLE DX	1763	17.9	202	3	4	14	23	38	48	84
TOTAL 0-19 YRS	66	15.3	278	1	3	11	21	34	64	99
20-34	38	15.6	241	2	3	12	22	42	64	99+
35-49	63	20.0	334	3	5	15	26	52	66	97
50-64	248	19.1	256	3	4	15	27	43	56	99+
65+	1389	17.5	181	3	4	14	22	36	45	70
GRAND TOTAL	**1804**	**17.7**	**202**	**3**	**4**	**14**	**23**	**37**	**48**	**83**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.0	8	3	3	4	7	10	10	10
20-34	41	3.9	3	2	2	3	5	6	9	9
35-49	66	4.6	6	2	2	4	6	8	9	14
50-64	73	5.5	18	2	2	4	6	9	11	27
65+	72	6.6	16	2	2	5	8	13	16	18
2. MULTIPLE DX										
0-19 YRS	24	8.6	182	1	2	4	6	27	44	59
20-34	260	7.2	37	2	2	5	9	14	20	31
35-49	535	7.3	32	2	3	6	8	13	18	33
50-64	1033	8.1	43	2	3	7	10	15	20	32
65+	2399	9.2	47	3	4	7	11	16	22	39
TOT. SINGLE DX	258	5.3	13	2	2	4	7	10	12	18
" MULTIPLE DX	4251	8.6	45	3	3	7	10	16	21	35
TOTAL 0-19 YRS	30	7.9	148	1	2	4	6	18	37	59
20-34	301	6.7	34	2	2	5	8	13	19	30
35-49	601	7.0	30	2	3	6	8	13	16	31
50-64	1106	8.0	42	2	3	6	9	15	19	32
65+	2471	9.1	47	3	4	7	11	16	22	39
GRAND TOTAL	**4509**	**8.4**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	15	12.3	124	2	3	10	14	19	41	49
35-49	55	10.2	27	5	6	9	12	15	24	30
50-64	58	10.1	16	6	7	9	11	15	20	26
65+	47	12.6	50	7	9	11	13	16	29	47
2. MULTIPLE DX										
0-19 YRS	3	11.3	4	9	9	12	13	13	13	13
20-34	61	16.6	200	6	7	13	20	31	57	98
35-49	199	13.6	62	6	7	11	16	22	33	45
50-64	351	14.7	83	7	8	12	17	24	30	53
65+	653	19.8	162	8	9	17	23	36	49	69
TOT. SINGLE DX	176	11.0	38	6	7	10	12	15	22	44
" MULTIPLE DX	1267	17.3	133	7	8	14	20	31	42	68
TOTAL 0-19 YRS	4	10.5	6	8	8	10	12	13	13	13
20-34	76	15.8	186	5	6	11	19	29	50	95
35-49	254	12.9	57	6	7	10	15	21	28	44
50-64	409	14.0	76	7	7	11	17	24	28	52
65+	700	19.3	158	8	9	16	22	36	47	69
GRAND TOTAL	**1443**	**16.5**	**126**	**7**	**8**	**13**	**19**	**29**	**40**	**66**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	12	14.1	25	9	9	13	14	19	28	29
65+	8	16.1	37	8	8	17	21	23	23	23
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	33.3	161	26	26	26	43	48	48	48
35-49	19	23.3	377	10	10	16	28	48	75	87
50-64	73	22.3	263	10	11	17	25	38	50	93
65+	101	23.3	225	10	12	19	28	46	60	99
TOT. SINGLE DX	21	14.9	28	8	9	14	17	22	26	29
" MULTIPLE DX	197	23.1	250	10	11	18	27	43	59	97
TOTAL 0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	33.3	161	26	26	26	43	48	48	48
35-49	20	22.8	362	10	10	15	27	45	73	87
50-64	85	21.2	237	10	11	16	23	38	48	93
65+	109	22.8	215	9	11	19	27	44	58	99
GRAND TOTAL	**218**	**22.3**	**234**	**10**	**11**	**17**	**26**	**40**	**54**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	20	9.1	15	4	5	8	10	16	17	18
35-49	34	8.8	22	5	6	7	9	15	17	30
50-64	26	8.8	6	6	6	8	9	13	15	15
65+	18	12.9	50	5	6	10	16	26	29	29
2. MULTIPLE DX										
0-19 YRS	5	8.2	3	6	6	8	9	11	11	11
20-34	52	12.9	57	5	6	10	16	19	31	42
35-49	135	14.0	117	6	7	10	16	28	37	62
50-64	149	13.8	94	7	8	11	15	23	27	66
65+	193	18.2	166	7	8	15	22	31	46	75
TOT. SINGLE DX	99	9.6	24	5	6	8	10	16	19	30
" MULTIPLE DX	534	15.3	126	6	7	12	17	27	34	67
TOTAL 0-19 YRS	6	7.8	4	6	6	7	9	11	11	11
20-34	72	11.8	48	5	6	10	15	17	24	41
35-49	169	13.0	103	6	6	9	14	27	34	56
50-64	175	13.1	84	6	7	11	14	20	27	62
65+	211	17.7	159	7	8	14	21	30	45	73
GRAND TOTAL	**633**	**14.4**	**115**	**6**	**7**	**11**	**16**	**27**	**32**	**62**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	6.6	13	1	3	6	8	11	13	20
20-34	170	7.3	9	4	5	7	8	10	11	15
35-49	169	7.8	18	4	5	7	9	10	12	16
50-64	75	9.1	20	5	5	8	10	15	17	30
65+	50	12.1	56	5	5	10	15	18	22	44
2. MULTIPLE DX										
0-19 YRS	211	16.4	190	4	5	11	21	37	52	99+
20-34	443	9.2	56	4	5	7	9	15	23	45
35-49	790	9.7	73	5	5	8	9	16	24	61
50-64	544	13.6	128	5	6	10	15	26	38	60
65+	832	17.2	132	7	8	14	21	32	39	68
TOT. SINGLE DX	510	8.1	21	4	5	7	9	12	15	27
" MULTIPLE DX	2820	13.1	119	5	6	9	15	26	35	65
TOTAL 0-19 YRS	257	14.6	173	3	4	10	20	33	49	99+
20-34	613	8.7	44	4	5	7	9	13	18	43
35-49	959	9.4	65	5	5	7	9	14	22	55
50-64	619	13.0	118	5	6	9	15	25	36	59
65+	882	16.9	129	7	8	14	21	32	39	66
GRAND TOTAL	**3330**	**12.3**	**107**	**5**	**5**	**9**	**14**	**24**	**33**	**60**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	5.1	12	1	1	4	7	10	12	18
20-34	113	5.2	12	2	2	4	6	9	11	20
35-49	119	5.4	9	1	2	5	7	9	11	17
50-64	105	5.4	20	1	1	4	8	11	14	26
65+	114	4.6	23	1	1	3	7	9	12	26
2. MULTIPLE DX										
0-19 YRS	160	8.0	140	1	2	5	8	13	20	78
20-34	397	7.1	32	2	3	6	8	13	16	32
35-49	586	7.6	33	2	3	6	9	14	21	30
50-64	1310	8.3	57	1	2	7	10	16	21	38
65+	3133	9.2	58	1	2	7	11	18	23	38
TOT. SINGLE DX	508	5.2	16	1	1	4	7	10	12	18
" MULTIPLE DX	5586	8.6	57	2	2	7	10	16	22	38
TOTAL 0-19 YRS	217	7.3	109	1	2	5	8	12	16	70
20-34	510	6.7	29	2	2	5	8	13	15	26
35-49	705	7.2	30	2	2	6	9	13	19	29
50-64	1415	8.1	56	1	2	7	10	15	20	37
65+	3247	9.0	58	1	2	7	11	17	23	38
GRAND TOTAL	**6094**	**8.3**	**54**	**1**	**2**	**7**	**10**	**16**	**21**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	8.1	3	5	6	8	10	10	11	11
20-34	39	9.5	16	5	6	9	11	15	18	24
35-49	39	10.6	19	6	7	9	12	17	20	25
50-64	36	11.7	44	5	7	10	12	20	25	39
65+	49	12.4	32	6	7	11	15	19	26	31
2. MULTIPLE DX										
0-19 YRS	100	17.2	354	5	5	11	21	78	99+	99+
20-34	190	13.4	85	6	6	10	16	24	35	52
35-49	241	16.2	171	6	7	12	19	32	44	78
50-64	380	19.4	216	7	8	15	22	39	59	86
65+	858	18.0	135	7	8	15	21	32	43	74
TOT. SINGLE DX	178	10.9	27	6	6	10	12	17	21	30
" MULTIPLE DX	1769	17.5	167	7	8	14	21	33	47	90
TOTAL 0-19 YRS	115	16.0	317	5	6	11	19	65	99+	99+
20-34	229	12.7	76	6	6	10	15	22	31	52
35-49	280	15.5	154	6	7	11	18	28	43	76
50-64	416	18.8	206	7	8	14	22	37	57	83
65+	907	17.7	132	7	8	14	21	31	41	69
GRAND TOTAL	**1947**	**16.9**	**158**	**6**	**7**	**13**	**20**	**32**	**45**	**88**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	10.1	27	5	6	9	10	16	23	28
20-34	102	10.0	18	6	6	9	12	14	17	28
35-49	179	9.9	15	6	6	9	11	15	19	26
50-64	447	10.1	16	6	7	9	11	14	16	26
65+	501	10.8	12	7	8	10	12	16	18	23
2. MULTIPLE DX										
0-19 YRS	79	15.2	153	5	6	11	18	29	35	77
20-34	304	14.6	110	6	7	11	17	26	38	58
35-49	691	13.2	67	7	7	11	15	22	30	56
50-64	2198	13.7	66	7	8	11	16	22	29	49
65+	5921	15.8	86	8	8	13	18	26	33	56
TOT. SINGLE DX	1261	10.3	15	6	7	9	12	15	17	26
" MULTIPLE DX	9193	15.0	83	7	8	12	17	25	32	54
TOTAL 0-19 YRS	111	13.7	122	5	6	10	16	27	31	62
20-34	406	13.5	91	6	7	10	15	24	31	56
35-49	870	12.5	59	6	7	10	14	21	27	52
50-64	2645	13.1	59	7	7	11	15	21	28	47
65+	6422	15.4	83	7	8	13	18	26	32	54
GRAND TOTAL	**10454**	**14.5**	**77**	**7**	**8**	**12**	**17**	**24**	**31**	**52**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.9	42	2	3	6	8	19	24	25
20-34	8	6.6	5	3	4	6	8	10	10	10
35-49	11	10.8	40	6	6	9	12	20	27	28
50-64	21	10.2	6	7	7	10	12	13	16	17
65+	29	10.2	19	4	6	9	12	15	19	24
2. MULTIPLE DX										
0-19 YRS	20	18.9	408	4	5	12	19	46	69	86
20-34	38	17.2	294	4	6	12	21	33	49	97
35-49	66	15.8	190	5	6	13	16	29	37	82
50-64	140	16.5	150	7	7	12	19	32	51	99+
65+	378	17.2	126	6	8	14	21	30	39	65
TOT. SINGLE DX	82	9.6	22	4	5	9	11	15	18	27
" MULTIPLE DX	642	17.0	156	6	7	13	20	31	41	78
TOTAL 0-19 YRS	33	14.5	288	3	4	8	15	34	50	86
20-34	46	15.4	259	4	5	10	17	32	42	97
35-49	77	15.1	171	6	6	12	16	28	32	81
50-64	161	15.7	136	7	7	12	17	30	50	98
65+	407	16.7	122	6	7	14	20	30	38	64
GRAND TOTAL	**724**	**16.1**	**146**	**6**	**7**	**13**	**19**	**30**	**39**	**77**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	5.5	7	2	2	5	7	9	10	12
20-34	81	7.5	8	3	4	7	9	11	12	19
35-49	92	7.7	8	4	5	7	9	10	13	20
50-64	116	8.2	26	3	4	8	9	11	13	31
65+	133	8.4	9	3	5	9	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	195	9.2	66	3	3	7	10	16	24	64
20-34	285	11.6	72	5	6	9	12	18	30	49
35-49	337	11.9	96	5	6	9	13	20	28	48
50-64	586	13.5	114	5	6	10	15	26	37	69
65+	1059	13.8	89	5	6	11	16	24	34	54
TOT. SINGLE DX	540	7.5	14	3	3	7	9	11	12	17
" MULTIPLE DX	2462	12.8	94	4	5	10	15	23	32	56
TOTAL 0-19 YRS	313	7.8	47	2	3	6	9	13	19	38
20-34	366	10.7	61	4	5	9	11	17	24	48
35-49	429	11.0	80	5	5	9	12	19	27	46
50-64	702	12.7	104	4	6	9	14	24	34	64
65+	1192	13.2	83	4	6	10	16	23	32	52
GRAND TOTAL	**3002**	**11.9**	**84**	**4**	**5**	**9**	**13**	**22**	**30**	**53**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	9	10.8	98	3	3	8	13	28	34	34
35-49	4	15.0	54	8	8	14	21	24	24	24
50-64	16	10.3	12	5	6	10	12	15	17	18
65+	25	14.0	64	6	8	12	14	25	33	42
2. MULTIPLE DX										
0-19 YRS	26	17.1	376	5	6	11	17	39	59	97
20-34	50	18.4	227	6	6	13	28	58	94	99+
35-49	76	19.4	195	5	7	15	25	43	56	89
50-64	241	19.1	206	6	8	15	23	38	54	99+
65+	634	19.2	162	7	8	15	24	36	48	67
TOT. SINGLE DX	56	12.3	53	4	6	11	14	19	28	42
" MULTIPLE DX	1027	19.1	183	6	8	15	24	38	51	94
TOTAL 0-19 YRS	28	16.5	353	5	6	10	16	36	55	97
20-34	59	17.3	213	4	6	12	27	55	77	99+
35-49	80	19.2	188	5	7	15	25	42	55	88
50-64	257	18.5	199	6	7	14	23	37	53	99
65+	659	19.0	160	7	8	15	24	36	47	66
GRAND TOTAL	**1083**	**18.8**	**178**	**6**	**8**	**15**	**23**	**37**	**50**	**93**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5455	3.6	3	2	2	3	4	6	7	11
20-34	3747	3.7	3	2	2	3	4	6	7	10
35-49	1328	4.3	5	2	2	4	5	7	9	12
50-64	562	5.3	7	2	3	5	7	9	10	16
65+	169	6.4	7	3	3	6	8	10	12	15
2. MULTIPLE DX										
0-19 YRS	1993	5.6	17	2	2	4	7	10	13	21
20-34	1657	5.4	12	2	3	4	7	10	12	21
35-49	867	7.0	20	3	3	6	9	12	14	27
50-64	649	8.6	27	3	4	8	10	15	19	31
65+	597	10.3	37	4	5	9	12	18	22	36
TOT. SINGLE DX	11261	3.8	5	2	2	3	4	6	8	11
" MULTIPLE DX	5763	6.6	22	2	3	5	8	12	15	25
TOTAL 0-19 YRS	7448	4.1	8	2	2	3	5	7	9	14
20-34	5404	4.2	7	2	2	4	5	7	9	14
35-49	2195	5.4	13	2	2	4	7	10	12	19
50-64	1211	7.1	21	2	3	6	9	12	16	26
65+	766	9.4	34	3	4	8	11	16	20	33
GRAND TOTAL	**17024**	**4.8**	**12**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.6	3	1	2	3	4	7	8	8
20-34	25	4.8	6	2	3	4	5	8	11	13
35-49	8	3.0	1	1	1	3	4	5	5	5
50-64	3	8.0	4	6	6	8	9	10	10	10
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	19	5.2	6	2	3	4	7	9	11	12
20-34	33	5.7	25	2	3	4	5	8	12	31
35-49	19	5.6	10	1	2	5	7	10	13	14
50-64	8	10.8	60	4	4	9	11	24	29	29
65+	2	12.5	13	10	10	12	15	15	15	15
TOT. SINGLE DX	72	4.2	5	2	2	3	5	7	8	12
" MULTIPLE DX	81	6.2	23	2	3	5	7	10	13	30
TOTAL 0-19 YRS	54	4.1	5	2	2	3	5	7	8	12
20-34	58	5.3	17	2	3	4	5	8	11	30
35-49	27	4.8	9	1	2	4	7	8	11	14
50-64	11	10.0	45	4	5	9	10	18	28	29
65+	3	10.0	25	5	5	10	14	15	15	15
GRAND TOTAL	**153**	**5.2**	**15**	**2**	**2**	**4**	**6**	**9**	**11**	**29**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.8	5	4	5	7	9	11	13	13
20-34	5	5.8	10	1	1	7	8	9	9	9
35-49	6	6.8	19	3	3	6	8	14	15	15
50-64	4	13.8	73	6	6	11	19	26	26	26
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	13	10.8	51	4	5	10	11	20	30	32
20-34	4	8.5	7	6	6	8	10	12	12	12
35-49	5	10.6	18	7	7	9	12	18	18	18
50-64	17	16.9	66	7	8	15	24	28	33	36
65+	8	11.9	68	6	7	9	11	26	32	32
TOT. SINGLE DX	27	8.1	22	3	4	7	9	13	17	26
" MULTIPLE DX	47	13.0	59	6	6	10	15	26	32	36
TOTAL 0-19 YRS	24	9.5	31	4	6	8	10	13	21	32
20-34	9	7.0	10	1	2	7	9	11	12	12
35-49	11	8.5	21	3	3	8	10	16	18	18
50-64	21	16.3	66	7	8	14	24	27	32	36
65+	9	11.4	62	6	7	9	10	24	32	32
GRAND TOTAL	**74**	**11.2**	**51**	**4**	**5**	**9**	**12**	**24**	**28**	**35**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.1	5	<1	1	3	4	7	8	9
20-34	31	4.0	13	1	1	3	5	8	11	18
35-49	44	3.3	8	1	1	2	4	6	9	16
50-64	61	2.7	6	1	1	2	3	7	9	10
65+	109	3.0	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	64	8.7	121	1	1	5	10	19	33	60
20-34	66	7.3	105	1	1	4	7	18	24	64
35-49	92	6.4	35	1	2	5	9	13	15	34
50-64	248	6.7	34	1	2	5	8	13	17	32
65+	713	7.8	48	1	2	6	10	17	22	32
TOT. SINGLE DX	280	3.1	7	1	1	2	4	6	9	14
" MULTIPLE DX	1183	7.5	52	1	2	5	10	16	21	36
TOTAL 0-19 YRS	99	6.7	87	1	1	4	8	15	22	55
20-34	97	6.2	78	1	1	4	6	14	21	52
35-49	136	5.4	29	1	1	4	7	11	15	27
50-64	309	5.9	31	1	1	4	8	13	15	30
65+	822	7.2	45	1	1	5	9	16	21	30
GRAND TOTAL	**1463**	**6.7**	**46**	**1**	**1**	**5**	**9**	**14**	**19**	**32**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.6	3	1	1	2	3	5	6	10
20-34	183	2.5	2	1	1	2	3	5	6	8
35-49	163	2.8	4	1	1	2	4	5	6	11
50-64	54	3.2	4	1	1	3	5	6	7	11
65+	23	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	21	3.2	5	<1	1	3	4	7	9	9
20-34	158	4.8	36	1	1	3	5	9	13	33
35-49	191	4.5	16	1	1	3	6	9	12	25
50-64	163	6.1	36	1	1	4	7	13	16	39
65+	146	6.8	46	1	1	5	8	14	21	38
TOT. SINGLE DX	453	2.7	4	1	1	2	3	5	6	11
" MULTIPLE DX	679	5.4	33	1	1	4	6	11	15	33
TOTAL 0-19 YRS	51	2.8	4	1	1	2	3	5	9	10
20-34	341	3.6	20	1	1	2	4	6	9	28
35-49	354	3.7	12	1	1	3	5	7	10	17
50-64	217	5.4	30	1	1	4	6	12	15	32
65+	169	6.3	43	1	1	4	8	13	20	37
GRAND TOTAL	**1132**	**4.3**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	8.2	4	5	6	8	9	12	13	13
20-34	17	9.6	24	4	6	9	10	14	22	26
35-49	41	10.7	20	5	6	10	12	16	22	24
50-64	101	11.1	19	6	7	10	12	16	19	31
65+	142	12.5	25	6	8	12	14	18	22	33
2. MULTIPLE DX										
0-19 YRS	37	12.8	45	6	6	11	16	24	26	31
20-34	55	13.9	77	6	7	12	16	21	27	51
35-49	172	15.4	145	7	8	12	17	23	34	79
50-64	554	15.2	76	8	9	12	17	24	33	53
65+	1257	16.7	90	8	9	14	19	27	35	61
TOT. SINGLE DX	319	11.4	23	6	7	10	13	17	21	31
" MULTIPLE DX	2075	16.1	91	8	9	14	18	26	34	59
TOTAL 0-19 YRS	55	11.3	37	6	6	9	13	21	25	31
20-34	72	12.9	68	6	6	11	15	21	26	50
35-49	213	14.5	125	7	7	11	16	22	31	70
50-64	655	14.5	70	7	8	12	17	23	31	53
65+	1399	16.3	85	8	9	14	19	26	34	58
GRAND TOTAL	**2394**	**15.4**	**84**	**7**	**8**	**13**	**18**	**25**	**33**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	198	3.6	6	<1	1	3	5	7	8	15
20-34	590	4.4	12	1	1	4	5	8	10	20
35-49	521	4.4	9	1	1	4	5	8	9	16
50-64	492	4.7	17	1	1	4	6	9	11	15
65+	351	5.4	15	1	1	4	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	529	5.9	55	1	2	4	6	11	16	43
20-34	2750	6.3	37	1	2	5	7	12	16	31
35-49	4213	6.7	33	2	2	5	8	12	16	30
50-64	6203	7.2	35	2	3	6	9	13	17	34
65+	12758	8.5	46	2	3	7	10	16	20	35
TOT. SINGLE DX	2152	4.5	13	1	1	4	6	8	11	18
" MULTIPLE DX	26453	7.7	42	2	3	6	9	14	19	34
TOTAL 0-19 YRS	727	5.3	43	1	1	4	6	9	14	34
20-34	3340	5.9	33	1	2	4	7	11	15	30
35-49	4734	6.4	31	2	2	5	8	12	16	29
50-64	6695	7.0	35	2	2	6	9	13	17	34
65+	13109	8.5	45	2	3	7	10	15	20	35
GRAND TOTAL	**28605**	**7.4**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.8	1	<1	1	1	2	4	4	4
20-34	160	2.2	1	<1	1	2	3	4	5	6
35-49	199	2.2	1	1	1	2	3	4	4	8
50-64	111	2.3	1	1	1	2	3	4	5	7
65+	37	2.7	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	13	2.7	3	1	1	2	4	5	6	6
20-34	159	2.9	13	1	1	2	3	5	7	12
35-49	259	2.8	4	1	1	2	4	5	8	11
50-64	251	3.2	9	1	1	2	4	6	7	21
65+	114	4.3	35	1	1	3	5	8	12	32
TOT. SINGLE DX	529	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	796	3.2	12	1	1	2	4	5	8	16
TOTAL 0-19 YRS	35	2.1	2	1	1	2	3	4	5	6
20-34	319	2.5	8	1	1	2	3	4	5	11
35-49	458	2.5	3	1	1	2	3	4	6	11
50-64	362	2.9	7	1	1	2	4	5	6	13
65+	151	3.9	28	1	1	3	4	7	10	19
GRAND TOTAL	**1325**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	4	4
20-34	113	1.9	1	1	1	1	2	4	4	7
35-49	71	2.2	2	1	1	2	3	4	5	9
50-64	47	2.4	2	1	1	2	3	5	5	10
65+	20	2.9	3	<1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	17	2.6	4	1	1	2	3	6	8	9
20-34	176	2.8	5	1	1	2	4	5	7	11
35-49	219	3.2	20	1	1	2	4	6	7	24
50-64	180	3.9	21	1	1	2	5	7	10	29
65+	177	5.1	24	1	1	4	6	9	12	29
TOT. SINGLE DX	262	2.2	2	1	1	2	3	4	5	9
" MULTIPLE DX	769	3.7	18	1	1	3	4	7	9	24
TOTAL 0-19 YRS	28	2.4	3	<1	1	2	3	4	6	9
20-34	289	2.5	5	1	1	2	3	5	6	11
35-49	290	3.0	16	1	1	2	3	5	6	18
50-64	227	3.6	18	1	1	2	4	6	10	24
65+	197	4.8	23	1	1	4	6	9	12	28
GRAND TOTAL	**1031**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	208	3.1	2	1	1	3	4	5	6	7
35-49	277	3.2	2	1	1	3	4	5	7	8
50-64	149	3.1	3	1	1	3	4	5	6	8
65+	74	3.6	17	1	1	3	4	5	7	29
2. MULTIPLE DX										
0-19 YRS	26	4.5	23	1	2	3	5	10	14	25
20-34	1123	3.5	5	1	1	3	4	6	7	12
35-49	1808	3.6	5	1	1	3	4	6	7	12
50-64	1479	4.0	10	1	2	3	5	7	9	15
65+	814	5.2	17	1	2	4	6	10	12	21
TOT. SINGLE DX	713	3.2	4	1	1	3	4	5	6	8
" MULTIPLE DX	5250	3.9	9	1	2	3	5	7	9	15
TOTAL 0-19 YRS	31	4.2	20	1	1	3	4	8	11	25
20-34	1331	3.4	5	1	1	3	4	5	6	11
35-49	2085	3.5	5	1	1	3	4	6	7	11
50-64	1628	3.9	10	1	2	3	5	7	8	15
65+	888	5.0	17	1	2	4	6	9	12	22
GRAND TOTAL	**5963**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.9	24	<1	1	2	4	9	17	99+
20-34	183	2.5	3	<1	1	2	3	5	6	9
35-49	146	2.7	4	1	1	2	3	6	7	11
50-64	89	2.8	3	1	1	2	3	5	7	8
65+	43	4.3	24	1	1	3	4	7	11	32
2. MULTIPLE DX										
0-19 YRS	69	5.6	45	1	1	4	6	10	19	40
20-34	223	4.4	42	1	1	3	5	8	11	27
35-49	251	4.3	31	1	1	3	5	8	12	27
50-64	203	5.2	30	1	1	3	6	11	15	31
65+	260	6.6	46	1	1	5	8	14	19	32
TOT. SINGLE DX	509	2.9	8	1	1	2	3	6	7	15
" MULTIPLE DX	1006	5.2	39	1	1	3	6	11	15	32
TOTAL 0-19 YRS	117	4.9	37	1	1	3	5	10	18	60
20-34	406	3.6	25	1	1	2	4	7	9	17
35-49	397	3.7	22	1	1	3	4	7	10	20
50-64	292	4.4	24	1	1	3	5	9	13	26
65+	303	6.2	44	1	1	4	8	13	18	32
GRAND TOTAL	**1515**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	2	20.0	162	11	11	20	29	29	29	29
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	6	7.8	40	1	1	7	14	16	16	16
65+	5	5.2	26	1	1	4	7	14	14	14
2. MULTIPLE DX										
0-19 YRS	12	15.8	204	2	4	11	17	43	46	47
20-34	18	12.7	75	3	4	8	19	27	30	32
35-49	26	15.8	225	5	5	10	15	41	50	65
50-64	34	18.3	134	1	3	18	25	36	39	40
65+	54	20.0	225	4	6	16	23	39	51	79
TOT. SINGLE DX	18	8.5	55	1	1	7	14	17	24	29
" MULTIPLE DX	144	17.6	185	3	5	14	23	37	43	66
TOTAL 0-19 YRS	14	15.4	176	3	5	11	17	42	46	47
20-34	20	13.5	81	3	5	10	19	28	30	32
35-49	29	14.7	214	4	5	9	14	39	47	65
50-64	40	16.8	133	1	2	15	25	35	38	40
65+	59	18.8	226	2	4	15	23	38	50	78
GRAND TOTAL	**162**	**16.6**	**178**	**2**	**4**	**13**	**21**	**36**	**41**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	5.3	16	1	1	4	8	11	15	16
20-34	112	5.3	59	1	1	2	6	12	19	43
35-49	123	3.4	16	1	1	2	4	8	12	22
50-64	124	3.2	13	1	1	1	4	8	12	18
65+	59	3.4	22	<1	1	1	4	9	11	26
2. MULTIPLE DX										
0-19 YRS	142	14.4	344	1	1	8	17	47	72	99+
20-34	309	9.0	59	1	1	8	12	19	24	41
35-49	434	9.1	86	1	1	7	12	20	25	50
50-64	768	10.0	86	1	1	8	13	21	29	41
65+	955	11.2	101	1	1	9	15	21	27	56
TOT. SINGLE DX	451	4.0	28	1	1	2	5	9	13	24
" MULTIPLE DX	2608	10.4	104	1	1	8	14	21	29	57
TOTAL 0-19 YRS	175	12.7	295	1	1	7	15	37	64	99+
20-34	421	8.0	62	1	1	6	11	18	23	41
35-49	557	7.9	76	1	1	6	10	18	24	47
50-64	892	9.1	82	1	1	7	12	19	26	41
65+	1014	10.8	100	1	1	9	14	21	26	56
GRAND TOTAL	**3059**	**9.5**	**98**	**1**	**1**	**7**	**13**	**20**	**26**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	288	5.1	5	2	3	5	6	8	10	14
20-34	3456	5.0	3	3	3	5	6	7	8	11
35-49	3031	5.2	4	3	3	5	6	8	9	12
50-64	2311	5.6	4	3	3	5	7	8	9	13
65+	1138	6.7	9	3	4	6	8	10	13	17
2. MULTIPLE DX										
0-19 YRS	298	7.4	40	3	3	6	9	12	14	34
20-34	3650	6.7	19	3	4	6	8	11	13	23
35-49	4747	7.0	21	3	4	6	8	11	14	24
50-64	6146	8.2	30	3	4	7	10	14	17	31
65+	7558	11.1	52	4	5	9	13	19	23	40
TOT. SINGLE DX	10224	5.4	5	3	3	5	6	8	9	13
" MULTIPLE DX	22399	8.7	38	3	4	7	10	15	19	33
TOTAL 0-19 YRS	586	6.3	24	3	3	5	7	10	12	20
20-34	7106	5.9	13	3	3	5	7	9	11	18
35-49	7778	6.3	16	3	3	5	7	10	12	21
50-64	8457	7.5	25	3	4	6	9	12	15	27
65+	8696	10.5	49	4	5	9	13	18	22	38
GRAND TOTAL	**32623**	**7.6**	**30**	**3**	**4**	**6**	**9**	**13**	**17**	**29**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	9.7	158	1	1	7	10	32	37	37
20-34	27	4.8	24	1	1	3	6	10	19	19
35-49	48	7.2	21	1	2	7	10	15	16	18
50-64	59	6.8	16	1	1	8	9	11	14	18
65+	80	7.6	27	1	1	7	11	16	17	20
2. MULTIPLE DX										
0-19 YRS	12	11.1	48	2	5	11	14	43	89	99+
20-34	66	12.3	105	3	4	9	14	25	35	55
35-49	146	12.6	94	2	3	10	17	27	31	44
50-64	353	13.9	115	2	4	11	18	25	32	54
65+	1022	15.7	106	3	5	14	19	27	35	52
TOT. SINGLE DX	221	7.0	27	1	1	7	10	14	16	20
" MULTIPLE DX	1599	14.8	108	3	5	13	19	27	34	53
TOTAL 0-19 YRS	19	10.6	83	1	1	9	13	33	68	99+
20-34	93	10.1	93	1	2	8	12	19	32	53
35-49	194	11.3	82	1	3	9	15	23	29	42
50-64	412	12.9	107	2	3	10	17	24	31	54
65+	1102	15.1	105	2	4	13	19	27	33	51
GRAND TOTAL	**1820**	**13.9**	**105**	**2**	**3**	**12**	**18**	**26**	**32**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	7.7	50	1	1	5	14	17	18	18
20-34	61	4.9	37	1	1	3	6	10	12	41
35-49	77	6.2	36	1	1	5	9	12	18	35
50-64	96	6.5	72	1	1	4	8	17	19	48
65+	66	6.2	43	1	1	4	8	17	20	31
2. MULTIPLE DX										
0-19 YRS	19	15.2	173	1	2	10	18	33	45	52
20-34	129	13.0	184	1	2	8	18	27	37	74
35-49	284	13.1	192	2	2	9	16	31	47	99+
50-64	430	14.3	208	2	3	10	18	31	42	86
65+	649	13.5	157	2	3	10	16	28	42	71
TOT. SINGLE DX	307	6.1	50	1	1	4	8	13	18	35
" MULTIPLE DX	1511	13.6	181	2	3	10	17	29	43	82
TOTAL 0-19 YRS	26	13.2	149	1	1	10	18	29	39	52
20-34	190	10.4	151	1	1	6	13	24	32	68
35-49	361	11.6	167	1	2	8	13	25	44	99
50-64	526	12.8	192	1	2	9	17	28	39	83
65+	715	12.8	151	1	2	9	16	26	40	70
GRAND TOTAL	**1818**	**12.3**	**166**	**1**	**2**	**9**	**15**	**27**	**40**	**79**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	4.5	15	1	1	4	5	7	11	23
20-34	301	4.9	23	1	2	4	6	9	11	27
35-49	247	5.7	39	<1	1	4	7	10	14	38
50-64	265	4.6	12	<1	1	4	6	9	10	18
65+	263	4.5	17	<1	<1	4	6	8	11	19
2. MULTIPLE DX										
0-19 YRS	212	6.2	77	1	2	4	6	11	18	70
20-34	796	7.0	50	1	2	5	8	14	20	34
35-49	1178	6.9	38	2	2	5	8	13	18	34
50-64	2128	7.3	41	2	2	6	9	13	19	34
65+	5681	7.9	37	2	3	6	10	14	18	32
TOT. SINGLE DX	1191	4.9	22	<1	1	4	6	9	12	21
" MULTIPLE DX	9995	7.6	40	2	2	6	9	14	19	33
TOTAL 0-19 YRS	327	5.6	56	1	2	4	6	10	16	43
20-34	1097	6.5	44	1	2	5	7	13	18	33
35-49	1425	6.7	39	1	2	5	8	13	17	34
50-64	2393	7.0	39	2	2	5	8	13	18	32
65+	5944	7.8	37	2	3	6	10	14	18	32
GRAND TOTAL	**11186**	**7.3**	**39**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	933	1.5	1	<1	<1	1	2	3	3	5
20-34	2002	1.9	1	1	1	2	2	3	4	5
35-49	1922	2.0	1	1	1	2	3	4	4	5
50-64	2438	2.2	1	1	1	2	3	4	5	6
65+	1699	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	670	2.2	18	<1	1	1	2	4	5	35
20-34	872	2.5	6	1	1	2	3	4	6	11
35-49	1278	2.8	5	1	1	2	3	5	6	13
50-64	2605	3.1	8	1	1	2	4	5	8	14
65+	4348	4.3	17	1	1	3	5	8	12	22
TOT. SINGLE DX	8994	2.1	2	1	1	2	3	4	5	6
" MULTIPLE DX	9773	3.5	13	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1603	1.8	9	<1	<1	1	2	3	4	9
20-34	2874	2.1	3	1	1	2	3	4	4	8
35-49	3200	2.3	3	1	1	2	3	4	5	8
50-64	5043	2.7	5	1	1	2	3	5	6	11
65+	6047	3.9	14	1	1	3	5	7	10	19
GRAND TOTAL	**18767**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	1.4		<1	1	1	2	2	3	6
20-34	190	2.3	1	1	1	2	3	4	5	7
35-49	277	2.6	1	1	1	2	3	4	5	7
50-64	368	2.7	2	1	1	2	4	5	5	6
65+	258	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	331	2.7	31	1	1	1	2	5	9	29
20-34	128	2.7	2	1	1	2	4	5	6	8
35-49	239	2.9	3	1	1	3	4	5	6	12
50-64	483	3.4	4	1	1	3	4	6	8	12
65+	647	4.8	13	1	2	4	6	9	12	22
TOT. SINGLE DX	1271	2.5	2	1	1	2	3	5	5	7
" MULTIPLE DX	1828	3.7	13	1	1	3	4	7	9	16
TOTAL 0-19 YRS	509	2.2	21	<1	1	1	2	4	7	21
20-34	318	2.4	2	1	1	2	3	4	5	7
35-49	516	2.8	3	1	1	3	4	5	5	8
50-64	851	3.1	4	1	1	3	4	5	6	9
65+	905	4.3	11	1	1	4	5	8	10	19
GRAND TOTAL	**3099**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.4	1	1	1	3	3	4	5	5
20-34	48	2.2	1	1	1	2	3	4	5	5
35-49	77	2.1	1	1	1	2	3	4	4	5
50-64	75	2.6	5	1	1	2	3	4	5	16
65+	132	4.4	9	1	2	4	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	5	4.4	5	1	1	5	6	7	7	7
20-34	25	2.6	4	1	1	2	3	4	7	12
35-49	53	3.0	4	1	1	3	4	5	6	11
50-64	76	4.5	34	1	1	3	5	6	11	41
65+	328	7.0	38	1	2	5	9	14	18	29
TOT. SINGLE DX	341	3.1	6	1	1	2	4	6	8	13
" MULTIPLE DX	487	6.0	35	1	1	4	7	12	16	26
TOTAL 0-19 YRS	14	3.1	4	1	1	3	5	5	7	7
20-34	73	2.4	3	1	1	2	3	4	5	10
35-49	130	2.5	3	1	1	2	3	4	5	10
50-64	151	3.5	21	1	1	3	4	6	6	21
65+	460	6.3	32	1	2	5	8	13	16	24
GRAND TOTAL	**828**	**4.8**	**25**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.7	1	<1	<1	1	2	3	4	9
20-34	102	2.0	1	1	1	2	3	4	5	6
35-49	222	2.0	2	1	1	2	3	3	4	6
50-64	179	2.6	2	1	1	2	3	5	6	8
65+	82	3.3	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	55	3.8	52	1	1	2	4	6	21	97
20-34	91	3.2	7	1	1	2	4	6	7	17
35-49	257	3.9	11	1	1	3	5	8	10	19
50-64	313	4.4	15	1	1	4	5	8	12	18
65+	354	6.2	28	1	2	5	7	12	15	33
TOT. SINGLE DX	674	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	1070	4.7	21	1	1	3	6	10	12	24
TOTAL 0-19 YRS	144	2.5	22	<1	<1	1	2	4	7	51
20-34	193	2.5	5	1	1	2	3	5	6	13
35-49	479	3.0	8	1	1	2	3	6	9	15
50-64	492	3.8	11	1	1	3	5	7	9	17
65+	436	5.6	25	1	1	4	7	11	15	30
GRAND TOTAL	**1744**	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.1	2	<1	1	2	3	4	5	7
20-34	254	2.8	3	1	1	2	4	5	6	9
35-49	487	3.4	3	1	1	3	4	6	7	11
50-64	541	3.8	4	1	1	3	5	7	8	10
65+	395	4.5	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	36	3.9	11	<1	<1	3	5	10	15	99+
20-34	239	4.3	12	1	1	4	5	8	10	18
35-49	701	5.6	24	1	2	5	7	10	13	31
50-64	1125	5.8	19	1	2	5	7	10	13	24
65+	1289	7.3	36	2	2	6	9	14	18	32
TOT. SINGLE DX	1720	3.6	5	1	1	3	5	6	8	11
" MULTIPLE DX	3390	6.2	27	1	2	5	8	11	15	27
TOTAL 0-19 YRS	79	2.9	7	<1	1	2	4	6	9	74
20-34	493	3.5	9	1	1	3	5	6	8	15
35-49	1188	4.7	17	1	1	4	6	8	11	19
50-64	1666	5.1	15	1	2	4	6	9	11	22
65+	1684	6.7	31	2	2	5	8	12	16	26
GRAND TOTAL	**5110**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	6.6	5	4	4	6	9	9	9	9
20-34	10	3.8	7	1	1	3	5	8	9	9
35-49	23	7.5	8	3	4	7	10	11	13	14
50-64	15	6.7	5	3	5	6	9	10	11	11
65+	17	7.2	7	2	3	7	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	29	10.2	65	4	4	8	12	16	20	46
20-34	46	11.6	163	2	4	8	11	26	44	68
35-49	87	9.1	22	4	4	8	12	14	18	28
50-64	143	9.9	63	4	5	8	11	15	23	44
65+	196	12.6	65	5	5	10	15	22	30	42
TOT. SINGLE DX	70	6.7	9	2	3	6	9	11	12	14
" MULTIPLE DX	501	11.0	68	4	5	9	13	19	27	44
TOTAL 0-19 YRS	34	9.6	58	4	4	8	12	16	18	46
20-34	56	10.2	144	1	2	7	10	22	38	67
35-49	110	8.8	20	4	4	8	11	14	18	26
50-64	158	9.6	59	4	5	8	10	15	21	42
65+	213	12.2	63	5	5	10	15	22	29	42
GRAND TOTAL	**571**	**10.5**	**63**	**3**	**5**	**8**	**12**	**18**	**25**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	3.6	12	<1	1	2	4	8	11	19
20-34	175	4.0	12	1	1	3	5	8	10	16
35-49	138	4.8	14	1	1	4	6	10	14	18
50-64	116	5.4	23	1	1	4	7	12	16	24
65+	88	7.2	30	1	2	6	10	14	17	28
2. MULTIPLE DX										
0-19 YRS	146	8.1	124	1	1	6	9	15	36	94
20-34	381	8.0	58	1	1	6	10	17	23	43
35-49	570	9.5	82	1	2	7	12	19	26	51
50-64	1022	10.8	83	2	3	8	14	21	27	47
65+	1453	12.3	93	2	3	10	16	24	32	52
TOT. SINGLE DX	610	4.9	19	1	1	4	6	10	13	22
" MULTIPLE DX	3572	10.8	89	2	2	8	14	22	29	50
TOTAL 0-19 YRS	239	6.3	85	1	1	4	7	12	22	53
20-34	556	6.8	48	1	1	5	9	15	19	37
35-49	708	8.6	72	1	2	6	11	18	24	46
50-64	1138	10.3	80	2	2	8	13	21	26	46
65+	1541	12.0	91	2	3	10	15	23	31	51
GRAND TOTAL	**4182**	**9.9**	**83**	**1**	**2**	**8**	**13**	**20**	**27**	**48**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	5.4	14	2	2	5	7	9	11	23
20-34	334	4.9	9	2	2	4	6	8	10	20
35-49	126	6.5	14	1	2	6	8	12	14	19
50-64	100	9.5	69	3	4	7	11	16	20	57
65+	55	8.6	30	2	3	8	12	14	20	28
2. MULTIPLE DX										
0-19 YRS	269	7.2	38	2	3	6	9	13	19	43
20-34	712	8.0	70	3	3	5	8	14	22	54
35-49	483	10.6	95	3	4	8	12	19	28	67
50-64	524	13.2	106	4	5	11	16	23	32	58
65+	789	15.9	129	5	6	13	19	29	38	70
TOT. SINGLE DX	778	6.1	23	2	2	5	7	11	14	23
" MULTIPLE DX	2777	11.6	107	3	4	9	14	23	31	63
TOTAL 0-19 YRS	432	6.5	31	2	3	5	8	11	16	35
20-34	1046	7.0	53	2	3	5	7	12	19	49
35-49	609	9.7	82	3	4	7	11	17	24	63
50-64	624	12.6	102	4	5	10	15	22	31	58
65+	844	15.4	126	5	6	12	19	28	38	67
GRAND TOTAL	**3555**	**10.4**	**93**	**3**	**3**	**7**	**12**	**20**	**28**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	228	3.2	5	<1	1	3	4	6	8	11
20-34	711	2.8	4	<1	1	2	4	5	7	12
35-49	109	3.0	5	<1	<1	2	4	7	8	11
50-64	18	2.8	8	<1	<1	1	5	8	9	10
65+	6	3.5	6	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	308	4.0	9	1	1	3	5	8	9	14
20-34	1332	4.0	18	1	1	3	5	8	10	18
35-49	286	4.3	21	1	1	3	5	8	11	19
50-64	60	6.9	147	<1	1	3	8	15	24	81
65+	45	8.3	48	1	1	6	12	18	21	28
TOT. SINGLE DX	1072	2.9	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	2031	4.2	22	1	1	3	5	8	10	22
TOTAL 0-19 YRS	536	3.7	8	<1	1	3	5	7	9	12
20-34	2043	3.6	14	<1	1	3	5	7	9	16
35-49	395	3.9	17	<1	1	3	5	8	10	17
50-64	78	6.0	118	<1	1	3	7	12	21	70
65+	51	7.7	46	1	1	5	11	18	21	28
GRAND TOTAL	**3103**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	6.0	14	1	2	6	8	11	12	20
20-34	246	5.6	11	1	1	5	8	10	12	17
35-49	197	7.4	22	2	2	7	9	13	16	27
50-64	190	8.5	21	2	3	8	11	14	16	24
65+	115	9.9	27	2	4	9	13	16	20	28
2. MULTIPLE DX										
0-19 YRS	225	11.5	220	2	3	7	12	25	34	96
20-34	1011	7.2	49	1	2	5	8	15	19	32
35-49	873	9.5	76	2	3	7	11	19	25	47
50-64	934	12.6	115	3	4	10	15	24	31	61
65+	1470	15.5	120	4	6	13	19	29	36	62
TOT. SINGLE DX	831	7.3	21	1	2	7	10	13	16	24
" MULTIPLE DX	4513	11.7	110	2	3	9	15	23	31	57
TOTAL 0-19 YRS	308	10.0	171	2	3	7	10	19	29	95
20-34	1257	6.9	43	1	2	5	8	13	18	30
35-49	1070	9.1	67	2	3	7	11	18	23	46
50-64	1124	11.9	101	2	4	9	14	22	29	56
65+	1585	15.1	116	4	6	12	19	27	35	60
GRAND TOTAL	**5344**	**11.0**	**99**	**2**	**3**	**8**	**14**	**22**	**29**	**54**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	8.7	25	4	4	8	11	13	22	26
20-34	46	6.7	1	5	5	7	7	8	9	11
35-49	75	7.7	7	5	5	7	9	11	15	16
50-64	83	8.8	11	5	6	8	10	12	16	23
65+	55	9.5	11	6	6	9	11	14	18	19
2. MULTIPLE DX										
0-19 YRS	100	9.2	63	3	4	6	11	18	25	79
20-34	114	10.7	68	4	5	8	12	20	27	50
35-49	179	11.3	42	5	6	10	14	19	23	40
50-64	417	12.2	47	5	6	10	15	20	26	38
65+	621	14.5	90	6	7	11	17	26	32	58
TOT. SINGLE DX	289	8.3	11	5	5	8	9	12	15	22
" MULTIPLE DX	1431	12.8	71	5	6	10	16	23	29	49
TOTAL 0-19 YRS	130	9.1	54	3	4	7	11	18	24	67
20-34	160	9.5	52	4	5	7	10	17	22	48
35-49	254	10.3	35	5	5	8	12	16	22	37
50-64	500	11.7	43	5	6	9	14	19	24	37
65+	676	14.1	86	6	7	11	17	25	31	58
GRAND TOTAL	**1720**	**12.0**	**64**	**5**	**6**	**9**	**14**	**22**	**27**	**46**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	5.4	15	1	2	5	7	11	14	19
20-34	197	6.2	21	1	1	6	8	11	15	23
35-49	195	5.1	11	1	1	5	7	10	12	14
50-64	173	5.6	16	1	1	5	8	11	13	23
65+	97	5.6	14	1	1	5	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	287	9.4	79	1	2	7	12	19	30	52
20-34	461	9.9	83	1	1	8	12	21	28	61
35-49	584	10.7	83	1	2	9	14	22	29	48
50-64	616	10.2	94	1	2	8	13	21	28	59
65+	731	11.6	100	1	2	9	15	23	30	50
TOT. SINGLE DX	829	5.6	16	1	1	5	8	11	13	19
" MULTIPLE DX	2679	10.6	91	1	2	8	14	22	29	52
TOTAL 0-19 YRS	454	7.9	60	1	2	6	10	17	22	44
20-34	658	8.8	68	1	1	7	11	19	25	49
35-49	779	9.3	71	1	2	7	12	20	26	42
50-64	789	9.2	81	1	2	7	11	19	25	49
65+	828	10.9	94	1	2	8	14	22	29	48
GRAND TOTAL	**3508**	**9.4**	**78**	**1**	**2**	**7**	**12**	**20**	**26**	**46**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	2.3	4	1	1	2	2	6	7	7
20-34	95	5.4	10	1	1	5	7	9	11	15
35-49	150	5.9	15	1	1	5	8	11	12	18
50-64	137	6.1	12	1	1	6	8	11	12	16
65+	60	7.0	21	1	1	7	9	13	16	21
2. MULTIPLE DX										
0-19 YRS	19	5.7	24	1	1	5	7	11	17	22
20-34	109	7.2	21	1	2	6	9	12	16	24
35-49	214	8.4	89	1	2	6	10	14	21	56
50-64	334	9.2	54	2	3	8	11	18	22	41
65+	336	11.0	65	2	3	9	14	21	26	48
TOT. SINGLE DX	449	5.9	14	1	1	6	8	11	12	18
" MULTIPLE DX	1012	9.4	63	2	2	8	12	18	22	43
TOTAL 0-19 YRS	26	4.8	21	1	1	3	7	10	13	22
20-34	204	6.3	17	1	2	6	8	11	13	20
35-49	364	7.4	61	1	2	6	9	12	18	34
50-64	471	8.3	44	1	2	7	11	15	20	35
65+	396	10.4	61	2	3	9	13	20	23	47
GRAND TOTAL	**1461**	**8.3**	**51**	**1**	**2**	**7**	**11**	**15**	**20**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	6.2	5	3	3	6	7	9	11	13
20-34	17	6.9	10	1	2	6	10	11	12	12
35-49	7	7.6	18	2	2	7	10	14	15	15
50-64	10	9.4	32	1	1	11	13	16	18	18
65+	6	11.7	14	7	7	12	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	238	7.7	12	3	4	7	9	12	15	21
20-34	39	10.2	39	4	4	9	11	15	25	35
35-49	53	13.7	55	6	7	12	16	23	31	40
50-64	69	17.1	113	4	7	15	21	36	42	91
65+	128	17.0	89	7	8	15	21	29	33	72
TOT. SINGLE DX	172	6.7	10	2	3	6	8	11	12	17
" MULTIPLE DX	527	12.0	69	4	5	10	15	23	29	51
TOTAL 0-19 YRS	370	7.2	11	3	4	7	9	11	13	18
20-34	56	9.2	33	2	4	8	11	14	21	35
35-49	60	13.0	55	5	6	10	16	22	30	39
50-64	79	16.1	110	3	5	14	19	34	40	87
65+	134	16.7	87	7	8	14	21	28	33	70
GRAND TOTAL	**699**	**10.7**	**59**	**3**	**4**	**9**	**13**	**20**	**27**	**41**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.6	6	1	1	3	5	7	8	14
20-34	499	3.4	4	1	1	3	4	6	8	11
35-49	680	3.4	4	1	1	3	5	6	7	10
50-64	439	3.7	5	1	1	3	5	7	8	11
65+	151	3.8	8	1	1	3	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	82	6.4	29	1	2	5	9	12	14	32
20-34	377	4.8	12	1	1	4	6	9	11	19
35-49	565	5.1	15	1	2	4	6	10	12	21
50-64	684	5.8	26	1	2	5	7	11	15	23
65+	603	7.4	45	1	2	6	9	15	20	37
TOT. SINGLE DX	1823	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	2311	5.9	27	1	2	5	7	11	16	26
TOTAL 0-19 YRS	136	5.3	22	1	1	4	8	11	13	26
20-34	876	4.0	8	1	1	3	5	7	9	14
35-49	1245	4.2	10	1	1	4	5	8	10	17
50-64	1123	5.0	19	1	1	4	6	9	12	20
65+	754	6.7	40	1	1	5	8	14	18	34
GRAND TOTAL	**4134**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	3.1	9	<1	<1	2	4	6	8	16
20-34	396	3.6	6	1	1	3	5	7	8	12
35-49	505	3.6	7	1	1	3	5	7	8	11
50-64	447	3.8	10	1	1	3	5	8	10	16
65+	325	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	327	4.9	25	<1	1	4	6	9	12	25
20-34	926	7.3	75	1	2	5	8	14	23	62
35-49	1359	7.0	43	1	2	5	8	14	19	36
50-64	2043	7.3	48	1	2	5	9	15	19	34
65+	4426	9.1	64	1	2	7	11	18	23	42
TOT. SINGLE DX	1788	3.7	9	<1	1	3	5	7	9	14
" MULTIPLE DX	9081	8.0	59	1	2	6	10	16	22	40
TOTAL 0-19 YRS	442	4.5	22	<1	1	3	6	9	11	23
20-34	1322	6.2	58	1	1	4	7	11	18	54
35-49	1864	6.0	36	1	1	4	7	12	16	33
50-64	2490	6.6	43	1	1	5	8	13	18	32
65+	4751	8.7	62	1	2	7	11	17	23	41
GRAND TOTAL	**10869**	**7.3**	**53**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.8	1	<1	1	2	3	3	4	4
35-49	88	2.3	3	1	1	2	3	4	5	12
50-64	381	2.7	3	1	1	2	3	5	6	10
65+	753	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	16	4.2	12	1	1	3	6	9	12	14
20-34	63	6.5	66	1	1	5	8	10	20	53
35-49	194	4.9	25	1	1	4	6	9	13	28
50-64	953	5.3	34	1	1	4	6	11	16	31
65+	3550	6.0	31	1	1	4	8	12	17	28
TOT. SINGLE DX	1241	2.8	4	1	1	2	4	5	6	11
" MULTIPLE DX	4776	5.8	33	1	1	4	7	12	17	29
TOTAL 0-19 YRS	17	4.0	13	1	1	3	6	9	12	14
20-34	81	5.5	56	1	1	3	7	10	15	48
35-49	282	4.1	20	1	1	3	5	8	11	23
50-64	1334	4.6	27	1	1	3	5	9	14	28
65+	4303	5.5	28	1	1	4	7	11	15	26
GRAND TOTAL	**6017**	**5.2**	**28**	**1**	**1**	**4**	**6**	**11**	**15**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	4.3	6	1	2	4	5	8	10	11
20-34	52	4.5	6	1	1	4	6	9	9	10
35-49	93	5.7	22	1	2	4	7	9	12	30
50-64	144	5.8	22	1	1	4	8	12	15	19
65+	192	6.1	30	1	1	4	10	14	17	24
2. MULTIPLE DX										
0-19 YRS	205	9.1	91	1	2	6	11	20	31	76
20-34	148	10.4	129	1	2	7	12	24	39	77
35-49	235	8.2	69	1	2	6	9	18	28	46
50-64	511	9.2	62	1	2	7	12	19	25	44
65+	1718	10.4	97	1	2	8	13	21	28	57
TOT. SINGLE DX	540	5.6	22	1	1	4	8	12	15	22
" MULTIPLE DX	2817	9.9	90	1	2	7	13	21	28	56
TOTAL 0-19 YRS	264	8.0	77	1	2	5	9	18	26	58
20-34	200	8.9	104	1	2	6	10	19	31	66
35-49	328	7.5	57	1	2	6	8	16	23	44
50-64	655	8.4	56	1	2	6	12	17	22	40
65+	1910	10.0	92	1	2	8	13	21	27	56
GRAND TOTAL	**3357**	**9.2**	**82**	**1**	**2**	**7**	**12**	**19**	**26**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	2	2	2
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	3.7	4	1	1	3	5	6	8	9
20-34	9	2.9	4	<1	<1	2	5	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	15	4.1	23	<1	<1	1	6	12	16	17
65+	26	8.7	101	1	1	5	9	25	36	38
TOT. SINGLE DX	19	2.5	4	<1	<1	2	3	5	7	9
" MULTIPLE DX	67	5.6	51	<1	1	4	6	12	19	37
TOTAL 0-19 YRS	24	2.8	4	<1	1	2	4	5	7	9
20-34	13	3.3	7	<1	<1	2	5	7	9	9
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64	17	3.9	21	<1	<1	1	5	11	15	17
65+	27	8.4	99	1	1	5	9	24	35	38
GRAND TOTAL	**86**	**4.9**	**42**	**<1**	**1**	**3**	**5**	**9**	**17**	**37**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	334	3.6	7	1	1	3	5	8	9	11
20-34	53	3.3	6	<1	1	3	5	6	7	15
35-49	47	4.2	10	1	1	4	6	7	8	20
50-64	33	4.3	7	1	1	4	6	8	10	11
65+	30	3.8	11	1	1	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	219	4.0	13	1	1	3	6	10	12	16
20-34	63	5.1	25	1	1	4	6	10	17	27
35-49	76	6.2	32	1	2	4	8	12	15	31
50-64	110	6.1	38	1	2	5	7	12	16	37
65+	193	6.8	42	1	1	5	8	16	20	35
TOT. SINGLE DX	497	3.7	8	1	1	3	5	8	9	11
" MULTIPLE DX	661	5.5	31	1	1	4	7	12	16	28
TOTAL 0-19 YRS	553	3.8	10	1	1	3	5	8	10	13
20-34	116	4.3	18	1	1	3	6	8	10	23
35-49	123	5.4	25	1	1	4	7	10	14	29
50-64	143	5.7	32	1	1	5	7	11	14	29
65+	223	6.4	40	1	1	4	8	15	19	34
GRAND TOTAL	**1158**	**4.7**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.8	1	<1	<1	1	2	3	5	6
20-34	36	2.5	4	<1	<1	2	3	6	7	10
35-49	33	3.2	6	<1	<1	2	4	7	9	10
50-64	24	3.0	5	<1	<1	2	4	6	9	9
65+	34	3.7	18	<1	1	3	5	7	8	25
2. MULTIPLE DX										
0-19 YRS	68	4.2	12	<1	1	3	6	10	11	85
20-34	137	6.5	41	1	1	5	8	12	17	38
35-49	185	7.3	69	1	1	5	9	15	22	59
50-64	269	7.9	71	1	1	6	10	15	20	46
65+	752	8.9	48	1	2	7	11	18	23	32
TOT. SINGLE DX	153	2.9	8	<1	<1	2	4	6	8	10
" MULTIPLE DX	1411	8.0	54	1	2	6	10	16	22	41
TOTAL 0-19 YRS	94	3.6	11	<1	<1	3	5	9	11	63
20-34	173	5.6	36	<1	1	4	7	11	15	36
35-49	218	6.7	62	1	1	5	8	14	19	58
50-64	293	7.5	68	1	1	6	9	15	20	46
65+	786	8.6	48	1	2	7	11	18	23	32
GRAND TOTAL	1564	7.5	52	1	1	6	10	16	21	39

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.7	1	1	1	1	2	3	4	5
20-34	79	2.3	5	<1	1	2	3	4	5	16
35-49	54	2.2	2	1	1	2	3	5	6	7
50-64	45	3.0	5	<1	1	3	4	6	7	12
65+	77	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	59	2.9	12	1	1	2	3	7	11	19
20-34	120	4.6	62	1	1	3	4	8	15	47
35-49	117	4.0	16	1	1	3	5	9	12	20
50-64	200	6.0	38	1	1	4	8	14	18	30
65+	575	6.3	38	1	1	4	8	14	19	31
TOT. SINGLE DX	304	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	1071	5.6	39	1	1	4	7	12	17	30
TOTAL 0-19 YRS	108	2.3	7	1	1	1	2	5	7	16
20-34	199	3.7	41	1	1	2	3	7	11	34
35-49	171	3.5	13	1	1	2	4	8	10	16
50-64	245	5.5	34	1	1	4	7	12	16	28
65+	652	5.9	36	1	1	4	7	13	18	30
GRAND TOTAL	1375	4.9	33	1	1	3	6	11	16	28

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	46	5.4	2	3	4	5	6	8	8	8
35-49	200	5.7	3	3	3	5	7	8	10	11
50-64	156	6.1	4	4	4	6	7	8	9	13
65+	54	7.0	6	3	4	7	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	83	6.0	5	3	3	6	7	8	10	15
35-49	365	6.4	7	3	4	6	7	9	11	15
50-64	386	6.8	7	4	4	6	8	10	12	16
65+	251	8.2	17	3	4	7	9	13	16	28
TOT. SINGLE DX	458	6.0	4	3	4	6	7	9	10	12
" MULTIPLE DX	1086	6.9	10	3	4	6	8	10	13	18
TOTAL 0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	129	5.8	4	3	3	5	7	8	9	14
35-49	565	6.2	6	3	4	6	7	9	10	13
50-64	542	6.6	6	4	4	6	8	10	11	15
65+	305	8.0	16	3	4	7	9	12	15	25
GRAND TOTAL	1544	6.7	8	3	4	6	8	10	12	17

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	4.7	3	2	3	4	6	7	8	9
35-49	155	4.8	3	2	2	5	6	7	8	10
50-64	139	5.4	4	3	3	5	7	8	9	11
65+	60	5.9	5	2	3	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	9	5.7	17	1	2	5	7	12	15	15
20-34	36	5.5	14	2	3	4	6	8	10	25
35-49	183	6.0	16	2	3	5	7	9	11	23
50-64	220	5.9	7	3	3	6	7	9	10	13
65+	216	6.8	11	3	4	6	8	11	13	21
TOT. SINGLE DX	392	5.2	4	2	3	5	7	8	9	11
" MULTIPLE DX	664	6.2	12	2	3	6	7	10	12	20
TOTAL 0-19 YRS	11	4.9	17	1	1	3	7	11	15	15
20-34	72	5.1	9	2	3	4	6	8	9	22
35-49	338	5.5	11	2	3	5	6	9	10	17
50-64	359	5.7	6	3	3	5	7	9	10	12
65+	276	6.6	10	3	3	6	8	10	13	19
GRAND TOTAL	1056	5.8	9	2	3	5	7	9	10	16

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	35	3.9	5	<1	1	3	5	7	8	10
35-49	51	3.0	3	1	1	3	4	5	6	11
50-64	35	4.1	6	1	1	4	6	7	9	12
65+	16	3.3	15	1	1	2	3	7	14	17
2. MULTIPLE DX										
0-19 YRS	14	7.4	20	2	2	6	10	15	17	17
20-34	57	6.1	29	1	2	4	8	11	17	30
35-49	85	6.0	18	1	2	5	8	12	16	20
50-64	119	7.3	30	1	2	6	10	15	19	26
65+	156	8.0	39	1	2	6	10	17	20	29
TOT. SINGLE DX	138	3.5	6	1	1	3	5	7	7	13
" MULTIPLE DX	431	7.1	31	1	2	6	9	15	18	28
TOTAL 0-19 YRS	15	7.0	22	1	2	6	9	15	16	17
20-34	92	5.2	21	1	1	4	7	9	14	27
35-49	136	4.9	15	1	2	4	6	10	13	19
50-64	154	6.6	26	1	2	5	9	13	18	26
65+	172	7.5	39	1	2	6	10	17	19	29
GRAND TOTAL	**569**	**6.2**	**28**	**1**	**2**	**5**	**8**	**14**	**17**	**27**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.9	7	1	1	2	3	7	9	10
20-34	166	1.9	2	1	1	1	2	3	5	8
35-49	310	1.9	2	1	1	1	2	4	6	10
50-64	286	2.2	7	1	1	1	2	4	6	13
65+	131	2.4	10	1	1	1	3	5	9	15
2. MULTIPLE DX										
0-19 YRS	16	4.6	33	1	1	2	5	13	20	22
20-34	69	5.2	19	1	1	4	9	12	16	84
35-49	146	5.1	34	1	1	3	6	13	18	30
50-64	179	5.2	35	1	1	3	6	13	17	35
65+	193	6.9	59	1	1	4	9	17	22	36
TOT. SINGLE DX	907	2.1	5	1	1	1	2	4	6	11
" MULTIPLE DX	603	5.7	42	1	1	3	7	14	18	35
TOTAL 0-19 YRS	30	3.8	21	1	1	2	5	9	14	22
20-34	235	2.9	10	1	1	2	3	7	10	17
35-49	456	2.9	15	1	1	2	3	6	10	23
50-64	465	3.3	20	1	1	2	3	7	12	23
65+	324	5.1	44	1	1	2	6	13	18	35
GRAND TOTAL	**1510**	**3.5**	**23**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	40	4.5	4	2	3	4	5	6	9	13
50-64	1055	4.4	2	2	3	4	5	6	7	10
65+	2101	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	14	6.9	21	2	3	6	7	16	18	18
20-34	8	11.0	39	2	3	9	17	19	20	20
35-49	112	6.1	18	2	3	5	7	11	16	23
50-64	3592	6.0	20	3	3	5	7	10	13	23
65+	13984	7.3	29	3	3	6	8	13	17	29
TOT. SINGLE DX	3199	4.8	4	2	3	4	6	7	8	11
" MULTIPLE DX	17710	7.1	28	3	3	6	8	12	16	27
TOTAL 0-19 YRS	16	6.6	20	2	3	5	7	15	17	18
20-34	9	9.9	46	1	1	9	16	19	20	20
35-49	152	5.6	15	2	3	4	6	11	13	23
50-64	4647	5.6	17	3	3	5	6	9	12	20
65+	16085	7.0	27	3	3	6	8	12	16	27
GRAND TOTAL	**20909**	**6.7**	**25**	**3**	**3**	**5**	**8**	**12**	**15**	**26**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	6.6	8	2	2	7	8	10	10	10
50-64	113	9.6	14	4	6	9	11	15	17	22
65+	126	9.8	12	5	6	9	12	14	16	21
2. MULTIPLE DX										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	18.3	271	7	7	12	21	47	50	50
50-64	270	11.1	22	5	6	10	14	18	21	26
65+	670	12.6	42	6	7	11	15	20	25	35
TOT. SINGLE DX	245	9.6	14	4	6	9	11	14	16	22
" MULTIPLE DX	950	12.2	39	5	7	11	14	19	24	31
TOTAL 0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	11	13.0	177	2	5	8	14	33	49	50
50-64	383	10.6	21	5	6	10	13	17	19	24
65+	796	12.2	39	6	7	11	14	19	24	32
GRAND TOTAL	**1195**	**11.7**	**35**	**5**	**7**	**10**	**14**	**18**	**22**	**30**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	18	1.6		1	1	1	2	3	3	3
50-64	147	1.8	1	<1	1	1	2	3	5	7
65+	177	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	37	5.2	43	<1	1	3	6	11	24	29
50-64	312	4.7	27	1	1	3	6	10	15	27
65+	867	5.9	36	1	1	4	9	13	17	30
TOT. SINGLE DX	350	1.8	2	1	1	1	2	3	4	6
" MULTIPLE DX	1221	5.6	35	1	1	3	8	13	17	29
TOTAL 0-19 YRS	6	6.7	79	1	1	2	13	21	22	22
20-34	7	2.4	2	<1	<1	2	4	4	4	4
35-49	55	4.0	32	1	1	2	4	9	18	29
50-64	459	3.8	21	1	1	2	4	8	12	25
65+	1044	5.2	33	1	1	3	7	12	16	29
GRAND TOTAL	**1571**	**4.8**	**30**	**1**	**1**	**3**	**6**	**12**	**16**	**28**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.3	12	<1	1	1	2	4	6	22
20-34	74	2.7	5	<1	1	2	3	6	7	13
35-49	60	2.7	4	<1	1	2	4	6	7	11
50-64	71	2.5	5	<1	1	2	3	5	7	12
65+	34	2.1	6	1	1	1	2	3	5	15
2. MULTIPLE DX										
0-19 YRS	69	2.3	3	<1	1	2	3	5	6	9
20-34	64	5.6	106	1	1	3	5	11	17	70
35-49	87	4.6	19	1	1	3	6	10	13	23
50-64	125	5.2	41	1	1	3	7	13	16	35
65+	134	7.8	121	1	1	4	8	21	32	48
TOT. SINGLE DX	334	2.5	7	<1	1	2	3	5	6	13
" MULTIPLE DX	479	5.5	66	1	1	3	6	11	19	39
TOTAL 0-19 YRS	164	2.3	9	<1	1	1	3	4	6	12
20-34	138	4.0	54	1	1	2	4	8	12	33
35-49	147	3.8	14	1	1	3	5	7	11	22
50-64	196	4.3	30	1	1	2	5	10	14	26
65+	168	6.7	104	1	1	3	7	16	26	41
GRAND TOTAL	**813**	**4.2**	**44**	**1**	**1**	**2**	**5**	**9**	**14**	**33**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.1	2	1	1	2	2	5	5	8
20-34	167	2.3	3	1	1	2	3	4	5	11
35-49	76	2.8	5	1	1	2	4	6	6	12
50-64	64	3.0	9	<1	1	2	4	6	10	16
65+	156	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	121	3.8	64	1	1	2	4	7	11	86
20-34	124	4.5	20	1	1	3	6	10	14	21
35-49	89	5.3	42	1	1	3	6	13	15	37
50-64	181	6.4	38	1	1	5	9	13	18	31
65+	948	6.9	51	1	1	4	10	16	21	34
TOT. SINGLE DX	577	2.4	4	1	1	2	3	5	6	11
" MULTIPLE DX	1463	6.3	49	1	1	4	9	15	19	34
TOTAL 0-19 YRS	235	3.0	35	1	1	2	3	5	8	42
20-34	291	3.3	12	1	1	2	4	7	11	17
35-49	165	4.2	27	1	1	3	5	10	13	32
50-64	245	5.5	33	1	1	3	8	11	16	29
65+	1104	6.3	47	1	1	3	9	15	19	34
GRAND TOTAL	**2040**	**5.2**	**39**	**1**	**1**	**3**	**7**	**12**	**17**	**32**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	471	1.5	1	<1	1	1	2	3	3	5
20-34	67	1.9	2	<1	1	1	2	3	5	8
35-49	9	2.1	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	320	2.1	10	1	1	1	2	4	5	13
20-34	29	2.7	4	<1	1	2	3	5	7	10
35-49	8	2.9	3	<1	<1	2	3	6	7	7
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	551	1.5	1	<1	1	1	2	3	4	5
" MULTIPLE DX	362	2.2	10	1	1	1	2	4	5	14
TOTAL 0-19 YRS	791	1.7	5	<1	1	1	2	3	4	7
20-34	96	2.1	3	<1	1	2	2	4	5	10
35-49	17	2.5	2	<1	1	2	3	4	6	7
50-64	5	3.0	10	1	1	1	5	8	8	8
65+	4	5.0	45	1	1	2	9	15	15	15
GRAND TOTAL	**913**	**1.8**	**5**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	1.5	1	<1	1	1	2	2	3	7
20-34	54	2.1	2	1	1	1	2	4	6	8
35-49	13	1.5		<1	<1	1	2	2	3	3
50-64	9	2.0	1	<1	<1	2	2	4	5	5
65+	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	57	2.0	2	<1	1	1	3	3	6	8
20-34	28	2.4	5	<1	1	1	3	5	9	10
35-49	26	3.3	8	1	1	2	4	8	10	13
50-64	21	5.4	41	1	1	3	7	10	20	30
65+	10	8.2	98	1	1	3	14	23	32	32
TOT. SINGLE DX	176	1.7	2	<1	1	1	2	3	5	7
" MULTIPLE DX	142	3.2	19	1	1	2	3	8	10	30
TOTAL 0-19 YRS	153	1.7	2	<1	1	1	2	3	3	8
20-34	82	2.2	3	<1	1	1	2	4	6	10
35-49	39	2.7	7	<1	1	2	3	6	9	13
50-64	30	4.4	31	1	1	3	5	9	11	30
65+	14	6.8	75	1	1	3	9	17	29	32
GRAND TOTAL	**318**	**2.4**	**10**	**1**	**1**	**1**	**3**	**5**	**8**	**14**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	13	1.5	1	<1	<1	<1	1	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	12	2.4	5	1	1	2	3	5	8	9
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	10.0	129	2	2	5	18	23	23	23
TOT. SINGLE DX	22	1.5	1	<1	<1	<1	1	4	4	4
" MULTIPLE DX	27	2.9	19	<1	1	1	3	5	11	23
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	1.9	4	<1	<1	1	2	4	6	9
35-49	22	1.4	1	<1	<1	<1	1	3	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	10.0	129	2	2	5	18	23	23	23
GRAND TOTAL	**49**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**5**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.4		<1	<1	1	2	2	3	4
20-34	177	1.9	2	1	1	1	2	4	5	10
35-49	154	1.5		<1	<1	1	2	3	3	4
50-64	136	1.8	1	1	1	1	2	3	4	7
65+	77	2.5	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	121	1.7	1	<1	<1	1	2	3	4	8
20-34	181	1.9	3	<1	1	1	2	4	6	8
35-49	180	2.3	5	<1	1	1	3	5	7	15
50-64	195	2.7	5	1	1	2	3	5	7	12
65+	194	3.3	9	1	1	3	4	6	9	17
TOT. SINGLE DX	700	1.7	2	<1	1	1	2	3	4	8
" MULTIPLE DX	871	2.4	6	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	277	1.5	1	<1	<1	1	2	2	3	7
20-34	358	1.9	3	<1	1	1	2	4	6	9
35-49	334	1.9	3	<1	1	1	2	4	6	11
50-64	331	2.3	4	1	1	2	3	4	6	10
65+	271	3.1	8	1	1	2	4	6	8	15
GRAND TOTAL	**1571**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**6**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.7	8	<1	<1	1	1	2	3	22
20-34	17	1.2		1	1	1	1	2	2	2
35-49	22	1.1		<1	<1	1	1	2	2	2
50-64	16	1.1		<1	<1	1	1	1	3	3
65+	8	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	72	5.8	100	<1	1	1	4	21	27	49
20-34	21	3.0	15	<1	<1	1	3	8	13	17
35-49	69	5.4	36	1	1	3	8	14	21	27
50-64	73	3.8	18	<1	1	2	5	8	12	23
65+	107	6.0	37	1	1	4	8	13	19	30
TOT. SINGLE DX	116	1.4	4	<1	<1	1	1	2	2	11
" MULTIPLE DX	342	5.2	46	1	1	2	7	12	21	31
TOTAL 0-19 YRS	125	4.1	65	<1	<1	1	2	11	22	48
20-34	38	2.2	9	<1	1	1	2	4	9	17
35-49	91	4.4	31	<1	1	2	6	12	16	26
50-64	89	3.3	16	<1	1	1	5	8	11	22
65+	115	5.7	36	1	1	3	8	12	18	29
GRAND TOTAL	**458**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**11**	**17**	**28**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.8	4	1	1	2	4	5	8	11
20-34	39	4.1	10	<1	1	3	6	9	11	12
35-49	88	5.1	36	1	1	3	5	11	17	35
50-64	202	2.8	4	1	1	3	4	5	6	12
65+	109	3.4	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	63	3.4	25	1	1	3	4	5	6	37
20-34	103	7.7	72	1	1	5	10	21	24	43
35-49	225	5.7	48	1	1	4	5	13	23	33
50-64	505	4.2	19	1	2	4	5	7	9	17
65+	291	4.5	24	1	1	4	5	7	9	23
TOT. SINGLE DX	477	3.5	11	1	1	3	4	6	9	18
" MULTIPLE DX	1187	4.8	32	1	1	4	5	8	13	31
TOTAL 0-19 YRS	102	3.1	18	1	1	2	4	5	7	25
20-34	142	6.7	58	1	1	4	8	15	23	37
35-49	313	5.6	45	1	1	3	5	12	20	34
50-64	707	3.8	16	1	1	3	4	6	8	17
65+	400	4.2	19	1	1	4	5	7	9	18
GRAND TOTAL	**1664**	**4.4**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	4.1	2	2	2	4	5	6	7	10
20-34	625	4.1	2	2	2	4	5	6	7	8
35-49	103	4.5	3	2	2	4	5	6	8	11
50-64	16	6.8	6	3	4	6	9	10	11	12
65+	5	4.6	2	3	3	4	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	261	5.1	7	2	3	5	6	8	9	14
20-34	1435	5.0	6	2	3	5	6	7	9	14
35-49	307	5.8	14	2	3	5	7	9	12	22
50-64	50	10.6	164	3	4	8	11	17	19	93
65+	74	14.9	183	5	6	11	16	27	37	88
TOT. SINGLE DX	923	4.2	3	2	2	4	5	6	7	10
" MULTIPLE DX	2127	5.6	21	2	3	5	6	9	11	21
TOTAL 0-19 YRS	435	4.7	6	2	3	4	6	7	8	12
20-34	2060	4.7	5	2	3	4	5	7	8	13
35-49	410	5.5	12	2	3	5	6	9	11	21
50-64	66	9.7	128	3	4	7	11	13	19	83
65+	79	14.2	178	4	5	11	16	27	37	86
GRAND TOTAL	**3050**	**5.2**	**16**	**2**	**3**	**5**	**6**	**8**	**10**	**19**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	4.7	2	3	3	4	5	6	8	11
20-34	602	4.5	2	3	3	4	5	6	7	10
35-49	245	4.7	3	2	3	4	5	7	8	13
50-64	52	5.6	6	3	3	5	6	9	11	15
65+	19	7.1	32	1	2	6	8	16	22	24
2. MULTIPLE DX										
0-19 YRS	180	5.5	6	3	3	5	6	8	10	17
20-34	1632	5.2	6	3	3	5	6	7	9	15
35-49	938	5.7	9	3	3	5	6	8	11	19
50-64	132	8.3	44	3	4	6	9	16	23	37
65+	133	11.3	53	4	5	9	14	22	27	37
TOT. SINGLE DX	1030	4.7	4	3	3	4	5	7	8	12
" MULTIPLE DX	3015	5.8	13	3	3	5	6	9	12	23
TOTAL 0-19 YRS	292	5.2	5	3	3	5	6	8	9	15
20-34	2234	5.0	6	3	3	5	6	7	9	14
35-49	1183	5.5	8	3	3	5	6	8	10	18
50-64	184	7.6	35	3	4	6	8	15	19	34
65+	152	10.8	52	4	5	8	13	21	26	36
GRAND TOTAL	**4045**	**5.5**	**11**	**3**	**3**	**5**	**6**	**8**	**11**	**20**

662: Bilateral oophorectomy or salpingooophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.7	8	4	4	4	8	9	9	9
20-34	54	5.1	6	3	3	5	6	7	10	17
35-49	106	5.2	3	3	3	5	6	8	9	11
50-64	61	5.6	6	3	3	5	6	8	9	20
65+	34	6.9	8	4	4	6	8	10	14	16
2. MULTIPLE DX										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	343	5.5	11	3	3	5	6	8	9	17
35-49	714	6.4	16	3	4	5	7	10	14	21
50-64	261	8.3	23	4	4	7	10	14	17	25
65+	242	11.0	40	5	5	9	14	19	24	39
TOT. SINGLE DX	258	5.5	6	3	3	5	6	8	9	16
" MULTIPLE DX	1563	7.2	24	3	4	6	8	13	17	27
TOTAL 0-19 YRS	6	6.0	13	3	3	4	9	12	12	12
20-34	397	5.4	11	3	3	5	6	8	9	17
35-49	820	6.2	15	3	4	5	7	10	13	21
50-64	322	7.8	22	4	4	6	9	13	16	25
65+	276	10.5	38	5	5	9	13	19	23	39
GRAND TOTAL	**1821**	**7.0**	**21**	**3**	**4**	**6**	**8**	**12**	**16**	**25**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.9	2	1	1	3	4	5	6	6
20-34	122	2.8	2	<1	<1	3	4	5	5	7
35-49	20	3.7	4	<1	1	4	5	6	8	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	49	4.3	7	1	2	4	5	8	11	99+
20-34	460	4.2	6	1	1	4	5	6	8	13
35-49	85	4.3	5	1	1	4	6	7	8	12
50-64	9	6.9	44	1	1	4	9	18	20	20
65+	5	7.2	7	3	3	7	9	10	10	10
TOT. SINGLE DX	180	2.9	3	<1	1	3	4	5	6	7
" MULTIPLE DX	608	4.3	7	1	1	4	5	7	9	15
TOTAL 0-19 YRS	85	3.7	6	1	1	3	5	6	9	69
20-34	582	3.9	6	1	1	4	5	6	8	13
35-49	105	4.2	5	1	1	4	5	7	8	11
50-64	11	6.5	36	1	1	4	7	18	20	20
65+	5	7.2	7	3	3	7	9	10	10	10
GRAND TOTAL	**788**	**4.0**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	93	1.7	3	<1	<1	<1	1	3	5	12
35-49	39	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	243	2.4	5	<1	1	2	3	4	6	15
35-49	91	2.3	6	<1	1	1	3	4	6	16
50-64	2	8.5	41	4	4	8	13	13	13	13
65+										
TOT. SINGLE DX	134	1.5	3	<1	<1	<1	1	3	4	9
" MULTIPLE DX	337	2.4	6	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	336	2.2	5	<1	<1	1	3	4	6	15
35-49	130	2.0	5	<1	<1	1	2	4	5	13
50-64	2	8.5	41	4	4	8	13	13	13	13
65+										
GRAND TOTAL	**471**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**14**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	433	2.0	1	<1	<1	1	3	4	4	6
35-49	147	1.9	1	<1	<1	1	2	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	21	4.0	7	1	1	3	4	8	11	12
20-34	2631	3.1	2	1	1	3	4	4	5	8
35-49	532	2.9	4	1	1	3	4	5	5	11
50-64	5	6.4	26	<1	<1	6	11	13	13	13
65+										
TOT. SINGLE DX	580	2.0	2	<1	<1	1	3	4	5	6
" MULTIPLE DX	3189	3.1	3	1	1	3	4	4	5	8
TOTAL 0-19 YRS	21	4.0	7	1	1	3	4	8	11	12
20-34	3064	2.9	3	1	1	3	4	4	5	8
35-49	679	2.7	4	1	1	3	3	4	5	10
50-64	5	6.4	26	<1	<1	6	11	13	13	13
65+										
GRAND TOTAL	**3769**	**2.9**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	103	4.3	2	2	3	4	5	6	7	10
20-34	1384	4.1	1	2	3	4	5	5	6	7
35-49	194	4.1	2	2	2	4	5	6	7	9
50-64	4	7.3	21	4	4	5	10	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	149	5.4	7	2	3	5	6	8	11	15
20-34	2108	4.4	2	2	3	4	5	6	7	10
35-49	400	4.8	7	2	3	4	5	7	8	13
50-64	4	8.0	12	5	5	7	10	13	13	13
65+	8	15.3	70	7	7	13	18	29	33	33
TOT. SINGLE DX	1685	4.1	2	2	3	4	5	6	6	8
" MULTIPLE DX	2669	4.6	5	2	3	4	5	6	7	11
TOTAL 0-19 YRS	252	5.0	6	2	3	4	5	7	9	14
20-34	3492	4.3	2	2	3	4	5	6	7	9
35-49	594	4.6	6	2	3	4	5	6	7	11
50-64	8	7.6	14	4	4	6	10	14	14	14
65+	8	15.3	71	7	7	13	18	29	33	33
GRAND TOTAL	**4354**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	133	1.3		<1	1	1	2	2	3	4
35-49	55	1.8	3	<1	<1	1	2	3	7	10
50-64	21	1.8	1	<1	<1	1	2	3	5	7
65+	10	2.0	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	132	1.7	2	1	1	1	2	3	6	7
35-49	80	2.4	13	1	1	1	3	4	6	25
50-64	34	2.2	3	<1	1	2	2	5	7	9
65+	33	3.2	13	1	1	2	4	7	12	17
TOT. SINGLE DX	221	1.5	1	<1	1	1	2	3	3	8
" MULTIPLE DX	283	2.1	7	1	1	1	2	4	6	12
TOTAL 0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	265	1.5	1	<1	1	1	2	2	3	7
35-49	135	2.1	10	<1	1	1	2	4	6	13
50-64	55	2.0	3	<1	1	2	2	5	6	9
65+	43	2.9	11	<1	1	2	3	6	10	17
GRAND TOTAL	**504**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	57	2.0	3	<1	<1	1	2	4	6	9
35-49	38	2.6	10	<1	<1	1	3	4	11	17
50-64	26	3.4	7	<1	1	3	5	7	8	11
65+	28	4.2	6	1	1	4	7	8	8	9
2. MULTIPLE DX										
0-19 YRS	13	7.4	274	1	1	2	5	19	54	62
20-34	130	3.5	27	<1	1	2	4	7	11	27
35-49	146	4.0	18	<1	1	2	6	9	12	21
50-64	129	6.0	71	<1	1	3	7	14	18	50
65+	165	6.9	44	1	1	5	8	15	20	34
TOT. SINGLE DX	155	2.8	7	<1	<1	2	4	7	8	13
" MULTIPLE DX	583	5.2	47	<1	1	3	7	11	17	40
TOTAL 0-19 YRS	19	5.5	191	<1	1	2	3	7	38	62
20-34	187	3.1	20	<1	<1	2	3	7	8	20
35-49	184	3.7	17	<1	1	2	5	8	12	20
50-64	155	5.6	61	<1	1	3	7	12	17	47
65+	193	6.5	40	1	1	5	8	14	20	32
GRAND TOTAL	**738**	**4.7**	**39**	**<1**	**1**	**3**	**6**	**10**	**15**	**28**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.5	3	1	1	2	3	5	6	8
20-34	628	1.9	2	<1	1	2	2	3	4	6
35-49	74	1.8		<1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	8.7	371	1	1	3	3	38	60	60
20-34	267	3.5	27	1	1	2	4	6	8	18
35-49	32	2.8	6	1	1	2	3	7	10	11
50-64	1	5.0		5	5	5	5	5	5	5
65+										
TOT. SINGLE DX	735	1.9	2	1	1	2	2	3	4	6
" MULTIPLE DX	309	3.5	35	1	1	2	4	6	8	30
TOTAL 0-19 YRS	42	3.8	81	1	1	2	3	5	7	60
20-34	895	2.4	10	1	1	2	3	4	5	11
35-49	106	2.1	3	<1	1	2	2	3	5	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**1044**	**2.4**	**12**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	139	4.2	2	1	2	4	5	6	7	7
35-49	73	3.6	3	1	1	4	5	6	7	9
50-64	8	4.5	17	1	1	3	5	12	14	14
65+	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	10	4.8	8	<1	<1	5	6	9	10	10
20-34	419	4.7	4	1	2	4	6	7	8	12
35-49	232	4.8	17	1	1	4	6	8	10	22
50-64	38	5.2	16	1	1	4	8	12	13	13
65+	41	8.0	46	1	1	5	12	19	21	24
TOT. SINGLE DX	225	4.0	3	1	1	4	5	6	7	8
" MULTIPLE DX	740	4.9	12	1	1	4	6	8	11	19
TOTAL 0-19 YRS	12	4.7	7	<1	1	5	6	9	10	10
20-34	558	4.6	4	1	2	4	5	7	8	12
35-49	305	4.5	14	1	1	4	5	7	10	19
50-64	46	5.0	16	1	1	4	8	12	13	14
65+	44	7.7	45	1	1	5	12	19	21	24
GRAND TOTAL	**965**	**4.7**	**10**	**1**	**1**	**4**	**6**	**7**	**10**	**19**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	5.3	4	3	3	5	5	9	9	9
20-34	767	5.2	2	3	4	5	6	7	8	10
35-49	1457	5.4	2	4	4	5	6	7	8	10
50-64	489	6.0	2	4	4	6	7	8	9	12
65+	254	6.7	4	4	5	7	8	9	10	15
2. MULTIPLE DX										
0-19 YRS	41	6.6	9	4	4	6	7	10	15	17
20-34	5686	5.6	3	4	4	5	6	8	9	13
35-49	14745	5.9	5	4	4	5	6	8	9	14
50-64	3573	6.7	11	4	4	6	7	9	12	21
65+	1869	8.9	25	5	5	7	10	15	19	29
TOT. SINGLE DX	2973	5.5	3	4	4	5	6	7	8	11
" MULTIPLE DX	25914	6.2	8	4	4	6	7	8	10	18
TOTAL 0-19 YRS	47	6.4	9	4	4	6	7	10	14	17
20-34	6453	5.6	4	4	4	5	6	7	9	13
35-49	16202	5.8	5	4	4	5	6	8	9	14
50-64	4062	6.6	10	4	4	6	7	9	12	19
65+	2123	8.6	23	5	5	7	9	14	18	29
GRAND TOTAL	**28887**	**6.1**	**8**	**4**	**4**	**6**	**7**	**8**	**10**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	351	4.5	1	3	3	4	5	6	7	9
35-49	445	4.8	2	3	3	5	6	7	8	9
50-64	254	5.8	3	3	4	6	7	8	9	12
65+	238	6.3	2	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	6	4.0	8	1	1	3	7	8	8	8
20-34	1635	5.0	2	3	3	5	6	7	8	11
35-49	3370	5.3	3	3	3	5	6	7	9	12
50-64	1161	6.3	4	4	4	6	7	9	10	14
65+	1104	7.3	9	4	5	7	8	10	12	19
TOT. SINGLE DX	1291	5.2	3	3	3	5	6	7	8	10
" MULTIPLE DX	7276	5.7	5	3	4	5	7	8	9	14
TOTAL 0-19 YRS	9	3.3	7	1	1	3	5	8	8	8
20-34	1986	4.9	3	3	3	5	6	7	8	11
35-49	3815	5.2	4	3	3	5	6	7	8	12
50-64	1415	6.2	5	4	4	6	7	9	10	14
65+	1342	7.1	8	4	5	7	8	10	12	19
GRAND TOTAL	**8567**	**5.6**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	26	8.0	7	4	5	7	9	12	14	15
35-49	36	9.3	6	5	7	9	11	12	13	16
50-64	15	11.0	36	6	6	9	12	15	26	30
65+	12	12.1	44	4	5	10	16	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	28	11.1	28	5	6	10	13	18	23	27
35-49	69	11.4	24	6	6	10	13	17	21	30
50-64	45	16.9	126	7	8	14	19	31	36	69
65+	43	19.0	153	7	9	14	22	37	48	59
TOT. SINGLE DX	90	9.5	18	5	6	9	11	14	16	28
" MULTIPLE DX	186	14.4	90	6	7	12	16	25	32	56
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	54	9.6	21	4	5	8	11	16	18	27
35-49	105	10.7	19	5	6	10	12	16	19	28
50-64	60	15.5	110	6	8	13	17	29	33	66
65+	55	17.5	137	6	7	14	21	33	46	59
GRAND TOTAL	**276**	**12.8**	**71**	**5**	**6**	**11**	**14**	**22**	**30**	**49**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.3	3	<1	<1	1	3	6	6	6
20-34	66	2.0	3	<1	<1	1	2	4	6	12
35-49	9	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.6	3	1	1	2	3	6	7	7
20-34	105	3.6	18	1	1	2	4	8	10	26
35-49	14	3.8	37	<1	1	2	4	9	21	24
50-64										
65+										
TOT. SINGLE DX	91	2.0	3	<1	<1	1	2	4	6	10
" MULTIPLE DX	135	3.5	18	1	1	2	4	7	10	25
TOTAL 0-19 YRS	32	2.4	3	<1	1	2	3	6	6	7
20-34	171	3.0	13	<1	<1	2	4	6	8	23
35-49	23	3.0	23	<1	<1	2	3	5	13	24
50-64										
65+										
GRAND TOTAL	**226**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1170	1.4		<1	<1	1	1	2	3	6
20-34	6043	1.4	1	<1	<1	1	1	2	3	6
35-49	1022	1.4	1	<1	<1	1	1	2	3	7
50-64	131	1.7	1	<1	<1	1	2	3	4	7
65+	67	2.6	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	564	2.7	5	1	1	2	3	5	7	12
20-34	3206	3.0	10	<1	1	2	4	6	8	16
35-49	1748	3.4	26	<1	1	2	4	7	10	22
50-64	577	4.5	34	<1	1	2	5	10	16	35
65+	581	5.5	56	1	1	3	7	13	19	54
TOT. SINGLE DX	8433	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	6676	3.4	21	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1734	1.8	3	<1	<1	1	2	4	5	8
20-34	9249	1.9	5	<1	<1	1	2	4	5	10
35-49	2770	2.6	18	<1	<1	1	3	6	8	19
50-64	708	4.0	30	<1	<1	2	5	9	13	34
65+	648	5.2	52	1	1	3	6	12	17	49
GRAND TOTAL	**15109**	**2.3**	**11**	**<1**	**<1**	**1**	**2**	**5**	**7**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	1	1	2	2	3	3
20-34	79	1.4	1	<1	<1	1	1	3	3	10
35-49	8	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	9.5	265	<1	1	4	8	32	53	67
20-34	110	4.4	24	1	1	3	6	9	12	28
35-49	28	3.5	43	<1	1	2	3	6	11	36
50-64										
65+										
TOT. SINGLE DX	114	1.4	1	<1	<1	1	1	2	3	8
" MULTIPLE DX	167	5.1	72	1	1	3	6	10	14	51
TOTAL 0-19 YRS	56	5.6	152	<1	1	2	4	10	35	66
20-34	189	3.2	17	<1	1	1	3	8	10	23
35-49	36	3.0	34	<1	1	2	3	5	7	36
50-64										
65+										
GRAND TOTAL	**281**	**3.6**	**47**	**<1**	**1**	**2**	**3**	**8**	**11**	**43**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	201	1.3		<1	<1	1	1	2	3	5
20-34	994	1.3		<1	<1	1	1	2	3	4
35-49	134	1.2		<1	<1	1	1	2	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	75	2.4	3	<1	<1	2	3	5	7	8
20-34	361	2.3	4	<1	<1	2	3	5	6	13
35-49	54	2.5	13	<1	1	1	2	4	7	22
50-64	6	9.0	35	2	2	8	9	19	20	20
65+	9	9.1	33	4	4	8	11	18	22	22
TOT. SINGLE DX	1332	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	505	2.5	7	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	276	1.6	2	<1	<1	1	2	3	4	7
20-34	1355	1.6	2	<1	<1	1	2	3	4	7
35-49	188	1.6	4	<1	<1	1	1	2	4	13
50-64	7	7.9	38	1	1	8	9	18	20	20
65+	11	7.7	37	1	2	6	11	16	21	22
GRAND TOTAL	**1837**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	21	4.5		3	3	4	5	6	6	6
35-49	6	5.7	4	3	3	5	6	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	5.8	4	4	4	6	7	9	9	9
20-34	161	4.4	2	2	3	4	5	6	7	11
35-49	14	4.7	2	3	3	4	6	7	8	9
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	5	6.2	8	4	4	5	8	11	11	11
TOT. SINGLE DX	29	4.8	2	3	3	5	5	6	7	9
" MULTIPLE DX	188	4.6	3	3	3	4	5	6	8	11
TOTAL 0-19 YRS	5	5.8	4	4	4	6	7	9	9	9
20-34	182	4.4	2	2	3	4	5	6	6	11
35-49	20	5.0	3	3	3	5	6	8	9	9
50-64	4	6.3	6	3	3	6	8	9	9	9
65+	6	5.8	8	4	4	5	7	11	11	11
GRAND TOTAL	**217**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**8**	**11**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.7	2	<1	1	2	4	5	6	6
20-34	100	2.4	3	<1	<1	2	3	5	6	8
35-49	22	2.9	2	<1	1	3	4	5	6	6
50-64	6	3.5		3	3	3	4	4	4	4
65+	5	4.6	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	17	3.4	3	<1	<1	3	4	6	7	7
20-34	194	3.4	8	<1	1	3	5	6	7	15
35-49	77	3.5	10	1	1	3	4	6	7	22
50-64	35	3.4	4	1	2	3	4	7	9	10
65+	42	4.1	9	1	2	3	5	9	12	14
TOT. SINGLE DX	155	2.6	3	<1	1	2	4	5	6	8
" MULTIPLE DX	365	3.5	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	39	3.0	3	<1	1	3	4	5	6	7
20-34	294	3.0	7	<1	1	2	4	6	7	13
35-49	99	3.4	9	1	1	3	4	6	7	19
50-64	41	3.4	4	1	2	3	4	7	8	10
65+	47	4.2	9	1	2	3	5	8	11	14
GRAND TOTAL	**520**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	44	4.0	4	1	1	4	5	6	8	12
35-49	168	4.5	2	2	2	4	6	7	7	10
50-64	327	4.9	3	3	3	5	6	7	8	10
65+	272	5.1	3	2	3	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	136	5.1	8	2	3	5	6	8	10	17
35-49	439	5.5	5	2	3	5	7	8	10	13
50-64	697	5.8	6	3	3	5	7	9	10	13
65+	771	6.4	11	3	4	6	7	9	11	17
TOT. SINGLE DX	811	4.8	4	2	3	5	6	7	8	10
" MULTIPLE DX	2044	5.9	8	3	3	5	7	9	10	15
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	180	4.8	8	1	2	4	6	7	9	15
35-49	607	5.2	5	2	3	5	6	8	9	12
50-64	1024	5.5	5	3	3	5	7	8	10	13
65+	1043	6.1	10	3	3	6	7	9	10	16
GRAND TOTAL	**2855**	**5.6**	**7**	**3**	**3**	**5**	**7**	**8**	**10**	**14**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.5	5	<1	<1	1	4	6	6	11
20-34	128	3.1	3	1	1	3	4	6	7	10
35-49	48	3.1	5	1	1	3	4	7	8	10
50-64	24	4.0	5	1	1	4	6	7	8	9
65+	24	5.1	3	1	3	5	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	39	3.5	6	1	1	3	5	7	9	10
20-34	91	4.3	19	1	1	3	5	9	12	26
35-49	66	5.0	13	1	2	4	6	9	13	21
50-64	67	6.1	11	1	2	6	8	11	13	14
65+	80	7.5	40	2	3	6	9	11	15	44
TOT. SINGLE DX	260	3.3	5	<1	1	3	4	6	8	10
" MULTIPLE DX	343	5.4	22	1	1	5	7	10	12	20
TOTAL 0-19 YRS	75	3.0	6	<1	<1	2	4	7	8	11
20-34	219	3.6	11	1	1	3	4	7	9	16
35-49	114	4.2	11	1	1	4	5	8	10	18
50-64	91	5.5	10	1	2	5	7	10	12	14
65+	104	7.0	33	2	3	6	8	11	13	35
GRAND TOTAL	**603**	**4.5**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**16**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.2	3	<1	1	3	5	6	7	7
20-34	126	3.6	5	1	1	3	5	7	8	11
35-49	53	5.3	28	<1	1	4	6	12	14	32
50-64	45	4.2	11	1	1	3	5	8	11	19
65+	61	4.3	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	86	3.8	7	1	1	3	5	8	8	14
20-34	234	5.0	26	1	1	4	6	10	13	28
35-49	134	5.8	23	1	1	4	8	12	17	22
50-64	157	5.8	34	1	2	5	6	11	13	43
65+	308	7.2	43	1	2	5	8	15	20	38
TOT. SINGLE DX	311	4.1	11	1	1	3	5	8	10	15
" MULTIPLE DX	919	5.9	33	1	1	5	7	12	16	29
TOTAL 0-19 YRS	112	3.6	7	1	1	3	5	8	8	12
20-34	360	4.5	20	1	1	3	6	9	12	23
35-49	187	5.7	25	1	1	4	8	12	15	22
50-64	202	5.5	30	1	2	4	6	10	13	34
65+	369	6.8	38	1	2	5	8	13	17	34
GRAND TOTAL	**1230**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	2.0	2	1	1	2	2	4	6	7
20-34	155	2.0	1	<1	<1	2	3	4	5	6
35-49	71	2.1	3	1	1	2	3	4	5	10
50-64	33	2.5	2	1	1	2	3	5	5	8
65+	19	3.3	8	1	1	2	4	8	11	11
2. MULTIPLE DX										
0-19 YRS	63	3.3	8	1	1	3	4	6	9	16
20-34	186	3.3	14	<1	1	2	3	6	9	17
35-49	117	5.2	55	1	1	3	5	15	20	42
50-64	99	6.7	83	1	1	4	8	14	18	61
65+	131	6.7	35	1	1	4	9	15	21	28
TOT. SINGLE DX	327	2.1	3	<1	1	2	3	4	5	9
" MULTIPLE DX	596	5.0	40	1	1	3	6	11	17	29
TOTAL 0-19 YRS	112	2.8	6	1	1	2	3	5	7	14
20-34	341	2.7	9	<1	1	2	3	5	6	16
35-49	188	4.1	38	1	1	2	4	8	16	34
50-64	132	5.6	66	1	1	4	6	12	17	58
65+	150	6.3	34	1	1	4	8	14	20	27
GRAND TOTAL	**923**	**4.0**	**29**	**1**	**1**	**2**	**4**	**8**	**13**	**23**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.2	14	<1	<1	2	4	10	10	10
35-49	13	7.1	34	2	2	6	8	14	22	24
50-64	15	5.8	21	1	2	4	8	13	16	17
65+	28	6.0	12	2	2	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	16	5.3	23	1	1	3	7	15	17	17
35-49	22	7.7	31	1	2	6	10	17	21	21
50-64	38	12.3	164	2	3	10	15	22	35	73
65+	93	12.2	63	3	4	11	16	22	29	42
TOT. SINGLE DX	61	6.0	19	1	2	5	8	11	14	23
" MULTIPLE DX	171	11.0	82	2	3	9	15	21	28	44
TOTAL 0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	21	4.8	22	<1	1	3	7	12	16	17
35-49	35	7.5	32	2	2	6	9	15	21	24
50-64	53	10.4	132	1	3	8	13	19	27	72
65+	121	10.8	59	2	3	9	14	21	26	41
GRAND TOTAL	**232**	**9.7**	**70**	**1**	**2**	**8**	**13**	**19**	**22**	**41**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.4		<1	<1	1	1	3	3	4
20-34	31	2.4	2	<1	1	2	3	4	6	7
35-49	9	3.1	4	1	1	2	4	6	8	8
50-64	3	7.0	21	3	3	6	10	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	6
20-34	44	3.6	8	1	1	3	4	8	9	15
35-49	10	3.6	6	1	1	3	5	7	9	9
50-64	9	5.4	25	1	2	4	6	14	18	18
65+	15	7.3	43	1	1	6	11	12	23	26
TOT. SINGLE DX	68	2.3	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	99	3.9	16	1	1	3	5	9	11	22
TOTAL 0-19 YRS	45	1.5	1	<1	<1	1	2	3	4	6
20-34	75	3.1	6	1	1	3	4	6	8	14
35-49	19	3.4	5	1	1	3	5	7	9	9
50-64	12	5.8	23	1	2	4	7	14	17	18
65+	16	7.0	42	1	1	6	10	12	22	26
GRAND TOTAL	**167**	**3.3**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	<1	<1	2	4	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	6	13.8	248	1	1	5	32	36	36	36
20-34	16	3.4	7	<1	1	3	4	7	10	11
35-49	7	6.6	51	1	1	4	9	19	21	21
50-64	6	3.0	6	1	1	2	5	7	7	7
65+	4	5.3	14	<1	<1	5	8	10	10	10
TOT. SINGLE DX	9	2.2	4	<1	<1	1	3	6	6	6
" MULTIPLE DX	39	5.7	60	<1	1	3	6	11	27	36
TOTAL 0-19 YRS	8	10.6	213	1	1	4	19	35	36	36
20-34	20	3.3	6	<1	<1	3	4	6	9	11
35-49	9	5.3	45	<1	<1	2	8	17	21	21
50-64	7	3.4	7	1	1	3	6	7	7	7
65+	4	5.3	14	<1	<1	5	8	10	10	10
GRAND TOTAL	**48**	**5.1**	**51**	**<1**	**1**	**3**	**6**	**10**	**22**	**36**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	968	2.6		1	2	3	3	4	4	5
20-34	4998	2.8	2	2	2	3	3	4	4	5
35-49	240	3.3	36	2	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1411	3.0	2	2	2	3	3	4	5	8
20-34	6887	3.1	2	2	2	3	4	4	5	7
35-49	440	3.3	2	2	2	3	4	4	5	8
50-64										
65+										
TOT. SINGLE DX	6206	2.8	4	2	2	3	3	4	4	5
" MULTIPLE DX	8738	3.1	3	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2379	2.8	2	2	2	3	3	4	4	6
20-34	11885	3.0	3	2	2	3	3	4	5	6
35-49	680	3.3	14	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**14944**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	102	2.4		1	1	2	3	4	4	5
35-49	5	3.2		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	3.4	42	<1	1	2	3	5	7	42
20-34	278	2.9	3	1	1	3	3	4	5	11
35-49	30	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
TOT. SINGLE DX	113	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	347	2.9	8	1	1	3	3	4	5	12
TOTAL 0-19 YRS	45	3.2	37	<1	1	2	3	5	6	42
20-34	380	2.8	3	1	1	3	3	4	5	9
35-49	35	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**460**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

689: Other extraction procedures to as ist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	ARI- VCE A4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	244	2.7	1	1	2	2	3	4	4	6
20-34	1841	2.8		2	2	3	3	4	4	6
35-49	128	2.8	1	1	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	388	3.1	4	1	2	3	3	4	5	11
20-34	3070	3.1	2	2	2	3	4	4	5	7
35-49	222	3.6	34	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	2213	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	3680	3.1	5	2	2	3	4	4	5	8
TOTAL 0-19 YRS	632	2.9	3	1	2	3	3	4	5	9
20-34	4911	3.0	2	2	2	3	3	4	5	7
35-49	350	3.3	23	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**5893**	**3.0**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist deliver (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	ARI- VICE A4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11056	2.5		1	1	2	3	3	4	5
20-34	65890	2.5		1	2	2	3	3	4	5
35-49	3509	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4533	2.9	3	1	2	3	3	4	5	10
20-34	29546	2.9	3	1	2	3	3	4	5	8
35-49	2423	3.1	4	1	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	80455	2.5	1	1	1	2	3	3	4	5
" MULTIPLE DX	36502	2.9	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	15589	2.6	2	1	2	2	3	4	4	7
20-34	95436	2.6	2	1	2	3	3	4	4	6
35-49	5932	2.8	3	1	2	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	**116957**	**2.6**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1316	4.7	1	3	3	5	5	6	7	8
20-34	11472	4.6	2	3	3	4	5	6	6	7
35-49	685	4.7	1	3	4	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3792	5.5	8	3	4	5	6	8	9	16
20-34	30134	5.2	8	3	4	5	6	7	8	15
35-49	2888	5.4	6	4	4	5	6	7	8	17
50-64										
65+										
TOT. SINGLE DX	13473	4.6	3	3	3	4	5	6	6	8
" MULTIPLE DX	36814	5.3	8	3	4	5	6	7	8	16
TOTAL 0-19 YRS	5108	5.3	7	3	4	5	6	7	9	14
20-34	41606	5.1	7	3	4	5	5	6	7	13
35-49	3573	5.3	6	3	4	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**50287**	**5.1**	**7**	**3**	**4**	**5**	**5**	**6**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.2	2	2	2	4	5	6	7	9
20-34	409	4.7	17	3	3	4	5	6	6	9
35-49	18	5.3	1	4	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	128	5.7	12	3	4	5	6	8	11	26
20-34	1052	6.1	25	3	4	5	6	8	13	27
35-49	151	6.2	14	3	4	5	7	9	11	20
50-64										
65+										
TOT. SINGLE DX	468	4.6	16	3	3	4	5	6	6	9
" MULTIPLE DX	1331	6.1	23	3	4	5	6	9	13	25
TOTAL 0-19 YRS	169	5.3	11	3	3	5	6	7	10	22
20-34	1461	5.7	24	3	3	5	6	8	11	22
35-49	169	6.1	13	4	4	5	7	9	11	19
50-64										
65+										
GRAND TOTAL	**1799**	**5.7**	**22**	**3**	**3**	**5**	**6**	**8**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	1	2	2	4	5	5	6	6
20-34	105	3.7	1	2	3	4	4	5	5	6
35-49	5	3.6	3	1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.7		4	4	5	5	5	5	5
20-34	144	4.9	11	2	3	4	5	6	8	25
35-49	12	4.3		3	3	4	5	5	5	5
50-64										
65+										
TOT. SINGLE DX	122	3.7	1	2	3	4	4	5	5	6
" MULTIPLE DX	162	4.8	10	2	3	4	5	6	8	23
TOTAL 0-19 YRS	18	4.2	1	2	3	4	5	5	6	6
20-34	249	4.4	7	2	3	4	5	6	7	12
35-49	17	4.1	1	2	3	4	5	5	6	6
50-64										
65+										
GRAND TOTAL	**284**	**4.3**	**7**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	3	3	3
20-34	20	1.5		<1	<1	1	2	2	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	19	1.9		<1	1	2	2	4	4	4
35-49	4	5.0	30	1	1	3	8	13	13	13
50-64										
65+										
TOT. SINGLE DX	29	1.5		<1	<1	1	2	2	3	3
" MULTIPLE DX	26	2.7	6	<1	1	2	3	4	8	13
TOTAL 0-19 YRS	12	2.3	3	<1	<1	2	3	5	7	7
20-34	39	1.7	1	<1	<1	2	2	3	4	4
35-49	4	5.0	30	1	1	3	8	13	13	13
50-64										
65+										
GRAND TOTAL	**55**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**4**	**13**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.7	23	<1	1	2	4	7	14	27
20-34	282	4.2	30	<1	1	2	5	9	16	31
35-49	17	3.1	3	<1	<1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	77	4.4	12	<1	1	4	6	8	11	21
20-34	299	5.7	43	1	1	3	7	13	16	39
35-49	37	5.0	16	<1	1	5	7	9	12	22
50-64										
65+										
TOT. SINGLE DX	359	4.1	28	<1	1	2	5	8	15	28
" MULTIPLE DX	413	5.4	36	1	1	4	6	12	15	34
TOTAL 0-19 YRS	137	4.1	17	<1	1	3	5	7	11	25
20-34	581	4.9	38	<1	1	3	6	12	16	35
35-49	54	4.4	13	<1	1	4	6	8	11	22
50-64										
65+										
GRAND TOTAL	**772**	**4.8**	**32**	**<1**	**1**	**3**	**5**	**10**	**15**	**33**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	908	1.9	1	<1	<1	2	3	3	4	6
20-34	4127	2.1	1	<1	<1	2	3	3	4	5
35-49	247	2.2	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	363	2.6	5	<1	1	2	3	4	5	9
20-34	2119	2.7	3	<1	1	2	3	4	5	10
35-49	165	3.0	8	1	1	3	3	4	5	19
50-64										
65+										
TOT. SINGLE DX	5282	2.1	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	2647	2.7	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	1271	2.1	2	<1	<1	2	3	3	4	7
20-34	6246	2.3	2	<1	<1	2	3	4	4	7
35-49	412	2.5	4	<1	<1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**7929**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1499	2.4		1	2	2	3	3	4	5
20-34	8845	2.4		1	1	2	3	3	4	4
35-49	625	2.4		1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1867	2.8	3	1	2	3	3	4	5	9
20-34	11129	2.7	2	1	2	3	3	4	4	7
35-49	898	2.9	3	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	10969	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	13894	2.8	3	1	2	3	3	4	4	7
TOTAL 0-19 YRS	3366	2.6	2	1	2	2	3	4	4	7
20-34	19974	2.6	2	1	2	2	3	4	4	6
35-49	1523	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	**24863**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.9	5	1	1	2	4	7	8	8
20-34	27	3.6	19	<1	1	3	3	8	16	19
35-49	25	2.7	5	1	1	2	3	5	9	9
50-64	26	4.3	19	1	1	2	4	12	13	15
65+	13	5.4	6	1	2	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	25	3.0	7	1	1	3	3	4	7	15
20-34	31	3.5	15	1	1	3	4	5	7	23
35-49	33	6.4	41	1	2	4	8	12	24	28
50-64	59	10.3	110	1	1	8	14	21	26	60
65+	69	9.9	87	1	2	8	12	21	27	49
TOT. SINGLE DX	104	3.7	13	1	1	3	4	9	11	17
" MULTIPLE DX	217	7.8	75	1	1	4	11	18	24	47
TOTAL 0-19 YRS	38	2.9	7	1	1	3	3	5	8	15
20-34	58	3.5	17	1	1	3	4	5	13	23
35-49	58	4.8	29	1	1	3	5	11	15	28
50-64	85	8.4	90	1	1	5	12	20	24	53
65+	82	9.2	77	1	2	7	11	20	25	48
GRAND TOTAL	**321**	**6.4**	**58**	**1**	**1**	**3**	**9**	**15**	**21**	**39**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	517	2.8	1	1	1	3	3	4	5	7
20-34	738	2.6	1	1	1	3	3	4	5	6
35-49	332	2.6	1	1	1	3	3	4	5	7
50-64	92	2.1	1	1	1	2	3	3	5	6
65+	21	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	446	3.3	2	1	2	3	4	5	5	8
20-34	532	3.4	15	1	2	3	4	5	6	10
35-49	282	3.2	2	1	2	3	4	5	7	9
50-64	124	3.5	16	1	1	3	4	6	9	26
65+	37	7.0	153	1	1	3	4	21	28	69
TOT. SINGLE DX	1700	2.6	2	1	1	3	3	4	5	6
" MULTIPLE DX	1421	3.4	13	1	2	3	4	5	6	11
TOTAL 0-19 YRS	963	3.0	2	1	1	3	4	4	5	7
20-34	1270	2.9	8	1	1	3	4	4	5	7
35-49	614	2.9	2	1	1	3	4	4	5	8
50-64	216	2.9	10	1	1	2	3	5	7	16
65+	58	5.2	103	1	1	3	4	5	24	66
GRAND TOTAL	**3121**	**3.0**	**7**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.0	1	1	1	2	3	3	4	5
20-34	137	2.3	1	1	1	2	3	4	5	7
35-49	33	2.2	1	1	1	2	3	4	5	7
50-64	9	2.9	4	1	1	2	4	6	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	171	3.7	19	1	1	3	4	6	10	24
20-34	249	3.8	10	1	1	3	5	8	10	20
35-49	55	5.0	30	1	1	3	6	13	17	96
50-64	20	6.1	92	1	2	4	6	8	27	46
65+	25	10.6	113	2	3	7	12	20	36	50
TOT. SINGLE DX	268	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	520	4.3	25	1	1	3	5	8	12	37
TOTAL 0-19 YRS	258	3.1	14	1	1	2	3	5	7	19
20-34	386	3.2	8	1	1	2	4	6	9	18
35-49	88	4.0	22	1	1	2	5	8	14	75
50-64	29	5.1	66	1	1	3	5	7	11	46
65+	27	10.0	109	2	2	7	12	19	35	50
GRAND TOTAL	**788**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	2.5	2	1	1	2	3	4	5	8
20-34	316	2.6	4	1	1	2	3	5	6	12
35-49	95	2.1	1	1	1	2	3	4	5	6
50-64	31	2.0	1	1	1	1	3	4	4	4
65+	9	3.3	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	238	5.1	34	1	1	4	6	10	16	34
20-34	597	5.5	39	1	1	4	6	11	16	34
35-49	256	6.3	43	1	1	4	8	12	19	31
50-64	98	6.1	39	1	2	4	8	11	17	39
65+	56	7.3	22	1	2	7	10	13	15	23
TOT. SINGLE DX	556	2.5	3	1	1	2	3	5	6	11
" MULTIPLE DX	1245	5.7	39	1	1	4	7	11	16	33
TOTAL 0-19 YRS	343	4.3	26	1	1	3	5	8	12	31
20-34	913	4.5	29	1	1	3	5	9	13	30
35-49	351	5.2	36	1	1	3	6	11	15	31
50-64	129	5.1	33	1	1	3	7	10	12	33
65+	65	6.8	21	1	2	7	9	13	15	22
GRAND TOTAL	**1801**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**13**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.8	1	1	1	2	4	5	5	7
20-34	19	3.1	7	<1	1	2	5	7	9	11
35-49	24	3.0	3	1	1	3	4	5	7	8
50-64	40	2.5	3	1	1	2	3	5	7	8
65+	15	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	45	2.8	2	1	1	2	3	4	5	11
20-34	48	6.6	62	1	1	5	7	14	19	46
35-49	48	3.8	8	1	1	3	5	8	9	15
50-64	63	5.6	113	1	1	2	5	9	25	66
65+	39	5.7	69	1	1	3	5	11	29	37
TOT. SINGLE DX	126	2.7	3	1	1	2	4	5	6	9
" MULTIPLE DX	243	4.9	56	1	1	3	5	10	15	43
TOTAL 0-19 YRS	73	2.8	2	1	1	2	3	4	5	10
20-34	67	5.6	49	1	1	4	6	13	17	43
35-49	72	3.5	7	1	1	3	5	7	8	14
50-64	103	4.4	72	1	1	2	4	8	12	55
65+	54	4.7	53	1	1	2	4	11	21	37
GRAND TOTAL	**369**	**4.2**	**39**	**1**	**1**	**2**	**4**	**8**	**11**	**36**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	359	4.3	19	1	1	3	5	8	10	26
20-34	190	3.3	7	<1	1	3	4	7	8	12
35-49	177	4.4	14	1	1	4	5	7	9	24
50-64	251	4.6	9	1	2	4	6	7	9	13
65+	63	7.3	95	2	2	4	8	11	19	63
2. MULTIPLE DX										
0-19 YRS	431	5.5	36	1	2	4	6	10	15	32
20-34	259	5.5	49	1	1	3	6	12	18	41
35-49	310	5.7	74	1	1	3	6	11	16	46
50-64	406	6.5	58	1	2	4	7	13	17	47
65+	196	8.4	84	1	2	5	10	17	24	52
TOT. SINGLE DX	1040	4.4	19	1	1	3	5	8	10	24
" MULTIPLE DX	1602	6.1	58	1	1	4	7	12	17	42
TOTAL 0-19 YRS	790	4.9	29	1	1	4	6	9	14	29
20-34	449	4.6	33	1	1	3	5	9	14	31
35-49	487	5.3	53	1	1	4	5	9	15	42
50-64	657	5.8	40	1	2	4	6	10	15	38
65+	259	8.1	87	1	2	5	10	16	24	56
GRAND TOTAL	**2642**	**5.5**	**43**	**1**	**1**	**4**	**6**	**10**	**15**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	2.0	1	1	1	2	3	4	4	5
20-34	249	2.1	1	1	1	2	3	3	4	6
35-49	355	2.4	2	1	1	2	3	4	5	6
50-64	327	2.5	1	1	1	2	3	4	4	6
65+	126	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	208	2.3	1	1	1	2	3	4	5	7
20-34	517	2.6	3	1	1	2	3	4	5	7
35-49	847	2.7	3	1	1	2	3	5	5	8
50-64	1431	2.9	3	1	1	3	4	5	6	9
65+	937	3.5	7	1	1	3	4	6	7	14
TOT. SINGLE DX	1204	2.3	2	1	1	2	3	4	5	6
" MULTIPLE DX	3940	2.9	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	355	2.2	1	1	1	2	3	4	4	6
20-34	766	2.5	3	1	1	2	3	4	5	7
35-49	1202	2.6	3	1	1	2	3	4	5	8
50-64	1758	2.8	3	1	1	3	3	5	5	8
65+	1063	3.4	7	1	1	3	4	6	7	13
GRAND TOTAL	**5144**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	755	2.9	8	1	1	2	3	5	8	15
20-34	805	3.4	17	1	1	2	4	6	9	23
35-49	670	3.2	12	1	1	2	4	6	8	20
50-64	398	4.0	23	1	1	3	4	8	13	24
65+	204	4.5	14	1	1	3	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	474	6.7	111	1	1	3	6	16	27	54
20-34	896	7.3	99	1	1	4	8	18	28	48
35-49	973	6.3	83	1	1	3	7	15	25	54
50-64	1085	8.0	115	1	1	4	9	20	29	51
65+	1035	11.2	141	1	2	7	15	25	35	63
TOT. SINGLE DX	2832	3.4	15	1	1	2	4	6	9	21
" MULTIPLE DX	4463	8.1	114	1	1	4	10	20	29	55
TOTAL 0-19 YRS	1229	4.3	52	1	1	2	4	8	15	40
20-34	1701	5.4	64	1	1	3	5	12	20	43
35-49	1643	5.0	57	1	1	3	5	11	17	41
50-64	1483	6.9	94	1	1	3	8	16	26	48
65+	1239	10.1	126	1	2	6	13	23	31	58
GRAND TOTAL	**7295**	**6.3**	**81**	**1**	**1**	**3**	**7**	**15**	**23**	**47**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	5.3	43	1	1	3	6	10	17	42
20-34	261	3.7	13	1	1	3	5	7	8	18
35-49	112	4.9	26	1	1	3	6	9	13	30
50-64	107	5.6	24	1	1	5	7	10	13	28
65+	141	9.7	39	3	4	9	12	16	17	25
2. MULTIPLE DX										
0-19 YRS	277	7.1	104	1	1	4	7	15	24	56
20-34	263	8.3	80	1	1	5	11	21	27	44
35-49	166	10.0	166	1	2	6	11	22	45	69
50-64	207	11.1	123	1	2	8	14	26	35	51
65+	734	13.2	72	4	6	12	16	21	29	51
TOT. SINGLE DX	1020	5.5	35	1	1	4	7	11	15	32
" MULTIPLE DX	1647	10.8	101	1	2	8	14	21	30	52
TOTAL 0-19 YRS	676	6.0	69	1	1	4	6	12	20	50
20-34	524	6.0	52	1	1	3	7	14	22	41
35-49	278	8.0	116	1	1	5	8	16	28	61
50-64	314	9.2	96	1	2	6	11	19	33	47
65+	875	12.7	69	4	5	11	15	20	27	50
GRAND TOTAL	**2667**	**8.8**	**82**	**1**	**1**	**6**	**12**	**18**	**25**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	453	2.1	5	<1	1	2	2	4	4	12
20-34	565	2.4	11	<1	1	2	3	4	6	12
35-49	312	2.5	4	1	1	2	3	5	6	12
50-64	212	3.3	41	1	1	2	3	5	9	20
65+	205	3.9	17	1	1	3	5	9	12	22
2. MULTIPLE DX										
0-19 YRS	319	4.5	57	1	1	3	4	9	15	45
20-34	344	5.7	64	1	1	3	6	13	20	43
35-49	224	6.2	72	1	1	3	6	15	23	48
50-64	298	6.2	62	1	1	3	7	14	21	42
65+	500	9.0	100	1	1	6	12	20	27	51
TOT. SINGLE DX	1747	2.6	13	<1	1	2	3	5	7	14
" MULTIPLE DX	1685	6.6	77	1	1	4	7	16	23	47
TOTAL 0-19 YRS	772	3.1	28	<1	1	2	3	5	8	31
20-34	909	3.7	35	1	1	2	4	7	12	34
35-49	536	4.0	36	1	1	2	4	8	14	39
50-64	510	5.0	56	1	1	3	5	10	17	39
65+	705	7.5	81	1	1	5	10	17	23	45
GRAND TOTAL	**3432**	**4.6**	**49**	**1**	**1**	**2**	**5**	**10**	**16**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	13.6	83	2	3	11	21	26	30	35
20-34	27	8.6	12	4	4	8	11	13	15	18
35-49	19	8.1	9	4	4	8	9	13	15	16
50-64	45	9.5	19	4	5	8	12	16	18	21
65+	190	10.9	21	5	6	10	13	16	19	28
2. MULTIPLE DX										
0-19 YRS	96	16.9	105	4	6	16	22	29	34	54
20-34	75	16.4	110	5	6	13	21	34	39	53
35-49	33	17.6	198	5	6	12	25	38	53	54
50-64	103	14.3	107	6	7	11	16	22	39	56
65+	935	13.1	49	6	7	12	16	20	24	40
TOT. SINGLE DX	381	11.1	39	4	5	10	14	20	24	33
" MULTIPLE DX	1242	13.9	68	6	7	12	16	22	28	49
TOTAL 0-19 YRS	196	15.2	97	3	4	13	22	28	33	44
20-34	102	14.3	97	5	5	11	17	27	38	51
35-49	52	14.1	150	4	5	10	15	32	47	54
50-64	148	12.8	85	5	6	10	15	20	31	55
65+	1125	12.8	45	6	7	11	15	19	23	38
GRAND TOTAL	**1623**	**13.2**	**62**	**5**	**6**	**11**	**16**	**22**	**27**	**45**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	7.6	25	2	3	7	10	13	18	26
20-34	105	10.5	38	4	5	9	13	17	23	36
35-49	102	8.6	15	4	4	8	11	13	15	22
50-64	179	9.6	12	4	5	9	12	14	16	20
65+	878	11.5	18	6	7	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	227	14.8	124	4	5	12	18	28	39	69
20-34	348	15.7	136	5	6	13	19	28	40	80
35-49	229	15.9	137	5	7	13	19	33	40	90
50-64	619	14.4	109	6	7	12	16	23	32	69
65+	5896	14.1	52	7	8	13	16	22	27	42
TOT. SINGLE DX	1430	10.5	22	4	5	10	13	16	18	26
" MULTIPLE DX	7319	14.2	66	6	7	13	16	23	29	49
TOTAL 0-19 YRS	393	11.7	95	2	3	9	14	24	30	52
20-34	453	14.5	119	5	6	12	17	26	34	67
35-49	331	13.7	111	4	5	11	15	25	37	81
50-64	798	13.4	92	5	6	11	15	22	29	61
65+	6774	13.7	49	6	7	12	16	21	26	41
GRAND TOTAL	**8749**	**13.6**	**61**	**6**	**7**	**12**	**16**	**22**	**27**	**45**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	9.9	119	1	1	4	16	23	32	45
20-34	11	14.7	377	1	2	8	14	49	63	64
35-49	7	8.1	9	6	6	6	11	13	13	13
50-64	9	7.2	44	1	1	6	8	18	23	23
65+	25	10.5	197	1	1	7	11	18	52	60
2. MULTIPLE DX										
0-19 YRS	138	17.2	280	2	2	11	27	40	46	83
20-34	42	20.0	280	5	5	14	26	44	70	99+
35-49	29	16.8	238	1	2	12	21	44	51	63
50-64	24	19.9	373	1	1	13	26	51	66	76
65+	149	15.4	182	2	3	11	18	34	46	68
TOT. SINGLE DX	287	10.0	130	1	1	5	15	23	36	56
" MULTIPLE DX	382	16.9	244	2	3	12	23	40	48	75
TOTAL 0-19 YRS	373	12.6	191	1	2	6	20	31	40	64
20-34	53	18.9	298	3	5	13	25	44	67	99
35-49	36	15.1	205	1	3	11	16	36	49	63
50-64	33	16.5	313	1	1	11	23	34	60	76
65+	174	14.7	186	2	3	11	17	34	46	67
GRAND TOTAL	**669**	**13.9**	**207**	**1**	**2**	**9**	**20**	**34**	**44**	**69**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	324	3.3	19	1	1	2	3	8	15	21
20-34	168	3.2	5	<1	1	3	4	7	8	12
35-49	138	3.2	6	<1	1	2	4	6	8	12
50-64	122	3.3	9	1	1	2	4	7	11	15
65+	105	3.7	15	1	1	2	5	8	10	23
2. MULTIPLE DX										
0-19 YRS	114	5.4	39	<1	1	3	6	14	20	32
20-34	151	8.0	106	1	1	5	9	14	25	65
35-49	123	6.5	49	1	1	4	8	14	19	37
50-64	132	7.7	96	1	2	4	10	15	24	53
65+	212	8.0	99	1	2	5	9	18	22	52
TOT. SINGLE DX	857	3.3	13	1	1	2	4	7	11	19
" MULTIPLE DX	732	7.3	83	1	1	5	9	15	22	50
TOTAL 0-19 YRS	438	3.9	25	1	1	2	4	9	16	24
20-34	319	5.5	59	1	1	4	6	10	13	44
35-49	261	4.8	29	1	1	3	6	9	14	28
50-C4	254	5.6	60	1	1	3	6	13	15	45
65+	317	6.6	75	1	1	4	7	14	20	47
GRAND TOTAL	**1589**	**5.1**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1474	2.6	3	1	1	2	3	5	6	10
20-34	2084	3.4	5	1	1	3	4	6	7	12
35-49	1322	3.9	7	1	1	3	5	7	9	14
50-64	1017	4.7	11	1	2	4	6	8	10	16
65+	612	5.7	12	1	2	5	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	831	5.4	48	1	1	3	6	11	16	35
20-34	1660	6.4	51	1	1	4	7	13	20	40
35-49	1174	6.5	48	1	2	5	7	12	18	35
50-64	1326	7.6	61	2	2	6	9	13	19	47
65+	1545	8.9	53	2	3	7	11	16	22	41
TOT. SINGLE DX	6509	3.7	8	1	1	3	5	7	9	14
" MULTIPLE DX	6536	7.1	54	1	2	5	9	14	20	40
TOTAL 0-19 YRS	2305	3.6	22	1	1	3	4	7	9	24
20-34	3744	4.7	28	1	1	3	5	9	12	29
35-49	2496	5.1	28	1	1	4	6	9	13	27
50-64	2343	6.3	42	1	2	5	7	11	15	37
65+	2157	8.0	44	2	3	6	10	14	19	35
GRAND TOTAL	**13045**	**5.4**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2528	2.0	6	<1	1	1	2	3	5	15
20-34	550	3.0	9	<1	1	2	4	6	8	14
35-49	400	3.7	35	1	1	3	4	7	8	19
50-64	343	3.1	12	<1	1	2	4	6	8	17
65+	359	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	773	4.6	58	1	1	2	4	9	18	39
20-34	577	6.0	76	1	1	4	7	11	20	50
35-49	436	5.6	31	1	1	4	7	12	15	30
50-64	501	6.3	53	1	1	4	7	12	17	46
65+	1185	6.8	42	1	1	5	8	14	20	34
TOT. SINGLE DX	4180	2.5	11	<1	1	1	3	5	7	15
" MULTIPLE DX	3472	5.9	53	1	1	4	7	12	18	39
TOTAL 0-19 YRS	3301	2.6	20	<1	1	1	2	5	7	22
20-34	1127	4.5	46	<1	1	3	5	9	12	41
35-49	836	4.7	34	1	1	3	6	10	14	27
50-64	844	5.0	39	1	1	3	6	10	14	37
65+	1544	5.9	37	1	1	4	7	12	18	30
GRAND TOTAL	**7652**	**4.0**	**33**	**1**	**1**	**2**	**5**	**9**	**13**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	4.3	26	<1	1	2	6	13	16	21
20-34	128	2.2	6	<1	<1	1	2	4	5	16
35-49	41	2.7	6	<1	<1	2	3	6	8	12
50-64	66	4.2	18	<1	1	3	5	10	13	22
65+	127	4.3	44	<1	1	2	6	8	14	32
2. MULTIPLE DX										
0-19 YRS	97	6.0	53	1	1	3	9	13	19	40
20-34	128	7.3	112	1	1	4	9	17	23	63
35-49	86	7.9	131	<1	1	4	10	15	21	73
50-64	122	6.3	52	1	1	4	8	14	20	40
65+	308	7.7	91	1	1	4	9	19	27	55
TOT. SINGLE DX	542	3.7	24	<1	1	2	4	9	13	21
" MULTIPLE DX	741	7.2	89	1	1	4	9	16	24	53
TOTAL 0-19 YRS	277	4.9	37	<1	1	2	7	13	17	26
20-34	256	4.8	66	<1	1	2	5	10	18	30
35-49	127	6.2	97	<1	1	3	7	14	17	60
50-64	188	5.6	41	1	1	3	7	13	16	35
65+	435	6.7	81	1	1	4	7	16	24	54
GRAND TOTAL	**1283**	**5.7**	**64**	**<1**	**1**	**3**	**7**	**14**	**19**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.3	12	1	1	2	4	7	11	19
20-34	192	2.1	1	1	1	2	3	4	5	7
35-49	68	2.9	4	1	1	2	4	5	7	11
50-64	41	3.7	3	1	1	3	5	6	7	7
65+	22	6.3	32	1	1	4	11	15	18	21
2. MULTIPLE DX										
0-19 YRS	87	6.8	46	1	2	5	8	14	17	43
20-34	87	6.0	46	1	1	3	7	16	22	34
35-49	49	4.2	7	1	1	4	6	8	11	99+
50-64	39	8.5	115	2	2	5	8	16	29	62
65+	80	12.0	97	3	3	9	16	22	32	52
TOT. SINGLE DX	435	2.9	7	1	1	2	3	5	7	15
" MULTIPLE DX	342	7.6	67	1	2	5	9	17	22	54
TOTAL 0-19 YRS	199	4.8	30	1	1	3	6	10	15	22
20-34	279	3.3	19	1	1	2	3	6	9	24
35-49	117	3.4	6	1	1	3	4	7	9	41
50-64	80	6.0	63	1	2	5	6	9	16	54
65+	102	10.8	88	1	2	8	15	20	27	50
GRAND TOTAL	**777**	**5.0**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	346	3.4	15	<1	1	2	3	8	13	20
20-34	263	3.5	16	<1	1	2	4	8	12	21
35-49	185	3.4	15	1	1	2	4	7	10	22
50-64	103	6.0	62	1	1	4	6	15	19	47
65+	67	11.0	120	2	3	8	15	22	29	62
2. MULTIPLE DX										
0-19 YRS	283	6.2	54	1	1	3	9	16	22	32
20-34	356	5.1	53	<1	1	3	6	11	17	44
35-49	271	6.9	92	1	1	3	7	17	28	51
50-64	291	9.0	116	1	1	5	11	23	34	56
65+	366	16.5	231	1	2	13	22	35	47	78
TOT. SINGLE DX	964	4.2	32	<1	1	2	5	10	15	23
" MULTIPLE DX	1567	9.0	132	1	1	4	12	23	32	58
TOTAL 0-19 YRS	629	4.6	35	<1	1	2	5	12	18	28
20-34	619	4.4	38	<1	1	2	5	10	14	33
35-49	456	5.5	64	1	1	3	6	13	22	50
50-64	394	8.2	104	1	1	4	10	21	31	52
65+	433	15.7	218	2	3	12	21	32	47	72
GRAND TOTAL	**2531**	**7.2**	**99**	**1**	**1**	**3**	**9**	**18**	**27**	**51**

717: Excision of intervertebral disc (8

0.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	5.7	13	2	2	5	7	10	14	20
20-34	2455	6.2	12	2	3	5	8	11	13	18
35-49	3787	6.6	14	2	3	6	8	12	14	20
50-64	1687	7.1	15	2	3	6	9	12	15	21
65+	389	8.2	19	3	3	7	10	15	17	23
2. MULTIPLE DX										
0-19 YRS	33	10.1	83	2	4	7	12	18	30	47
20-34	971	8.5	37	3	4	7	10	15	20	30
35-49	2146	8.8	36	3	4	7	10	15	20	32
50-64	1946	9.6	38	4	4	8	11	17	21	30
65+	1136	12.1	56	4	5	10	15	21	27	40
TOT. SINGLE DX	8403	6.6	15	2	3	6	8	12	14	20
" MULTIPLE DX	6232	9.6	43	3	4	8	12	17	22	33
TOTAL 0-19 YRS	118	6.9	37	2	3	5	7	14	17	37
20-34	3426	6.8	21	2	3	6	8	12	15	23
35-49	5933	7.4	24	3	3	6	9	13	16	25
50-64	3633	8.4	29	3	4	7	10	15	18	27
65+	1525	11.1	50	4	5	9	14	19	24	38
GRAND TOTAL	**14635**	**7.9**	**29**	**3**	**3**	**7**	**10**	**14**	**18**	**28**

718: Excision of semilunar cartilage o

f knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.8	1	<1	<1	1	2	4	4	5
20-34	263	2.1	2	<1	1	2	3	4	5	7
35-49	225	2.1	2	<1	<1	2	3	4	5	9
50-64	108	2.4	6	<1	<1	2	3	5	6	15
65+	45	2.1	3	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	233	2.5	3	<1	1	2	3	5	5	10
20-34	539	2.6	4	<1	1	2	3	5	7	11
35-49	368	2.6	10	<1	1	2	3	5	7	21
50-64	453	2.7	6	1	1	2	3	5	8	13
65+	286	3.5	37	1	1	2	4	7	11	19
TOT. SINGLE DX	751	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	1879	2.8	11	<1	1	2	3	5	8	14
TOTAL 0-19 YRS	343	2.3	3	<1	<1	2	3	4	5	9
20-34	802	2.4	4	<1	1	2	3	5	6	10
35-49	593	2.4	8	<1	1	2	3	5	6	14
50-64	561	2.6	6	<1	1	2	3	5	7	13
65+	331	3.3	33	1	1	2	3	7	11	19
GRAND TOTAL	**2630**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	234	2.5	12	<1	<1	2	3	4	6	25
20-34	417	2.6	14	<1	1	2	3	5	7	17
35-49	291	2.5	6	<1	1	2	3	5	8	13
50-64	192	3.3	20	<1	1	2	4	7	8	28
65+	96	4.2	20	1	1	3	5	9	14	23
2. MULTIPLE DX										
0-19 YRS	284	3.1	18	<1	1	1	3	6	11	27
20-34	575	3.8	31	<1	1	2	4	8	12	35
35-49	524	3.9	33	1	1	2	4	9	13	28
50-64	495	5.3	59	1	1	3	5	12	22	41
65+	408	9.4	149	1	1	5	12	25	33	62
TOT. SINGLE DX	1230	2.8	14	<1	1	2	3	5	8	19
" MULTIPLE DX	2286	5.0	62	1	1	2	5	12	20	42
TOTAL 0-19 YRS	518	2.8	16	<1	1	2	3	6	8	26
20-34	992	3.3	24	<1	1	2	3	7	10	30
35-49	815	3.4	24	<1	1	2	4	8	11	26
50-64	687	4.7	50	1	1	2	5	11	18	40
65+	504	8.4	129	1	1	4	10	20	29	55
GRAND TOTAL	**3516**	**4.3**	**46**	**<1**	**1**	**2**	**4**	**9**	**16**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	278	9.1	14	5	6	8	10	13	16	25
20-34	253	8.6	17	4	4	8	10	14	17	23
35-49	349	7.5	17	3	4	6	9	13	16	23
50-64	162	8.7	27	3	4	8	10	15	18	30
65+	29	9.0	19	3	3	8	13	16	16	17
2. MULTIPLE DX										
0-19 YRS	306	14.8	124	6	7	11	18	26	38	76
20-34	294	13.6	88	5	6	11	16	25	34	87
35-49	415	11.9	72	4	5	10	14	22	26	54
50-64	311	12.3	134	4	5	9	13	23	36	91
65+	113	14.6	115	5	6	12	18	30	36	84
TOT. SINGLE DX	1071	8.4	19	3	4	8	10	14	17	23
" MULTIPLE DX	1439	13.2	105	5	5	10	15	25	32	72
TOTAL 0-19 YRS	584	12.1	80	5	6	9	13	22	28	58
20-34	547	11.3	62	4	5	9	13	20	26	53
35-49	764	9.9	52	3	4	8	12	17	23	34
50-64	473	11.1	101	3	4	8	12	20	30	65
65+	142	13.4	100	4	5	11	16	25	36	77
GRAND TOTAL	**2510**	**11.1**	**74**	**4**	**5**	**9**	**13**	**20**	**26**	**54**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	2.7	1	1	1	3	3	4	5	7
20-34	204	3.2	4	1	1	3	4	7	7	10
35-49	187	3.5	5	1	1	3	5	7	8	11
50-64	199	3.5	6	1	1	3	4	6	8	13
65+	78	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	107	4.2	14	1	1	4	5	7	9	23
20-34	195	4.2	13	1	1	3	5	8	10	19
35-49	217	4.5	12	1	1	4	5	8	10	21
50-64	297	5.1	37	1	1	4	6	9	13	31
65+	213	6.7	48	1	1	5	8	15	18	30
TOT. SINGLE DX	752	3.4	5	1	1	3	4	7	8	11
" MULTIPLE DX	1029	5.0	28	1	1	4	6	10	14	26
TOTAL 0-19 YRS	191	3.5	9	1	1	3	4	5	7	20
20-34	399	3.7	9	1	1	3	5	7	9	16
35-49	404	4.1	9	1	1	3	5	8	10	15
50-64	496	4.5	25	1	1	3	5	8	11	19
65+	291	6.1	39	1	1	4	8	13	17	29
GRAND TOTAL	**1781**	**4.4**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	10.0	1	8	8	10	11	11	11	11
20-34	67	9.2	6	5	6	9	11	13	14	14
35-49	158	9.3	7	6	6	9	11	13	14	19
50-64	723	10.3	8	6	7	10	12	14	15	20
65+	1153	11.5	16	7	8	11	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	6	14.5	24	5	6	16	18	18	18	18
20-34	132	11.9	46	6	7	10	13	20	25	41
35-49	309	12.1	46	6	7	10	13	18	26	40
50-64	1327	12.2	35	7	8	11	13	17	23	39
65+	3894	14.0	50	8	9	12	16	21	26	44
TOT. SINGLE DX	2107	10.9	13	7	7	10	12	15	16	22
" MULTIPLE DX	5668	13.4	47	7	8	12	15	20	25	42
TOTAL 0-19 YRS	12	12.3	17	5	7	11	16	18	18	18
20-34	199	11.0	35	5	6	10	12	15	22	37
35-49	467	11.1	35	6	7	10	12	16	22	36
50-64	2050	11.5	27	7	7	11	13	16	20	35
65+	5047	13.4	43	7	8	12	15	19	24	41
GRAND TOTAL	**7775**	**12.7**	**39**	**7**	**8**	**11**	**14**	**18**	**23**	**39**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.8	29	3	3	6	14	15	15	15
20-34	10	13.3	198	1	4	10	12	33	52	52
35-49	28	9.3	10	5	6	8	11	14	17	18
50-64	107	10.8	17	6	7	10	13	15	18	28
65+	658	11.5	15	6	7	11	14	17	18	23
2. MULTIPLE DX										
0-19 YRS	9	5.2	6	3	3	5	6	9	10	10
20-34	33	10.4	48	2	4	10	12	14	19	43
35-49	49	14.6	60	6	8	12	16	27	38	39
50-64	349	14.7	68	7	8	12	17	23	28	48
65+	3627	14.5	55	7	8	13	17	22	28	45
TOT. SINGLE DX	809	11.3	18	6	7	11	14	16	18	23
" MULTIPLE DX	4067	14.5	57	7	8	13	17	22	28	45
TOTAL 0-19 YRS	15	6.3	16	3	3	5	8	14	15	15
20-34	43	11.1	81	2	4	10	12	14	28	52
35-49	77	12.7	49	6	7	11	14	18	28	39
50-64	456	13.7	60	7	8	12	16	22	27	36
65+	4285	14.1	50	7	8	13	16	21	27	43
GRAND TOTAL	**4876**	**14.0**	**52**	**7**	**8**	**12**	**16**	**21**	**27**	**43**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	378	3.2	2	1	1	3	4	5	6	8
20-34	542	3.6	6	1	1	3	4	6	7	11
35-49	228	5.9	19	1	1	5	9	12	13	24
50-64	726	9.9	12	5	6	10	12	14	16	21
65+	1406	11.0	12	6	7	11	13	15	17	21
2. MULTIPLE DX										
0-19 YRS	442	3.5	5	1	1	3	4	6	7	13
20-34	710	4.6	22	1	2	4	5	8	11	23
35-49	410	6.3	35	1	2	4	8	13	18	25
50-64	1323	11.1	31	3	5	10	13	17	19	31
65+	3749	12.7	30	7	8	12	15	18	22	31
TOT. SINGLE DX	3280	8.3	21	2	2	9	11	14	16	20
" MULTIPLE DX	6634	10.5	39	2	3	10	13	17	20	30
TOTAL 0-19 YRS	820	3.4	4	1	1	3	4	6	7	10
20-34	1252	4.2	16	1	2	3	5	7	9	19
35-49	638	6.2	30	1	1	5	8	12	16	24
50-64	2049	10.7	25	4	6	10	13	16	18	28
65+	5155	12.2	26	7	8	11	14	17	20	29
GRAND TOTAL	**9914**	**9.8**	**34**	**2**	**3**	**10**	**13**	**16**	**19**	**27**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	451	2.2	1	1	1	2	3	4	4	6
20-34	909	2.5	1	1	1	2	3	4	5	7
35-49	550	2.6	2	1	1	2	3	5	5	7
50-64	545	3.2	6	1	1	3	4	5	7	13
65+	251	4.5	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	151	2.9	5	1	1	2	3	5	7	14
20-34	431	3.3	6	1	1	3	4	6	8	13
35-49	519	3.2	6	1	1	3	4	5	8	14
50-64	810	3.8	9	1	1	3	4	7	9	19
65+	578	5.4	21	1	2	4	6	10	13	23
TOT. SINGLE DX	2706	2.8	4	1	1	2	3	5	6	10
" MULTIPLE DX	2489	3.9	12	1	1	3	5	7	10	19
TOTAL 0-19 YRS	602	2.3	2	1	1	2	3	4	5	8
20-34	1340	2.7	3	1	1	2	3	5	6	10
35-49	1069	2.9	4	1	1	2	4	5	6	12
50-64	1355	3.6	8	1	1	3	4	6	8	15
65+	829	5.1	19	1	1	4	6	10	12	22
GRAND TOTAL	**5195**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	203	3.8	23	1	1	2	4	9	14	24
20-34	181	3.2	9	1	1	2	4	7	10	15
35-49	131	3.6	18	1	1	2	5	8	11	25
50-64	77	3.0	9	<1	1	2	4	7	9	17
65+	32	6.5	113	1	1	4	7	12	22	59
2. MULTIPLE DX										
0-19 YRS	362	5.1	48	1	1	3	5	11	15	50
20-34	208	6.3	43	1	1	4	8	12	20	36
35-49	194	6.1	63	1	1	4	7	14	19	41
50-64	188	6.2	44	1	1	4	8	14	18	31
65+	161	9.8	74	1	2	8	12	21	28	43
TOT. SINGLE DX	624	3.6	22	1	1	2	4	8	11	20
" MULTIPLE DX	1113	6.3	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	565	4.6	40	1	1	3	5	10	14	34
20-34	389	4.8	30	1	1	3	6	10	14	30
35-49	325	5.1	47	1	1	3	6	11	17	36
50-64	265	5.3	36	1	1	3	6	12	17	29
65+	193	9.2	82	1	1	7	11	20	27	50
GRAND TOTAL	**1737**	**5.4**	**45**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.6	7	<1	<1	2	3	5	8	14
20-34	124	3.1	45	<1	<1	2	3	5	7	51
35-49	133	2.5	5	<1	<1	2	3	5	8	13
50-64	149	2.8	10	<1	1	2	3	6	10	22
65+	70	3.5	8	1	1	2	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	73	5.8	57	1	1	3	7	14	23	40
20-34	106	8.4	237	1	1	4	8	19	32	86
35-49	163	7.1	64	1	1	4	9	19	24	43
50-64	266	7.9	94	1	1	5	9	17	27	52
65+	317	9.9	98	1	1	7	14	21	28	51
TOT. SINGLE DX	597	2.8	16	<1	<1	2	3	6	8	15
" MULTIPLE DX	925	8.3	105	1	1	5	11	19	26	52
TOTAL 0-19 YRS	194	3.8	28	<1	1	2	4	10	13	26
20-34	230	5.5	140	<1	1	2	4	10	21	73
35-49	296	5.0	43	<1	1	3	5	12	19	34
50-64	415	6.1	70	1	1	3	8	15	20	47
65+	387	8.7	88	1	1	6	12	19	26	50
GRAND TOTAL	**1522**	**6.2**	**77**	**<1**	**1**	**3**	**8**	**15**	**21**	**47**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	5	1	1	1	3	6	8	8
20-34	17	2.4	6	<1	1	1	2	8	9	9
35-49	31	1.6		1	1	1	2	3	3	3
50-64	105	1.7	1	<1	1	1	2	3	4	8
65+	74	1.6		<1	1	1	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	12	3.6	13	1	1	2	4	9	13	14
20-34	18	5.0	22	1	1	4	7	10	16	20
35-49	29	2.8	5	<1	<1	2	4	6	7	11
50-64	72	2.8	23	1	1	2	3	4	6	34
65+	90	2.3	2	1	1	2	3	4	6	8
TOT. SINGLE DX	236	1.7	2	<1	1	1	2	3	4	8
" MULTIPLE DX	221	2.8	12	1	1	2	3	5	8	18
TOTAL 0-19 YRS	21	3.0	10	1	1	2	3	7	11	14
20-34	35	3.7	16	1	1	2	6	8	10	20
35-49	60	2.2	3	<1	1	2	3	4	6	11
50-64	177	2.1	11	1	1	1	2	3	4	15
65+	164	2.0	2	<1	1	2	2	4	5	8
GRAND TOTAL	**457**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**6**	**11**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	1.7	2	<1	<1	1	2	3	4	9
20-34	281	1.9	2	<1	<1	1	2	3	5	9
35-49	130	2.5	6	<1	1	2	3	5	9	13
50-64	49	1.6	1	<1	1	1	2	3	4	5
65+	14	2.3	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	205	2.2	14	<1	1	1	2	4	5	12
20-34	361	2.5	7	<1	1	2	3	5	7	12
35-49	156	2.9	19	1	1	2	3	5	7	27
50-64	121	3.0	18	1	1	2	3	6	9	27
65+	58	3.9	27	1	1	2	4	9	13	33
TOT. SINGLE DX	670	1.9	3	<1	<1	1	2	3	5	11
" MULTIPLE DX	901	2.7	14	1	1	2	3	5	8	20
TOTAL 0-19 YRS	401	1.9	8	<1	1	1	2	3	5	11
20-34	642	2.2	6	<1	1	2	2	4	6	10
35-49	286	2.7	14	<1	1	2	3	5	8	21
50-64	170	2.6	14	1	1	2	3	5	7	22
65+	72	3.6	23	1	1	2	4	9	11	30
GRAND TOTAL	**1571**	**2.4**	**10**	**<1**	**1**	**2**	**2**	**4**	**7**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.0	2	<1	<1	1	2	4	5	7
20-34	321	2.2	4	<1	1	2	3	4	5	7
35-49	336	2.8	3	1	1	2	4	5	6	9
50-64	426	3.3	3	1	1	3	4	5	7	9
65+	174	3.7	3	1	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	146	2.8	10	<1	1	2	3	5	9	14
20-34	232	4.4	42	1	1	3	4	9	14	38
35-49	268	4.3	44	1	1	3	5	8	12	30
50-64	444	4.9	34	1	1	3	5	9	13	42
65+	331	5.6	31	1	2	4	7	10	14	32
TOT. SINGLE DX	1416	2.8	4	1	1	2	4	5	6	9
" MULTIPLE DX	1421	4.6	35	1	1	3	5	9	12	31
TOTAL 0-19 YRS	305	2.4	6	<1	1	2	3	5	7	11
20-34	553	3.1	21	1	1	2	3	5	8	25
35-49	604	3.4	22	1	1	3	4	6	8	19
50-64	870	4.1	20	1	1	3	5	7	9	23
65+	505	4.9	23	1	2	4	6	9	11	25
GRAND TOTAL	**2837**	**3.7**	**20**	**1**	**1**	**3**	**4**	**7**	**9**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	390	2.6	4	1	1	2	3	4	5	10
20-34	262	2.7	3	1	1	2	3	5	6	9
35-49	202	2.7	4	1	1	2	3	5	7	11
50-64	101	3.0	4	1	1	3	4	5	7	10
65+	42	5.2	11	1	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	492	3.4	32	1	1	2	3	5	8	26
20-34	209	5.6	81	1	1	3	5	14	25	88
35-49	154	6.4	96	1	1	3	6	12	28	59
50-64	143	8.1	236	1	1	4	6	14	40	87
65+	111	8.4	94	1	2	6	10	17	28	88
TOT. SINGLE DX	997	2.8	5	1	1	2	3	5	7	11
" MULTIPLE DX	1109	5.4	87	1	1	3	5	10	19	64
TOTAL 0-19 YRS	882	3.1	20	1	1	2	3	5	7	21
20-34	471	4.0	40	1	1	3	4	6	11	39
35-49	356	4.3	48	1	1	3	4	8	12	36
50-64	244	6.0	146	1	1	3	5	10	16	77
65+	153	7.5	74	1	2	5	9	14	22	79
GRAND TOTAL	**2106**	**4.1**	**49**	**1**	**1**	**3**	**4**	**7**	**11**	**38**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	1.8	1	<1	1	1	2	4	5	6
20-34	123	2.1	4	<1	1	1	2	4	7	11
35-49	72	1.8	1	1	1	1	2	3	4	7
50-64	48	1.9	6	<1	1	1	2	3	5	18
65+	35	2.4	11	1	1	1	2	3	7	20
2. MULTIPLE DX										
0-19 YRS	34	4.1	25	1	1	2	5	9	13	27
20-34	99	4.5	37	1	1	2	4	13	20	29
35-49	93	6.5	82	1	1	3	7	18	22	51
50-64	89	6.8	170	1	1	2	6	18	25	82
65+	100	7.3	75	1	1	4	9	18	25	45
TOT. SINGLE DX	329	2.0	4	<1	1	1	2	4	5	10
" MULTIPLE DX	415	6.0	85	1	1	3	7	16	24	44
TOTAL 0-19 YRS	85	2.7	12	<1	1	2	3	5	8	22
20-34	222	3.1	21	<1	1	2	3	7	13	26
35-49	165	4.4	52	1	1	2	4	11	19	38
50-64	137	5.1	118	1	1	2	4	13	20	62
65+	135	6.0	63	1	1	3	8	14	22	43
GRAND TOTAL	**744**	**4.2**	**53**	**1**	**1**	**2**	**4**	**10**	**18**	**31**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.0	10	3	3	5	8	10	10	10
20-34	5	3.4	8	1	1	3	5	8	8	8
35-49	10	3.7	8	<1	<1	3	5	8	10	10
50-64	4	7.0	66	1	1	4	12	19	19	19
65+	3	8.3	4	6	6	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	12.0	73	1	1	14	16	23	25	25
20-34	15	9.3	19	2	4	8	11	15	19	20
35-49	10	9.5	103	1	1	4	14	27	30	30
50-64	14	20.7	325	5	5	13	35	53	55	55
65+	23	14.8	226	2	3	11	19	53	72	99+
TOT. SINGLE DX	26	5.0	17	<1	1	4	7	10	12	19
" MULTIPLE DX	69	13.8	177	1	3	9	17	32	53	92
TOTAL 0-19 YRS	11	9.8	56	1	1	10	15	20	25	25
20-34	20	7.9	23	1	2	8	10	14	17	20
35-49	20	6.6	62	<1	1	4	8	19	27	30
50-64	18	17.7	295	2	3	9	20	50	54	55
65+	26	14.0	204	2	3	10	18	47	66	99+
GRAND TOTAL	**95**	**11.4**	**148**	**1**	**1**	**8**	**15**	**26**	**49**	**82**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	7	14.0	62	4	4	15	21	24	24	24
35-49	13	10.8	39	3	4	9	15	21	22	22
50-64	6	12.7	22	5	6	13	15	19	19	19
65+	26	15.5	136	7	7	12	17	26	38	63
2. MULTIPLE DX										
0-19 YRS	5	10.8	61	6	6	6	15	24	24	24
20-34	57	18.1	195	5	6	14	23	37	49	71
35-49	91	19.3	215	5	7	16	24	39	57	90
50-64	351	21.4	173	6	8	18	27	41	50	69
65+	964	20.0	154	7	8	17	25	36	44	69
TOT. SINGLE DX	54	13.5	88	5	5	11	17	22	26	62
" MULTIPLE DX	1468	20.2	165	6	8	17	26	37	46	71
TOTAL 0-19 YRS	7	9.6	45	6	6	6	11	22	24	24
20-34	64	17.6	182	5	6	14	23	30	45	71
35-49	104	18.3	201	5	6	14	23	37	54	87
50-64	357	21.2	172	6	8	18	27	41	50	69
65+	990	19.9	155	7	[illegible]	17	25	36	44	68
GRAND TOTAL	**1522**	**20.0**	**163**	**6**	**8**	**17**	**25**	**37**	**46**	**70**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.9	4	<1	<1	3	4	6	7	8
20-34	28	4.1	14	1	1	3	5	9	15	16
35-49	22	4.4	19	<1	1	3	5	9	16	20
50-64	17	6.9	62	1	1	3	8	19	26	30
65+	27	5.0	23	1	1	3	6	13	17	18
2. MULTIPLE DX										
0-19 YRS	21	5.4	29	1	1	4	7	15	18	20
20-34	61	12.4	131	1	2	10	16	28	42	95
35-49	172	13.8	99	2	3	12	18	27	34	51
50-64	438	13.2	104	2	3	11	18	25	32	54
65+	735	14.8	119	3	4	12	20	29	35	58
TOT. SINGLE DX	117	4.5	23	1	1	3	5	10	16	23
" MULTIPLE DX	1427	13.9	113	2	3	12	18	27	34	57
TOTAL 0-19 YRS	44	4.1	18	<1	1	3	6	8	15	20
20-34	89	9.8	109	1	1	7	14	23	31	84
35-49	194	12.7	99	2	3	11	18	26	32	51
50-64	455	13.0	104	2	3	11	17	25	31	54
65+	762	14.4	120	2	3	12	19	28	35	58
GRAND TOTAL	**1544**	**13.2**	**112**	**2**	**3**	**11**	**18**	**26**	**33**	**56**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.5	59	4	4	5	13	20	20	20
20-34	7	9.7	13	4	5	10	12	15	15	15
35-49	6	7.8	7	5	5	7	10	12	12	12
50-64	8	14.0	46	4	6	13	15	24	28	28
65+	29	11.2	48	3	4	9	16	22	23	26
2. MULTIPLE DX										
0-19 YRS	8	19.3	469	1	2	8	32	56	62	62
20-34	23	23.5	313	5	6	22	33	44	64	74
35-49	44	23.1	351	6	7	18	33	64	86	99+
50-64	172	19.1	171	6	7	16	23	33	46	85
65+	1057	17.0	138	5	7	14	21	30	41	70
TOT. SINGLE DX	54	10.8	40	4	4	9	15	21	23	28
" MULTIPLE DX	1304	17.6	156	5	7	14	22	32	45	74
TOTAL 0-19 YRS	12	15.7	343	1	3	7	21	47	60	62
20-34	30	20.3	276	4	5	16	25	40	58	74
35-49	50	21.2	335	6	6	15	29	61	81	99+
50-64	180	18.9	167	6	7	15	23	33	45	85
65+	1086	16.9	137	5	7	14	21	30	41	70
GRAND TOTAL	**1358**	**17.4**	**153**	**5**	**7**	**14**	**22**	**32**	**43**	**74**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.3	93	1	1	3	4	22	30	30
20-34	7	13.9	314	3	3	5	13	45	53	53
35-49	5	9.8	25	5	5	10	13	17	17	17
50-64	4	6.5	3	4	4	7	8	8	8	8
65+	5	15.4	92	5	5	20	23	24	24	24
2. MULTIPLE DX										
0-19 YRS	7	9.4	117	1	1	5	14	28	31	31
20-34	11	28.4	610	2	5	20	39	69	81	82
35-49	49	17.1	126	4	5	15	24	31	43	99+
50-64	116	23.9	308	6	7	18	33	53	65	99+
65+	186	20.2	226	5	6	17	28	41	50	99+
TOT. SINGLE DX	29	10.3	123	2	2	5	13	24	31	53
" MULTIPLE DX	369	21.0	254	5	6	17	28	44	56	99+
TOTAL 0-19 YRS	15	7.7	100	1	1	4	5	30	31	31
20-34	18	22.7	523	2	3	13	32	59	74	82
35-49	54	16.4	121	4	5	15	22	30	40	98
50-64	120	23.3	308	6	7	18	33	53	63	99+
65+	191	20.1	223	5	6	17	27	41	50	99+
GRAND TOTAL	**398**	**20.2**	**252**	**4**	**5**	**16**	**28**	**43**	**55**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.0	9	<1	1	5	7	9	11	11
20-34	21	7.0	17	1	2	6	9	13	14	16
35-49	18	4.9	5	<1	1	5	7	7	9	10
50-64	6	2.8	1	<1	<1	3	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	10	6.3	40	1	1	4	8	16	22	22
20-34	12	7.6	25	1	3	7	8	13	21	22
35-49	10	5.4	15	1	1	5	8	11	13	13
50-64	10	6.9	13	4	4	6	7	12	17	17
65+	4	3.5	14	1	1	2	6	9	9	9
TOT. SINGLE DX	58	5.5	12	<1	1	5	7	10	12	16
" MULTIPLE DX	46	6.3	23	1	1	6	8	11	18	22
TOTAL 0-19 YRS	23	5.6	22	<1	1	5	7	11	15	22
20-34	33	7.2	20	1	2	7	9	13	16	22
35-49	28	5.1	9	1	1	5	7	9	11	13
50-64	16	5.4	13	1	2	5	6	8	14	17
65+	4	3.5	14	1	1	2	6	9	9	9
GRAND TOTAL	**104**	**5.8**	**16**	**1**	**1**	**5**	**8**	**10**	**13**	**22**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.6	16	1	1	2	4	11	13	13
20-34	34	2.8	3	1	1	2	3	5	7	9
35-49	22	4.3	34	1	1	3	4	11	19	26
50-64	26	4.8	23	<1	1	3	7	11	17	20
65+	19	8.6	68	2	3	5	10	24	29	31
2. MULTIPLE DX										
0-19 YRS	12	4.5	105	<1	<1	2	2	13	34	37
20-34	23	8.6	161	<1	1	6	7	17	40	60
35-49	54	10.6	212	1	1	6	13	27	39	99+
50-64	95	12.4	128	2	3	9	18	28	30	60
65+	193	13.0	128	2	4	11	15	24	31	75
TOT. SINGLE DX	110	4.6	30	1	1	3	5	10	16	28
" MULTIPLE DX	377	12.0	144	1	2	9	15	26	31	78
TOTAL 0-19 YRS	21	4.1	64	<1	1	2	3	9	24	37
20-34	57	5.1	74	1	1	3	6	8	12	58
35-49	76	8.8	168	1	1	5	12	23	29	99
50-64	121	10.8	115	1	1	7	14	24	30	53
65+	212	12.6	125	2	3	10	15	24	31	73
GRAND TOTAL	**487**	**10.3**	**127**	**1**	**1**	**7**	**14**	**23**	**29**	**72**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	14.7	182	1	1	15	25	28	28	28
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	5.3	13	1	1	5	8	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	6.5	23	2	2	5	8	14	18	18
65+	10	10.4	20	6	6	8	14	17	19	19
TOT. SINGLE DX	8	8.8	82	1	1	5	12	24	28	28
" MULTIPLE DX	23	7.9	24	2	2	7	10	16	18	19
TOTAL 0-19 YRS	3	14.7	182	1	1	15	25	28	28	28
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	14	6.1	20	1	2	5	8	11	16	18
65+	10	10.4	20	6	6	8	14	17	19	19
GRAND TOTAL	**31**	**8.1**	**37**	**1**	**2**	**7**	**10**	**16**	**19**	**28**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.7	2	<1	<1	1	1	4	6	7
20-34	115	2.1	1	<1	<1	2	3	4	5	6
35-49	380	2.3	2	<1	<1	2	3	5	5	7
50-64	415	2.6	4	<1	<1	2	3	5	6	12
65+	258	2.8	5	<1	<1	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	23	2.7	4	1	1	2	3	6	7	8
20-34	165	5.3	52	1	1	2	6	13	22	35
35-49	623	4.0	24	1	1	2	5	9	14	28
50-64	791	4.8	28	1	1	3	6	11	15	25
65+	1056	6.3	48	1	1	4	8	14	19	32
TOT. SINGLE DX	1192	2.5	4	<1	<1	2	3	5	6	8
" MULTIPLE DX	2658	5.2	38	1	1	3	6	12	16	29
TOTAL 0-19 YRS	47	2.2	4	<1	1	1	3	6	7	8
20-34	280	4.0	34	<1	1	2	4	8	16	33
35-49	1003	3.4	17	<1	1	2	4	7	10	24
50-64	1206	4.0	21	<1	1	3	5	9	12	22
65+	1314	5.6	42	1	1	4	7	13	17	30
GRAND TOTAL	**3850**	**4.4**	**29**	**<1**	**1**	**3**	**5**	**10**	**14**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.8	1	1	1	2	2	3	4	4
20-34	23	3.3	2	1	1	3	5	6	6	6
35-49	76	3.7	3	1	2	3	5	6	7	10
50-64	92	4.2	4	1	2	4	5	7	8	11
65+	106	4.7	5	1	1	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	5	3.2	19	<1	<1	1	4	11	11	11
20-34	17	4.1	1	2	2	4	5	6	6	6
35-49	140	5.1	35	1	2	4	6	8	10	41
50-64	186	6.0	23	2	3	5	7	10	13	33
65+	376	6.9	29	2	2	5	8	14	17	30
TOT. SINGLE DX	305	4.1	5	1	1	4	5	7	8	10
" MULTIPLE DX	724	6.2	29	2	2	5	7	11	16	32
TOTAL 0-19 YRS	13	2.3	8	<1	<1	1	2	5	10	11
20-34	40	3.7	2	1	2	4	5	6	6	6
35-49	216	4.6	24	1	2	4	5	7	9	24
50-64	278	5.4	18	2	2	4	6	9	11	22
65+	482	6.4	25	2	2	5	7	12	16	28
GRAND TOTAL	**1029**	**5.6**	**23**	**1**	**2**	**5**	**6**	**10**	**14**	**25**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	77	4.8	3	2	3	4	6	7	8	11
35-49	483	4.7	3	2	3	4	6	7	8	11
50-64	737	5.1	4	2	3	5	6	8	9	11
65+	744	5.4	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS										
20-34	96	5.3	6	3	3	5	6	8	10	17
35-49	738	5.8	9	3	3	5	7	9	11	15
50-64	1510	6.4	16	3	3	6	7	10	12	24
65+	2380	7.1	17	3	4	6	8	11	14	25
TOT. SINGLE DX	2044	5.1	4	2	3	5	6	8	9	11
" MULTIPLE DX	4724	6.6	15	3	3	6	8	10	13	23
TOTAL 0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	173	5.1	5	3	3	5	6	7	9	14
35-49	1221	5.4	7	3	3	5	6	8	9	14
50-64	2247	6.0	12	3	3	5	7	9	11	20
65+	3124	6.7	15	3	4	6	8	10	13	23
GRAND TOTAL	**6768**	**6.2**	**13**	**3**	**3**	**6**	**7**	**9**	**12**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	2.1	1	1	1	2	3	4	4	5
20-34	429	2.6	2	1	1	2	3	4	6	7
35-49	398	2.8	2	1	1	2	3	5	7	9
50-64	208	2.8	3	1	1	2	3	5	6	9
65+	40	3.0	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	89	2.5	1	1	1	2	3	4	5	7
20-34	354	3.2	9	1	1	3	4	6	7	10
35-49	741	3.4	9	1	1	3	4	6	8	16
50-64	449	3.6	8	1	1	3	4	7	9	14
65+	133	5.4	97	1	1	3	5	9	14	67
TOT. SINGLE DX	1300	2.6	3	1	1	2	3	4	6	8
" MULTIPLE DX	1766	3.5	16	1	1	3	4	6	8	16
TOTAL 0-19 YRS	314	2.2	1	1	1	2	3	4	4	6
20-34	783	2.9	6	1	1	2	3	5	6	9
35-49	1139	3.2	7	1	1	3	4	6	7	13
50-64	657	3.4	7	1	1	3	4	6	8	13
65+	173	4.9	77	1	1	3	5	7	11	54
GRAND TOTAL	**3066**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	2.3	2	1	1	2	3	4	5	8
20-34	655	2.3	3	1	1	2	3	4	5	10
35-49	125	2.1	2	1	1	2	3	4	5	8
50-64	31	2.2	1	1	1	2	3	4	4	6
65+	7	1.9		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	83	2.9	4	1	1	2	4	5	6	12
20-34	169	3.0	12	1	1	2	3	5	7	25
35-49	48	4.7	20	1	1	3	6	12	15	21
50-64	33	5.1	19	1	2	4	5	12	14	21
65+	11	4.5	50	<1	<1	2	5	14	24	25
TOT. SINGLE DX	1182	2.3	3	1	1	2	3	4	5	9
" MULTIPLE DX	344	3.4	14	1	1	2	4	6	10	21
TOTAL 0-19 YRS	447	2.4	3	1	1	2	3	4	5	8
20-34	824	2.4	5	1	1	2	3	4	5	11
35-49	173	2.8	8	1	1	2	3	5	8	16
50-64	64	3.7	12	1	1	3	4	6	13	20
65+	18	3.5	32	<1	<1	2	3	7	18	25
GRAND TOTAL	**1526**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	306	2.9	17	<1	<1	2	3	6	10	18
20-34	260	3.3	16	<1	<1	2	4	6	11	19
35-49	266	3.3	18	<1	1	2	3	8	13	22
50-64	226	3.2	12	<1	1	2	4	7	9	25
65+	147	3.6	14	<1	1	2	4	9	12	23
2. MULTIPLE DX										
0-19 YRS	309	6.8	135	1	1	3	7	15	30	80
20-34	473	9.5	147	1	1	5	11	26	33	57
35-49	676	9.2	115	1	1	6	12	23	29	54
50-64	848	8.9	81	1	1	6	11	21	28	44
65+	1231	10.5	96	1	2	8	14	22	29	57
TOT. SINGLE DX	1205	3.2	16	<1	1	2	4	7	10	22
" MULTIPLE DX	3537	9.4	108	1	1	6	12	22	29	57
TOTAL 0-19 YRS	615	4.8	81	<1	1	2	4	10	19	63
20-34	733	7.3	110	1	1	3	8	19	28	52
35-49	942	7.5	95	1	1	4	9	18	28	52
50-64	1074	7.7	72	1	1	5	9	19	27	43
65+	1378	9.8	93	1	2	7	13	21	28	55
GRAND TOTAL	**4742**	**7.8**	**92**	**1**	**1**	**5**	**10**	**19**	**27**	**51**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1092	3.4	15	<1	1	2	4	7	9	20
20-34	1264	4.2	21	<1	1	3	5	9	13	24
35-49	753	4.7	33	1	1	3	6	10	14	24
50-64	432	6.0	56	1	1	4	7	12	18	43
65+	342	6.5	41	1	1	5	8	14	19	32
2. MULTIPLE DX										
0-19 YRS	2566	5.5	64	1	1	3	6	12	18	48
20-34	4135	6.6	88	1	1	3	7	15	24	55
35-49	2786	9.7	139	1	1	6	12	23	33	68
50-64	3017	11.7	155	1	2	8	15	26	39	73
65+	5597	13.4	152	2	3	10	17	29	39	65
TOT. SINGLE DX	3883	4.5	29	1	1	3	5	10	13	27
" MULTIPLE DX	18101	9.9	133	1	1	6	13	23	33	64
TOTAL 0-19 YRS	3658	4.9	51	1	1	3	5	10	15	41
20-34	5399	6.0	73	1	1	3	7	13	21	48
35-49	3539	8.6	121	1	1	5	10	20	29	61
50-64	3449	11.0	146	1	2	7	14	24	37	70
65+	5939	13.0	149	2	3	10	17	28	37	64
GRAND TOTAL	**21984**	**8.9**	**119**	**1**	**1**	**5**	**11**	**21**	**30**	**59**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	4.7	26	1	1	3	6	11	16	25
20-34	176	6.6	48	1	1	4	10	15	19	30
35-49	110	6.6	54	1	1	5	9	14	21	39
50-64	91	7.2	99	1	1	4	8	18	23	60
65+	88	8.2	66	1	1	7	11	16	22	46
2. MULTIPLE DX										
0-19 YRS	239	12.0	123	1	2	9	17	25	30	61
20-34	349	13.1	131	1	2	10	18	29	36	53
35-49	281	15.6	228	1	2	11	21	36	52	99+
50-64	296	16.4	213	2	3	12	22	37	52	81
65+	586	18.4	228	2	4	15	23	39	50	86
TOT. SINGLE DX	613	6.5	55	1	1	4	9	14	21	33
" MULTIPLE DX	1751	15.7	198	1	2	12	21	35	46	87
TOTAL 0-19 YRS	387	9.2	99	1	1	6	13	21	26	54
20-34	525	10.9	113	1	1	8	15	26	31	52
35-49	391	13.1	196	1	1	9	18	32	44	99+
50-64	387	14.3	201	1	2	10	21	34	48	74
65+	674	17.1	219	2	3	14	22	38	47	81
GRAND TOTAL	**2364**	**13.3**	**177**	**1**	**2**	**9**	**18**	**31**	**42**	**77**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.2	24	<1	1	1	3	6	18	22
20-34	70	5.4	86	1	1	2	6	12	15	57
35-49	41	4.0	31	1	1	2	5	8	13	32
50-64	24	3.9	19	1	1	3	5	7	12	22
65+	17	5.8	34	<1	1	3	7	16	19	21
2. MULTIPLE DX										
0-19 YRS	60	6.1	87	1	1	3	6	22	35	94
20-34	105	14.7	313	1	2	6	25	46	66	99+
35-49	84	15.2	384	1	1	6	23	44	75	99+
50-64	77	18.2	427	1	1	9	25	45	64	89
65+	117	17.4	292	1	2	11	27	43	55	87
TOT. SINGLE DX	193	4.5	49	1	1	2	5	10	16	38
" MULTIPLE DX	443	15.0	322	1	1	6	24	43	59	99+
TOTAL 0-19 YRS	101	5.0	63	1	1	2	5	12	28	72
20-34	175	11.0	242	1	1	4	14	38	49	99+
35-49	125	11.6	295	1	1	4	18	34	59	99+
50-64	101	14.8	367	1	1	5	20	42	60	85
65+	134	15.9	274	1	1	9	24	39	52	84
GRAND TOTAL	**636**	**11.8**	**262**	**1**	**1**	**4**	**17**	**37**	**52**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	2.2	4	<1	1	2	2	4	6	14
20-34	129	2.9	4	1	1	2	4	6	7	9
35-49	142	2.5	3	1	1	2	3	5	6	8
50-64	103	2.2	4	1	1	2	2	4	6	12
65+	35	2.0	4	1	1	2	2	3	3	14
2. MULTIPLE DX										
0-19 YRS	206	4.4	85	1	1	2	4	7	13	72
20-34	193	6.4	87	1	1	3	6	14	25	57
35-49	331	4.8	29	1	1	3	6	8	12	34
50-64	402	4.9	38	1	1	3	6	11	15	41
65+	333	8.9	72	1	2	7	11	18	23	51
TOT. SINGLE DX	582	2.4	4	1	1	2	3	5	6	11
" MULTIPLE DX	1465	5.9	60	1	1	4	7	13	19	49
TOTAL 0-19 YRS	379	3.4	49	1	1	2	3	6	8	59
20-34	322	5.0	57	1	1	3	5	9	16	47
35-49	473	4.1	23	1	1	3	5	7	11	29
50-64	505	4.4	33	1	1	2	5	10	14	35
65+	368	8.2	71	1	1	6	10	17	21	48
GRAND TOTAL	**2047**	**4.9**	**47**	**1**	**1**	**3**	**6**	**10**	**15**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.7	7	1	1	2	3	4	8	15
20-34	23	3.3	5	1	1	3	4	7	8	9
35-49	23	5.3	36	<1	1	4	7	12	17	27
50-64	28	2.6	4	1	1	2	4	6	7	8
65+	17	2.2	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	60	7.3	89	1	1	4	9	15	19	57
20-34	47	5.9	60	1	1	4	6	15	23	99+
35-49	69	6.2	19	2	2	5	7	10	14	27
50-64	104	8.9	68	2	3	7	11	16	23	52
65+	208	9.7	63	2	3	8	12	17	20	47
TOT. SINGLE DX	122	3.2	12	1	1	2	4	7	9	18
" MULTIPLE DX	488	8.4	63	1	2	6	11	16	20	55
TOTAL 0-19 YRS	91	5.8	66	1	1	3	7	13	19	52
20-34	70	5.1	44	1	1	4	6	11	18	89
35-49	92	5.9	23	1	1	5	7	11	14	28
50-64	132	7.6	62	1	1	5	10	15	20	46
65+	225	9.1	63	1	2	8	11	17	20	42
GRAND TOTAL	**610**	**7.3**	**57**	**1**	**1**	**5**	**9**	**15**	**19**	**45**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	2.9	16	1	1	1	3	7	12	20
20-34	2593	2.8	9	1	1	1	3	7	10	15
35-49	3620	2.9	10	1	1	2	3	7	10	16
50-64	1946	2.8	10	1	1	1	3	7	10	16
65+	628	2.7	10	1	1	1	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	134	3.5	16	1	1	2	3	9	13	36
20-34	1595	4.8	26	1	1	3	7	11	15	24
35-49	2879	4.6	27	1	1	3	6	11	14	26
50-64	2746	5.0	33	1	1	3	7	11	15	26
65+	1940	6.3	43	1	1	4	9	15	20	31
TOT. SINGLE DX	8953	2.8	10	1	1	2	3	7	10	16
" MULTIPLE DX	9294	5.1	33	1	1	3	7	12	16	27
TOTAL 0-19 YRS	300	3.2	16	1	1	2	3	8	13	23
20-34	4188	3.6	17	1	1	2	5	9	12	19
35-49	6499	3.6	19	1	1	2	4	9	12	21
50-64	4692	4.1	25	1	1	2	5	10	13	22
65+	2568	5.4	38	1	1	3	8	13	18	29
GRAND TOTAL	**18247**	**4.0**	**23**	**1**	**1**	**2**	**5**	**10**	**13**	**23**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	3.4	19	1	1	2	3	7	11	28
20-34	210	3.9	23	1	1	2	4	9	14	28
35-49	279	4.1	32	1	1	2	4	8	12	26
50-64	447	3.3	12	1	1	2	4	7	10	19
65+	520	3.2	18	1	1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	95	6.0	44	1	1	4	7	13	16	41
20-34	329	6.4	43	1	1	5	8	14	17	30
35-49	658	6.3	33	1	1	5	8	13	17	31
50-64	2117	5.9	35	1	1	4	8	12	16	31
65+	3729	6.5	40	1	1	5	8	13	17	33
TOT. SINGLE DX	1514	3.5	20	1	1	2	4	7	11	22
" MULTIPLE DX	6928	6.3	39	1	1	5	8	13	17	32
TOTAL 0-19 YRS	153	5.0	36	1	1	3	6	11	14	38
20-34	539	5.4	37	1	1	3	7	12	17	29
35-49	937	5.6	34	1	1	4	7	12	15	29
50-64	2564	5.5	32	1	1	4	7	11	15	29
65+	4249	6.1	39	1	1	4	8	12	16	32
GRAND TOTAL	**8442**	**5.8**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	8.0	64	4	4	4	12	20	20	20
35-49	31	4.1	7	1	1	3	7	8	9	11
50-64	66	3.6	12	1	1	2	5	9	11	17
65+	18	1.9	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	14	3.8	6	<1	<1	3	5	8	9	9
35-49	136	5.9	17	1	2	5	8	12	13	18
50-64	347	5.7	16	1	1	5	8	11	14	19
65+	362	7.6	45	1	2	7	10	15	18	32
TOT. SINGLE DX	121	3.6	12	1	1	2	5	8	10	19
" MULTIPLE DX	861	6.5	30	1	2	5	8	13	16	26
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	18	4.7	20	<1	<1	4	5	9	16	20
35-49	167	5.6	16	1	2	5	8	11	12	16
50-64	413	5.4	17	1	1	4	8	11	13	18
65+	380	7.3	45	1	1	6	10	15	18	32
GRAND TOTAL	**982**	**6.1**	**28**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	3.4	10	1	1	2	4	9	10	14
20-34	552	4.6	13	1	1	3	7	10	12	16
35-49	653	4.6	12	1	1	4	7	10	11	16
50-64	832	4.1	12	1	1	3	6	9	11	15
65+	686	4.5	19	1	1	2	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	159	5.7	39	1	1	4	7	11	15	36
20-34	923	6.7	35	1	1	5	9	13	16	28
35-49	1663	6.9	44	1	1	5	9	13	16	34
50-64	3481	6.6	40	1	1	5	9	13	17	30
65+	5786	7.4	41	1	1	6	10	15	19	31
TOT. SINGLE DX	2873	4.4	14	1	1	3	7	10	11	16
" MULTIPLE DX	12012	7.0	42	1	1	6	9	14	18	31
TOTAL 0-19 YRS	309	4.6	27	1	1	3	6	10	12	28
20-34	1475	5.9	28	1	1	5	8	12	15	24
35-49	2316	6.3	36	1	1	5	9	12	15	29
50-64	4313	6.1	36	1	1	5	8	12	16	28
65+	6472	7.1	40	1	1	6	10	14	18	30
GRAND TOTAL	**14885**	**6.5**	**37**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8388	3.3	19	1	1	2	4	6	8	20
20-34	11465	3.7	18	1	1	3	4	7	9	23
35-49	7722	4.3	20	1	1	3	5	8	12	24
50-64	5324	4.7	20	1	1	4	6	9	12	22
65+	3936	5.7	25	1	2	4	7	10	14	27
2. MULTIPLE DX										
0-19 YRS	16924	5.5	59	1	1	3	5	10	18	44
20-34	21764	5.6	41	1	1	4	6	11	17	33
35-49	23819	6.1	34	1	2	4	7	12	16	30
50-64	36184	6.8	32	2	2	5	8	13	17	30
65+	84085	7.9	35	2	3	7	10	14	19	31
TOT. SINGLE DX	36835	4.1	21	1	1	3	5	8	11	24
" MULTIPLE DX	182776	7.0	39	1	2	5	9	13	18	32
TOTAL 0-19 YRS	25312	4.8	47	1	1	3	5	8	14	39
20 34	33229	5.0	34	1	1	3	6	9	14	30
35-49	31541	5.6	32	1	1	4	7	11	15	29
50-64	41508	6.5	32	1	2	5	8	12	16	29
65+	88021	7.8	35	2	3	6	10	14	18	30
GRAND TOTAL	**219611**	**6.5**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4772	6.4	105	1	1	3	5	16	31	51
20-34	2235	7.6	68	1	2	5	9	17	24	40
35-49	2100	7.4	57	1	2	5	9	15	21	40
50-64	1392	6.5	52	1	1	4	8	12	20	44
65+	1034	6.7	34	1	2	5	8	14	18	29
2. MULTIPLE DX										
0-19 YRS	7561	7.6	130	1	2	4	7	18	32	65
20-34	4755	8.5	89	1	2	5	10	18	28	49
35-49	5594	8.1	66	2	2	6	9	16	24	43
50-64	7531	8.1	61	2	2	6	9	15	22	43
65+	18271	8.9	57	2	3	7	11	17	22	40
TOT. SINGLE DX	11533	6.9	77	1	1	4	7	15	24	45
" MULTIPLE DX	43712	8.4	76	2	2	6	10	17	24	46
TOTAL 0-19 YRS	12333	7.1	121	1	2	4	6	17	32	60
20-34	6990	8.2	83	1	2	5	9	18	26	46
35-49	7694	7.9	64	1	2	6	9	16	24	42
50-64	8923	7.8	60	1	2	6	9	15	22	43
65+	19305	8.8	56	2	3	7	11	16	22	39
GRAND TOTAL	**55245**	**8.1**	**76**	**1**	**2**	**6**	**9**	**16**	**24**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4771	3.6	20	1	1	3	4	6	8	28
20-34	3673	4.1	41	<1	<1	2	4	8	14	33
35-49	2487	4.7	37	1	1	3	5	9	16	33
50-64	2163	4.8	31	1	1	3	6	9	12	27
65+	1783	5.4	26	1	1	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	12684	5.9	82	1	2	3	5	11	21	57
20-34	7888	5.9	61	1	1	3	6	13	21	44
35-49	10274	6.0	44	1	1	4	7	12	17	34
50-64	19048	6.4	34	1	2	5	8	12	16	30
65+	45446	7.5	34	2	2	6	9	14	18	30
TOT. SINGLE DX	14877	4.3	31	1	1	3	5	8	12	30
" MULTIPLE DX	95340	6.8	45	1	2	5	8	13	18	35
TOTAL 0-19 YRS	17455	5.3	66	1	1	3	5	9	17	50
20-34	11561	5.3	56	<1	1	3	6	11	19	41
35-49	12761	5.7	43	1	1	4	7	11	17	33
50-64	21211	6.2	34	1	2	5	8	12	16	30
65+	47229	7.4	34	2	2	6	9	14	18	29
GRAND TOTAL	**110217**	**6.4**	**44**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal

Group No.	Title
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No. Title

Dependence
104 Alcoholic
106 Amphetamine
106 Barbiturate
106 Cocaine
105 Heroin
106 LSD
106 Marijuana
105 Methadone
105 Morphine
105 Opioid
111 Depression, except neurotic, postpartum, and psychotic
102 Neurotic
267 Postpartum
98 Psychotic
102 Depressive neurosis
98 Depressive psychosis
102 Depressive reaction
301 Derangement, joint except knee
300 Knee joint
295 Dermatitis
15 Dermatomycosis
121 Detachment of retina
175 Deviated nasal septum
Diabetes mellitus
340 Chemical
71 Uncomplicated
73 Uncontrolled
Diabetic complications
72 Acidosis
73 Cataract
72 Coma
73 Gangrene
73 Nephropathy
73 Neuropathy
73 Retinopathy
73 Ulcer
Dialysis
397 Peritoneal
397 Renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Functional
1 Infectious
6 Diphtheria
Disease
199 Appendix, except acute appendicitis
151 Arteriosclerotis cardiovascular
168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13 Arthropod-borne
79 Autoimmune
6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No. Title

Disease (continued)
218 Biliary ducts
234 Bladder, except calculus and cystitis
313 Bone, except osteomyelitis and osteoarthritis
242 Breast, except fibrocystic
241 Breast, fibrocystic
221 Celiac
Central nervous system
7 Enteroviral
113 Inflammatory, except enteroviral
117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
Cerebrovascular — *see Cerebrovascular accident*
136 Chronic rheumatic heart
296 Connective tissue, diffuse
143 Coronary artery
211 Crohn's
75 Cushing's
187 Dental
209 Diverticular
196 Duodenum, except ulcer and inflammatory
134 Ear, except inflammatory and otosclerosis
75 Endocrine, except ovary, thyroid, and diabetes mellitus
189 Esophagus
129 Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128 Eye, inflammatory, except lacrimal tract
252 Fallopian tube, except endometriosis
316 Fascia
252 Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216 Gallbladder
252 Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
Heart
138 Hypertensive
143 Ischemic, except infarction and angina pectoris
136 Rheumatic, chronic
150 Other, except arrhythmia and bacterial endocarditis
86 Hematopoietic, except anemia, hemophilia, and leukemia
328 Hemolytic, newborn
46 Hodgkin's
137 Hypertensive, except heart
138 Hypertensive, heart
17 Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211 Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1 Intestine, infectious
143 Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe

Group No.	Title
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No. Title

- 176 Nasal polyp
- 339 Nausea
- Neoplasm, benign
  - 61 Bladder
  - 53 Bone
  - 63 Brain
  - 55 Breast
  - 52 Bronchus
  - 50 Buccal cavity
  - 57 Cervix
  - 53 Connective tissue
  - 51 Digestive
  - 65 Endocrine, except thyroid
  - 62 Eye
  - Genitalia
    - 59 Female, except uterus and ovary
    - 60 Male
  - 61 Kidney
  - 52 Larynx
  - 52 Lung
  - 53 Muscle
  - 63 Nervous system
  - 58 Ovary
  - 50 Pharynx
  - 60 Prostate
  - 52 Respiratory
  - 60 Scrotum
  - 54 Skin
  - 52 Thymus
  - 64 Thyroid
  - 61 Ureter
  - 61 Urethra
  - 61 Urinary
  - 57 Uterus, except fibroma
    - 56 Fibroma
  - 59 Vagina
  - 59 Vulva
- Neoplasm, malignant
  - 44 Adrenal gland
  - 39 Bladder
  - 29 Bone
  - 42 Brain
  - 32 Breast
  - 27 Bronchus
  - 19 Buccal cavity
  - 43 Cerebral meninges
  - 33 Cervix uteri
  - 23 Colon
  - 29 Connective tissue
  - 44 Endocrine glands
  - 20 Esophagus
  - 41 Eye
  - 36 Fallopian tube
  - Genitalia
    - 36 Female, except uterus and ovary

Group No. Title

- Neoplasm, malignant (continued)
    - 38 Male, except prostate
  - 45 Ill-defined sites
  - 25 Intestine, except colon and rectum
    - 23 Large, except rectum
    - 22 Small
  - 40 Kidney
  - 23 Large intestine, except rectum
  - 27 Lung
  - 49 Lymphatic, except Hodgkin's disease
  - 45 Metastatic
  - 19 Mouth
  - 43 Nervous system, except brain
  - 35 Ovary
  - 26 Pancreas
  - 19 Pharynx
  - 44 Pituitary gland
  - 36 Placenta
  - 37 Prostate
  - 24 Rectum
  - 28 Respiratory system, except bronchus and lung
  - 38 Scrotum
  - 45 Secondary
  - 31 Skin, except genitalia
  - 22 Small intestine
  - 43 Spinal cord and meninges
  - 21 Stomach
  - 44 Thyroid gland
  - 40 Ureter
  - 40 Urethra
  - 40 Urinary tract, except bladder
  - 34 Uterus, except cervix
  - 36 Vagina
  - 36 Vulva
- 49 Neoplasm, lymphatic, except leukemia and Hodgkin's disease
- 68 Neoplasm, unspecified type, any site
- 222 Nephritis, except acute
  - 223 Acute
- 222 Nephrosis, except tubular
  - 225 Tubular
- 222 Nephropathy, except diabetic
  - 73 Diabetic
- 109 Nervous gastritis
- 315 Neuralgia, except sciatic and trigeminal
  - 307 Sciatic
  - 120 Trigeminal
- 315 Neuritis, except median and sciatic
  - 119 Median
  - 307 Sciatic
- 120 Neuroma, except amputation stump
  - 390 Amputation stump
- 103 Neurosis, except anxiety, cardiac, and depressive
  - 101 Anxiety
  - 109 Cardiac

DIAGNOSIS INDEX (continued)

Group No. Title

- Neurosis, except anxiety, cardiac, and depressive (continued)
  - 102 Depressive
- Nevus
  - 54 Skin
  - 327 Vascular
- Newborn, hospital
  - 394 Multiple
  - 393 Single term
  - 394 Twin
- Newborn, nonhospital
  - 395 Multiple
  - 395 Single
- 270 Normal delivery
- 125 Nuclear cataract
- 84 Nutritional anemia
- 128 Nystagmus

- 78 Obesity
- 268 Obstructed labor
  - 280 with delivery
- Obstruction
  - 218 Bile duct, except calculus
  - 207 Intestinal, except postoperative
  - 390 Intestinal, postoperative
  - 172 Portal vein
  - 172 Vena cava
- 184 Obstructive pulmonary disease NOS (COPD)
- Occlusion
  - 158 Cerebral, without paralysis
  - 159 Cerebral, with paralysis
  - 156 Precerebral, without paralysis
  - 157 Precerebral, with paralysis
- 122 Open-angle glaucoma
- 105 Opioid dependence or addiction
- 128 Optic atrophy
- 238 Orchitis
- 90 Organic brain syndrome, except acute and arteriosclerotic
  - 89 Acute
  - 91 Arteriosclerotic
  - 89 Transient
- 298 Osteoarthritis, except spinal
  - 303 Spinal
- 312 Osteomyelitis
- 317 Osteopathic somatic dysfunction
- Otitis media
  - 130 Chronic and unspecified
  - 131 Acute
- 133 Otosclerosis
- 243 Ovarian cyst
- 252 Ovarian disease, except endometriosis and dysfunction
- 74 Ovarian dysfunction
- 254 Ovarian pregnancy

Group No. Title

- 74 Ovary, polycystic
- 384 Overdose, drug

- Paget's disease — *see Disease, Paget's*
- Pain
  - 338 Abdominal
  - 335 Chest
  - 253 Female genital organ
  - 331 Head
  - 335 Precordial
- 219 Pancreatic disease
- 128 Papilledema
- 114 Paralysis agitans
- 207 Paralytic ileus
- 100 Paranoia, except schizophrenic
- 94 Paranoid schizophrenia
- 114 Parkinsonism
- 146 Paroxysmal atrial or supraventricular tachycardia
- 17 Pediculosis
- Peptic ulcer — *see Ulcer, peptic*
- 189 Perforation, esophagus
- 397 Peritoneal dialysis treatment
- 211 Peritonitis, except due to appendicitis
- 84 Pernicious anemia
- 6 Pertussis
- 314 Pes planus
- 116 Petit mal epilepsy
- 240 Peyronie's disease
- 239 Phimosis
- 169 Phlebitis
- 244 PID
- 171 Piles
- 293 Pilonidal cyst
- 16 Pinworm infection
- 70 PKU
- 264 Placenta previa
  - 271 with delivery
- 11 Plantar warts
- 186 Pleural disease
- 186 Pleurisy
- 179 Pneumonia, except influenzal
  - 180 with influenza
- Pneumothorax
  - 185 Spontaneous
  - 366 Traumatic
- 385 Poisoning, except food and drug
  - 384 Drug
  - 1 Food
  - 374 Late effect
- 7 Poliomyelitis
  - 18 Late effect
- 74 Polycystic ovary
- 68 Polycythemia, except secondary
  - 86 Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation

Group No.	Title
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery

Group No. Title

- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy

OPERATION INDEX (continued)

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

OPERATION INDEX (continued)

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine

Group No.	Title
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

OPERATION INDEX (continued)

Group No. Title

- Excision (continued)
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord
- Excision of lesion (and destruction of tissue)
  - 626 Abdominal wall
  - 611 Anus
  - 617 Bile duct
  - 638 Bladder, except transurethral approach
    - 637 Transurethral approach
  - 705 Bone, except facial
    - 698 Facial
  - 501 Brain
  - 742 Breast
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix, except by conization
    - 667 Conization
  - 597 Colon
  - 520 Conjunctiva
  - 522 Cornea
  - 597 Duodenum
  - 534 Ear, external
  - 588 Esophagus
  - 532 Eye
  - 517 Eyelid
  - 666 Fallopian tube
  - 549 Gingiva, gums
  - 597 Intestine
  - 524 Iris
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 565 Lung
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - Nerve
    - 508 Peripheral
    - 511 Sympathetic
  - 543 Nose, except submucous resection
    - 541 Submucous resection
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve

Group No. Title

- Excision of lesion (continued)
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation
- 508 Extracorporeal shock wave lithotripsy (ESWL)
- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal

OPERATION INDEX (continued)

Group No. Title

- Fistulectomy (continued)
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction — *see Fracture-reduc[illegible]n*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 601 Endoileal rectal pouch
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 with internal fixation
  - 713 Open, except with internal fixation
    - 712 with internal fixation
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 with internal fixation
    - 710 Open, except with internal fixation
      - 709 with internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy

Group No. Title

- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 763 Hyperalimentation
- 760 Hyperthermia, except localized
  - 763 Localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

OPERATION INDEX (continued)

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)

Group No.	Title
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

OPERATION INDEX (continued)

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

OPERATION INDEX (continued)

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

OPERATION INDEX (continued)

Group No. Title

- Therapy (continued)
  - 761 Shock (EST)
  - 760 Speech
- 758 Thermography
- 576 Thoracentesis
- 570 Thoracoscopy, transpleural
- 569 Thoracotomy
- 515 Thymectomy
- 513 Thyroidectomy
- 552 Tongue-tie operation
- 553 Tonsillectomy, except with adenoidectomy
  - 554 With adenoidectomy
- 548 Tooth restoration
- 562 Tracheostomy, except permanent
  - 561 Permanent
- 760 Traction, skeletal, except with fracture-reduction
  - With fracture-reduction — *see Reduction, fracture*
- Transfer — *see Transplant*
- Transfusion
  - 763 Blood
    - 763 Exchange, except intrauterine
      - 696 Intrauterine
  - 585 Bone marrow
  - 763 Coagulation factor
  - 763 Gamma globulin
  - 763 Plasma
- Transplant, transplantation
  - 585 Bone marrow
  - 521 Corneal
  - 571 Heart
  - 632 Kidney
  - 731 Muscle, except of hand
    - 729 Hand
  - 731 Tendon, except of hand
    - 729 Hand

Group No. Title

- 648 TUR of prostate
- 543 Turbinectomy, nasal
- 536 Tympanoplasty, except revision
  - 539 Revision
- 537 Tympanotomy

- 758 Ultrasound, diagnostic
- 635 Ureterectomy
- 634 Ureterostomy
- 633 Ureterotomy
- 636 Urethroscopy
- 642 Urethrotomy
- 634 Urinary diversion
- 764 Uroflowmetry, uroflometry

- 763 Vaccination
- 689 Vacuum extraction for delivery
- 686 Vaginoscopy
- 595 Vagotomy
- 577 Varicose vein operation
- 655 Vasectomy
- 656 Vasoplasty
- 655 Vasotomy
- 656 Vasovasostomy
- 757 Venography
- 504 Ventricular shunt, except revision
  - 505 Revision
- 753 Ventriculography
- 684 Vulvectomy

- X-ray — *see Radiography*

- 751 Z-plasty, skin